

SMITHSONIAN INSTITUTION  
UNITED STATES NATIONAL MUSEUM  
BULLETIN 185

---

CHECKLIST OF THE COLEOPTEROUS  
INSECTS OF MEXICO, CENTRAL AMERICA,  
THE WEST INDIES, AND SOUTH  
AMERICA

PART 3

COMPILED BY  
RICHARD E. BLACKWELDER



UNITED STATES  
GOVERNMENT PRINTING OFFICE  
WASHINGTON : 1945



## CONTENTS

---

### Order COLEOPTERA:

#### Suborder Polyphaga—Continued.

|                            | Page |
|----------------------------|------|
| Family Lycidae.....        | 343  |
| Family Lampyridae.....     | 351  |
| Family Phengodidae.....    | 362  |
| Family Karumiidae.....     | 362  |
| Family Drilidae.....       | 362  |
| Family Cantharidae.....    | 363  |
| Family Malachiidae.....    | 374  |
| Family Dasytidae.....      | 377  |
| Family Cleridae.....       | 381  |
| Family Temnochilidae.....  | 391  |
| Family Dermestidae.....    | 395  |
| Family Bostrichidae.....   | 398  |
| Family Lyctidae.....       | 400  |
| Family Ptinidae.....       | 401  |
| Family Gnostidae.....      | 402  |
| Family Anobiidae.....      | 402  |
| Family Sphindidae.....     | 406  |
| Family Aderidae.....       | 406  |
| Family Lymexylonidae.....  | 408  |
| Family Thorictidae.....    | 408  |
| Family Nitidulidae.....    | 408  |
| Family Cucujidae.....      | 418  |
| Family Biphyllidae.....    | 425  |
| Family Languriidae.....    | 425  |
| Family Cryptophagidae..... | 427  |
| Family Phalacridae.....    | 429  |
| Family Orthoperidae.....   | 431  |
| Family Byturidae.....      | 431  |
| Family Anthicidae.....     | 432  |
| Family Lathridiidae.....   | 435  |
| Family Endomychidae.....   | 436  |
| Family Coccinellidae.....  | 440  |
| Family Erotylidae.....     | 456  |
| Family Mycetophagidae..... | 469  |
| Family Colydiidae.....     | 469  |
| Family Discolomidae.....   | 474  |
| Family Mordellidae.....    | 475  |
| Family Rhipiphoridae.....  | 479  |
| Family Meloidae.....       | 481  |
| Family Stylopidae.....     | 488  |
| Family Oedemeridae.....    | 489  |
| Family Pedilidae.....      | 492  |
| Family Pyrochroidae.....   | 492  |
| Family Pythidae.....       | 493  |

|                           |     |
|---------------------------|-----|
| Family Elacatidae.....    | 494 |
| Family Serropalpidae..... | 494 |
| Family Scraptiidae.....   | 496 |
| Family Lagriidae.....     | 497 |
| Family Nilionidae.....    | 503 |
| Family Monommidae.....    | 504 |
| Family Alleculidae.....   | 505 |
| Family Tenebrionidae..... | 510 |
| Family Cisidae.....       | 549 |

[Suborder POLYPHAGA to be continued in Part 4]

# CHECKLIST OF THE COLEOPTEROUS INSECTS OF MEXICO, CENTRAL AMERICA, THE WEST INDIES, AND SOUTH AMERICA

## PART 3

Compiled by RICHARD E. BLACKWELDER

### Suborder POLYPHAGA—Continued Series SYMPHIOGASTRA—Continued Superfamily CANTHAROIDEA

#### LYCIDAE

##### LYCINAE

##### LYCINI

*Lycus* Fab. 87-163

*Lycostomus* Moks. 61-136 (Subg.)

*Neolycus* Bourg. 83-lxi (Subg.)

*Thoracocolon* Bourg. 83-lxi (Subg.)

|                                   |                         |
|-----------------------------------|-------------------------|
| <i>adumbratus</i> Bourg. 77-365   | Colombia                |
| <i>angulatus</i> Gorb. 84-225     | Guatemala               |
| <i>binotatus</i> Pic 23-34        | México                  |
| <i>brevirostris</i> Bourg. 99-661 | Panamá                  |
|                                   | Ecuador                 |
| <i>bucolicus</i> Gorb. 84-225     | Panamá                  |
| <i>carmelitus</i> Gorb. 80-2      | México                  |
| <i>carnifex</i> Gorb. 80-6        | México                  |
| <i>championi</i> Gorb. 80-5       | Guatemala               |
| <i>cruentus</i> LeC. 61-336       | Baja Calif.<br>U. S. A. |
| <i>deustus</i> Gorb. 80-5         | Panamá                  |
| <i>fernandesi</i> Dugès 78-175    | México<br>U. S. A.      |
| <i>fuliginosus</i> Gorb. 80-4     | Guatemala               |
| <i>godmani</i> Gorb. 80-3         | México                  |
| <i>icarus</i> Bourg. 89-229       | Fr. Guiana<br>Brasil    |
| <i>lineicollis</i> Chev. 34-149   | México                  |
| <i>loripes</i> Chev. 34-148       | México<br>Guatemala     |
| <i>maroniensis</i> Pic 23-34      | Fr. Guiana              |
| <i>rusticus</i> Gorb. 84-226      | México                  |
| <i>sallaei</i> Gorb. 80-3         | México                  |
| <i>sanguineus</i> Gorb. 84-226    | México                  |
| <i>schönherri</i> Chev. 34-147    | México                  |
| <i>scutellatus</i> Gorb. 80-3     | México                  |
| <i>semustus</i> Chev. 34-105      | México                  |
| <i>singularicollis</i> Pic 23-34  | México                  |

|                                 |  |
|---------------------------------|--|
| <i>sommeri</i> Gorb. 80-6       | México<br>Nicaragua                            |
| <i>sordidus</i> Gorb. 80-5      | México<br>Guatemala<br>Nicaragua<br>Costa Rica |
| <i>tabidus</i> Gorb. 80-4       | México   |
| <i>testaceipes</i> Pic 23-34    | México   |
| <i>thoracicus</i> Kirsch 65-53  | Colombia                                       |
| <i>umbraticeps</i> Bourg. 85-77 | Colombia                                       |
| <i>Celiasis</i> Lap. 40-263     |  |
| <i>mirabilis</i> Lap. 40-263    | Colombia                                       |

##### LEPTOLYCINI

|                                      |             |
|--------------------------------------|-------------|
| <i>Leptolycus</i> L. & M. 22-430     |             |
| <i>heterocornis</i> L. & M. 22-430   | Puerto Rico |
| <i>v. flavicollis</i> L. & M. 22-431 | Puerto Rico |

##### THONALMINI

|                                  |                              |
|----------------------------------|------------------------------|
| <i>Thonalmus</i> Bourg. 83-376   |                              |
| <i>amabilis</i> DuVal 56-80      | Cuba                         |
| <i>aulicus</i> DuVal 56-80       | Cuba                         |
| <i>distinguendus</i> DuVal 56-80 | <sup>12</sup> I. de Pinos    |
| <i>elegantulus</i> DuVal 56-80   |                              |
| <i>nigrütarsis</i> Chev. 70-77   |                              |
| <i>bahamae</i> L. & M. 22-425    | Bahamas Is.                  |
| <i>bicolor</i> Linn. 63-395      | Cuba                         |
| <i>denominatus</i> Chev. 70-74   | Jamaica                      |
| <i>militaris</i> Dalm. 06-30     | Hispaniola<br>Guadeloupe     |
| <i>chevrolati</i> Bourg. 01-50   | Haiti                        |
| <i>bicolor</i> Chev. 70-73       | R. Dominicana<br>Puerto Rico |
| <i>dominicensis</i> Chev. 70-73  | Hispaniola                   |
| <i>bicolor</i> Lap. 40-282       | Puerto Rico<br>Guadeloupe    |

<sup>12</sup> West Indies.

## Thonalmus—Continued.

|                              |       |            |
|------------------------------|-------|------------|
| hubbardi L. & M. 22-426      | ..... | Montserrat |
| sinuaticollis L. & M. 22-426 | ..... | Montserrat |
| suavis DuVal 56-80           | ..... | Cuba       |
| subquadratus L. & M. 22-420  | ..... | Jamaica    |

## CALOPTERINI

## Calopteron Guér. 30-72.

*Charactus* Dej. 37-111*Digrapha* Newm. 38-380

|                                 |       |  |
|---------------------------------|-------|--|
| acuminatum Bourg. 78-171        | ..... | Colombia   |
| acupalpe Bourg. 79-39           | ..... | Colombia<br>Venezuela  |
| affine Lucas 57-80              | ..... | México<br>Guatemala<br>Nicaragua<br>Brasil                               |
| agnatalense Pic 38-156          | ..... | Colombia   |
| albicolle Chevr. 58-209         | ..... | Cuba   |
| augustalis Pic 33-124           | ..... | Brasil   |
| anxium Bourg. 79-xvii           | ..... | Fr. Guiana<br>Brasil   |
| atrithorax Pic 23-40            | ..... | Perú   |
| atrum Pic 33-123                | ..... | México   |
| aurantiacocostatum Pic 32-254   | ..... | Colombia   |
| auritum Bourg. 86-cxl           | ..... | Brasil   |
| bahiense Pic 23-40              | ..... | Brasil   |
| bangi Pic 31-105                | ..... | Bolivia  |
| basale Kirsch 65-56             | ..... | Colombia<br>Perú<br>Bolivia<br>Paraguay                                  |
| basimarginatum Pic 38-122       | ..... | Brasil   |
| belti Gorch. 80-15              | ..... | Nicaragua  |
| bifasciatum Gorch. 80-8         | ..... | México<br>Br. Honduras<br>Guatemala<br>Nicaragua<br>Costa Rica<br>Panamá |
| biplectile Berg 85-228          | ..... | Argentina  |
| blandulum Bourg. 79-37          | ..... | Colombia   |
| bourgeoisii Kirsch 65-48        | ..... | Ecuador  |
| brasilense Lap. 40-262          | ..... | Brasil   |
| <i>sinuaticolle</i> Lucas 57-79 | ..... | Argentina  |
| breveaurantiacum Pic 34-45      | ..... | Colombia   |
| caucathalense Pic 23-40         | ..... | Colombia   |
| colombianum Tasch. 74-94        | ..... | Venezuela  |
| confrater Tasch. 74-92          | ..... | Venezuela<br>Brasil  |
| consulare Er. 47-81             | ..... | Perú<br>Bolivia  |
| convergens Bourg. 10-310        | ..... | Ecuador  |
| corrugatum Cand. 61-357         | ..... | México<br>Nicaragua  |
| costatum Kirsch 65-58           | ..... | Panamá<br>Colombia<br>Venezuela  |
| cyaneipenne Pic 22-23           | ..... | Perú   |
| cyaneum Er. 47-81               | ..... | Guiana<br>Colombia   |
| <i>conithorax</i> Kirsch 65-56  | ..... | Perú   |
| debile Gorch. 84-236            | ..... | Panamá   |
| dichroum Kirsch 65-57           | ..... | Colombia   |

|                              |       |  |
|------------------------------|-------|--|
| difficile Gorch. 89-16       | ..... | Guatemala<br>Nicaragua<br>Panamá           |
| dilatatum Bourg. 77-366      | ..... | Colombia                                   |
| discoideale Tasch. 74-97     | ..... | Brasil                                     |
| dissimile Bourg. 99-90       | ..... | Venezuela                                  |
| divergens Gorch. 80-11       | ..... | Nicaragua                                  |
| dives Bourg. 78-166          | ..... | Colombia                                   |
| elegantulum DuVal 56-78      | ..... | Cuba                                       |
| elongatum Tasch. 74-90       | ..... | Brasil                                     |
| elongatum Bourg. 78-171      | ..... | Colombia                                   |
| espiritense Pic 28-57        | ..... | Brasil                                     |
| excellens Kirsch 65-55       | ..... | Colombia                                   |
| exile Bourg. 79-39           | ..... | Colombia                                   |
| fallax Kirsch 65-56          | ..... | Colombia                                   |
| fenestratum Bourg. 78-169    | ..... | Colombia                                   |
| v. infenestratum Pic 38-156  | ..... | Colombia                                   |
| flavicauda Kirsch 65-57      | ..... | Colombia                                   |
| funestius Gorch. 84-231      | ..... | México                                     |
| <i>funestum</i> Kleine 33-21 | ..... |  |
| genuum Bourg. 89-231         | ..... | Colombia                                   |
| gloriosum Bourg. 99-662      | ..... | Ecuador                                    |
| gorhami Bourg. 79-39         | ..... | Colombia                                   |
| gounellei Bourg. 86-clxiv    | ..... | Brasil                                     |
| goyasense Pic 22-23          | ..... | Brasil                                     |
| gracile Guér. 55-581         | ..... | Brasil                                     |
| grandjeani Pic 33-124        | ..... | Brasil                                     |
| hogei Pic 30-323             | ..... | México                                     |
| humile Bourg. 89-94          | ..... | Venezuela                                  |
| ichnoides Gorch. 80-15       | ..... | Guatemala<br>Panamá                        |
| imitator Gorch. 84-236       | ..... | Guatemala<br>Panamá                        |
| insidiosum Bourg. 79-34      | ..... | Colombia                                   |
| interstitiale Tasch. 74-93   | ..... | Venezuela                                  |
| interventione Berg 89-151    | ..... | Argentina                                  |
| jatahyense Pic 23-40         | ..... | Brasil                                     |
| jimenezii Dugès 78-181       | ..... | México                                     |
| juvenile Bourg. 79-xvi       | ..... | Costa Rica<br>Panamá<br>Brasil             |
| kirschi Tasch. 74-90         | ..... | Brasil                                     |
| lateritium Boh. 58-74        | ..... | <sup>10</sup> I. Puna                      |
| laticolle Bourg. 79-232      | ..... | Brasil<br>Argentina                        |
| laticorne Tasch. 74-92       | ..... | Bolivia<br>Argentina                       |
| lebasi Bourg. 78-169         | ..... | Colombia                                   |
| lepidulum Kirsch 84-50       | ..... | Elcuar                                     |
| lepidulum Bourg. 79-35       | ..... | Colombia                                   |
| limbatum Fab. 01-115         | ..... | Brasil                                     |
| v. apicale Guér. 30-72       | ..... | Brasil                                     |
| v. signatum Bourg. 05-119    | ..... | Brasil                                     |
| longipile Pic 32-1           | ..... | Argentina                                  |
| maculatum Tasch. 74-89       | ..... | Brasil<br>Bolivia<br>Paraguay<br>Argentina |
| matutinum Gorch. 80-16       | ..... | México<br>Guatemala                        |
| melanoxanthum Kirsch 70-378  | ..... | Panamá                                     |
| <i>cognatum</i> Tasch. 74-98 | ..... | Colombia<br>Venezuela<br>Brasil            |
| v. geayianum Bourg. 05-117   | ..... | Venezuela                                  |
| mesoxanthum Bourg. 10-310    | ..... | Ecuador                                    |

<sup>10</sup> Ecuador.

**Calopteron**—Continued.

- miniatum* Gorb. 80-166.....Costa Rica  
 Panamá  
*morosum* Bourg. 10-311.....Ecuador  
*nigricauda* Kirsch 70-377.....Colombia  
*nigripes* Tasch. 74-95.....Brasil  
*noireli* Bourg. 10-310.....Ecuador  
*notatum* Gorb. 84-235.....Guatemala  
 Panamá  
*oblitum* Gorb. 98-316.....St. Vincent  
 Grenada  
*opulentum* Bourg. 85-77.....Ecuador  
*pallidum* Gorb. 80-9.....Costa Rica  
 Panamá  
   *v. submarginatum* Pic 32-255.....Central America  
*palpale* Kirsch 65-58.....Guatemala  
 Nicaragua  
 Costa Rica  
 Panamá  
 Colombia  
 Brasil  
   *v. reducteapicale* Pic 37-33.....Bolivia  
*parens* Bourg. 99-91.....Panamá  
 Venezuela  
   *v. bodemeyeri* Pic 31-105.....Panamá  
   *v. minor* Pic 31-105.....Perú  
*peccans*, new name.....Argentina  
   *longipile* Pic 33-124 (not 32-1)  
*phalaratum* Blanch. 43-125.....Bolivia  
   *campanulatum* Tasch. 74-91  
*picipenne* Perty 34-27.....Guatemala  
   *melanopterus* Lucas 57-81.....Brasil  
*plagiatum* Tasch. 74-98.....Argentina  
*planulum* Gorb. 84-230.....Panamá  
*plateroides* Gorb. 84-236.....Guatemala  
 Panamá  
*pleioxanthum* Kirsch 65-66.....Colombia  
*posticum* Kirsch 70-378.....Nicaragua  
 Panamá  
 Colombia  
*poweri* Bourg. 78-168.....Colombia  
*praeustum* Tasch. 74-100.....Brasil  
*pretiosum* Bourg. 85-78.....Colombia  
*pyrrhomelas* Bourg. 79-31.....Colombia  
*quadraticolle* Tasch. 74-94.....Venezuela  
 Fr. Guiana  
 Perú  
*regulare* Tasch. 74-88.....Brasil  
*reticulatum* Fab. 75-203.....México  
   *duplicatum* Hald. 42-303.....Guatemala  
   *terminale* Say 23-178.....Costa Rica  
   *typicum* Newm. 38-380.....U. S. A.  
   *v. discrepans* Newm. (Bourg. 05-115).....México  
 Guatemala  
 U. S. A.  
   *v. inhumeralis* Bourg. 05-115.....Guatemala  
*rubicolle* Gorb. 84-234.....México  
*rubrotesticum* Bourg. 79-33.....Panamá  
 Colombia  
 Venezuela  
*rufopicale* Pic 23-40.....Central America  
*sallei* Bourg. 89-95.....Venezuela  
*scalare* Tasch. 74-96.....Brasil  
*scapulare* Gorb. 80-12.....México  
 Guatemala  
*scenicum* Bourg. 89-233.....Fr. Guiana  
*schneideri* Pic 33-124.....Brasil  
*segmentatum* Bourg. 78-167.....Colombia  
*seileri* Pic 35-5.....Colombia  
*semiflavum* Chevr. 70-78.....Cuba  
*semirobustum* Pic 31-105.....Bolivia  
*semivittatum* Bourg. 79-26.....Colombia  
*serratum* Linn. 58-403.....Guatemala  
   *affine* Tasch. 74-88  
 Nicaragua  
 Fr. Guiana  
 Perú  
 Bolivia  
 Paraguay  
   *v. abdominale* Lucas 57-80.....Fr. Guiana  
 Brasil  
 Perú  
 Bolivia  
   *v. flavipes* Blanch. 43-126.....Guatemala  
 Panamá  
 Bolivia  
 Argentina  
*sexmaculatum* Pic 38-156.....Brasil  
*sexvittatum* Tasch. 74-96.....Brasil  
*simoni* Gorb. 99-93.....Venezuela  
*simulorum* Bourg. 84-234.....Guatemala  
 Panamá  
*sinuatocolle* Gorb. 84-231.....Panamá  
*smithi* Gorb. 98-315.....St. Vincent  
*speciosum* Guér. 55-581.....Brasil  
*steinheili* Bourg. 78-168.....Colombia  
*suberuciatum* Bourg. 78-170.....Colombia  
*subnotatum* Pic 38-156.....Ecuador  
*subparallelum* Pic 38-156.....Perú  
*suturale* Gorb. 84-232.....Panamá  
*terminale* Gorb. 80-14.....Guatemala  
 Nicaragua  
 Panamá  
*terminatum* Latr. 33-32.....Colombia  
   *unicolor* Kirsch 65-58  
 Venezuela  
 Fr. Guiana  
 Brasil  
 Perú  
   *v. nigricorne* Latr. 33-102.....Colombia  
 Fr. Guiana  
 Perú  
*testaceithorax* Pic 22-23.....Paraguay  
*textile* Bourg. 99-662.....Ecuador  
*thoracicum* Kirsch 70-379.....Colombia  
*torquatum* Er. 47-81.....Perú  
   *v. albofasciatum* Bourg. 05-113.....Perú  
*tricolor* Oliv. 90-10.....Fr. Guiana  
 Surinam  
 ?Brasil  
*tricostatum* Gorb. 80-17.....México  
 Guatemala  
*tropicum* Linn. 64-80.....Fr. Guiana  
   *fasciatum* Fab. 87-163  
 Brasil  
 Argentina  
*vagepictum* Bourg. 79-28.....Colombia  
*variegatum* Kirsch 65-57.....Colombia  
 Paraguay  
 Argentina  
   *v. flavofasciatum* Bourg. 05-111.....Brasil  
 Argentina  
*volxemi* Bourg. 79-16.....Brasil  
*wagneri* Pic 28-35.....Argentina  
*Cyrtopteron* Bourg. 05-122  
*acroleucum* Kirsch 73-383.....Perú  
 Bolivia

## Cyrtopteron—Continued.

|                              |                 |                                      |                      |
|------------------------------|-----------------|--------------------------------------|----------------------|
| atricorne Pic 22-26          | .....?Brasil    | nubilosum Kirsch 65-61               | .....Colombia        |
| atripenne Pic 22-26          | .....Guiana     | obliquum Say 35-154                  | .....México          |
| aurantiacum Pic 31-94        | .....Bolivia    |                                      | Guatemala            |
| bellum Kirsch 65-64          | .....Colombia   | orosicum Pic 33-122                  | .....Brasil          |
| bicoloricorne Pic 31-94      | .....Bolivia    | palinis, new name                    | .....Bolivia         |
| fasciatum Pic 22-26          | .....Perú       | <i>longissimum</i> Pic 31-95         |                      |
| kraatzi Pic 31-95            | .....Bolivia    | panamense Pic 22-27                  | .....Panamá          |
| mexicanum Pic 30-80          | .....México     | pauli Pic 31-103                     | .....Brasil          |
| muhlenbecki Bourg. 79-38     | .....Colombia   | pecticorne Chevr. 70-74              | .....Cuba            |
|                              | Perú            |                                      | Guadeloupe           |
| nigricolle Pic 32-2          | .....Bolivia    | pennatum Bourg. 79-32                | .....México          |
| obliquum Pic 22-27           | .....Perú       |                                      | Guatemala            |
| pusillum Kirsch 65-65        | .....Colombia   |                                      | Nicaragua            |
| quadrimaculatum Kirsch 84-49 | .....Colombia   |                                      | Costa Rica           |
| ruficolle Pic 23-1           | .....México     |                                      | Colombia             |
| scutellare Kirsch 65-64      | .....Colombia   | peruvianum Pic 22-28                 | .....Perú            |
| subprolongatum Pic 31-94     | .....Bolivia    | plurinotatum Pic 22-27               | .....Perú            |
|                              |                 | prolongaticolle Pic 39-166           | .....Perú            |
| Mesopteron Bourg. 05-123     |                 | prolongatum Pic 22-28                | .....Bolivia         |
| acrocirrhum Kirsch 73-382    | .....Perú       | reductum Pic 22-28                   | .....Perú            |
| amoenum Kirsch 65-60         | .....Colombia   | rete Kirsch 65-60                    | .....Colombia        |
| amparosum Pic 38-164         | .....Brasil     | riveti Bourg. 05-125                 | .....Ecuador         |
| angulicolle Lucas 57-82      | .....Brasil     | scheideri Pic 31-104                 | .....México          |
| v. tridens Tasch. 74-99      | .....Brasil     | scitum Pic 22-27                     | .....Perú            |
| antonianum Pic 28-57         | .....Colombia   | staudingeri Pic 22-27                | .....Perú            |
| atrotibiale Pic 30-80        | .....Guadeloupe | suave Kirsch 65-60                   | .....Colombia        |
| aurantiacoapicale Pic 28-57  | .....Colombia   | subflabellicorne Pic 39-166          | .....Perú            |
| baeri Pic 22-27              | .....Argentina  | subnitidum Pic 31-103                | .....Brasil          |
| bicuspe Kirsch 65-62         | .....Colombia   | subopacum Pic 31-103                 | .....Brasil          |
| bifurcatum Gorb. 84-232      | .....Nicaragua  | subscutellare Pic 31-95              | .....Argentina       |
|                              | Panamá          | superbum Pic 31-3                    | .....Colombia        |
| bolivianum Pic 22-27         | .....Perú       | testaceocarinatedum Pic 32-2         | .....Bolivia         |
| carinatum Pic 22-27          | .....Perú       | unifasciatum Pic 22-27               | .....Perú            |
| cincticolle Pic 32-3         | .....Colombia   | unimaculatum Pic 22-27               | .....Bolivia         |
| delicatum Kirsch 65-61       | .....Grenada    | yungasum Pic 31-95                   | .....Bolivia         |
|                              | Colombia        | Lycoplateros Pic 22-22               |                      |
| depressicorne Pic 22-28      | .....Venezuela  | diversipes Pic 31-104                | .....Bolivia         |
| dilatatoricorne Pic 34-136   | .....Costa Rica | mimicum Pic 22-22                    | .....Perú            |
| diosanum Pic 28-57           | .....Perú       | Idiopteron Bourg. 02-120             |                      |
| filiforme Lucas 57-84        | .....Brasil     | <i>Faliscoenia</i> Pic 22-24 (Subg.) |                      |
| fissum Kirsch 84-53          | .....Colombia   | <i>Lycomorphen</i> Pic 22-25 (Subg.) |                      |
| flavocostatum Tasch. 74-100  | .....Guatemala  | acroxanthum Kirsch 65-62             | .....Colombia        |
|                              | Brasil          | angusticolle Pic 22-25               | .....Perú            |
| fossulatum Lucas 57-84       | .....Brasil     | apicipenne Pic 31-377                | .....Colombia        |
| gounellei Pic 31-103         | .....Brasil     | argentinum Pic 32-4                  | .....Argentina       |
| gracile Kirsch 65-59         | .....Colombia   | atrum Pic 29-76                      | .....Colombia        |
| gracilicornis Pic 32-3       | .....Colombia   | aurantiacoacostatum Pic 32-254       | .....Colombia        |
| grande Pic 22-28             | .....Colombia   | bicoloricolle Pic 22-24              | .....Brasil          |
| infirmum Kirsch 73-381       | .....Perú       | binoticolle Pic 22-24                | .....Brasil          |
| inhumemale Pic 22-28         | .....Perú       | binotatum Guér. 55-581               | .....Brasil          |
| lateapicale Pic 32-3         | .....Bolivia    | biplagiatum Kirsch 84-49             | .....Colombia        |
| lineare Gorb. 80-14          | .....Guatemala  |                                      | Ecuador              |
|                              | Costa Rica      | bisignatum Kirsch 84-50              | .....Colombia        |
|                              | Panamá          | bivittatum Tasch. 74-99              | .....Brasil          |
| v. tenue Gorb. 84-233        | .....Nicaragua  | v. morosum Bourg. 05-121             | .....Brasil          |
| longeapicale Pic 27-27       | .....Ecuador    | bolivianum Pic 33-123                | .....Bolivia         |
| longecostatum Pic 28-57      | .....Colombia   | breveapicale Pic 22-24               | .....Perú            |
| longipenne Pic 22-27         | .....Colombia   | brevnotatum Pic 22-25                | .....Perú            |
| longissimum Pic 22-27        | .....Ecuador    | callanganum Pic 22-24                | .....Perú            |
| mapiariense Pic 22-27        | .....Bolivia    | cerrosolum Pic 29-76                 | .....Central America |
| mesomelas Kirsch 65-61       | .....Colombia   | decipiens Gorb. 84-235               | .....Costa Rica      |
| mimicum Gorb. 80-15          | .....México     |                                      | Panamá               |
|                              | Guatemala       | dictyon Kirsch 65-65                 | .....Colombia        |
|                              | Panamá          | diversecostatum Pic 31-94            | .....Bolivia         |
| minutum Pic 22-27            | .....Perú       | elongaticolle Pic 22-25              | .....Perú            |
| nigrovittatum Pic 32-3       | .....Colombia   | v. diversicolle Pic 31-104           | .....Bolivia         |
| notaticolle Pic 22-27        | .....Brasil     | elongatipenne Pic 33-123             | .....Brasil          |



## Idiopterón—Continued.

- excavatipes Pic 38-157.....Bolivia  
 flavocinctum Bourg. 78-172.....Colombia  
 flavolineatum Kirsch 84-52.....Colombia  
 flavonotatum Pic 33-122.....Central America  
 homonymum, new name.....Perú  
     *callanganum* Pic 32-4  
 irregulare Pic 31-94.....Perú  
 kourouanum Pic 22-25.....Fr. Guiana  
 latefasciatum Pic 22-24.....Colombia  
 latetestaceum Pic 22-25.....Brasil  
 longehumerale Pic 22-24.....Perú  
 mariae Pic 29-76.....Colombia  
 maroniense Pic 22-24.....Surinam  
 mendesense Pic 22-24.....Brasil  
 meridanum Pic 22-24.....Venezuela  
 morio Kirsch 84-51.....Colombia  
 nervosum Kirsch 84-51.....Colombia  
 nigripenne Pic 34-136.....Costa Rica  
 nigrofumosum Hntn. 33-191.....México  
 nitidum Pic 26-30.....Colombia  
 oboenicolicolle Pic 22-25.....Brasil  
 opacum Pic 26-30.....Colombia  
 paranamum Pic 22-24.....Argentina  
 pauli Pic 22-24.....Brasil  
 peruvianum Pic 33-123.....Perú  
 piceum Pic 22-24.....Surinam  
 pleiomelas Kirsch 65-66.....Colombia  
 prescutellare Pic 22-25.....Brasil  
 reductum Pic 25-13.....Colombia  
 rufohumerale Pic 33-123.....Venezuela  
 rufulum Gorb. 80-13.....México  
     Guatemala  
     Costa Rica  
     Panamá  
     Venezuela  
     Brasil  
     Uruguay  
 secundum, new name.....Costa Rica  
     *breveapicalis* Pic 30-84  
 signatum Pic 22-25.....Perú  
 staudingeri Pic 33-123.....Brasil  
 subapicale Pic 22-25.....Perú  
     v. *elevatum* Pic 33-123.....Perú  
 tertium, new name.....Brasil  
     *breveapicale* Pic 33-122  
 testaceicostatum Pic 25-25.....Brasil  
 triste Gorb. 80-13.....México  
     Guatemala  
     Panamá  
 xanthomelas Kirsch 65-66.....Colombia
- Cartagonum** Pic 22-25  
 bernardi Pic 22-25.....Colombia
- Metapteron** Bourg. 05-126  
 angustatum Pic 22-26.....Brasil  
 apicale Pic 22-26.....Brasil  
 apicicorne Pic 22-25.....Bolivia  
 atronotatum Pic 22-25.....Perú  
 bogotense Pic 22-26.....Colombia  
 geniculatum Pic 22-26.....Brasil  
 hirsutum Pic 36-33.....Brasil  
 humerale Kirsch 73-382.....Perú  
 melanurum Kirsch 70-377.....Colombia  
     Venezuela
- oculare Kirsch 70-380.....Colombia  
 reductum Pic 22-26.....Brasil  
 signaticolle Pic 22-26.....Brasil
- socium Kirsch 65-59.....Guatemala  
     Nicaragua  
     Panamá  
     Colombia
- suturale Latr. 33-33.....Fr. Guiana  
     Brasil  
     Perú
- testaceipenne Pic 22-26.....Cuba  
 xanthomelas Lucas 57-83.....Brasil
- Pseudolinoptes** Pic 22-26  
 foveolata Pic 22-26.....Brasil  
 multipunctata Pic 22-26.....Brasil
- Caenia** Newm. 38-381  
     *Caeniella* Ckll. 06-242  
     diversipennis Pic 23-30.....Brasil  
     excisa Kirsch 65-67.....Colombia  
     interrupta Gorb. 80-18.....Guatemala  
     kirschi Bourg. 80-163.....Costa Rica  
     *cardinalis* Gorb. 80-17  
     latefasciata Pic 23-30.....Venezuela  
     loculata Bourg. 78-173.....Colombia  
     mirifica Kirsch 73-385.....Perú  
     peruviana Kirsch 73-384.....Perú  
     scapularis Newm. 38-381.....México  
     *dimidiata* LeC. 81-22.....Guatemala  
     U. S. A.  
     sinuata Kirsch 65-66.....México  
     Guatemala  
     Nicaragua  
     Colombia
- Flabellioaenia** Pic 29-76  
 bourgeisi Pic 31-104.....Brasil  
     v. *latebasilis* Pic 31-104.....Bolivia
- Celetes** Newm. 38-381  
 burchelli Bourg. 04-93.....Brasil
- Emplectus** Er. 47-82  
 abundans Tasch. 74-101.....Brasil  
 alternatus Pic 31-193.....Colombia  
 angustatus Pic 22-28.....Perú  
 apicalis Pic 23-29.....Brasil  
 apicicornis Pic 23-29.....Perú  
 argentinus Pic 23-29.....Argentina  
 atricollis Bourg. 82-142.....Colombia  
 basilaris Pic 22-28.....Ecuador  
 bicoloricornis Pic 23-30.....Perú  
 bimaculatus Er. 47-82.....Perú  
 boliviensis Pic 23-29.....Bolivia  
 breveapicalis Pic 23-29.....Bolivia  
 bruchi Pic 28-100.....Argentina  
 bugabanus Pic 23-29.....Costa Rica  
     Panamá  
     v. *atricornis* Pic 33-109.....Costa Rica
- callanganus Pic 23-30.....Perú  
 cariocosus Pic 31-104.....Bolivia  
 championi Pic 22-28.....Panamá  
 costaricensis Pic 23-30.....Costa Rica  
 desmocerus Er. 48-560.....Guiana  
 diaphanus Fab. 01-155.....Fr. Guiana  
 erichsoni Bourg. 82-142.....Colombia  
 fabricii Gemm. 70-119.....Fr. Guiana  
     *pectinatus* Fab. 01-117
- fatigans Kirsch 73-383.....Perú  
 foveolatus Pic 23-30.....Perú  
 gorhami Bourg. 99-96.....Venezuela  
 grandis Pic 23-29.....Guiana  
 gratus Kirsch 65-63.....Colombia  
 guyanensis Pic 23-30.....Guiana

## Emplectus—Continued.

|  |                 |
|--|-----------------|
| hickeri Pic 28-10.....                 | Brasil          |
| illitus Kirsch 65-63.....              | Colombia        |
| laetus Kirsch 65-62.....               | Colombia        |
| lateniger Pic 27-51.....               | Colombia        |
| laticollis Pic 23-29.....              | Argentina       |
| lineatus Pic 23-29.....                | México          |
| minarum Bourg. 86-clxxxviii.....       | Brasil          |
| minor Pic 23-29.....                   | Perú            |
| minutus Pic 32-5.....                  | Bolivia         |
| pectinatus Linn. 67-649.....           | Fr. Guiana      |
| <i>fabellicornis</i> Fab. 92-109.....  |                 |
| peruvianus Pic 23-40.....              | Perú            |
| phoenicuroides Kirsch 84-53.....       | Colombia        |
| piceus Pic 23-30.....                  | Brasil          |
| ruber Pic 23-29.....                   | Panamá          |
| scalaripennis Bourg. 86-cxxxii.....    | Brasil          |
| semimarginatus Pic 27-50.....          | Bolivia         |
| simoni Bourg. 99-96.....               | Venezuela       |
| stipatus Bourg. 87-lxvi.....           | Brasil          |
| sulcatellus Bourg. 99-97.....          | Venezuela       |
| trinotatus Pic 23-29.....              | Perú            |
| vicinus Pic 23-29.....                 | Perú            |
| xanthurus Kirsch 65-63.....            | Colombia        |
| Eurrhacus Waterh. 79-24.....           |                 |
| tristis Waterh. 78-99.....             | Ecuador         |
| Linoptes Gorb. 84-247.....             |                 |
| amazonica Pic 23-1.....                | Brasil          |
| atripennis Pic 32-5.....               | Brasil          |
| atronotata Pic 22-21.....              | Perú            |
| imbrex Gorb. 84-247.....               | Nicaragua       |
|  | Panamá          |
| Ceratoprion Gorb. 84-248.....          |                 |
| <i>serricorne</i> Gorb. 84-248.....    | Panamá          |
| Ceratoprionomorphus Pic 22-21.....     |                 |
| <i>humeralis</i> Pic 22-21.....        | Brasil          |
| Calodadon Gorb. 81-27.....             |                 |
| <i>Calocladon</i> Gorb. 81-pl. 2.....  |                 |
| <i>chiriquense</i> Gorb. 84-245.....   | Panamá          |
| <i>ephippium</i> Gorb. 84-247.....     | México          |
|  | Guatemala       |
|  | Panamá          |
| <i>histrionicum</i> Gorb. 84-245.....  | México          |
|  | Guatemala       |
|  | Panamá          |
| <i>oculatum</i> Gorb. 81-28.....       | Guatemala       |
|  | Nicaragua       |
|  | Panamá          |
| v. <i>panamensis</i> Pic 33-109.....   | Panamá          |
| <i>pectinicorne</i> Gorb. 81-29.....   | Nicaragua       |
|  | Panamá          |
| <i>plumosum</i> Gorb. 84-246.....      | Panamá          |
| <i>rubidum</i> Gorb. 84-246.....       | Costa Rica      |
|  | Panamá          |
| v. <i>insectularis</i> Pic 33-109..... | Costa Rica      |
| <i>testaceum</i> Gorb. 81-28.....      | Guatemala       |
|  | Nicaragua       |
|  | Panamá          |
| v. <i>brevonotatus</i> Pic 33-109..... | Panamá          |
| Callanganum Pic 22-21.....             |                 |
| <i>piceum</i> Pic 22-21.....           | Perú            |
| Cephaloleys Pic 26-30.....             |                 |
| <i>major</i> Pic 26-30.....            | Colombia        |
| Lycinella Gorb. 84-248.....            |                 |
| <i>humeralis</i> Pic 33-109.....       | Costa Rica      |
| <i>opaca</i> Gorb. 84-249.....         | Guatemala       |
|  | Panamá          |
| <i>parvula</i> Gorb. 84-249.....       | Panamá          |
| Macrolycinella Pic 22-21.....          |                 |
| <i>bicolor</i> Pic 22-21.....          | México          |
| Haplobothris Bourg. 79-xvii.....       |                 |
| <i>apicalis</i> Pic 27-52.....         | Colombia        |
| <i>apicicornis</i> Pic 31-105.....     | ?Brasil         |
|  | Perú            |
| <i>argentina</i> Pic 23-1.....         | South America   |
| <i>atricornis</i> Pic 23-2.....        | South America   |
| v. <i>latithorax</i> Pic 38-164.....   | Bolivia         |
| <i>baeri</i> Pic 30-4.....             | Brasil          |
| <i>basipennis</i> Pic 38-164.....      | Brasil          |
| <i>boliviana</i> Pic 35-7.....         | Bolivia         |
| <i>corocosa</i> Pic 27-52.....         | Bolivia         |
| v. <i>apicicornis</i> Pic 27-52.....   | Bolivia         |
| v. <i>reducta</i> Pic 27-52.....       | Bolivia         |
| <i>costata</i> Pic 30-3.....           | Fr. Guiana      |
| <i>elongata</i> Pic 22-28.....         | Brasil          |
| <i>fonteboana</i> Pic 30-3.....        | Central America |
| <i>gounellei</i> Pic 22-28.....        | Brasil          |
| <i>hahneli</i> Pic 38-164.....         | Brasil          |
| <i>humeralis</i> Bourg. 79-xviii.....  | Brasil          |
| <i>infasciata</i> Pic 38-164.....      | Brasil          |
| <i>longeprolongata</i> Pic 38-164..... | Perú            |
| <i>mediofasciata</i> Pic 38-157.....   | Brasil          |
| <i>melzeri</i> Pic 35-6.....           | Brasil          |
| <i>meridana</i> Pic 22-28.....         | Venezuela       |
| <i>minuta</i> Pic 22-28.....           | Guiana          |
| <i>nigroapicalis</i> Pic 35-7.....     | Brasil          |
| <i>nigronotata</i> Pic 12-4.....       | Brasil          |
| <i>ocularis</i> Pic 31-105.....        | Costa Rica      |
| <i>peruviana</i> Pic 11-165.....       | Perú            |
| <i>pumila</i> Bourg. 79-xviii.....     | Brasil          |
| <i>reducta</i> Pic 23-2.....           | South America   |
| <i>robusta</i> Pic 22-28.....          | Brasil          |
| <i>scapularis</i> Bourg. 79-xviii..... | Brasil          |
| <i>setosella</i> Bourg. 86-cxxxi.....  | Brasil          |
| <i>suturalifer</i> Pic 23-1.....       | South America   |
| <i>testacea</i> Pic 30-4.....          | Brasil          |
| Aeroleptus Bourg. 86-lxx.....          |                 |
| <i>chevolati</i> Bourg. 86-70.....     | Brasil          |
| Pseudacroleptus Pic 11-165.....        |                 |
| <i>obscuricolor</i> Pic 11-165.....    | Brasil          |
| <i>sinuatus</i> Pic 11-166.....        | Fr. Guiana      |

## DICTYOPTERINI

Eros Newm. 38-382

*Erotides* Waterh. 79-37

|                                       |            |
|---------------------------------------|------------|
| <i>antennalis</i> Kirsch 70-381.....  | Colombia   |
| <i>auratocollis</i> Fvl. 61-308.....  | Fr. Guiana |
| <i>crocatus</i> Er. 47-82.....        | Perú       |
| <i>decoratus</i> Er. 47-82.....       | Perú       |
| <i>melanopterus</i> Lucas 57-83.....  | Brasil     |
| <i>melanurus</i> Blanch. 43-125.....  | Bolivia    |
| <i>patruelis</i> Kirsch 73-386.....   | Perú       |
| <i>phaleratus</i> Blanch. 43-125..... | Bolivia    |

## PLATERODINI

Plateros Bourg. 79-xix

|                                      |          |
|--------------------------------------|----------|
| <i>alternatus</i> Bourg. 99-663..... | Colombia |
| <i>alticola</i> Gorb. 92-46.....     | Ecuador  |
| <i>angustior</i> Pic 25-18.....      | Brasil   |
| <i>antennalis</i> Bourg. 82-144..... | Colombia |
| <i>apicalis</i> Germ. 24-62.....     | Brasil   |

- Plateros—Continued.
- apicornis Pic 23-34 ..... Colombia  
 atricolor Pic 23-34 ..... Perú  
 atripennis Pic 23-34 ..... Fr. Guiana  
 aurifex Bourg. 88-clxv ..... Colombia  
     Ecuador  
 baeri Pic 23-33 ..... Argentina  
 basicornis Pic 25-18 ..... Perú  
 bifidus Pic 23-32 ..... Venezuela  
 bilineatithorax Pic 25-18 ..... Cuba  
 bimaculatus Kirsch 73-386 ..... Perú  
 bogotensis Kirsch 65-67 ..... Guatemala  
     Colombia  
     Venezuela  
 bolivianus Pic 23-33 ..... Bolivia  
 bourgeoi Gorph. 80-19 ..... México  
     Br. Honduras  
     Guatemala  
 brasiliensis Lucas 57-81 ..... Brasil  
 brevescutellaris Pic 23-33 ..... Colombia  
 bugabanus Pic 23-32 ..... Panamá  
 bugabensis Gorph. 84-241 ..... Panamá  
 caracasensis Pic 23-32 ..... Venezuela  
 carbonarius Gorph. 84-240 ..... Guatemala  
 carinatipennis Pic 23-31 ..... Panamá  
 chiriquensis Pic 23-31 ..... Panamá  
 chrysomelas Bourg. 82-144 ..... Colombia  
 citrinicollis Bourg. 82-143 ..... Colombia  
 collaris Bourg. 10-310 ..... Ecuador  
 columbianus Pic 23-32 ..... Colombia  
 correntinus Berg 85-229 ..... Argentina  
 crocatus Pic 22-23 ..... Perú  
 elmondi Pic 23-33 ..... Brasil  
 elongator Pic 22-23 ..... Brasil  
 elongatipennis Pic 23-32 ..... Perú  
 emplectoides Bourg. 99-99 ..... Venezuela  
 ephippiger Pic 22-23 ..... Venezuela  
 erebus Gorph. 84-240 ..... Guatemala  
     Panamá  
 evanidus Gorph. 80-20 ..... México  
     Guatemala  
     Nicaragua  
     Costa Rica  
     Panamá  
 flavicollis Gorph. 80-23 ..... Guatemala  
     Panamá  
 forreranus Gorph. 84-239 ..... México  
 fraternus Gorph. 98-317 ..... St. Vincent  
 fusiformis Gorph. 84-241 ..... Guatemala  
     Panamá  
 germari, new name ..... Nicaragua  
     apicalis Gorph. 80-20 ..... Panamá  
 goyasensis Pic 25-18 ..... Brasil  
 griseus Pic 23-34 ..... Perú  
 hogeanus Gorph. 84-237 ..... México  
 inaequalis Bourg. 99-99 ..... Venezuela  
 inapicalis Pic 22-23 ..... Ecuador  
 infernus Gorph. 84-240 ..... Panamá  
 ininterruptus Pic 23-32 ..... Panamá  
 inlineatus Pic 23-33 ..... Perú  
 irregularis Pic 23-33 ..... Argentina  
 isthmianus Gorph. 80-21 ..... Guatemala  
     Panamá  
 lateritius Gorph. 80-21 ..... México  
     Guatemala  
     Panamá  
 latior Pic 23-34 ..... Guiana  
 letourneuri Gorph. 80-20 ..... México  
     Br. Honduras  
     Guatemala  
 limbipennis Pic 23-33 ..... Perú  
 longehumeralis Pic 23-32 ..... Colombia  
 longipennis Pic 23-33 ..... Perú  
 luridus Gorph. 80-20 ..... Guatemala  
     Nicaragua  
     Panamá  
 marseuli Pic 23-32 ..... Central America  
 mediotestaceus Pic 23-33 ..... Perú  
 meridanus Pic 23-32 ..... Venezuela  
 mexicanus Gorph. 80-24 ..... México  
 nevermanni Pic 33-190 ..... Costa Rica  
 nicaraguensis Gorph. 80-23 ..... Nicaragua  
 nigricans Pic 23-31 ..... México  
 ochraceus Gorph. 80-23 ..... Guatemala  
     Nicaragua  
     Panamá  
     Venezuela  
 palliatus Gorph. 98-317 ..... St. Vincent  
 parallelus Gorph. 80-22 ..... México  
     Br. Honduras  
     Guatemala  
     Nicaragua  
 parananus Pic 23-32 ..... Brasil  
 parvulus Kirsch 73-387 ..... Perú  
 patiens Gorph. 81-25 ..... Guatemala  
 pauli Pic 23-33 ..... Brasil  
 pectinicornis Pic 23-33 ..... Brasil  
 prescutellaris Pic 23-32 ..... Central America  
 reductelineatus Pic 23-13 ..... Brasil  
     Argentina  
 reductus Pic 23-34 ..... Colombia  
 reitteri Pic 22-23 ..... Brasil  
 roseicollis Gorph. 80-24 ..... México  
 rubricatus Gorph. 80-24 ..... Guatemala  
     Panamá  
 sanguinicollis Horn 94-379 ..... Baja Calif.  
 scutellaris Bourg. 89-234 ..... Colombia  
     Venezuela  
 semilimbatus Pic 22-23 ..... Perú  
 seminiger Gorph. 80-19 ..... México  
 simoni Bourg. 99-98 ..... Venezuela  
 stramineus Gorph. 81-25 ..... Guatemala  
     Panamá  
 striatus Gorph. 80-22 ..... México  
     Guatemala  
     Panamá  
 subaequalis Bourg. 86-lxxxiv ..... Brasil  
 subapicalis Pic 22-23 ..... Perú  
 subhumeralis Pic 23-34 ..... Perú  
 terminalis Gorph. 80-22 ..... Guatemala  
     Nicaragua  
     Panamá  
 thoracicus Gorph. 80-21 ..... Nicaragua  
     Panamá  
     Colombia  
 variocostatus Bourg. 04-94 ..... Brasil  
 wagneri Pic 23-33 ..... Argentina  
 waterhousei Kirsch 84-54 ..... Colombia  
 Calleros Gorph. 81-25 ..... Brasil  
 armitagei Pic 34-35 ..... Panamá  
 aterrimus Gorph. 84-244 ..... Panamá  
 atricornis Pic 23-31 ..... México  
 atrimembris Pic 34-36 ..... Honduras  
 atrithorax Pic 33-5 ..... Ecuador

|  |               |
|--|---------------|
| Calleros—Continued.                    |               |
| atrontotatus Pic 23-31                 | México        |
| bang-haasi Pic 31-93                   | Brasil        |
| basalis Pic 39-165                     | Brasil        |
| batesi Pic 22-22                       | Brasil        |
| bimaculatus Pic 22-22                  | Perú          |
| blumenausus Pic 31-93                  | Brasil        |
| bogotensis (Pic 34-128)                | ?             |
| v. grandescapularis Pic 34-128         | Perú          |
| brasiliensis (Pic 34-128)              | ?             |
| v. curtebilineatus Pic 34-128          | Brasil        |
| brunneolineatus Pic 34-35              | Brasil        |
| carinatocollis Pic 28-57               | Colombia      |
| championi Pic 23-31                    | Panamá        |
| claveri Pic 34-36                      | Colombia      |
| clermonti Pic 34-34                    | Perú          |
| conjunctus Pic 34-136                  | Perú          |
| costaricensis Pic 34-33                | Costa Rica    |
| curtelineatus Pic 34-135               | Costa Rica    |
| dalmasi Bourg. 03-6                    | Colombia      |
| dilatatus Pic 26-23                    | Colombia      |
| diosensis Pic 22-22                    | Perú          |
| discolineatus Pic 31-87                | Brasil        |
| diversecostatus Pic 22-22              | Perú          |
| donckieri Pic 34-34                    | Brasil        |
| egaensis Pic 22-22                     | Brasil        |
| elongatus Pic 30-84                    | Bolivia       |
| filiformis Gorb. 84-244                | Guatemala     |
|  | Panamá        |
| forreranus (Pic 38-157)                | ?             |
| v. cruzensis Pic 34-135                | México        |
| v. isidroensis Pic 34-135              | Guatemala     |
| fuliginosus Pic 34-135                 | Brasil        |
| germaini Pic 34-35                     | Bolivia       |
| grandjeani Pic 31-93                   | Brasil        |
| guyanensis Pic 31-93                   | Fr. Guiana    |
| hickeri Pic 31-377                     | Colombia      |
| hogeï Pic 33-24                        | México        |
| imparallemus Pic 28-57                 | Colombia      |
| lajoyei Pic 31-93                      | Venezuela     |
| latevittatus Pic 34-36                 | Bolivia       |
| latinotatus Pic 26-23                  | Colombia      |
| lemoulti Pic 31-93                     | Fr. Guiana    |
| lojaensis Pic 31-87                    | Ecuador       |
| longelineatus Pic 34-34                | Brasil        |
| v. interruptus Pic 39-166              | Bolivia       |
| v. mulleri Pic 35-8                    | Brasil        |
| longesuturalis (Pic 32-255)            | ?             |
| v. subinterruptus Pic 32-255           | Bolivia       |
| maculatipes Pic 34-128                 | Bolivia       |
| marcapatanus Pic 34-136                | Perú          |
| mediofasciatus Pic 33-122              | Brasil        |
| militaris Gorb. 81-26                  | Guatemala     |
| minus Pic 31-93                        | Perú          |
| nigricolor Pic 33-6                    | Bolivia       |
| panamanus Pic 23-31                    | Panamá        |
| parallelus Pic 28-57                   | Colombia      |
| particularicornis Pic 28-57            | Colombia      |
| pectinicornis Pic 33-6                 | Bolivia       |
| peruvianus Pic 22-22                   | Perú          |
| phoenicurus Kirsch 65-68               | Colombia      |
| pilosus Pic 34-135                     | Perú          |
| postseparatus Pic 30-84                | Perú          |
| punicus Gorb. 81-26                    | Guatemala     |
| punoensis Pic 34-135                   | Costa Rica    |
| purpureipennis Pic 22-22               | Guatemala     |
| quadrinotatus Pic 22-22                | Perú          |
| quadritorax Pic 28-58                  | Colombia      |
| reductenotatus Pic 34-34               | Perú          |
| robusticollis Pic 34-134               | Brasil        |
| rufobrunneus Gorb. 81-26               | Guatemala     |
| satanas Pic 28-57                      | Colombia      |
| scapularis Pic 34-25                   | Perú          |
| semirufus Pic 30-80                    | Colombia      |
| semisuturalis Pic 34-136               | Bolivia       |
| sinanjae Gorb. 81-26                   | Guatemala     |
| subfasciatus Pic 30-84                 | Perú          |
| v. kraatzi Pic 34-128                  | Perú          |
| subreductus Pic 34-33                  | South America |
| terminalicornis Pic 31-93              | Perú          |
| terrialbanus Pic 34-135                | Costa Rica    |
| unifasciatus Pic 34-128                | Perú          |
| utrosensis Pic 34-136                  | Bolivia       |
| venezuelensis Pic 34-134               | Venezuela     |
| wagneri (Pic 38-157)                   | ?             |
| v. inhumeralis Pic 38-157              | Brasil        |
| Falsocalleros Pic 33-110               |               |
| particularis Pic 33-110                | Costa Rica    |
| Teroplas Gorb. 84-243                  |               |
| fuscula Gorb. 80-29                    | Nicaragua     |
|  | Panamá        |
| Calloplateros Pic 23-30                |               |
| particularis Pic 23-30                 | Brasil        |
| Cavoplateros Pic 13-1                  |               |
| <i>Pseudoplectus</i> Pic 22-32 (Subg.) |               |
| ater Pic 22-32                         | Perú          |
| dentatus Pic 22-32                     | Panamá        |
| plicaticollis Pic 26-30                | Colombia      |
| singularipes Pic 22-32                 | Ecuador       |
| sinuatidens Pic 22-30                  | Bolivia       |
| spinipes Pic 13-1                      | Brasil        |
| vicinus Pic 22-32                      | Perú          |
| Calolyceus Gorb. 81-27                 |               |
| calanticatus Gorb. 81-27               | México        |
| gorhami Pic 23-30                      | Panamá        |
| Microlytus Pic 22-22                   |               |
| minutus Pic 22-22                      | México        |
| <b>LYGISTOPTERINI</b>                  |               |
| <i>Lygistopterus</i> Muls. 38-79       |               |
| amabilis Gorb. 80-7                    | Nicaragua     |
| buqueti Kirsch 65-52                   | Colombia      |
| caeruleus Gorb. 84-227                 | Guatemala     |
| elegans Bourg. 80-163                  | Brazil        |
| eximius Bourg. 77-365                  | Colombia      |
|  | Venezuela     |
| fastuosus Bourg. 99-665                | Bolivia       |
| femoralis Pic 24-32                    | Colombia      |
| flammeus Gorb. 84-228                  | Panamá        |
| gounellei Bourg. 86-xcix               | Brasil        |
| goyasensis Pic 23-35                   | Brasil        |
| grisolineatus Pic 29-184               | Argentina     |
| guerini Kirsch 65-52                   | Colombia      |
| haematopterus Gorb. 80-8               | México        |
| humeralis Buquet 42-6                  | Colombia      |
| imperialis Buquet 42-6                 | Colombia      |
| lacordairei Kirsch 65-51               | Colombia      |
|  | Venezuela     |
| laetus Gorb. 84-227                    | ?             |
|  | México        |
|  | Panamá        |
| lineicollis Chev. 34-149               | México        |
| mediorufus Pic 23-35                   | Argentina     |
| miles Kirsch 65-53                     | Colombia      |

## Lygisteropterus—Continued.

|                               |            |                                  |           |
|-------------------------------|------------|----------------------------------|-----------|
| missionum Berg 85-226.....    | Argentina  | germaini Pic 30-84.....          | Brasil    |
| nobilis Gorb. 80-7.....       | Nicaragua  | grandjeani Pic 30-83.....        | México    |
| oberthüri-Bourg. 99-664.....  | Bolivia    | kirschi Pic 31-4.....            | Argentina |
| punicus Bourg. 80-163.....    | Costa Rica | quadrivittatus Buquet 42-6.....  | Brasil    |
| sulcicollis Gorb. 80-8.....   | México     | simoni Pic 30-240.....           | Venezuela |
| trifasciatus Buquet 42-6..... | Colombia   | subparallelus Pic 30-84.....     | Paraguay  |
| umhangi Bourg. 79-18.....     | Colombia   | succinctus Latr. 11-177.....     | Colombia  |
| Macrolygisteropterus Pic 29-1 |            | <i>regalis</i> Buquet 42-6.....  |           |
| bilineatus Pic 23-34.....     | Brasil     | testaceirostris Pic 30-83.....   | Brasil    |
| bipartitus Pic 33-109.....    | Costa Rica | <i>Lucaina</i> Dugès 79-180..... |           |
| caeruleus Gorb. 84-227.....   | Guatemala  | marginata Gorb. 84-229.....      | México    |
| diversicornis Pic 30-178..... | Argentina  | schini Dugès 79-180.....         | México    |

## LAMPYRIDAE

## LAMPROCERINAE

|                                   |                 |                                       |                 |
|-----------------------------------|-----------------|---------------------------------------|-----------------|
| Alecton Lap. 33-135               |                 | sternalis E.Oliv. 85-142.....         | Brasil          |
| discoidale Lap. 33-135.....       | Cuba            | ustulata Gorb. 80-11.....             | México          |
| <i>dorsalis</i> Lac. 57-320.....  |                 |                                       | Guatemala       |
| v. improvisum E.Oliv. 09-221..... | Cuba            |                                       | Costa Rica      |
| flavum L. & M. 22-434.....        | Cuba            | Ophoelis E.Oliv. 12-47                |                 |
| Lamprocera Lap. 33-129            |                 | impura E.Oliv. 12-48.....             | South America   |
| alacris E.Oliv. 12-16.....        | Brasil          | nitida E.Oliv. 12-48.....             | South America   |
| brevicollis Gorb. 80-5.....       | Argentina       | notaticollis Pic 24-4.....            | Central America |
| dilatata E.Oliv. 85-127.....      | Fr. Guiana      | Calyptocephalus Gray 32-370           |                 |
| dolens E.Oliv. 99-87.....         | Brasil          | albolateralis Pic 30-16.....          | Brasil          |
| extincta E.Oliv. 96-4.....        | Paraguay        | austerus E.Oliv. 07-11.....           | Argentina       |
| flavofasciata Blanch. 37-123..... | Brasil          | boliviensis Pic 27-38.....            | Bolivia         |
| v. scutellata E.Oliv. 99-87.....  | Argentina       | cincticollis Pic 37-140.....          | Paraguay        |
| laeta E.Oliv. 99-87.....          | Brasil          | comatus E.Oliv. 95-31.....            | Surinam         |
| latreillei Kby. 18-387.....       | Brasil          | fasciatus Gray 32-pl. 39.....         | Fr. Guiana      |
| v. grandis Sturm 26-58.....       | Uruguay         | flavonotatus Pic 24-3.....            | South America   |
| v. nigrescens E.Oliv. 99-86.....  | Brasil          | goryi Lap. 33-130.....                | Guiana          |
| nigrans E.Oliv. 09-669.....       | Brasil          | gratiosus E.Oliv. 85-143.....         | Brasil          |
| pictipennis E.Oliv. 12-16.....    | Brasil          | hilaris E.Oliv. 07-11.....            | Bolivia         |
| praeusta Gorb. 80-4.....          | Argentina       | Chaco                                 |                 |
| spreta E.Oliv. 09-669.....        | Paraguay        | Argentina                             |                 |
| thoracica E.Oliv. 88-47.....      | Brasil          | infaustus E.Oliv. 09-669.....         | Perú            |
| torquata E.Oliv. 95-29.....       | Paraguay        | inornatus E.Oliv. 13-573.....         | Argentina       |
| trimaculata Mots. 54-2.....       | Brasil          | maculatus Pic 24-3.....               | South America   |
| trinotaticollis Pic 35-7.....     | Brasil          | melanoceras E.Oliv. 07-pl. 1.....     | Brasil          |
| tristior Gorb. 80-4.....          | Brasil          | melanopterus E.Oliv. 09-222.....      | Fr. Guiana      |
| v. limbata E.Oliv. 99-87          | Paraguay        | <i>thoracicus</i> Lac. 57-pl. 44..... |                 |
| Phaenolis Gorb. 80-10             |                 | mimicus E.Oliv. 85-144.....           | Brasil          |
| abdita E.Oliv. 07-10.....         | Ecuador         | nigroapicalis Pic 32-7.....           | Bolivia         |
| apicipennis E.Oliv. 12-18.....    | Ecuador         | notaticollis Pic 29-11.....           | Paraguay        |
| atripes Pic 37-142.....           | México          | opimus E.Oliv. 09-121.....            | Brasil          |
| bicoloripes Pic 37-142.....       | Colombia        | perroudii Pic 36-126.....             | Venezuela       |
| defecta E.Oliv. 07-175.....       | Ecuador         | picturatus E.Oliv. 12-17.....         | Perú            |
| gorhami E.Oliv. 85-142.....       | Brasil          | stipulicornis Mots. 54-9.....         | Brasil          |
| laciniata Gorb. 80-10.....        | Nicaragua       | v. diffusus E.Oliv. 09-222.....       | Brasil          |
| nigricollis Gorb. 81-32.....      | Costa Rica      | superbus Pic 24-3.....                | South America   |
| ochracea Gorb. 80-11.....         | México          | thoracicus Lap. 33-130.....           | Fr. Guiana      |
| Pailoeladus Blanch. 37-122        | Nicaragua       | <i>Cladoceras</i> Kirsch 65-68        |                 |
| v. diversecornis Pic 37-142.....  | Panamá          | <i>Drilolampadius</i> Gorb. 81-33     |                 |
| v. suturalis Pic 37-141.....      | Central America | albomarginatus Pic 37-142.....        | Costa Rica      |
| riparia E.Oliv. 09-669.....       | Brasil          | apicalis Kirsch 65-69.....            | Perú            |
| scapulata E.Oliv. 07-10.....      | Brasil          | atricornis Pic 25-15.....             | Perú            |
|                                   |                 | atromaculatus Pic 30-79.....          | Perú            |
|                                   |                 | basalis Pic 25-15.....                | Colombia        |
|                                   |                 | bicoloripes Pic 30-79.....            | Bolivia         |
|                                   |                 | blanchardi E.Oliv. 09-670.....        | Brasil          |
|                                   |                 | bogotensis Pic 11-164.....            | Colombia        |
|                                   |                 | boliviensis Pic 30-79.....            | Bolivia         |

## Psilocladus—Continued

|                                |              |
|--------------------------------|--------------|
| breviramulosus Pic 37-142      | Costa Rica   |
| v. reductus Pic 37-142         | Costa Rica   |
| calvus Kirsch 70-381           | Colombia     |
| capillatus E.Oliv. 88-46       | Brasil       |
| claverei Pic 25-15             | Colombia     |
| fasciatus Pic 27-38            | Ecuador      |
| formosus E.Oliv. 85-150        | Brasil       |
| grandis E.Oliv. 88-45          | Brasil       |
| guayanensis Pic 27-38          | Fr. Guiana   |
| guerini E. Oliv. 85-153        | Colombia     |
| haemorrhoidalis E.Oliv. 09-121 | Perú         |
| impexus E.Oliv. 07-12          | Costa Rica   |
| inauditus E.Oliv. 85-151       | Fr. Guiana   |
| lemoulti Pic 37-143            | Fr. Guiana   |
| lineolatus E.Oliv. 85-153      | Brasil       |
| marginellus E. Oliv. 88-46     | Brasil       |
| melas E.Oliv. 85-149           | Brasil       |
| mitoderus Blanch. 37-122       | Bolivia      |
| minutus Pic 37-142             | Costa Rica   |
| nebulosus E.Oliv. 85-152       | Colombia     |
| nevermanni Pic 37-142          | Costa Rica   |
| peruvianus Kirsch 73-387       | Perú         |
| pici E.Oliv. 07-12             | Perú         |
| pulcher E.Oliv. 85-151         | Brasil       |
| scutellaris Gorb. 81-33        | Guatemala    |
|                                | Costa Rica   |
|                                | Panamá       |
| setosus E.Oliv. 07-12          | Brasil       |
| sigillatus E.Oliv. 07-12       | Brasil       |
| silphoides Gorb. 80-18         | Br. Honduras |
|                                | Guatemala    |
| stolatus Gorb. 81-33           | México       |
|                                | Br. Honduras |
|                                | Guatemala    |
|                                | Nicaragua    |
|                                | Panamá       |
| suppletus E.Oliv. 09-670       | Brasil       |
| suturalis E. Oliv. 85-150      | Colombia     |
| testaceus Pic 25-15            | Colombia     |

## Lucio Lap. 33-135

|                               |               |
|-------------------------------|---------------|
| abdominale Lap. 33-136        | Brasil        |
|                               | Argentina     |
| blattinum Perty 30-26         | Fr. Guiana    |
|                               | Brasil        |
|                               | Argentina     |
| brunneum E.Oliv. 83-326       | Colombia      |
|                               | Fr. Guiana    |
| castelnaui Kirsch 65-69       | Costa Rica    |
|                               | Colombia      |
| dimidiatum E.Oliv. 85-131     | Brasil        |
| v. fasciolatum E.Oliv. 85-131 | Brasil        |
| discolor E.Oliv. 99-88        | Brasil        |
| diversum E. Oliv. 12-24       | Perú          |
| guttiferum E.Oliv. 95-29      | Brasil        |
| heterobasis E.Oliv. 12-20     | South America |
| melanurum E.Oliv. 85-130      | Brasil        |
| moerens E.Oliv. 12-25         | Fr. Guiana    |
| oblectata E.Oliv. 12-20       | Perú          |
| obscurum E.Oliv. 85-132       | Colombia      |
| pictum Gorb. 80-5             | Guatemala     |
|                               | Nicaragua     |
|                               | Panamá        |
| rufiventre E.Oliv. 85-129     | Brasil        |
| splendens E.Oliv. 85-pl. 3    | Brasil        |
|                               | Paraguay      |
| v. bisignata E.Oliv. 12-20    |               |

## Hyas Lap. 33-134

|                                  |                                  |
|----------------------------------|----------------------------------|
|                                  | <i>Lychnacris</i> Mots. 53-33    |
| afflicta E.Oliv. 85-133          | Ecuador                          |
| bipunctata Gorb. 80-6            | Brasil                           |
| cruciata E.Oliv. 86-18           | Brasil                           |
| v. binotata E.Oliv. 86-18        |                                  |
| externa E.Oliv. 12-170           | Argentina                        |
| fallax E.Oliv. 85-134            | Colombia                         |
| fasciata E.Oliv. 85-134          | Brasil                           |
| flabellata Fab. 01-106           | Brasil                           |
|                                  | Argentina                        |
| v. denticornis Germ. 24-67       |                                  |
| v. divisa E.Oliv. 09-222         |                                  |
| v. guttata Fabr. 01-107          |                                  |
| v. liturata E.Oliv. 09-223       |                                  |
| v. quadrimaculata E.Oliv. 85-133 |                                  |
| v. scissiventris Perty 30-26     |                                  |
| v. subopaca E.Oliv. 09-223       |                                  |
| flavoquadrata Blanch. 37-124     | ?                                |
| ingeniosa E.Oliv. 99-89          | Bolivia                          |
| luctuosa E.Oliv. 85-133          | Ecuador                          |
| rhomboidea Gorb. 80-6            | Nicaragua                        |
| subrucifer Pic 31-78             | Brasil                           |
| triguttula Mots. 54-11           | Brasil                           |
| vagans E.Oliv. 07-13             | Brasil                           |
| Schistura E.Oliv. 12-22          |                                  |
| disjuncta E.Oliv. 96-1           | Brasil                           |
| Cladodes Sol. 49-444             |                                  |
|                                  | <i>Nyctocrepis</i> Mots. 53-33   |
|                                  | <i>Rhipidophorus</i> Sol. 49-442 |
| atra Sol. 49-443                 | Chile                            |
| bourgeoisii E.Oliv. 85-140       | Brasil                           |
| carinata E.Oliv. 99-89           | Brasil                           |
| connecta E.Oliv. 07-14           | Brasil                           |
| delalandei E.Oliv. 85-139        | Brasil                           |
| demoulini Mots. 54-10            | Brasil                           |
| flabellata Sol. 49-445           | Chile                            |
| flabellicornis Mots. 54-10       | Brasil                           |
| gloriosa E.Oliv. 07-pl. 2        | Bolivia                          |
| humeralis E.Oliv. 85-139         | Brasil                           |
| imperfecta E.Oliv. 99-90         | Brasil                           |
| lamellicornis Mots. 54-10        | Brasil                           |
|                                  | Argentina                        |
| lateralis Pic 31-103             | Brasil                           |
| nigra Pic 31-103                 | Brasil                           |
| pauper E.Oliv. 99-90             | Brasil                           |
| reperta E.Oliv. 99-90            | Brasil                           |
| solieri Kirsch 65-70             | Colombia                         |
| stellata Gorb. 80-8              | Brasil                           |
| ventralis Gorb. 80-8             | Colombia                         |
| Fenestratocladodes Pic 35-7      |                                  |
| malleri Pic 35-8                 | Brasil                           |
| Ledocas E.Oliv. 85-136           |                                  |
| ambigua E.Oliv. 94-23            | Venezuela                        |
| carbonaria E.Oliv. 94-23         | Venezuela                        |
| detecta E.Oliv. 08-262           | Brasil                           |
| lusca E.Oliv. 07-176             | Brasil                           |
| paralela E.Oliv. 85-140          | Brasil                           |
| v. obscura E.Oliv. 07-176        | Brasil                           |
| protea E.Oliv. 94-23             | Venezuela                        |
| v. olivieri Pic 29-72            | Venezuela                        |
| scutellata E.Oliv. 95-30         | Paraguay                         |
| xanthoma E.Oliv. 94-23           | Paraguay                         |
| Dodactes E.Oliv. 85-136          |                                  |
| atrimembris Pic 27-38            | Paraguay                         |
| attenuata E.Oliv. 85-141         | Brasil                           |
|                                  | Argentina                        |

## Dodaecles—Continued.

- basalis* Pic 27-38.....Paraguay  
   *v. bisignata* Pic 37-140.....Paraguay  
   *v. reducta* Pic 37-140.....Paraguay  
*bicoloricornis* Pic 27-38.....Brasil  
*dubitans* E.Oliv. 11-87.....Argentina  
*elegans* E.Oliv. 85-141.....Brasil  
*emissa* E.Oliv. 08-294.....Argentina  
*erebea* E.Oliv. 96-4.....Paraguay  
   *v. basicornis* Pic 37-140.....Brasil  
*nigricollis* Gorb. 80-8.....Ecuador  
   *v. bicoloricornis* Pic 38-163.....Brasil  
*nigricornis* Pic 37-140.....Panamá  
*obscuricollis* E.Oliv. 09-670.....Brasil  
*plumosa* Gorb. 80-9.....Nicaragua  
*quadrinotata* Pic 27-38.....Central America  
*remixtus* E.Oliv. 12-24.....Argentina  
*Dryptelytra* Lap. 33-128  
   *apicalis* Pic 29-72.....Colombia  
   *atricollis* Pic 11-164.....Brasil  
   *atriventris* Pic 26-392.....Colombia  
   *basithorax* Pic 26-392.....Colombia  
   *brevilineata* Pic 26-392.....Bolivia  
   *calocera* Kirsch 65-70.....Colombia  
   *cayennensis* Lap. 33-129.....Fr. Guiana  
     *v. brevivittis* Pic 11-164.....Perú  
   *fulvibasis* E.Oliv. 12-24.....South America  
   *fulvipennis* Pic 12-25.....Paraguay  
   *grandjeani* E.Oliv. 99-91.....Bolivia  
   *inops* E.Oliv. 07-p.1.1.....Venezuela  
   *longipennis* Pic 27-38.....Perú  
   *plorans* E.Oliv. 99-91.....Venezuela  
   *vittipennis* E.Oliv. 95-30.....Panamá  
*Aethra* Lap. 33-133  
   *Gladophorus* Gray 32-266  
     (not Guér., 1831)  
   *Ethra* Mots. 53-31  
   *addita* E. Oliv. 07-15.....Brasil  
   *apicalis* Pic 30-9.....Brasil  
   *axillaris* Mots. 54-8.....Brasil  
     Chaco  
     Argentina  
   *cervina* E.Oliv. 07-16.....Brasil  
   *conserta* E.Oliv. 09-671.....Perú  
   *costata* Pic 30-9.....America  
   *decorata* E.Oliv. 88-40.....Brasil  
     Argentina  
   *v. circumcincta* E.Oliv. 09-223.....  
   *v. schneideri* Pic 38-27.....Brasil  
   *dejeani* E.Oliv. 09-671.....Brasil  
   *disjuncta* E.Oliv. 96-1.....Brasil  
   *elegantula* E.Oliv. 88-41.....Brasil  
   *festiva* E.Oliv. 88-39.....Brasil  
   *flavipennis* E.Oliv. 12-26.....Brasil  
   *gratiosa* Blanch. 37-122.....Bolivia  
   *incolta* E.Oliv. 08-491.....Brasil  
   *inexpectata* E.Oliv. 86-18.....Brasil  
   *interrupta* Lap. 33-134.....Brasil  
   *invida* E.Oliv. 10-88.....Argentina  
   *laportei* Guér. 30-74.....Brasil  
   *lateralis* Guér. 31-11.....Brasil  
   *latreillei* E.Oliv. 88-38.....Brasil  
   *lauta* E.Oliv. 12-26.....Brasil  
   *limbicollis* Pic 38-163.....Brasil  
   *limbipennis* E. Oliv. 88-38.....Brasil  
   *maculata* Pic 29-72.....Colombia  
   *maledicta* E.Oliv. 88-37.....Brasil  
     *lateralis* Lap. 33-133  
   *marginalis* Pic 38-28.....Brasil  
   *marginata* Gray 32-371.....Brasil  
     *limbata* Lap. 33-137  
   *modesta* Lap. 33-137.....Brasil  
   *olivieri* Pic 38-28.....Brasil  
   *operosa* E.Oliv. 12-26.....Brasil  
   *rufithorax* E.Oliv. 10-87.....Argentina  
   *testaceicollis* Pic 29-71.....Perú  
*Vesta* Lap. 33-133  
   *Gratolampis* Mots. 53-43  
   *arcta* E.Oliv. 07-16.....Bolivia  
   *brunnipennis* Gorb. 80-13.....Panamá  
   *cincticollis* Blanch. 37-122.....Chile  
   *concolor* Gorb. 80-12.....Costa Rica  
     ?Colombia  
   *despecta* Gorb. 80-12.....Nicaragua  
     Costa Rica  
     Panamá  
     Colombia  
   *latastei* E.Oliv. 94-339.....Chile  
   *media* E.Oliv. 09-672.....Ecuador  
   *melanura* Lap. 33-131.....Perú  
   *ridens* E.Oliv. 07-17.....Ecuador  
   *rustica* E.Oliv. 09-672.....Ecuador  
  

### LUCIDOTINAE

*Lucidota* Lap. 33-136  
   *Alychnus* Kirsch 65-71  
   *Dilychnia* Mots. 53-30  
   *Ellychnia* LeC. 81-31  
   *Lychnogaster* Mots. 53-31  
   *Lychnuris* Mots. 53-28  
   *Mesolampis* Mots. 53-30  
   *Pachylychnia* Mots. 53-40  
   *Platylampis* Mots. 53-43  
   *Pseudolychnuris* Mots. 53-32  
   *Pygolychnia* Mots. 53-29  
   *Pyropyga* Mots. 53-28  
   *Rileyia* E. Oliv. 11-?  
     (not Ashm., 1888)  
   *Trilychnia* Mots. 53-29  
   *albicollis* Blanch. 37-113.....Bolivia  
   *amabilis* Gorb. 88-38.....Costa Rica  
     Panamá  
   *angustata* Mots. 54-8.....Brasil  
   *antennata* Lap. 33-138.....Brasil  
   *apicicornis* Gorb. 89-20.....Nicaragua  
   *appendiculata* Germ. 24-65.....Brasil  
   *approximans* E.Oliv. 85-22.....Brasil  
     Argentina  
   *atra* G. A. Oliv. 90-27.....Nicaragua  
     *laticornis* Fab. 92-99 U. S. A.  
     *morio* Melsh. 51-332  
   *audax* E.Oliv. 96-5.....Paraguay  
   *bang-haasi* Pic 30-91.....Paraguay  
   *banoni* Lap. 33-137.....Fr. Guiana  
     *v. boliviana* Gorb. 80-18.....Bolivia  
   *basalis* Pic 30-91.....Perú  
   *bella* Gorb. 80-18.....México  
     Guatemala  
     Honduras  
     Nicaragua  
   *bicolor* Kirsch 73-388.....Perú  
   *binotata* Pic 30-91.....México

## Lucidota—Continued.

|   |               |  |                 |
|---|---------------|--|-----------------|
| bipartita Pic 27-38.....                | Paraguay      | jucunda E.Oliv. 88-39.....               | Brasil          |
| blanchardi E.Oliv. 99-73.....           | Bolivia       | klugi Mots. 54-4.....                    | Brasil          |
| bruneri Mutch. 23-6.....                | Cuba          | laeta E.Oliv. 88-39.....                 | Brasil          |
| chevrolati Mutch. 23-7.....             | Cuba          | latoi Pic 30-92.....                     | Colombia        |
| chiriquiana Gorb. 84-256.....           | Panamá        | latiuscula Mots. 54-15.....              | Colombia        |
| cincta Mots. 54-8.....                  | Brasil        | lecontei Kirsch 73-390.....              | Perú            |
| comitata Gorb. 84-258.....              | Panamá        | limbata Gorb. 80-20.....                 | Nicaragua       |
| complanata Gorb. 84-257.....            | Panamá        | lineola E.Oliv. 88-39.....               | Brasil          |
| compressicornis Fabr. 01-103.....       | South America | litrata E. Oliv. 07-20.....              | Ecuador         |
| conformis E.Oliv. 07-19.....            | Brasil        | lugens Gorb. 80-37.....                  | México          |
| consors E.Oliv. 09-35.....              | Brasil        | <i>moesta</i> Perty 30-27.....           | Central America |
|   | Perú          | lunata Mots. 54-41.....                  | Brasil          |
| costata Pic 30-91.....                  | Chile         | lunulata Blanch. 37-113.....             | Bolivia         |
| cucullata E.Oliv. 96-5.....             | Paraguay      | macrezens E.Oliv. 09-122.....            | Brasil          |
| dejeani Lucas 59-86.....                | Brasil        | malleri Pic 35-9.....                    | Brasil          |
| delicata E.Oliv. 12-40.....             | Brasil        | marginicollis Lucas 57-86.....           | Brasil          |
| diaphanura Gorb. 88-36.....             | México        | <i>funerea</i> Kirsch 73-389.....        |                 |
| difformis Gorb. 84-255.....             | Panamá        | marginipennis L. & M. 22-438.....        | Puerto Rico     |
| dilatatornis Mots. 54-8.....            | South America | mellicula E.Oliv. 07-21.....             | Fr. Guiana      |
| discoidalis Lap. 33-144.....            | Cuba          | minuta LeC. 51-333.....                  | St. Vincent     |
|   | Brasil        |  | Grenada         |
| discolor Gorb. 81-37.....               | México        |  | U. S. A.        |
|   | Br. Honduras  | miseria E.Oliv. 96-5.....                | Paraguay        |
|   | Guatemala     | monacha E.Oliv. 12-38.....               | Ecuador         |
|   | Nicaragua     | nobilis E.Oliv. 07-21.....               | Ecuador         |
|   | Panamá        | oblongonotata E.Oliv. 86-19.....         | Brasil          |
|   | Colombia      | oculata E.Oliv. 86-20.....               | Brasil          |
| disparilis E.Oliv. 12-40.....           | Ecuador       | <i>v. diversicollis</i> Pic 38-27.....   | Brasil          |
| dissimilis E.Oliv. 09-36.....           | Perú          | olviveri Pic 38-27.....                  | Brasil          |
| elapsa E.Oliv. 07-19.....               | Fr. Guiana    | ornata E.Oliv. 09-110.....               | Perú            |
| elongata Blanch. 37-121.....            | Bolivia       | osculatii Guér. 55-580.....              | Nicaragua       |
| eucera E.Oliv. 07-20.....               | Fr. Guiana    |  | Colombia        |
| exstincta Gorb. 80-17.....              | México        |  | Brasil          |
|   | Guatemala     | pallidicollis Blanch. 37-112.....        | Bolivia         |
| fenestrata Gorb. 84-257.....            | Panamá        | parilis E.Oliv. 09-395.....              | Ecuador         |
| fenestralis Melsh. 46-304.....          | Baja Calif.   | parvicollis E.Oliv. 85-23.....           | Brasil          |
| <i>californica</i> Mots. 53-5.....      | México        | pectinata Fabr. 75-824.....              | South America   |
| <i>reversa</i> Gemm. 70-120.....        | U. S. A.      | pennata Dej. 37-114.....                 | Fr. Guiana      |
| <i>sobrina</i> Gorb. 81-49.....         |               | <i>thoracica</i> Lap. 33-137.....        |                 |
| flabellicornis Fabr. 81-252.....        | Brasil        | <i>v. immaculata</i> E.Oliv. 09-233..... |                 |
| <i>pectinicornis</i> Mots. 54-7.....    |               | perpusilla E.Oliv. 85-23.....            | Brasil          |
| flavipes Mots. 54-6.....                | Fr. Guiana    | phyllocera Wied. 21-125.....             | Brasil          |
| fraudata E.Oliv. 08-491.....            | Brasil        | planicornis Fabr. 01-104.....            | South America   |
| fulgurans Gorb. 80-19.....              | Brasil        | plaumanni Pic 39-4.....                  | Brasil          |
| <i>v. subinterrupta</i> Pic 31-449..... | Costa Rica    | premarginalis Pic 38-28.....             | Brasil          |
| fulvotinctus Mutch. 23-4.....           | Cuba          | probata E.Oliv. 09-394.....              | Perú            |
| <i>v. flavicollis</i> Mutch. 23-5.....  | Cuba          | propinqua E. Oliv. 09-111.....           | Brasil          |
| fuscata Gorb. 84-253.....               | Panamá        | proscripta E. Oliv. 06-108.....          | Colombia        |
| geniculata Pic 30-91.....               | Brasil        | proxima Gorb. 80-16.....                 | Fr. Guiana      |
| guttula Fabr. 01-101.....               | South America | pygidialis E. Oliv. 86-21.....           | Brasil          |
| <i>basalis</i> Mots. 54-7.....          |               | pygmaea E.Oliv. 07-21.....               | Brasil          |
| <i>dimidiatipennis</i> Lucas 57-87..... |               | quadriguttata Gorb. 80-21.....           | Brasil          |
| <i>pectoralis</i> Kirsch 75-389.....    |               | ramicornis Pic 32-7.....                 | Brasil          |
| <i>semicolor</i> Gemm. 70-120.....      |               | roseimaculata Blanch. 37-112.....        | Bolivia         |
| heterocera E.Oliv. 10-286.....          | Perú          | saepa E.Oliv. 08-491.....                | Perú            |
| heteroclitia E.Oliv. 07-pl. 2.....      | Brasil        | semirufa E.Oliv. 06-108.....             | Brasil          |
| immemor E.Oliv. 09-395.....             | Perú          | serricornis E.Oliv. 09-396.....          | Ecuador         |
| inaperta E.Oliv. 86-21.....             | Brasil        | severa E.Oliv. 12-39.....                | Perú            |
| inapicalis Pic 30-91.....               | Chile         | sexguttata E.Oliv. 86-20.....            | Brasil          |
| incognita E.Oliv. 12-21.....            | Dominica      | signaticollis Pic 30-90.....             | Brasil          |
| <i>minuta</i> Gorb. 98-319.....         | St. Vincent   | signaticornis E.Oliv. 07-21.....         | Colombia        |
|   | Grenada       | simoni E.Oliv. 00-62.....                | Venezuela       |
| incompta Gorb. 84-253.....              | Panamá        | sinuatoecollis Gorb. 84-255.....         | Panamá          |
| ingloria E.Oliv. 99-92.....             | Brasil        | sparsicolor E.Oliv. 13-574.....          | Argentina       |
| <i>moesta</i> Perty 30-pl. 6.....       |               | subdubitata Mutch. 23-6.....             | Cuba            |
| insignita E.Oliv. 12-209.....           | Brasil        | supplex E.Oliv. 09-35.....               | Bolivia         |



- Lucidata**—Continued.
- suturalis* Mots. 54-9.....Colombia  
*xanthorrhaphus* Kirsch 65-72
- taciturna* E.Oliv. 06-108.....Colombia  
*tarda* Mots. 54-4.....Brasil  
*tardita* E.Oliv. 96-5.....Paraguay  
*tenuicincta* E.Oliv. 12-39.....Brasil  
*tenuis* E.Oliv. 96-1.....Brasil  
*thoracica* Oliv. 90-27.....México  
*cayennensis* Fabr. 01-105.....Guatemala  
*rubricollis* Gorb. 80-19.....Nicaragua  
*ruficollis* Mots. 54-7.....Fr. Guiana  
*vittellinithorax* Perty 32-27.....Brasil  
 Argentina  
*tincta* Gorb. 84-255.....Panamá  
*tricolor* Gorb. 80-21.....Brasil  
*tricolorata* Pic 35-253.....Brasil  
*tricolorata* Pic 35-253.....Brasil  
*tricolorata* Pic 35-253.....Brasil  
*tristricolor* E.Oliv. 09-36.....Brasil  
*tristis* Blanch. 37-119.....Bolivia  
*variegata* Germ. 24-65.....Central America  
*vitricollis* Gorb. 84-256.....Guatemala  
*vittata* Mots. 54-9.....Colombia  
*vittipennis* E.Oliv. 07-26
- xanthocera* Lucas 57-87.....Brasil  
*xanthopleura* Gorb. 84-254.....Panamá
- Leucothrix** E.Oliv. 11-72
- albocincta* Pic 27-52.....Perú  
*apicalis* Gorb. 80-19.....Costa Rica  
*apicipennis* Pic 27-52.....Perú  
*argentina* Pic 28-35.....Argentina  
*aurantiaca* Pic 29-72.....Perú  
*baeri* Pic 27-52.....Perú  
*bogotensis* Pic 31-379.....Colombia  
*boliviana* Pic 27-52.....Bolivia  
*latealba* Pic 27-52.....Brasil  
*parallela* Pic 27-52.....Bolivia  
*peruviana* Pic 27-52.....Perú  
*severa* E.Oliv. 11-72.....Perú  
*testaceipes* Pic 27-52.....Costa Rica
- Tenasapis** LeC. 81-33
- Terraspis* (Zool. Rec. 1914)
- acuta* E.Oliv. 09-672.....Brasil  
*angularis* Gorb. 80-7.....México  
 Guatemala  
 U. S. A.
- auricolor* E.Oliv. 12-33.....Colombia  
*brumalis* E.Oliv. 07-22.....Brasil  
*cauta* E.Oliv. 12-33.....Colombia  
*lugubris* Gorb. 81-30.....Guatemala  
*maculata* Pic 32-7.....Brasil  
*mansueta* E.Oliv. 07-22.....Ecuador  
*mundata* E.Oliv. 07-22.....Brasil  
*peccatus*, new name.....Brasil  
*maculata* Pic 32-253 (not 32-7)
- rufibasis* E.Oliv. 09-673.....Guiana  
*semifusca* Gorb. 80-31.....Guatemala  
 Panamá
- sinuosa* E.Oliv. 99-89.....Fr. Guiana  
*zonulata* E.Oliv. 13-574.....Argentina
- Callopiema** Mots. 53-42
- Lychnuris* E.Oliv. 07-22
- adjuncta* E. Oliv. 99-90.....Cuba  
*bellicosa* E.Oliv. 99-91.....Cuba  
*boreconca* L. & M. 22-440.....Puerto Rico
- demissa* E.Oliv. 99-90.....Cuba  
 12 I. de Pinos
- emarginata* L. & M. 22-443.....Puerto Rico  
*flavilabris* E.Oliv. 99-20.....Cuba  
*fuscotermina* Mutch. 23-9.....Cuba  
*janthinipennis* DuVal 57-83.....Cuba  
*maestra* Mutch. 23-8.....Cuba  
*mariposa* L. & M. 22-442.....R. Dominicana  
*militaris* E.Oliv. 99-91.....Cuba  
*miniaticollis* Chevr. 58-209.....Cuba  
 Puerto Rico
- monticola* Mutch. 23-8.....Cuba  
*postica* E.Oliv. 99-90.....Haiti  
 R. Dominicana
- ramsdeni* L. & M. 22-442.....Cuba  
*rufa* Oliv. 90-28.....Cuba  
*dimidiatipennis* DuVal 57-84.....Haiti  
 13 St. Thomas  
 Puerto Rico
- v. humeralis* E.Oliv. 12-19.....Haiti
- Pyractonema** Sol. 49-446
- albomarginata* Sol. 49-447.....Chile  
*bifenestrata* F. & G. 62-2.....Chile  
*brevipennis* Sol. 49-451.....Chile  
*depressicornis* G. & H. 70-6.....Chile  
*compressicornis* Sol. 49-446
- haemorrhoea* F. & G. 62-2.....Argentina  
 Chile
- nigripennis* Sol. 49-448.....Chile  
*obscura* Oliv. 90-18.....Argentina  
*bardelli* Le Gui. 44-222.....T. del Fuego  
*binotata* Sol. 49-449
- bioculata* Blanch. 53-70  
*fissicollis* Sol. 49-449  
*lugubris* Sol. 49-449  
*rhododera* Sol. 49-449
- subulipennis* F. & G. 62-3.....Chile  
*vicina* Sol. 49-448.....Argentina  
 Chile
- watsoni* L. & M. 22-453.....R. Dominicana
- Lucernuta** Lap. 33-143
- illigeri* Kby. 18-387.....Brasil  
*fenestrata* Germ. 24-66
- minuta* Pic 30-88.....Costa Rica  
*savignyi* Kby. 18-388.....Brasil

## DADOPHORINAE

- Dadophora** E.Oliv. 07-27
- hyalina* E.Oliv. 07-27.....Brasil

## PHOTININAE

- Cratomorphus** Mots. 53-35
- albomarginatus* Lap. 40-268.....Argentina  
*altivolans* Gorb. 84-270.....Panamá  
*besckei* E.Oliv. 95-147.....Brasil  
 Argentina
- bifenestratus* Gorb. 80-34.....Brasil  
 Argentina
- castaneus* E.Oliv. 09-122.....Brasil  
*cinctipennis* E.Oliv. 12-42.....Brasil  
*concolor* Perty 30-28.....Panamá  
*vireus* Bourg. 84-287.....Brasil  
*cosyphinus* Perty 30-28.....Argentina  
*dorsalis* Mots. 54-34

12 West Indies.

13 Virgin Islands (W. I.).

## Cratomorphus—Continued.

|   |                              |                                     |                         |
|---|------------------------------|-------------------------------------|-------------------------|
| diaphanus Germ. 24-64.....              | Argentina                    | diaphana Gorb. 80-86.....           | México                  |
| <i>elongatus</i> Gorb. 80-35.....       |                              |                                     | Br. Honduras            |
| <i>insignis</i> Gorb. 80-35.....        |                              |                                     | Guatemala               |
| dilutus E.Oliv. 07-28.....              | Brasil                       |                                     | Nicaragua               |
| discorufus Kirsch 65-72.....            | Colombia                     | dilatata Lap. 40-259.....           | Venezuela               |
| distinctus E.Oliv. 95-32.....           | Brasil                       |                                     | Brasil                  |
|   | Argentina                    | diversicollis Pic. 17-22.....       | Fr. Guiana              |
| dorsalis Gyll. 17-24.....               | Nicaragua                    | elongata Pic 34-36.....             | Bolivia                 |
|   | Panamá                       | fenestrata Blanch. 37-111.....      | Panamá                  |
|   | <sup>14</sup> St. Barthélemy |                                     | Argentina               |
| elevatus E.Oliv. 96-1.....              | México                       | forticornis Pic 17-23.....          | Brasil                  |
| fasciatus Gorb. 84-271.....             | Costa Rica                   | fusiformis E.Oliv. 85-29.....       | Argentina               |
| fuscipennis Mots. 54-33.....            | Nicaragua                    | gentilis E.Oliv. 07-29.....         | Brasil                  |
| <i>latus</i> Kirsch 65-72.....          | Brasil                       |                                     | Argentina               |
| giganteus Drury 82-75.....              | Brasil                       | grossa Er. 47-81.....               | Perú                    |
| <i>fabricii</i> Lap. 40-258.....        |                              | guyanensis Pic 17-22.....           | Fr. Guiana              |
| v. <i>infuscatus</i> E.Oliv. 12-43..... |                              | hespera Linn. 67-644.....           | South America           |
| gorhami E.Oliv. 12-42.....              | Argentina                    | <i>lineata</i> Gyll. 17-23.....     | Chaco                   |
| junior E.Oliv. 95-147.....              | Ecuador                      | <i>surinamensis</i> Deg. 74-48..... | Argentina               |
| ovatus Gorb. 84-271.....                | Panamá                       | holtzi Pic 34-36.....               | Paraguay                |
| parmatus Gorb. 80-36.....               | Colombia                     | ignita Linn. 67-645.....            | México                  |
| pellucens Kirsch 65-72.....             | Colombia                     | <i>polyzona</i> Chevr. 34-51.....   | Br. Honduras            |
| picipennis Gorb. 81-52.....             | México                       |                                     | <sup>4</sup> Is. Perlas |
|   | Guatemala                    |                                     | Venezuela               |
|   | Brasil                       |                                     | <sup>6</sup> Trinidad   |
| rectus E.Oliv. 12-41.....               | Colombia                     |                                     | Fr. Guiana              |
| signativentris E.Oliv. 95-34.....       | Brasil                       |                                     | Cuba                    |
| subcostatus Guér. 55-580.....           | Colombia                     |                                     | Hispaniola              |
| vittatus Kirsch 65-73.....              | Venezuela                    |                                     | <sup>13</sup> St. Kitts |
| sp. (Martorell 39-196).....             |                              |                                     | Antigua                 |
| Aspisoma Lap. 33-127.....               |                              |                                     | Guadeloupe              |
| <i>Aspidosoma</i> Lac. 57-236.....      |                              |                                     | Martinique              |
| <i>Nyctophanes</i> Mots. 53-34.....     |                              |                                     | St. Vincent             |
| aegrota Gorb. 80-84.....                | México                       |                                     | <sup>15</sup> Mustique  |
| <i>roseiceps</i> Bourg. 84-286.....     | Guatemala                    |                                     | <sup>15</sup> Union     |
|   | Nicaragua                    |                                     | Grenada                 |
|   | Costa Rica                   | impressipennis Mots. 54-13.....     | Brasil                  |
|   | Panamá                       | inangulata Pic 34-35.....           | Costa Rica              |
| aeliana Gorb. 84-272.....               | Guatemala                    | inhumeralis Pic 17-24.....          | Brasil                  |
| angusta Kirsch 73-392.....              | Perú                         | insperata E.Oliv. 12-22.....        | St. Lucia               |
| arguta Berg 85-231.....                 | Argentina                    | <i>ignitum</i> Gorb. 98-318.....    | St. Vincent             |
| bilineata Gorb. 80-86.....              | México                       |                                     | <sup>15</sup> Mustique  |
|   | Guatemala                    |                                     | <sup>15</sup> Union     |
|   | Costa Rica                   |                                     | Grenada                 |
| binotata Kirsch 65-74.....              | Colombia                     | laeta Berg 85-230.....              | Argentina               |
| bisignata Mots. 54-12.....              | Brasil                       | lateralis Fab. 01-106.....          | México                  |
| blanchardi Kirsch 65-74.....            | Colombia                     |                                     | Nicaragua               |
| bohlsi E.Oliv. 96-7.....                | Paraguay                     |                                     | Costa Rica              |
| boliviensis Pic 34-36.....              | Bolivia                      |                                     | South America           |
| bremei Mots. 54-13.....                 | Brasil                       |                                     | Argentina               |
| brevicollis Kirsch 65-74.....           | Colombia                     | lepida Gorb. 81-54.....             | México                  |
| buyssonii E.Oliv. 88-95.....            | Colombia                     |                                     | Guatemala               |
|   | Argentina                    | limbata Gemm. 70-120.....           | Uruguay                 |
| candellaria Reiche 45-353.....          | Brasil                       | <i>lateralis</i> Boh. 58-75.....    | Argentina               |
| cassidea Mots. 54-14.....               | Costa Rica                   | lineolata Mots. 54-12.....          | South America           |
|   | Brasil                       | lurida E.Oliv. 07-30.....           | Brasil                  |
| claveri Pic 17-13.....                  | Colombia                     | maculata Deg. 74-50.....            | South America           |
| concoloripennis Blanch. 37-110.....     | Brasil                       | <i>maculosa</i> Schönh. 17-67.....  |                         |
|   | Argentina                    | mendesensis Pic 17-23.....          | Brasil                  |
| costata Gorb. 80-87.....                | México                       | minuta Pic 17-24.....               | Brasil                  |
|   | Br. Honduras                 | neglecta E.Oliv. 96-7.....          | Brasil                  |
|   | Guatemala                    |                                     | Argentina               |
|   | Nicaragua                    | nigra E.Oliv. 07-176.....           | Brasil                  |
|   | Panamá                       | nitens Deg. 74-pl.17.....           | Surinam                 |
| depicta Gorb. 80-85.....                | Costa Rica                   | nitida Mots. 54-13.....             | Colombia                |
|   |                              | ovalis Blanch. 37-112.....          | Panamá                  |

<sup>4</sup> Panamá.<sup>6</sup> Venezuela.<sup>13</sup> Virgin Islands (W. I.).<sup>14</sup> Leeward Islands (W. I.).<sup>15</sup> Grenadines (W. I.).

- Aspisoma**—Continued.
- pallens* E.Oliv. 88-94.....Paraguay  
.....Argentina
- pallida* G. A. Oliv. 90-16.....Brasil
- palliata* Mots. 54-13.....Fr. Guiana
- pellucida* Mots. 54-12.....Brasil
- perixantha* E. Oliv. 07-30.....Brasil
- perplexa* E.Oliv. 88-93.....Brasil
- physonotum* Gorb. 84-272.....Nicaragua  
.....Panamá
- pulchella* Gorb. 80-86.....México  
.....Br. Honduras  
.....Nicaragua
- roseiventer* E.Oliv. 88-50.....Brasil
- rotunda* E.Oliv. 85-29.....<sup>13</sup> St. Croix
- rufimembris* Pic 32-17.....Brasil
- rufipennis* Pic 17-23.....Brasil
- sexpunctata* Mots. 54-12.....Brasil
- signifera* Esch. 22-55.....Brasil
- sinuaticollis* Kirsch 73-392.....Perú
- stictica* Gemm. 70-120.....Brasil  
*maculata* Fab. 98-125.....Argentina
- sublongata* Pic 32-17.....Venezuela
- superciliosa* Gorb. 98-318.....St. Vincent  
<sup>15</sup> Union  
Grenada
- vittula* Mots. 54-11.....Brasil
- yucatanica* E.Oliv. 08-262.....México
- Lecontea** E.Oliv. 99-371
- Pyractomena* LeC. 51-336
- angulata* Say 25-261.....México
- flavocincta* LeC. 51-336.....U. S. A.
- discoidea* Gorb. 84-269.....Panamá  
<sup>4</sup> T. Taboga  
<sup>4</sup> Is. Perlas
- dorsalis* Mots. 54-38.....México
- galeata* E.Oliv. 99-91.....Puerto Rico  
<sup>13</sup> Vieques  
<sup>13</sup> St. Thomas
- gamma* DuVal 57-85.....Cuba
- striatella* Gorb. 80-33.....<sup>12</sup> I. de Pinos  
Jamaica  
México  
Guatemala
- veixillaria* Gorb. 81-50.....México
- viticollis* Mots. 54-38.....Haiti
- Macrolampis** Mots. 53-37
- agona* E.Oliv. 05-317.....Colombia
- atenuata* Gorb. 81-41.....México
- circumcincta* Gemm. 70-121.....Colombia  
*cincta* Mots. 54-37
- cylindra* E.Oliv. 05-318.....Argentina
- distinguenta* E.Oliv. 05-317.....Colombia
- durangona* Pic 30-90.....México
- elapsa* E.Oliv. 05-315.....Brasil
- extensa* Gorb. 81-21.....México
- frater* E.Oliv. 05-316.....Brasil
- infirmata* Gorb. 84-260.....Guatemala  
Panamá
- latior* E.Oliv. 07-219.....Colombia
- linearis* Latr. 11-205.....Brasil
- lineata* E.Oliv. 85-23.....Brasil
- longipennis* Mots. 54-37.....Colombia
- meditabunda* E.Oliv. 05-318.....Venezuela
- mixticollis* E.Oliv. 07-32.....Ecuador
- olivieri* Pic 30-90.....Perú
- omissa* E.Oliv. 05-315.....Venezuela
- perelegans* Gorb. 80-31.....Br. Honduras  
Guatemala  
Panamá  
Antigua
- producta* Gorb. 81-41.....México
- roberti* E.Oliv. 05-316.....Ecuador
- transversenotata* E.Oliv. 05-317.....Ecuador
- varicollis* E.Oliv. 07-177.....Brasil
- velutina* Mots. 54-37.....Colombia
- volcanica* Gorb. 84-260.....Nicaragua  
Panamá
- Heterophotinus** E.Oliv. 94-24
- attenuatus* Pic 30-90.....Brasil
- curticornis* Pic 30-90.....Bolivia
- dissidens* E.Oliv. 94-24.....Uruguay
- limbipennis* DuVal 57-86.....Cuba
- porrectus* E.Oliv. 08-492.....Argentina
- Photinus** Lap. 33-140
- Ellipolampis* Mots. 53-36
- Ellychnia* Mots. 53-27
- Erythrolychnia* Mots. 53-29
- Lamprodes* Mots. 53-59
- Platylampis* Mots. 53-44
- Pygolampis* Mots. 53-48
- Rabopus* L. & M. 22-436
- Robopus* Mots. 53-41
- acicularis* E.Oliv. 07-177.....Perú
- adventus* E.Oliv. 07-34.....México
- consanguineus* Gorb. 81-42
- affinis* Gorb. 80-28.....México  
Guatemala
- albicauda* Gorb. 81-46.....México
- albicinctus* Lap. 40-268.....Brasil
- albicollis* Chev. 58-209.....Cuba
- albilatera* Gyll. 17-21.....South America
- albolimbatus* Gemm. 70-119.....México
- albilatera* Mots. 54-3
- albopalpis* L. & M. 22-448.....Haiti
- alticola* Barb. 41-7.....Jamaica
- amplius* E.Oliv. 07-34.....México
- latiusculus* Gorb. 80-46
- amplus* Barb. 41-10.....Jamaica
- apicalis* Pic 31-108.....?America
- apoplecticus* E.Oliv. 99-92.....Cuba  
<sup>12</sup> I. de Pinos
- armatus* Gorb. 84-265.....Panamá
- ater* Gorb. 81-49.....México
- atomarius* E.Oliv. 88-56.....?
- atritarsis* Pic 31-108.....Colombia
- aurora* Gorb. 89-30.....Costa Rica  
Panamá
- baeri* E.Oliv. 07-34.....Brasil
- bergi* E.Oliv. 88-55.....Uruguay  
Argentina
- bipartitus* E.Oliv. 12-24.....R. Dominicana
- olackwelderi* Barb. 41-6.....Jamaica
- blandus* Mots. 54-25.....Cuba  
Hispaniola  
?Brasil
- bogotensis* E.Oliv. 07-219.....Colombia
- brevicornis* Gorb. 81-262.....Guatemala
- bruchi* E.Oliv. 09-50.....Argentina
- brunsecens* Barb. 41-8.....Jamaica
- caliginosus* E.Oliv. 90-20.....Fr. Guiana
- ceratus* L. & M. 22-459.....Jamaica
- championi* Gorb. 84-267.....Guatemala
- chapini* Barb. 41-6.....Jamaica

<sup>4</sup> Panamá.<sup>12</sup> West Indies.<sup>13</sup> Virgin Islands (W. I.).<sup>15</sup> Grenadines (W. I.).

|   |   |
|---|---|
| Photinus—Continued.                       |   |
| cinctellus Mots. 54-36.....               | México<br>Guatemala<br>Nicaragua<br>Costa Rica<br>Colombia<br>Argentina |
| clarki Mutch. 23-11.....                  | Haiti   |
| collaris Lap. 40-268.....                 | Brasil  |
| commisus E.Oliv. 07-34.....               | Jamaica   |
| concinus Gorb. 80-30.....                 | Guatemala<br>Nicaragua  |
| congruus Chev. 34-8.....                  | México  |
| contemptus E.Oliv. 07-34.....             | Jamaica   |
| cordovae Gorb. 81-45.....                 | México  |
| coronatus Gorb. 80-24.....                | Colombia  |
| corruscus Linn. 67-644.....               | México  |
| <i>latipennis</i> Mots. 53-3.....         | U. S. A.  |
| cubanus L. & M. 22-463.....               | Cuba  |
| decorus Mots. 53-41.....                  | <sup>12</sup> I. de Pinos<br>Hispaniola                                 |
| <i>roseicollis</i> Mots. 54-42.....       | Puerto Rico   |
| deplanatus Guér. 30-73.....               | Brasil  |
| discoidalis Pic 31-108.....               | Brasil  |
| discoideus Sahlb. 23-3.....               | Guadeloupe  |
| djurnus Gorb. 84-266.....                 | Panamá  |
| divisus Gemm. 70-119.....                 | Hispaniola  |
| <i>interruptus</i> Mots. 54-24.....       |   |
| dubiosus L. & M. 22-461.....              | Puerto Rico   |
| ebrius E.Oliv. 07-35.....                 | Jamaica   |
| elongatus Mots. 54-35.....                | West Indies   |
| eöus Gorb. 84-264.....                    | Panamá  |
| erichsoni Gemm. 70-119.....               | Perú  |
| <i>lucifer</i> Er. 47-80.....             |   |
| euphotus Barb. 41-9.....                  | Jamaica   |
| <i>s. cinchonae</i> Barb. 41-9.....       | Jamaica   |
| evanesens Barb. 41-10.....                | Jamaica   |
| s. dubius Barb. 41-11.....                | Jamaica   |
| <i>s. moneague</i> Barb. 41-11.....       | Jamaica   |
| <i>s. montego</i> Barb. 41-11.....        | Jamaica   |
| fastidiosus E.Oliv. 07-35.....            | Colombia  |
| flavolus E.Oliv. 09-111.....              | Perú  |
| flavolimbatus Barb. 41-7.....             | Jamaica   |
| flohri Gorb. 84-262.....                  | México  |
| fulgidus Oliv. 90-16.....                 | R. Dominicana   |
| <i>dimidiatipennis</i> Mots. 54-5.....    |   |
| fumigatus Gorb. 80-28.....                | Guatemala   |
| fuscicornis Kirsch 73-390.....            | Perú  |
| fuscus Germ. 24-63.....                   | Chaco<br>Argentina  |
| geographicus, new name.....               | ?Hispaniola   |
| <i>simplex</i> E.Oliv. 12-28.....         | <sup>13</sup> St. Croix<br>Dominica                                     |
| gliscens Gorb. 84-39.....                 | México  |
| gracilis Blanch. 37-120.....              | Bolivia   |
| gracilobus Barb. 41-6.....                | Jamaica   |
| guatemalae Gorb. 80-26.....               | Guatemala   |
| guyanensis Dem. 38-22.....                | Guiana  |
| heterodoxus L. & M. 22-457.....           | Puerto Rico   |
| hypoleucus Barb. 41-9.....                | Jamaica   |
| ignis-fatuus Gorb. 84-259.....            | Panamá  |
| impressicollis Mots. 54-35.....           | Colombia  |
| incongruus Gorb. 84-258.....              | Guatemala<br>Panamá   |
| <i>v. pallidior</i> Gorb. 84-259.....     |   |
| inceptus E.Oliv. 00-64.....               | Venezuela   |
| infernus E.Oliv. 12-31.....               | Martinique  |
| infuscatus Lap. 40-268.....               | Brasil  |
| innocuus Boh. 58-77.....                  | <sup>16</sup> I. Puna   |
| intercalatus Gemm. 70-119.....            | Brasil  |
| <i>infuscatus</i> Mots. 54-38.....        |   |
| interruptus Er. 47-80.....                | Perú  |
| joergenseni E.Oliv. 11-89.....            | Argentina   |
| laticollis Mots. 54-15.....               | México<br>Colombia  |
| lengi Mutch. 23-2.....                    | Haiti   |
| leucopyge Barb. 41-6.....                 | Jamaica   |
| limbellus Mots. 54-36.....                | Brasil  |
| littoralis Mots. 54-35.....               | Martinique<br><sup>6</sup> Trinidad                                     |
| lobatus Barb. 41-10.....                  | Jamaica   |
| <i>s. morbosus</i> Barb. 41-6.....        | Jamaica   |
| <i>s. obscurus</i> Barb. 41-10.....       | Jamaica   |
| <i>s. rapidus</i> Barb. 41-10.....        | Jamaica   |
| longicornis E.Oliv. 07-36.....            | Ecuador   |
| longulus Mots. 54-38.....                 | Brasil  |
| longus Gemm. 70-120.....                  | Argentina   |
| <i>cuneatus</i> E.Oliv. 99-73.....        |   |
| <i>linearis</i> Blanch. 37-116.....       |   |
| lucernula Barb. 41-4.....                 | Jamaica   |
| lucidus Linn. 67-645.....                 | Fr. Guiana  |
| luctuosus Lap. 40-268.....                | Brasil  |
| <i>lateralis</i> Mots. 54-35.....         |   |
| lundi Barb. 41-8.....                     | Jamaica   |
| lunicollis Gorb. 80-27.....               | México<br>Guatemala   |
| lunulatus Blanch. 37-113.....             | Bolivia   |
| lutzi L. & M. 22-461.....                 | Dominica  |
| maculicollis Kirsch 73-391.....           | Perú  |
| magnus Mutch. 23-3.....                   | Cuba  |
| <i>v. turquino</i> Mutch. 23-4.....       | Cuba  |
| manni L. & M. 22-466.....                 | Bahamas Is.   |
| marginatus Linn. 67-466.....              | Brasil  |
| marginipennis Lucas 57-88.....            | Brasil  |
| maritimus E.Oliv. 99-92.....              | Jamaica   |
| melanopyge Barb. 41-7.....                | Jamaica   |
| melanurus Barb. 41-8.....                 | Jamaica   |
| meteoralis Gorb. 80-38.....               | Guatemala   |
| mexicanus Mots. 54-3.....                 | México  |
| minusculus Gorb. 84-268.....              | Panamá  |
| minutus LeC. 51-333.....                  | St. Vincent<br>Grenada<br>U. S. A.                                      |
| moestus Gorb. 84-264.....                 | Guatemala   |
| montanus Gorb. 84-263.....                | Guatemala   |
| multilineatus Pic 31-108.....             | Brasil  |
| naevus Barb. 41-5.....                    | Jamaica   |
| nanus E.Oliv. 12-29.....                  | Cuba  |
| nefarius E.Oliv. 12-25.....               | Cuba  |
| <i>blandus</i> DuVal 57-87.....           |   |
| niger Blanch. 37-120.....                 | Brasil  |
| nigradorsis Gorb. 81-39.....              | México  |
| nigrolimbatus Gorb. 84-263.....           | Guatemala   |
| nothus Barb. 41-7.....                    | Jamaica   |
| occidentalis E.Oliv. 90-24.....           | Fr. Guiana  |
| olivieri L. & M. 22-448.....              | R. Dominicana   |
| ovatus Gorb. 81-40.....                   | México  |
| pallens Fabr. 98-124.....                 | Jamaica   |
| <i>melanodactylus</i> E. Oliv. 88-56..... |   |
| panzeri Guér. 30-73.....                  | Brasil  |
| parallelus Blanch. 37-117.....            | Argentina   |
| parvulus Gorb. 81-47.....                 | México<br>Guatemala   |
| parvus Blanch. 37-119.....                | Bolivia   |

<sup>6</sup> Venezuela.<sup>12</sup> West Indies.<sup>13</sup> Virgin Islands (W. I.).<sup>16</sup> Ecuador.

## Photinus—Continued.

|   |                          |   |                 |
|---|--------------------------|---|-----------------|
| peractus E.Oliv. 07-37.....               | Brasil                   | vittatus G. A. Oliv. 90-23.....         | R. Dominicana   |
| perbrevis E.Oliv. 09-112.....             | Brasil                   | <i>suturalis</i> Schönh. 17-65.....     | Puerto Rico     |
| perlucens Gorch. 80-29.....               | Guatemala                | vittiger Gyll. 17-21.....               | Guadeloupe      |
| phosphoreus Linn. 67-625.....             | South America            | vulgatus E.Oliv. 07-38.....             | Central America |
| piciticollis Gorch. 81-48.....            | Guatemala                | <i>cinctellus</i> Gorch. 80-24.....     |                 |
| plumbeus Gorch. 80-29.....                | Guatemala                | xanthophotis Gosse 48-?.....            | Jamaica         |
| pulchellus Gorch. 80-29.....              | Guatemala<br>Nicaragua   | <i>opulentis</i> E.Oliv. 07-36.....     |                 |
| purulanus Gorch. 84-267.....              | Guatemala                | s. <i>catherinae</i> Barb. 41-8.....    | Jamaica         |
| pusillus Gorch. 85-268.....               | Panamá                   | Jamphotus Barb. 41-11.....              |                 |
| pygmaeus E.Oliv. 99-92.....               | Cuba                     | <i>tuberculatus</i> Barb. 41-11.....    | Jamaica         |
| quadratrifer Blanch. 37-114.....          | South America            | Diphotos Barb. 41-12.....               |                 |
| quadrimaculatus Lap. 40-26.....           | Haiti                    | bucki Barb. 41-12.....                  | Jamaica         |
| <i>notatus</i> Gorch. 98-319.....         | R. Dominicana            | <i>flavomarginatus</i> Barb. 41-12..... | Jamaica         |
| <i>quadrinotatus</i> Gorch. 98-319.....   | St. Vincent              | <i>glaucus</i> G. A. Oliv. 90-13.....   | ?Cuba           |
| <i>quinquenotatus</i> Lap. 40-269.....    | Haiti                    |   | ?Jamaica        |
|   | ?R. Dominicana           | <i>lucivolans</i> Barb. 41-12.....      | Jamaica         |
| <i>radians</i> Gorch. 84-261.....         | Panamá                   | <i>montanus</i> Barb. 41-13.....        | Jamaica         |
| <i>reichei</i> Gorch. 81-43.....          | México                   | <i>mutcheri</i> Barb. 41-13.....        | Jamaica         |
| <i>reveritus</i> E. Oliv. 07-37.....      | Colombia                 | <i>ornicollis</i> Barb. 41-13.....      | Jamaica         |
| <i>risorius</i> E. Oliv. 09-112.....      | Brasil                   | <i>pantoni</i> E.Oliv. 07-32.....       | Jamaica         |
| <i>roseicollis</i> Blanch. 37-116.....    | Bolivia                  | <i>semifuscus</i> Barb. 41-13.....      | Jamaica         |
| <i>ruficollis</i> Gorch. 80-27.....       | México                   | <i>unicus</i> Mutch. 23-4.....          | Jamaica         |
|   | Guatemala                | Microdiphot Barb. 41-12.....            |                 |
| <i>rufomarginatus</i> Blanch. 37-120..... | Argentina                | <i>cavernorum</i> Barb. 41-13.....      | Jamaica         |
| <i>salvini</i> Gorch. 81-44.....          | México                   | Petalaemis E.Oliv. 08-186.....          |                 |
| <i>sanctus</i> E.Oliv. 09-123.....        | <sup>13</sup> St. Thomas | <i>praeclearus</i> E.Oliv. 08-187.....  | Brasil          |
|   | Dominica                 |   | Bolivia         |
| <i>sanguinicollis</i> Gorch. 80-30.....   | Costa Rica               |   |                 |
| <i>scintillans</i> Latr. 11-14.....       | Brasil                   |   |                 |
| <i>latreillei</i> E. Oliv. 11-14.....     |                          |   |                 |
| <i>secernatus</i> E.Oliv. 07-38.....      | Ecuador                  |   |                 |
| <i>semiluteus</i> Pic 39-249.....         | Argentina                |   |                 |
| <i>sericellus</i> E.Oliv. 86-22.....      | Brasil                   |   |                 |
| <i>signaticollis</i> Blanch. 37-114.....  | Uruguay                  |   |                 |
|   | Argentina                |   |                 |
| <i>signaticornis</i> Gorch. 84-267.....   | Panamá                   |   |                 |
| <i>simplex</i> Gorch. 81-42.....          | México                   |   |                 |
|   | Guatemala                |   |                 |
|   | Dominica                 |   |                 |
| <i>simulans</i> E.Oliv. 10-286.....       | Brasil                   |   |                 |
| <i>singularis</i> L. & M. 22-467.....     | Cuba                     |   |                 |
| <i>sturmi</i> Gorch. 81-43.....           | México                   |   |                 |
| <i>suavis</i> E.Oliv. 07-38.....          | Jamaica                  |   |                 |
| <i>subauranticus</i> Pic 31-108.....      | Colombia                 |   |                 |
| <i>subfuscus</i> Gorch. 84-265.....       | Panamá                   |   |                 |
| <i>sublateralis</i> Mutch. 23-6.....      | Cuba                     |   |                 |
| <i>subtestaceus</i> Pic 30-90.....        | Brasil                   |   |                 |
| <i>succensus</i> E.Oliv. 07-38.....       | Brasil                   |   |                 |
|   | Argentina                |   |                 |
| <i>sulcicollis</i> E.Oliv. 86-23.....     | Brasil                   |   |                 |
| <i>suturellus</i> Mots. 54-36.....        | Colombia                 |   |                 |
| <i>synchronans</i> Barb. 41-9.....        | Jamaica                  |   |                 |
| <i>taeniatus</i> E.Oliv. 08-492.....      | Brasil                   |   |                 |
| <i>teffensis</i> Pic 30-90.....           | Brasil                   |   |                 |
| <i>triangularis</i> E. Oliv. 12-25.....   | Puerto Rico              |   |                 |
|   | <sup>13</sup> Culebra    |   |                 |
| <i>truncatus</i> Esch. 22-54.....         | Brasil                   |   |                 |
| <i>tucumanus</i> , new name.....          | Argentina                |   |                 |
| <i>bruchi</i> E.Oliv. 09-396 (not 09-50)  |                          |   |                 |
| <i>variabilis</i> Barb. 41-8.....         | Jamaica                  |   |                 |
| <i>venustus</i> Er. 47-80.....            | Perú                     |   |                 |
| <i>vianai</i> Pic 39-250.....             | Argentina                |   |                 |
| <i>viduus</i> Er. 47-80.....              | Perú                     |   |                 |
| <i>vitiosus</i> Gemm. 70-120.....         | Cuba                     |   |                 |
| <i>vittatus</i> Fabr. 92-102.....         | Guadeloupe               |   |                 |

<sup>13</sup> Virgin Islands (W. I.).

## LAMPYRINAE

|                                  |             |
|----------------------------------|-------------|
| Microphotus LeC. 65-89.....      |             |
| <i>dilatatus</i> LeC. 65-90..... | Baja Calif. |
|                                  | U. S. A.    |
| Calotrachelum Pic 30-88.....     |             |
| <i>olivieri</i> Pic 30-88.....   | Brasil      |
| Oliviereus Pic 30-88.....        |             |
| <i>flavus</i> Pic 30-88.....     | Fr. Guiana  |

## MEGALOPHTHALMINAE

|                                       |                 |
|---------------------------------------|-----------------|
| Megalopthalmus Gray 32-371.....       |                 |
| <i>bennetti</i> Gray 32-371.....      | Colombia        |
| <i>bicolor</i> Pic 11-164.....        | Colombia        |
| <i>cinctus</i> Mots. 54-25.....       | Colombia        |
| <i>collaris</i> Guér. 43-18.....      | Panamá          |
|                                       | Colombia        |
| <i>confusus</i> E.Oliv. 88-48.....    | Brasil          |
| <i>costatus</i> Lap. 33-132.....      | Panamá          |
| <i>obsoletus</i> Blanch. 37-123.....  | Colombia        |
|                                       | Brasil          |
|                                       | Bolivia         |
|                                       | Argentina       |
| <i>decorus</i> E.Oliv. 85-146.....    | Brasil          |
| <i>egregius</i> E.Oliv. 95-31.....    | Panamá          |
| <i>elongaticollis</i> Pic 37-139..... | Costa Rica      |
| <i>gentilis</i> Blanch. 37-123.....   | Argentina       |
| <i>godmani</i> Gorch. 81-34.....      | Guatemala       |
|                                       | Panamá          |
|                                       | Panamá          |
| <i>gorhami</i> E.Oliv. 09-223.....    |                 |
| <i>collaris</i> Gorch. 84-253.....    |                 |
| <i>guatemalae</i> Gorch. 89-98.....   | México          |
|                                       | Guatemala       |
| <i>hickeri</i> Pic 32-254.....        | Colombia        |
| <i>humeralis</i> Pic 30-79.....       | Central America |
| <i>jocosus</i> E.Oliv. 09-672.....    | Perú            |

## Megalophthalmus—Continued.

|                                 |            |
|---------------------------------|------------|
| major Pic 27-39.....            | Colombia   |
| marginatus Guér. 86-579.....    | Brasil     |
| obscurus E.Oliv. 95-146.....    | Brasil     |
| olivieri Pic 30-79.....         | Perú       |
| ptiliformis Bourg. 04-98.....   | Brasil     |
| spiloceras E.Oliv. 85-147.....  | Brasil     |
| testaceonotatus Pic 32-254..... | Colombia   |
| wittmeri Pic 37-139.....        | Costa Rica |

## AMYDETINAE

## Amydetes Hoffm. 07-342

*Amydetes* G. & H. 69-1649

|                                |          |
|--------------------------------|----------|
| agnita E.Oliv. 07-179.....     | Brasil   |
| apicalis Germ. 24-67.....      | Brasil   |
| brasiliensis Pic 25-15.....    | Brasil   |
| detrusa E.Oliv. 07-48.....     | Brasil   |
|                                | Chaco    |
| discissa E.Oliv. 08-493.....   | Paraguay |
| fastigiata Gorb. 86-97.....    | Brasil   |
| flavicoilis E.Oliv. 88-62..... | Uruguay  |
| fucata Mots. 54-25.....        | Brasil   |
| lucioloides E.Oliv. 88-60..... | Brasil   |
| plumicornis Latr. 11-156.....  | México   |
|                                | ?Chaco   |
| praecusta Blanch. 37-121.....  | Uruguay  |
| suturalis Pic 25-15.....       | Brasil   |
| vigors Westw. 30-64.....       | Perú     |

## PHOTURINAE

## Pyrogaster Mots. 53-53

|                                      |            |
|--------------------------------------|------------|
| ambulans E.Oliv. 12-58.....          | Brasil     |
| angustatus E.Oliv. 86-216.....       | Brasil     |
| atriceps Pic 28-58.....              | Bolivia    |
| atripes Pic 28-59.....               | Colombia   |
| atrocinctus Pic 30-88.....           | Brasil     |
| aureus E.Oliv. 87-211.....           | Brasil     |
| bicoloricollis Pic 28-58.....        | Brasil     |
| bicoloripes Pic 28-59.....           | Brasil     |
| bilineaticeps Pic 35-8.....          | Brasil     |
| bilineatus Pic 28-59.....            | Bolivia    |
| v. discomaculatus Pic 28-59.....     | Bolivia    |
| brevenotatus Pic 31-193.....         | Colombia   |
| coxalis E.Oliv. 85-25.....           | Brasil     |
| dilatatus Mots. 54-57.....           | Brasil     |
| elegans E.Oliv. 86-214.....          | Brasil     |
| v. guttatus E.Oliv. 86-215.....      |            |
| v. obscuripennis E.Oliv. 86-215..... |            |
| elonga.ior Pic 35-8.....             | Brasil     |
| fasciatipennis Pic 33-119.....       | Brasil     |
| flavohumeralis Pic 31-378.....       | Brasil     |
| foedus E.Oliv. 11-90.....            | Argentina  |
| fugax E.Oliv. 86-219.....            | Brasil     |
| fuliginosus Blanch. 37-118.....      | Argentina  |
| <i>impurus</i> Boh. 58-76.....       |            |
| grylloides Mots. 54-57.....          | Brasil     |
| hecticus Fabr. 01-102.....           | Panamá     |
|                                      | Brasil     |
| v. atriventris Pic 24-89.....        | Costa Rica |
| hickeri Pic 26-4.....                | Paraguay   |
| infelix E.Oliv. 12-58.....           | Brasil     |
| infuscatus E.Oliv. 86-217.....       | Brasil     |
| insuturalis Pic 28-58.....           | Brasil     |
| lateapicalis Pic 28-59.....          | Bolivia    |
| lineaticeps Pic 28-58.....           | Brasil     |

|   |               |
|---|---------------|
| lunifer Esch. 22-52.....                | Brasil        |
| <i>moestus</i> Mots. 54-56.....         | Chaco         |
| v. biguttatus E.Oliv. 86-226.....       |               |
| v. colombinus Mots. 54-56.....          |               |
| <i>tristissimus</i> Gorb. 80-106.....   |               |
| magniceps Pic 34-45.....                | Costa Rica    |
| major Pic 28-59.....                    | Brasil        |
| malepictus E.Oliv. 12-57.....           | Paraguay      |
| margipallens E.Oliv. 09-114.....        | Brasil        |
| mediofasciatus Pic 26-24.....           | Bolivia       |
| moestus Germ. 24-65.....                | Brasil        |
| <i>crassicornis</i> Blanch. 37-118..... | Argentina     |
| <i>maetus</i> Pic 39-171.....           |               |
| v. atricolor Pic 39-171.....            | Brasil        |
| v. lunifer Mots. 54-56.....             |               |
| v. multinodeatus Pic 28-58.....         | Brasil        |
| v. nigrolineatus Pic 29-72.....         | Brasil        |
| v. pictus E.Oliv. 86-215.....           | Brasil        |
| v. reductus Pic 31-379.....             | Brasil        |
| v. placitus E. Oliv. 07-59.....         | Brasil        |
| v. rubronotatus Pic 33-119.....         | Brasil        |
| v. scapularis Pic 28-59.....            | Bolivia       |
| v. squalidus E. Oliv. 86-217.....       | Ecuador       |
|   | Argentina     |
| v. subcaripennis Pic 39-171.....        | Brasil        |
| v. subdolosus E.Oliv. 05-209.....       | Ecuador       |
| v. subelegans E.Oliv. 08-484.....       | Ecuador       |
| v. sublunulatus Pic 32-253.....         | Colombia      |
| v. subnitidus Pic 28-59.....            | Brasil        |
| v. superbus E.Oliv. 07-60.....          | Chaco         |
| v. telephorinus Perty 33-27.....        | Brasil        |
| <i>decoratus</i> Lap. 40-269.....       |               |
| v. apicalis E.Oliv. 86-214.....         |               |
| v. atratus E.Oliv. 86-213.....          |               |
| v. auricollis E.Oliv. 86-213.....       | South America |
| v. bicolor E.Oliv. 86-213.....          |               |
| v. biplagiatus E.Oliv. 86-213.....      |               |
| v. dimidiatus E.Oliv. 86-213.....       |               |
| v. divisus E.Oliv. 86-212.....          |               |
| v. fasciatus Gorb. 81-56.....           | Guatemala     |
| v. flavicoilis E.Oliv. 86-212.....      |               |
| v. flavus E.Oliv. 86-213.....           |               |
| v. fumosus Gorb. 80-106.....            |               |
| v. intermedius E.Oliv. 12-57.....       | Brasil        |
| v. interseptus E.Oliv. 86-213.....      |               |
| v. mixtus E.Oliv. 96-pl. 3.....         |               |
| v. puncticoilis E.Oliv. 86-213.....     |               |
| testaceithorax Pic 28-59.....           | Perú          |
| testaceofasciatus Pic 28-59.....        | Brasil        |
| transversus E.Oliv. 86-214.....         | Colombia      |
| trinotatus Pic 33-119.....              | Brasil        |
| vestitus E.Oliv. 05-209.....            | Brasil        |

## Photuris LeC. 51-337

*Blattomorpha* Mots. 53-54

*Dryptomorpha* Mots. 53-56

*Platystes* Mots. 53-55

*Pygrectosoma* Mots. 53-38

*Telephoroides* Mots. 53-55

*Tetralychnia* Mots. 53-38

*Triplonycha* Mots. 53-54

|                                   |           |
|-----------------------------------|-----------|
| alternans E.Oliv. 86-228.....     | Colombia  |
| angusta Kirsch 88-6.....          | Bolivia   |
| annulicornis Boh. 58-76.....      | Colombia  |
| <i>annulata</i> Kirsch 65-75..... | Argentina |
| <i>didyma</i> Kirsch 65-75.....   |           |
| apollinairei Pic 25-15.....       | Colombia  |
| axillaris Mots. 54-61.....        | Brasil    |

- Phoueris**—Continued.
- binotata E.Oliv. 86-236.....Argentina  
 biolleyi Pic 30-81.....Costa Rica  
 blattoides Lap. 33-144.....Brasil  
 brunnipennis DuVal 57-89.....Cuba  
 cincticollis Er. 47-81.....Perú  
 corvus E.Oliv. 05-208.....Bolivia  
 v. innotata Pic 30-80.....Ecuador  
 discoidalis Kirsch 65-77.....Colombia  
 elliptica E.Oliv. 86-7.....Brasil  
 errans, new name.....Perú  
 signatipennis E.Oliv. 12-106 (not 12-27)  
 excavaticeps Pic 27-39.....Bolivia  
 fausta E.Oliv. 11-18.....Guiana  
 flavicollis Pic 30-81.....Brasil  
 frontalis Lec. 51-337.....México  
 mollis Gorb. 80-111.....Guatemala  
 Panamá  
 U. S. A.  
 fulvipes Blanch. 37-115.....México  
 fruticola Mots. 54-60.....Guatemala  
 occidentalis Mots. 54-60.....Brasil  
 pallida Mots. 54-61.....Uruguay  
 trivialis Boh. 58-77.....  
 funesta Gorb. 80-109.....Colombia  
 grandjeani Pic 29-72.....Brasil  
 homonyma, new name.....Panamá  
 livida Gorb. 85-273.....  
 jamaicensis E.Oliv. 86-58.....Jamaica  
 latefascia Mots. 54-61.....Colombia  
 lateralis Mots. 54-59.....Brasil  
 lecontei Kirsch 65-76.....Colombia  
 Argentina  
 lepida E.Oliv. 86-224.....Brasil  
 livida Oliv. 90-24.....?Barbados  
 †Trinidad  
 Fr. Guiana  
 Argentina  
 lojaensis Pic 39-170.....Ecuador  
 lugubris Gorb. 81-61.....México  
 Guatemala  
 Argentina  
 lycoides Lap. 33-145.....Brasil  
 maculicrus E.Oliv. 11-91.....Argentina  
 malleri Pic 33-119.....Brasil  
 nigriceps Pic 30-80.....Bolivia  
 pennsylvanica Deg. 74-52.....México  
 marginata Panz. 89-31.....Br. Honduras  
 versicolor Fabr. 98-123.....Guatemala  
 vittigera Mots. 54-60.....Nicaragua  
 Costa Rica  
 Panamá  
 Guiana  
 Bahamas Is.  
 U. S. A.  
 piceovittata Pic 30-81.....Bolivia  
 rhagonychioides E.Oliv. 86-225.....Ecuador  
 rospigliosii Brèthes 20-37.....Perú  
 rubicunda Er. 48-559.....Guiana  
 rugicollis E.Oliv. 86-225.....Guiana  
 seminigra Kirsch 65-77.....Colombia  
 scutellata Gorb. 80-109.....  
 signatipennis E.Oliv. 12-27.....Perú  
 simplex Gorb. 81-61.....México  
 Costa Rica  
 Panamá  
 v. scapularis Gorb. 81-62.....Guatemala  
 suturalis Pic 39-171.....Ecuador  
 testaceocincta Pic 39-171.....Brasil  
 testaceohumeralis Pic 39-170.....Brasil  
 trilineata Say 35-157.....Central America  
 uncta E.Oliv. 09-115.....Brasil  
 unicolor E.Oliv. 09-397.....Perú  
 velox E.Oliv. 86-8.....Brasil  
 verticalis E.Oliv. 09-114.....Brasil  
 villosa E.Oliv. 86-229.....Brasil  
 vittipennis Mots. 54-59.....Ecuador  
 wagneri Pic 29-72.....Argentina  
 sp. (Martorell 39-197).....Venezuela  
**Daiphoturis** Pic 26-28  
 apicalis Pic 26-28.....Perú  
 bicoloripes Pic 26-28.....Bolivia  
 v. reducta Pic 26-28.....Bolivia  
 v. subobliterata Pic 26-28.....Bolivia  
 inapicalis Pic 26-28.....Perú  
 particularis Pic 27-106.....Ecuador  
 unifasciata Pic 32-252.....Perú  
**Bicellonycha** Mots. 53-54  
 amoena Gorb. 80-108.....México  
 facialis Gorb. 81-59.....Guatemala  
 Panamá  
 v. nitida Gorb. 81-275.....Panamá  
 atra Pic 27-39.....Central America  
 bipartita Pic 27-39.....Guiana  
 bruchi E.Oliv. 11-91.....Argentina  
 brunneonotata Pic 30-81.....Colombia  
 collaris Gorb. 80-107.....México  
 Guatemala  
 v. bicoloripes Pic 35-9.....Brasil  
 crassa Gorb. 85-274.....México  
 Panamá  
 cyathigera Gorb. 81-57.....México  
 deleta Mots. 54-58.....Colombia  
 depressa E.Oliv. 86-240.....Brasil  
 dimidiata Blanch. 37-118.....Bolivia  
 ruficeps E.Oliv. 86-241.....  
 v. basalis E.Oliv. 86-242.....  
 v. humeralis E.Oliv. 86-242.....  
 v. rubiginosa E.Oliv. 86-242.....  
 discicollis Gorb. 81-57.....México  
 Guatemala  
 gibba Pic 30-88.....Brasil  
 limbata Pic 24-3.....Costa Rica  
 lineola Blanch. 37-117.....Colombia  
 lurida Kirsch 65-76.....South America  
 lividipennis Mots. 54-58.....Brasil  
 Argentina  
 lucidicollis Gorb. 80-107.....México  
 Guatemala  
 Costa Rica  
 Panamá  
 v. sordida Gorb. 85-275.....Panamá  
 melanura Mots. 54-58.....Brasil  
 mexicana Gorb. 80-108.....México  
 multilinea Pic 30-81.....South America  
 ornaticollis Blanch. 37-115.....Central America  
 gibbifera Kirsch 65-78.....Colombia  
 signifera Kirsch 65-78.....  
 postscutellaris Pic 27-39.....Venezuela  
 pulchella E.Oliv. 86-242.....Brasil

† Venezuela.

## Bicellonycha—Continued.

|                            |       |           |
|----------------------------|-------|-----------|
| ruficollis Gorch. 80-107   | ..... | México    |
| signata E.Oliv. 86-244     | ..... | Ecuador   |
| stigmatica E.Oliv. 86-245  | ..... | Guatemala |
| tenuicornis E.Oliv. 86-239 | ..... | Brasil    |

## INCERTAE SEDIS

|                          |       |        |
|--------------------------|-------|--------|
| Lampyrus                 |       |        |
| bicincta Fisch. 29-39    | ..... | Brasil |
| filicornis Germ. 24-64   | ..... | Brasil |
| surinamensis Voet 06-224 | ..... | Guiana |

## PHENGODIDAE

## PHENGODINI

|                                 |       |               |
|---------------------------------|-------|---------------|
| Phengodes Ill. 07-341           |       |               |
| bimaculata Gorch. 81-63         | ..... | Nicaragua     |
| <i>notaticollis</i> Pic 37-137  | ..... | Costa Rica    |
| bipennifera Gorch. 81-65        | ..... | México        |
|                                 | ..... | Guatemala     |
| v. gorhami Pic 27-4             | ..... |               |
| (var.a. Gorch. 81-65)           |       |               |
| bogotensis Pic 25-5             | ..... | Colombia      |
| brasiliensis Pic 25-5           | ..... | Brasil        |
| cincinnati Er. 47-79            | ..... | Perú          |
| curticollis Pic 25-5            | ..... | Colombia      |
| flavicollis Leach 24-45         | ..... | Perú          |
| fusca Gorch. 81-64              | ..... | Costa Rica    |
| v. atricolor Pic 37-58          | ..... | Costa Rica    |
| hieronymi Haase 86-218          | ..... | Argentina     |
| insignis Bourg. 88-clxvi        | ..... | Ecuador       |
| insulcata Pic 25-5              | ..... | Costa Rica    |
| marginata Pic 25-5              | ..... | South America |
| minor Gorch. 81-65              | ..... | Guatemala     |
| v. championi Pic 27-5           | ..... |               |
| (var. Gorch. 81-65)             |       |               |
| nevermanni Pic 37-137           | ..... | Costa Rica    |
| nigricornis Gorch. 81-64        | ..... | México        |
| roulini Guér. 43-17             | ..... | Colombia      |
| ruficeps Pic 25-5               | ..... | Colombia      |
| ruficollis Mots. 54-62          | ..... | Colombia      |
| Baesoelsis Spin. 54-203         |       |               |
| <i>osulatii</i> Spin. 54-203    | ..... | Perú          |
| Phrixothrix E.Oliv. 09-344      |       |               |
| <i>acuminata</i> Pic 29-34      | ..... | Argentina     |
| <i>argentina</i> Pic 15-22      | ..... | ?Argentina    |
| <i>atriceps</i> Pic 15-21       | ..... | Argentina     |
| <i>atricornis</i> Pic 29-3      | ..... | Venezuela     |
| <i>braziliensis</i> Pic 15-22   | ..... | Brasil        |
| <i>bruchi</i> Pic 27-26         | ..... | Argentina     |
| <i>cephalotes</i> Pic 38-153    | ..... | Colombia      |
| <i>fischeri</i> Pic 37-58       | ..... | Brasil        |
| <i>heydeni</i> E.Oliv. 10-239   | ..... | Paraguay      |
| <i>hickeri</i> Pic 29-375       | ..... | Paraguay      |
| <i>hirta</i> E.Oliv. 09-344     | ..... | Paraguay      |
| <i>impressa</i> Pic 29-376      | ..... | Bolivia       |
| <i>laticeps</i> Pic 37-137      | ..... | Costa Rica    |
| <i>nigricollis</i> Pic 15-22    | ..... | Argentina     |
| <i>nigroapicalis</i> Pic 38-153 | ..... | Brasil        |
| <i>nigrofasciata</i> Pic 15-23  | ..... | Bolivia       |

|                                 |       |            |
|---------------------------------|-------|------------|
| obscura Pic 15-23               | ..... | Bolivia    |
| obscuripes Pic 15-23            | ..... | Argentina  |
| opaca Pic 37-58                 | ..... | Perú       |
| <i>fallens</i> Berg 85-232      | ..... | Uruguay    |
|                                 | ..... | Argentina  |
| <i>fallida</i> Pic 38-153       | ..... | Bolivia    |
| <i>patruelis</i> Pic 15-22      | ..... | ?Argentina |
| <i>picipennis</i> Pic 29-375    | ..... | Bolivia    |
| <i>pickeli</i> Pic 33-111       | ..... | Brasil     |
| <i>rubiceps</i> Pic 26-3        | ..... | Argentina  |
| <i>rufescens</i> Pic 38-153     | ..... | Costa Rica |
| <i>unicolor</i> Pic 26-3        | ..... | Argentina  |
| <i>uruguayensis</i> Berg 86-59  | ..... | Uruguay    |
|                                 | ..... | Argentina  |
| <i>weiseri</i> Pic 26-3         | ..... | Argentina  |
| Bruchodrilus Pic 26-4           |       |            |
| <i>opacipennis</i> Pic 26-4     | ..... | Argentina  |
| v. <i>robustior</i> Pic 29-69   | ..... | Paraguay   |
| Euryopa Gorch. 81-108           |       |            |
| <i>brunnea</i> Gorch. 81-109    | ..... | Guatemala  |
| <i>fusca</i> Gorch. 81-108      | ..... | México     |
| <i>nigra</i> Gorch. 81-109      | ..... | Guatemala  |
|                                 | ..... | Panamá     |
| <i>singularis</i> Gorch. 81-109 | ..... | Guatemala  |

## PSEUDOPHENGODINI

|                               |       |               |
|-------------------------------|-------|---------------|
| Pseudophengodes Pic 30-319    |       |               |
| <i>floccosa</i> Er. 47-80     | ..... | Perú          |
| <i>notaticollis</i> Pic 25-5  | ..... | South America |
| <i>orbigny</i> Blanch. 37-125 | ..... | Bolivia       |
| <i>pulchella</i> Guér. 43-17  | ..... | Colombia      |
|                               | ..... | Tobago        |

## MASTINOCERINI

|                                |       |           |
|--------------------------------|-------|-----------|
| Mastinocerus Sol. 49-440       |       |           |
| <i>atriceps</i> Pic 26-153     | ..... | Chile     |
| <i>brevipennis</i> Sol. 49-441 | ..... | Chile     |
| <i>fulvus</i> Phil. 64-277     | ..... | Chile     |
| <i>germaini</i> Pic 30-320     | ..... | Chile     |
| Astraptor Murr. 68-74          |       |           |
| <i>illuminator</i> Murr. 68-74 | ..... | Brasil    |
| sp. (Barber 08-42)             | ..... | Guatemala |

## INCERTAE SEDIS

|                            |       |          |
|----------------------------|-------|----------|
| Trachelyehnus Kirsch 65-82 |       |          |
| <i>docens</i> Kirsch 65-82 | ..... | Colombia |

## KARUMIIDAE

|                               |       |           |
|-------------------------------|-------|-----------|
| Drilocephalus Pic 18-3        |       |           |
| <i>iliarensis</i> Bruch 30-35 | ..... | Argentina |
| <i>pallidipennis</i> Pic 18-3 | ..... | Argentina |

|                            |       |            |
|----------------------------|-------|------------|
| Pseudokarumia Pic 31-95    |       |            |
| <i>angustata</i> Pic 31-96 | ..... | Costa Rica |

## DRILIDAE

|                               |       |       |
|-------------------------------|-------|-------|
| Cerocosmus Gemm. 73-146       |       |       |
| <i>Cosmocerus</i> Sol. 49-476 |       |       |
| <i>cinereus</i> Sol. 49-476   | ..... | Chile |

\* Venezuela.



## CANTHARIDAE

*(Telephoridae)*

## PODABRINI

|                                 |          |
|---------------------------------|----------|
| Podabrus Westw. 38-27           |          |
| <i>Brachynotus</i> Kby. 37-249  |          |
| <i>Malthacus</i> Kby. 37-247    |          |
| caliginosus Champ. 15-18        | México   |
| limbatus Fabr. 81-258           | Jamaica  |
| <i>brunnicolis</i> Fabr. 01-298 | U. S. A. |
| mexicanus Gorb. 85-284          | México   |
| punctatipennis Pic 06-282       | Ecuador  |

## CANTHARINI

|                                       |                              |
|---------------------------------------|------------------------------|
| Tylocerus Dalm. 23-57                 |                              |
| barberi L. & M. 22-497                | Puerto Rico                  |
| bilineatus Pic 28-96                  | Puerto Rico                  |
| brevebasalis Pic 34-47                | <sup>1</sup> J. Baru         |
| cayennensis Pic 10-76                 | Fr. Guiana                   |
| cinctipennis F. & S. 89-416           | Guadeloupe                   |
| v. propinquus F. & S. 89-417          | Guadeloupe                   |
| coriaceus L. & M. 22-496              | R. Dominicana                |
| crassicornis Dalm. 23-57              | Jamaica                      |
|                                       | <sup>14</sup> St. Barthélémy |
| depressicollis L. & M. 22-499         | Jamaica                      |
| discoviridis Pic 19-19                | Haiti                        |
| lineatus Gorb. 98-320                 | St. Vincent                  |
| <i>antillarum</i> Pic 06-81           | Grenada                      |
| v. dominicus L. & M. 22-495           | Dominica                     |
| v. melanicus L. & M. 22-496           | Dominica                     |
| maculicornis F. & S. 89-416           | Guadeloupe                   |
| picipennis L. & M. 22-496             | Montserrat                   |
|                                       | ?St. Lucia                   |
| unilineatus Pic 38-85                 | Guadeloupe                   |
| <i>bilineatus</i> Pic 28-55           |                              |
| violaceus L. & M. 22-85               | Jamaica                      |
| Cantharis Linn. 58-400                |                              |
| <i>Telephorus</i> Schaeff. 66-pl. 123 |                              |
| abbreviata Fabr. 01-301               | South America                |
| adulta Lap. 40-271                    | Brasil                       |
| aequatorialis Kirsch 88-9             | Ecuador                      |
| anchorifer Kirsch 65-79               | Colombia                     |
| angulata Gyll. 08-72                  | America                      |
| atroverticalis Pic 26-26              | Chile                        |
| bimaucolicollis Sol. 49-434           | Chile                        |
| bistriata Phil. 61-28                 | Chile                        |
| bogotensis Kirsch 65-80               | Colombia                     |
| brevicollis Kirsch 89-9               | Colombia                     |
| brevipennis Fabr. 01-301              | South America                |
| brevis Pic 06-90                      | Brasil                       |
| carinata Kirsch 73-395                | Perú                         |
| carinella Kirsch 89-8                 | Ecuador                      |
| chilensis Guér. 38-76                 | Chile                        |
| cincta Lap. 40-271                    | Brasil                       |
| coeruleipennis Kirsch 89-9            | Colombia                     |
| collaris Sol. 49-438                  | Chile                        |
| columbica Kirsch 65-82                | Colombia                     |
| convergens Bourg. 10-31               | Ecuador                      |
| curtula Er. 47-84                     | Perú                         |
| cyanomelas Perty 30-28                | Brasil                       |
| <i>chalybea</i> Lap. 40-271           |                              |
| cyanoptera Lucas 57-91                | Brasil                       |
| dichroma Fvl. 60-309                  | Fr. Guiana                   |
| digamma Gemm. 70-120                  | Brasil                       |
| <i>bilineata</i> Boh. 58-78           |                              |

|                                     |               |
|-------------------------------------|---------------|
| erythrocephala Kirsch 73-394        | Perú          |
| fenestrata Perty 30-28              | Brasil        |
| flavescens Phil. 61-21              | Chile         |
| flaviventris Blanch. 44-106         | Brasil        |
| gaudichaudi Lap. 40-275             | Brasil        |
| gounellei Pic 06-90                 | Brasil        |
| gracilis Phil. 61-30                | Chile         |
| granulaticollis Pic 26-26           | Chile         |
| heterocera Phil. 64-276             | Chile         |
| heterogaster Phil. 61-25            | Chile         |
| hieroglyphica Kirsch 65-80          | Colombia      |
| hyacinthina Er. 47-83               | Perú          |
| interrupta Lap. 40-271              | Brasil        |
| itaiyana Pic 06-90                  | Brasil        |
| janthinipennis Blanch. 46-106       | Bolivia       |
| johannis Kolbe 01-478               | Colombia      |
| kirschi Pic 06-89                   | Colombia      |
| <i>alticola</i> Kirsch 89-9         |               |
| krausei Phil. 61-23                 | Chile         |
| lagunitana Pic 11-108               | Argentina     |
| longicollis Esch. 22-63             | Brasil        |
| longicornis Fabr. 01-302            | South America |
| loweri Pic 06-81                    | Baja Calif.   |
| <i>decepiens</i> Horn 94-380        |               |
| lugens Kirsch 73-395                | Perú          |
| lurida Kirsch 73-396                | Perú          |
| macroptera Er. 47-83                | Perú          |
| märkeli Kirsch 65-81                | Colombia      |
| manca Fabr. 01-301                  | South America |
| marginicollis Lap. 40-271           | Brasil        |
| <i>aurita</i> Klug 37-119           | Argentina     |
| marginipennis Lap. 40-275           | Brasil        |
| metallica Bourg. 88-clxxvi          | Ecuador       |
| militaris Germain 55-394            | Argentina     |
|                                     | Chile         |
| mimilyca Pic 17-5                   | Ecuador       |
| morosa Bourg. 10-312                | Ecuador       |
| nigripennis Fabr. 01-299            | South America |
| nitidicollis Pic 06-283             | Brasil        |
| noireli Bourg. 10-311               | Ecuador       |
| nudipennis Kirsch 65-81             | Colombia      |
| philippii Germ. 70-120              | Chile         |
| <i>praecox</i> Phil. 64-277         |               |
| pyrauchena Phil. 61-28              | Chile         |
| ridibunda Boh. 58-79                | Brasil        |
| rubricollis Boh. 58-80              | Brasil        |
| rubrosignata Lap. 40-275            | Brasil        |
| sanguineocincta Phil. 61-25         | Chile         |
| <i>marginicollis</i> Sol. 49-435    |               |
| scutellaris Sol. 49-439             | Chile         |
| <i>nigroscutellaris</i> Phil. 61-21 |               |
| similis Phil. 61-26                 | Chile         |
| sinuata Germ. 24-67                 | Brasil        |
| smaragdula Fabr. 81-259             | Brasil        |
| solieri Pic 06-89                   | Chile         |
| <i>longicornis</i> Sol. 49-439      |               |
| subandina Phil. 64-276              | Chile         |
| subannulipes Pic 11-109             | Perú          |
| subopacicolis Pic 17-5              | Colombia      |
| suffriani Kirsch 65-81              | Colombia      |
| terminalis Lap. 40-274              | Brasil        |
| transversa Esch. 22-61              | Brasil        |
| transversalis Guér. 38-76           | Brasil        |

<sup>1</sup> Colombia.<sup>14</sup> Leeward Islands (W. I.).

- Cantharis—Continued.  
 trimaculata Pic 09-19..... Perú  
 trisignata Pic 26-26..... Chile  
 unilineata Pic 06-90..... Brasil  
 variabilis Sol. 49-436..... Argentina  
     Chile  
 ventralis Gemm. 70-121..... Chile  
     *abdominalis* Sol. 49-436  
 Malthinocantharis Pic 14-2..... Brasil  
 impressa Pic 14-2..... Brasil  
 Haplous Fairm. 85-47..... T. del Fuego  
 segmentarius Fairm. 85-47..... T. del Fuego  
 Xenismus Waterh. 78-331..... Ecuador  
 nigroplagiatus Waterh. 78-331..... Ecuador  
 whymperi Gorb. 91-50..... Ecuador  
 Rhagonycha Esch. 30-64..... Patagonia  
     patagonia Boh. 58-77..... Patagonia
- SILINI**
- Discodon Gorb. 81-78..... Costa Rica  
 albocincticolle Pic 36-131..... México  
 albolateris Champ. 15-64..... México  
     *albolaterale* Delk. 39-155..... Brasil  
 albonotatum Pic 06-90..... Brasil  
     v. *obscurum* Pic 06-90..... Brasil  
     v. *testaceipes* Pic 30-82..... Brasil  
 alticola Champ. 15-33..... México  
 ampliennae Champ. 15-48..... México  
 anale Gorb. 85-304..... México  
 anceyi Pic 12-305..... Colombia  
 annulaticorne Pic 26-27..... Bolivia  
 annulipes Pic 06-283..... Brasil  
 antonioi Pic 28-67..... Colombia  
 apicale Pic 28-67..... Colombia  
 apicicorne Pic 10-43..... Guiana  
 atriceps Pic 30-81..... Brasil  
 atripenne Pic 26-27..... Bolivia  
 atriventre Pic 27-51..... Colombia  
 atronitens Champ. 15-50..... México  
 atroscutum Pic 28-67..... Bolivia  
 atosuturale Pic 27-108..... Brasil  
 baeri Pic 06-283..... Perú  
 bahianum Pic 28-56..... Brasil  
 bangi Pic 27-51..... Bolivia  
 basicorne Pic 30-82..... Brasil  
 basipenne Pic 27-47..... Colombia  
 bicallosum Champ. 15-35..... Guatemala  
 bicoloriceps Pic 28-68..... Brasil  
 bicoloricolle Pic 27-45..... Ecuador  
 bifossicolle Pic 14-14..... Perú  
 binotaticeps Pic 27-47..... Bolivia  
 binotaticolle Pic 24-3..... Colombia  
 binotatum Pic 28-67..... Colombia  
 biolleyi Champ. 15-44..... Costa Rica  
     Panamá  
 bipartitum Pic 28-67..... Colombia  
 birubronotatum Pic 10-3..... Perú  
 bisbicostatum Pic 28-96..... Brasil  
 bisbiluteovittatum Pic 12-457..... Argentina  
 bisbinotatum Pic 37-147..... Ecuador  
 blumenausum Pic 12-305..... Brasil  
 bogotense Pic 14-10..... Colombia  
 boneuili Pic 28-56..... Colombia  
 brasiliense Pic 07-126..... Brasil  
 brevehumerale Pic 28-64..... Brasil  
 brevetestaceum Pic 14-13..... Brasil  
 brevicolle Pic 37-141..... Colombia  
     *curticolle* Pic 26-27..... Argentina  
 brevilineatum Pic 06-283..... Argentina  
 breyeri Pic 30-177..... Argentina  
 calidum Gorb. 85-285..... Panamá  
 carbonarium Gorb. 81-80..... Guatemala  
 cardinalis Champ. 15-58..... México  
 carinaticolle Pic 26-27..... Bolivia  
 castaneipenne Pic 27-45..... Bolivia  
 castroi Pic 10-6..... Brasil  
     Argentina  
     v. *pulcherrimum* Pic 10-6..... Brasil  
 caucaense Pic 17-6..... Colombia  
 v. *claveri* Pic 27-46..... Colombia  
 cephalotes Pic 27-45..... Brasil  
 chacoense Pic 26-27..... Bolivia  
 championi Delk. 39-157..... México  
     *melanopterum* Champ. 15-26..... México  
 chiriquense Pic 12-15..... México  
     *sinuaticolle* Champ. 15-47..... Guatemala  
     *triste* Gorb. 81-82 (part)..... Nicaragua  
     Costa Rica  
     Panamá  
 cincticolle Pic 27-46..... Colombia  
 cinctithorax Pic 10-3..... Brasil  
     Argentina  
 cinereum Gorb. 85-286..... Guatemala  
 claricolle Pic 27-252..... Bolivia  
 cleroides Gorb. 81-84..... México  
     Guatemala  
 coaretatum Gorb. 85-303..... México  
 colombianum Pic 27-50..... Colombia  
 combustum Gorb. 85-293..... Guatemala  
 comptum Gorb. 81-90..... Guatemala  
 cordubense Berg 85-233..... Argentina  
 coriocosum Pic 27-186..... Bolivia  
 v. *bijunctum* Pic 27-186..... Bolivia  
 costulatipenne Pic 38-153..... Venezuela  
     *meridanum* Pic 27-46..... Bolivia  
 coxale Pic 27-46..... Bolivia  
 criollanum Pic 28-36..... Argentina  
     v. *mediojunctum* Pic 28-36..... Argentina  
     v. *suturiferum* Pic 28-36..... Argentina  
 curteapicale Pic 24-20..... Brasil  
 cyaneipenne Pic 27-45..... Colombia  
 diasense Pic 27-107..... Perú  
 diversum Gorb. 85-292..... Panamá  
 divisum Champ. 15-52..... México  
 dubium Gorb. 81-85..... México  
     *inconstans* Champ. 15-43..... México  
 duplovittatum Champ. 15-54..... México  
 durangosum Pic 27-50..... México  
 emarginatum Champ. 15-24..... México  
 erosum Gorb. 81-79..... México  
     Panamá  
 erythroderes Gorb. 81-94..... México  
     *jalapanum* Pic 10-6..... Brasil  
 espiritense Pic 28-67..... Brasil  
 excisicolle Berg 89-146..... Argentina  
 externotatum Pic 27-45..... Brasil  
 filicorne Champ. 15-42..... México  
 flavigena Steinh. 73-570..... Argentina  
 flavipenne Pic 27-103..... Bolivia  
 flavocinctellum Delk. 39-159..... Colombia  
     *flavomarginatum* Pic 28-66..... Colombia  
 flavocinctum Pic 37-141..... Brasil  
     *flavomarginatum* Pic 31-102..... Brasil

## Diseodon—Continued.

- flavovittatum Pic 28-66.....Bolivia  
 frigrugonum Pic 30-82.....Brasil  
 fryi Pic 27-46.....Brasil  
 funereum Champ. 15-51.....México  
 fuscipenne Champ. 15-41.....Guatemala  
 geniculatum Champ. 15-27.....México  
 gracilicornum Pic 10-6.....Fr. Guiana  
 grande Pic 27-51.....Perú  
 haenschi Pic 27-46.....Ecuador  
 hattesense Pic 30-81.....Fr. Guiana  
 hilarum Gorch. 85-306.....México  
 histrio Gorch. 81-86.....México  
     Guatemala  
     Argentina  
 horni Pic 27-251.....Bolivia  
 huellaganum Pic 10-4.....Perú  
   v. inscutellare Pic 10-4.....Perú  
 immaculatum Pic 30-82.....Perú  
 implicatum Pic 14-14.....Brasil  
 inapicale Pic 28-64.....Perú  
 incisum Gorch. 81-79.....Guatemala  
 indiscoidale Pic 28-66.....Colombia  
 insuturale Pic 31-102.....Bolivia  
   v. diversipenne Pic 34-134.....Colombia  
 jalapanum Pic 10-43.....México  
 jancirensis Pic 27-50.....Brasil  
 kraatzi Pic 27-251.....Bolivia  
 lampyroides Gorch. 81-89.....Guatemala  
     Costa Rica  
     Panamá  
 lateapicale Pic 28-67.....Brasil  
 latenotatum Pic 28-64.....Bolivia  
     Argentina  
 laticolle Pic 27-45.....Bolivia  
     Argentina  
 lemoulti Pic 10-43.....Fr. Guiana  
 limbaticolle Pic 10-43.....Brasil  
 lojaense Pic 37-147.....Ecuador  
 longesuturale Pic 28-64.....Perú  
 luridum Gorch. 81-85.....México  
   v. durangoense Pic 34-134.....México  
   v. grandjeani Pic 34-134.....México  
   v. reductevittatum Pic 34-134.....México  
 luteum Blanch. 46-105.....Brasil  
     Argentina  
 maculaticeps Pic 14-10.....Perú  
 magellanicum Le Guil. 44-223.....Estr. Magallanes  
     T. del Fuego  
 marginatum Gorch. 81-80.....México  
     Guatemala  
 maroninum Pic 30-82.....Fr. Guiana  
 mathani Pic 12-5.....Brasil  
 maximicornum Pic 10-3.....Perú  
 maximum Pic 27-140.....Bolivia  
 melanaspis Champ. 15-36.....México  
 melancoholicum Gorch. 81-81.....México  
   maurum Champ. 15-29  
 melanopterum Gemm. 70-120.....Argentina  
   nigripenne Sol. 49-436.....Chile  
 meridanum Pic 14-13.....Venezuela  
 mexicanum Pic 09-346.....México  
 minusculum Gorch. 85-305.....Guatemala  
 minutum Pic 28-63.....Argentina  
   v. paulolimbatum Pic 28-63.....Argentina  
 misionense Pic 12-458.....Argentina  
 monticola Gorch. 91-49.....Ecuador  
 nigricorne Germ. 24-69.....Argentina  
 nigrifrons Champ. 15-68.....México  
 nigripenne Pic 37-147.....Ecuador  
 nigripes Gorch. 81-80.....México  
     Guatemala  
   v. atrocephalum Pic 24-89.....México  
 nigrocinctum Pic 28-68.....Bolivia  
 nigripiceum Champ. 15-52.....México  
 nigropilosum Champ. 15-29.....Guatemala  
 nigrosuturale Pic 06-90.....Argentina  
 normale Gorch. 81-82.....México  
     Guatemala  
 notaticeps Pic 27-46.....Brasil  
 notaticorne Pic 10-43.....Fr. Guiana  
   notaticolle Shp. 12-215  
 ohausi Pic 28-96.....Colombia  
 oppositipunctum Gorch. 81-87.....México  
   schneideri Pic 10-43  
 otuzocosum Pic 28-60.....Perú  
 paranum Pic 10-43.....Brasil  
 pauxillum Gorch. 85-304.....Guatemala  
     Panamá  
 pecco, new name.....Bolivia  
   brevehumerale Pic 28-67 (not 28-24)  
 perplexum Gorch. 81-83.....México  
 piceitarse Pic 37-4.....Perú  
 piceovittatum Pic 27-251.....Bolivia  
 pici Delk. 39-162.....Ecuador  
   nigripenne Pic 37-147  
 plateroides Gorch. 85-291.....Panamá  
 plicatum Gorch. 81-79.....México  
     Guatemala  
   v. flavicolle Gorch. 81-81.....México  
   stramineicolle Champ. 15-40.....Panamá  
 podabroides Pic 12-15.....Panamá  
 postangulare Berg 85-234.....Argentina  
 prelineatum Pic 28-64.....Argentina  
   v. latesignatum Pic 28-64.....Argentina  
   v. obliteratum Pic 28-64.....Argentina  
 pucayanum Pic 11-122.....Ecuador  
 purpurascens Gorch. 81-87.....Costa Rica  
 quadrimaculatum Pic 06-90.....Brasil  
   v. prolongatum Pic 28-68.....Brasil  
 reductum Pic 27-251.....Bolivia  
 reflexicolle Pic 28-63.....Colombia  
 reitteri Pic 30-81.....Brasil  
 robusticolle Pic 28-67.....Colombia  
 robustum Pic 27-45.....Perú  
   v. notaticolle Pic 27-45.....Perú  
 ruficeps Blanch. 46-106.....Bolivia  
   v. sicuanum Pic 10-3.....Perú  
 rufipes Champ. 15-54.....México  
 rufohumerale Pic. 10-6.....Fr. Guiana  
 rufoscutum Pic 27-46.....Brasil  
 sangosium Pic 14-10.....Bolivia  
 santosense Pic 27-46.....Brasil  
 scapulare Pic 27-186.....Perú  
 seileri Pic 24-3.....Colombia  
 semidiscoidale Pic 12-77.....Brasil  
 semimarginatum Phil. 61-23.....Argentina  
     Chile  
 serrigerum Gorch. 85-292.....México  
     Guatemala  
     Panamá  
 severum Pic 10-3.....Perú  
 simplex Champ. 15-34.....México  
 sinuatum Champ. 15-30.....México

- Discodon*—Continued.
- socodosum Pic 27-47 ..... Brasil  
 suapinum Pic 12-306 ..... Bolivia  
 subanchorifer Pic 32-4 ..... Costa Rica  
 subannulicorne Pic 12-4 ..... Argentina  
 subannulipes Pic 14-71 ..... Perú  
 subobliteratum Pic 28-64 ..... Colombia  
 subobscuripes Pic 12-76 ..... Ecuador  
 subtenuis Champ. 15-31 ..... México  
 subulicorne Champ. 15-58 ..... Guatemala  
 sulcatipes Pic 14-71 ..... Colombia  
 surinamense Pic 06-90 ..... Guiana  
 tenue Gorch. 85-286 ..... Guatemala  
 testaceicollis Pic 14-71 ..... México  
 testaceicorne Pic 14-15 ..... Perú  
 testaceipenne Champ. 15-55 ..... México  
 testaceitarse Pic 27-45 ..... Colombia  
 testaceolimbatus Pic 24-3 ..... Colombia  
   *v. inlaterale* Pic 24-3 ..... Colombia  
 testaceum Pic 27-50 ..... Perú  
 tibiale Pic 27-45 ..... Perú  
 triangulare Pic. 27-46 ..... Bolivia  
 tricoloratum Pic 27-140 ..... Bolivia  
 triinterruptum Pic 28-96 ..... México  
 trinotatum Pic 34-134 ..... Ecuador  
 tucumanum Pic 10-78 ..... Argentina  
 univittatum Pic 26-27 ..... Bolivia  
 varians Gorch. 81-92 ..... México  
   Guatemala  
   Costa Rica  
   Panamá  
   Colombia  
   Argentina  
 wagneri Pic 28-55 ..... Argentina
- Photrocantharis* Pic 14-3
- atripes Pic 14-3 ..... Perú  
 diversipes Pic 14-4 ..... Brasil  
 maculicollis Pic 14-4 ..... Perú  
   Bolivia  
   Bolivia  
 nitidipennis Pic 14-4 ..... Bolivia  
   *v. peruviana* Pic 14-4 ..... Perú  
 opacipennis Pic 14-4 ..... Bolivia  
 prescutellaris Pic 27-39 ..... Brasil
- Silidiscodon* L. & M. 22-483
- rufiventris L. & M. 22-493 ..... R. Dominicana
- Photinomorpha* Champ. 15-69
- aurantiaca Pic 32-250 ..... Central America  
 championi Pic 29-53 ..... México  
 dilaticornis Champ. 15-71 ..... México  
 simulans Champ. 15-70 ..... México
- Dysmorphoecerus* Sol. 49-451
- Dimorphoecerus* Redt. 67-106
- blanchardi Sol. 49-453 ..... Chile  
*v. cincticollis* Pic 29-75 ..... Chile  
 dilaticornis Guér. 38-76 ..... Chile  
 pallidithorax Pic 12-4 ..... Chile
- Polemium* LeC. 51-338
- albibucca Pic 10-44 ..... México  
 albimargo Champ. 15-90 ..... Costa Rica  
 albolateralis Pic 26-25 ..... Costa Rica  
 albonotatus Pic 27-49 ..... Guatemala  
 amicus Gorch. 85-299 ..... Panamá  
 annulimembris Pic 27-44 ..... Perú  
   *v. diversipes* Pic 27-44 ..... Perú  
 argentinus Pic 27-44 ..... Argentina
- atricolor Pic 26-24 ..... Colombia  
 aurantiacus Pic 26-25 ..... Costa Rica  
 bilateralis Pic 27-250 ..... Bolivia  
 bimaculatus Champ. 15-85 ..... México  
 bivittatus Gorch. 81-87 ..... México  
 bolivianus Pic 27-250 ..... Bolivia  
 brevicornis Kirsch 65-84 ..... Colombia  
 brevisculus Champ. 15-84 ..... México  
 carinatus Pic 27-44 ..... Bolivia  
 caucensis Pic 27-49 ..... Guatemala  
 cavicollis Champ. 15-96 ..... México  
 cephalotes Gorch. 85-289 ..... Panamá  
 dentimargo Champ. 15-94 ..... Guatemala  
 depressicornis Pic 27-44 ..... Perú  
 difficilis Gorch. 81-86 ..... México  
 dilatiticeps Pic 26-25 ..... Costa Rica  
 disjunctus Pic 27-107 ..... Perú  
 flaccidus Gorch. 81-88 ..... Guatemala  
 fleximargo Champ. 15-80 ..... Panamá  
 foucheri Pic 31-86 ..... México  
 fuscovittatus Champ. 15-83 ..... México  
 geniculatus Pic 26-25 ..... Perú  
 germaini Pic 27-251 ..... Bolivia  
 gracilipes Pic 27-44 ..... Brasil  
 hirticornis Champ. 15-93 ..... Panamá  
 hispaniolae L. & M. 22-493 ..... R. Dominicana  
 integer Champ. 15-74 ..... México  
 lateapicalis Pic 26-24 ..... Colombia  
 lateluteus Pic 27-44 ..... Colombia  
 lineatocollis Champ. 15-81 ..... México  
 lisabus Delk. 39-170 ..... Guatemala  
   *basalis* Gorch. 81-94
- longicornis Gorch. 85-303 ..... México  
 lugubris Gorch. 81-85 ..... México  
 luteoapicalis Pic 26-24 ..... Colombia  
 luteofasciatus Pic 26-25 ..... Perú  
 luteosuturalis Pic 26-25 ..... Costa Rica  
 lyciformis Pic 27-45 ..... Bolivia  
   *v. interruptus* Pic 27-45 ..... Bolivia  
 maculifrons Champ. 15-84 ..... México  
 medianus Champ. 15-93 ..... México  
   Guatemala
- megalophthalmus Champ. 15-86 ..... México  
 melanurus Kirsch 65-85 ..... Colombia  
 mimetus Gorch. 81-90 ..... Guatemala  
 mimicus Pic 37-146 ..... Brasil  
 minutus Gorch. 85-305 ..... Guatemala  
 nigricolor Pic 27-140 ..... Perú  
 nigroapicalis Pic 27-44 ..... Bolivia  
 nigrolimbatus Champ. 15-75 ..... México  
 nigromarginatus Champ. 15-76 ..... México  
 nigropectrum Gorch. 85-300 ..... Panamá  
 nobilis Kirsch 65-85 ..... Colombia  
 ornatocollis Champ. 15-97 ..... México  
   Guatemala
- pauperculus Gorch. 85-299 ..... Guatemala  
   Panamá
- photinoides Gorch. 81-84 ..... Guatemala  
   Panamá
- proximus Gorch. 85-298 ..... México  
   Guatemala
- reedi Pic 26-25 ..... Chile  
 rugipennis Gorch. 81-90 ..... Guatemala  
 sallaei Gorch. 85-303 ..... México  
   Guatemala
- semirugulosus Pic 26-25 ..... Argentina  
 serricornis Gorch. 85-288 ..... México

- Polemium*—Continued.
- spissicornis* Champ. 15-76.....México  
*subdilaticornis* Pic 27-250.....Bolivia  
*testaceicoxis* Pic 27-44.....Colombia  
*triangulifer* Pic 31-86.....Bolivia  
*tricostatus* Pic 27-44.....Venezuela  
*tristiculus* Champ. 15-80.....Guatemala  
*tuberculatocollis* Pic 27-49.....Colombia  
*varicornis* Kirsch 70-382.....Colombia  
*venustus* Kirsch 65-84.....Colombia  
*xanthoderes* Champ. 15-96.....México
- Silix* Charp. 25-194
- Ditemnus* LeC. 61-189  
*Hapalocrosilis* Pic 16-8 (Subg.)
- acantholobus* Champ. 15-104.....México  
Guatemala  
Nicaragua
- acutipennis* Lucas 57-91.....Ecuador  
*albicincta* Gorch. 81-96.....México  
Costa Rica  
Panamá
- v. testaceipes* Pic 10-6.....Panamá
- amoena* Blanch. 46-109.....Brasil  
*antioñi* Pic 27-106.....Colombia  
*appendicularis* Gorch. 85-304.....Panamá  
*arcuatepina* Pic 27-50.....Colombia  
*ardua* Gorch. 85-298.....Panamá  
*argentina* Pic 06-91.....Argentina  
*v. carlosi* Pic 38-121.....Argentina  
*bruchi* Pic 27-44
- armaticollis* Blanch. 46-107.....Bolivia  
*armitagei* Pic 27-50.....México  
*atricornis* Pic 08-95.....Brasil  
*atrispina* Pic 10-61.....Brasil  
*v. luteispina* Pic 10-61.....Brasil  
*aurita* Gorch. 85-295.....Costa Rica  
*bang-haasi* Pic 10-61.....Brasil  
*banosensis* Pic 16-11.....Ecuador  
*barticana* Pic 08-95.....Fr. Guiana  
*biauriculata* Champ. 15-105.....Guatemala  
*bilamellata* Champ. 15-106.....Guatemala  
Panamá
- bilineata* Pic 06-93.....Brasil  
*birufonotata* Pic 27-50.....Colombia  
*bogotensis* Pic 11-122.....Colombia  
*brasiliensis* Pic 09-179.....Brasil  
*brevinotata* Pic 06-92.....Brasil  
*bruchi* Pic 10-109.....Argentina  
*bugabensis* Pic 13-4.....Panamá  
*v. apicipennis* Pic 13-5.....Panamá  
*caracasensis* Pic 16-11.....Venezuela  
*chalybeipennis* Gorch. 85-300.....Panamá  
*chimbazona* Gorch. 91-51.....Ecuador  
*colombiana* Pic 28-97.....Colombia  
*coroicoesa* Pic 27-107.....Bolivia  
*crassicornis* F. & G. 62-3.....Chile  
*denticornis* Blanch. 46-107.....Brasil  
*crassicornis* Sol. 49-437.....Uruguay  
Argentina  
Chile
- dilacerata* Gorch. 81-96.....México  
Br. Honduras  
Guatemala  
Nicaragua  
Panamá
- dilatipennis* Pic 34-131.....Brasil  
*distincta* Pic 06-92.....Brasil
- distorta* Gorch. 81-95.....Guatemala  
*diversipennis* Pic 24-2.....Colombia  
*eroides* Gorch. 81-94.....México  
Guatemala  
Panamá
- erythrodiscus* Champ. 15-109.....México  
*fasciata* Pic. 06-92.....Brasil  
*festiva* Gorch. 85-301.....Panamá
- testaceipes* Pic 10-6
- fissicollis* Champ. 15-114.....Guatemala  
*foveolata* Kirsch 65-83.....Colombia  
*fulvipes* Gorch. 85-295.....Panamá  
*gounellei* Pic 06-92.....Brasil  
Argentina
- goyasensis* Pic 08-95.....Brasil  
*grenadensis* L. & M. 22-491.....Grenada  
*griseocens* Pic 06-91.....Brasil  
*guayanensis* Pic 06-92.....Fr. Guiana  
*haematodes* Gorch. 81-93.....Guatemala  
*haenschi* Pic 09-180.....Ecuador  
*hickeri* Pic 38-155.....Brasil  
*högei* Pic 28-97.....México  
*humeralis* Pic 09-180.....Fr. Guiana  
Brasil
- impressa* Pic 16-8.....Cuba  
*inaequalis* Pic 10-29.....Argentina  
*inapicipennis* Pic 36-2.....Brasil  
*jalapana* Pic 10-8.....México  
*janeirensis* Pic 13-4.....Brasil  
*jansoni* Pic 11-122.....Brasil  
*jocosa* Gorch. 85-301.....Panamá  
*laciniosa* Champ. 15-110.....Panamá  
*laeta* Blanch. 46-108.....Brasil  
*lata* Pic 06-92.....Brasil  
*laticeps* Pic 06-91.....Brasil  
*laticollis* Gorch. 81-97.....México  
*latipennis* Pic 06-282.....Brasil  
*latissima* Pic 09-6.....Brasil  
*lemoulti* Pic 09-173.....Fr. Guiana  
*limbatipennis* Pic 10-69.....Brasil  
*lineata* Gorch. 81-95.....México  
Guatemala  
Panamá
- lineatithorax* Pic 13-4.....Argentina  
*lineola* Gorch. 85-296.....México  
Guatemala  
Panamá
- lissoderes* Champ. 15-124.....México  
*lojaensis* Pic 34-131.....Ecuador  
*longidens* Champ. 15-100.....México  
*longispina* Pic 09-176.....Fr. Guiana  
*longissima* Pic 27-139.....Perú  
*ludicra* Gorch. 85-302.....México  
*v. nigroscutellaris* Pic 10-44.....México  
*lycoides* Gorch. 81-91.....México
- praemorsa* Gorch. 81-93.....Guatemala
- maculata* Pic 06-91.....Brasil  
*major* Pic 06-91.....Perú  
*marginalis* Guér. 38-77.....Brasil  
*marginella* DuVal 57-90.....Cuba  
*maxima* Pic 09-347.....Perú  
*mediojuncta* Pic 38-152.....Brasil  
*melanocephala* Gorch. 85-294.....Guatemala  
*metallicipennis* Pic 34-130.....Ecuador  
*v. immaculaticollis* Pic 34-130.....Ecuador  
*mexicana* Pic 09-346.....México  
*minasensis* Pic 34-131.....Brasil

- Silis*—Continued.
- nigrita* Gorb. 81-93.....Guatemala  
Panamá
- nodicollis* Gorb. 85-291.....Guatemala  
Panamá
- oblita* Gorb. 85-297.....México  
Panamá
- obscuricolor* Pic 06-84.....Brasil
- obscuripes* Pic 06-92.....Brasil
- ocularis* Gorb. 85-293.....Guatemala
- ohausi* Pic 11-128.....Ecuador
- omiltemia* Champ. 15-124.....México
- pallens* Blanch. 46-108.....Brasil
- pallidipes* Pic 08-95.....Brasil
- panamensis* Champ. 15-115.....Panamá
- paranaana* Pic 11-122.....Argentina  
v. *trilineata* Pic 38-121.....Brasil  
*unicittata* Pic 38-152
- pauli* Pic 10-70.....Brasil
- peruviana* Pic 06-93.....Perú
- pilifera* Pic 10-69.....Brasil
- plana* Blanch. 46-107.....Bolivia
- quadrimaculata* Redt. 67-105.....Brasil
- robusticollis* Pic 09-174.....Argentina  
v. *innoticollis* Pic 10-29.....Argentina
- rufomaculata* Pic 38-156.....Brasil
- scabripennis* Champ. 15-119.....México
- scutellaris* Pic 06-92.....Brasil
- semilimbata* Pic 07-26.....Brasil
- sepulchralis* Gorb. 85-294.....Guatemala
- serrei* Pic 31-448.....Costa Rica
- sicula* Gorb. 85-298.....Guatemala
- simplicicollis* Blanch. 46-108.....Bolivia
- subcoerulea* Pic 27-50.....Colombia
- subdilaticornis* Pic 27-49.....Bolivia
- subimpressus* Pic 09-346.....Fr. Guiana
- subnotata* Pic 09-174.....Brasil
- sulcata* Pic 07-27.....Brasil  
v. *bahiana* Pic 10-70.....Brasil  
v. *brevimaculata* Pic 09-7.....Brasil
- taciturna* Pic 27-50.....Colombia
- teffensis* Pic 14-10.....Brasil
- tenella* Gorb. 98-321.....St. Vincent
- testaceosuturalis* Pic 39-168.....Colombia
- torticollis* Gorb. 85-301.....Panamá  
4 Is. Perlas
- transfixa* Gorb. 85-295.....Panamá
- tricolor* Guér. 44-47.....Brasil
- trilobata* Champ. 15-103.....México
- trimaculata* Pic 14-9.....México
- trinoticollis* Pic 37-62.....Guatemala
- vagelimbata* Pic 28-36.....Argentina
- venezuelensis* Pic 27-107.....Venezuela
- vicina* Pic 09-7.....Brasil
- vittigera* Redt. 67-105.....Brasil
- Ditemnomorphus* Champ. 15-125
- rufifrons* Gorb. 81-97.....Guatemala
- Hansasilis* Pic 36-31
- atriceps* Pic 36-31.....Brasil
- laticornis* Pic 36-31.....Brasil  
v. *obscuripes* Pic 36-31.....Brasil
- Incisosilis* Pic 08-94
- latipennis* Pic 08-95.....Brasil  
v. *distinctithorax* Pic 08-95.....Brasil
- pallida* Pic 12-7.....Brasil
- subacuminata* Pic 12-8.....Guatemala
- subopaca* Pic 13-115.....Brasil
- Silisogaster* Pic 13-3
- anomalicornis* Pic 13-4.....Argentina
- Plectonotum* Gorb. 91-51
- albocinctum* Pic 26-26.....Chile
- apicicorne* Pic 11-179.....Bolivia
- bogotense* Pic 11-175.....Colombia
- brasiliense* Pic 06-90.....Brasil
- frontale* Pic 26-26.....Chile
- germaini* Pic 11-179.....Bolivia
- gorhami* Pic 11-175.....Brasil
- gounellei* Pic 06-90.....Brasil
- grandicolle* Pic 28-63.....Chile
- impressithorax* Pic 11-175.....Brasil
- innoticolle* Pic 29-74.....Chile
- labiale* Gorb. 85-307.....Panamá  
Argentina
- laterale* Pic 06-90.....Brasil
- laticornis* Pic 11-122.....Brasil  
*laticornis* Pic 11-179.....Argentina
- marginatum* Pic 26-26.....Bolivia
- microceps* Pic 27-43.....Argentina
- nigrum* Gorb. 91-52.....Ecuador
- nitidum* Pic 28-54.....Argentina
- nodicorne* Sol. 49-438.....Argentina  
Chile
- obscurum* Pic 06-90.....Brasil  
v. *subbrassicorne* Pic 11-179.....Brasil
- pyrocephalum* Sol. 49-437.....Chile  
v. *insuturatum* Pic 29-74.....Chile
- robusticorne* Pic 11-122.....Bolivia
- ruficolle* Pic 26-26.....Chile
- semilimbatum* Pic 10-69.....Bolivia
- simplicicolle* Pic 11-180.....Bolivia  
*simplicicorne* Shp. 12-216
- singularicorne* Pic 29-74.....Chile
- suturale* Pic 38-159.....Brasil
- testaceicolle* Pic 11-175.....Brasil
- testaceosutum* Pic 26-26.....Chile
- testaceum* Pic 28-55.....South America
- violaceipenne* Pic 28-54.....Argentina
- wagneri* Pic 11-123.....Argentina  
v. *disconotatum* Pic 11-179.....Argentina
- Oontelus* Sol. 49-228
- bilineatus* Pic 10-69.....Brasil
- boliviensis* Pic 27-252.....Bolivia
- diversicornis* Pic 11-133.....Brasil
- gorhami* Pic 11-123.....Brasil  
Argentina
- pallidipes* Pic 10-63.....Brasil
- reticulatus* Sol. 49-428.....Chile  
v. *testaceiceps* Pic 12-4.....Chile
- rugosipennis* Sol. 49-429.....Chile
- suturalis* Pic 29-74.....Chile
- wagneri* Pic 27-43.....Argentina
- Flabellontelus* Pic 11-133
- armitagei* Pic 11-133.....México
- Parasilis* Gorb. 85-307
- colyphoides* Gorb. 85-308.....Panamá
- vittata* Gorb. 85-308.....Panamá
- Pachymesia* Westw. 49-1
- incisa* Westw. 49-1.....Brasil
- testaceicornis* Pic 08-94.....Brasil
- Malthaster* Gorb. 85-311
- suturalis* Gorb. 85-311.....Panamá
- Elattoderes* Blanch. 53-71
- maculicollis* Blanch. 53-72.....Estr. Magallanes  
T. del Fuego

## ICHTHYURINI

- Ichthyurus* Westw. 48-83  
*forficulinus* Gorb. 81-98.....Guatemala  
*fusciventris* Champ. 15-131.....México  
*fuscus* Gorb. 81-99.....México  
*sallei* Pic 13-19.....México  
*semiflavus* Champ. 15-131.....Guatemala
- Malthoichthyurus* Pic 19-12  
*biolleyi* Pic 19-13.....Costa Rica  
*dichelifer* Champ. 15-129.....México  
*longissimus* Pic 19-13.....Brasil  
*luteiceps* Pic 19-13.....South America
- Pseudocerocoma* Pic 19-12  
*mirabilis* Gorb. 81-99.....México
- Maronius* Gorb. 81-100  
*amazonicus* Pic 06-10.....Brasil  
*annulicornis* Pic 06-52.....Perú  
*apicicornis* Pic 28-55.....Perú  
*auberti* Pic 14-22.....Brasil  
*baeri* Pic 06-52.....South America  
*batesi* Pic 06-35.....Brasil  
*binotaticollis* Pic 28-98.....Paraguay  
*brasilensis* Pic 06-10.....Brasil  
*dichrous* Gorb. 81-100.....México  
Guatemala  
Nicaragua  
Panamá  
*germaini* Pic 27-253.....Bolivia  
*gorhami* Pic 28-55.....South America  
*gounellei* Pic 06-52.....Brasil  
*huallaganus* Pic 28-55.....Perú  
*impresipennis* Pic 06-52.....Argentina  
v. *lateralis* Pic 06-52.....Argentina  
*inapicalis* Pic 19-14.....Brasil  
*janeirensis* Pic 29-75.....Brasil  
*kraatzii* Pic 38-158.....Bolivia  
*testaceipes* Pic 27-253  
*limbatus* Pic 06-9.....Argentina  
*longicollis* Champ. 15-133.....Panamá  
*maculiceps* Pic 06-52.....Brasil  
*mendesensis* Pic 19-14.....Brasil  
*minasensis* Pic 34-130.....Brasil  
*monstrosicornis* Pic 06-10.....Brasil  
*notaticollis* Pic 28-68.....Brasil  
*obscurus* Pic 06-52.....Brasil  
*pulcher* Pic 06-9.....Perú  
*rubroapicalis* Pic 28-68.....Brasil  
*staudingeri* Pic 06-52.....Perú  
*testaceiceps* Pic 06-52.....Brasil  
*wagneri* Pic 29-75.....Argentina
- Macromalthinus* Pic 19-14  
*maximiceps* Pic 19-15.....Fr. Guiana
- Belotus* Gorb. 81-99  
*Lobetus* LeC. 81-58  
*abdominalis* LeC. 51-347.....México  
Guatemala  
Honduras  
Panamá  
U. S. A.  
v. *obscurior* Pic 13-19.....Panamá  
*acuminatus* Champ. 15-135.....Panamá  
*albonotatus* Pic 14-9.....Bolivia  
*antillarum* L. & M. 22-486.....Cuba  
*bakeri* Pic 19-15.....Nicaragua  
*balloui* Mutch. 23-8.....Cuba

- biimpressus* Pic 19-16.....Guatemala  
*bipunctatus* Pic 19-15.....Honduras  
*bogotanus* Pic 19-15.....Colombia  
*brennotatus* Pic 14-10.....Brasil  
*cacumenum* Mutch. 23-7.....Cuba  
*concavicollis* Pic 30-44.....Argentina  
*guadeloupensis* F. & S. 89-417.....Guadeloupe  
v. *obscurior* Pic 06-57.....Guadeloupe  
*högei* Pic 28-55.....México  
*latithorax* Pic 06-51.....Argentina  
*maculatus* Gorb. 81-99.....Panamá  
*mexicanus* Pic 19-16.....México  
*minutus* L. & M. 22-486.....Cuba  
*pallidiventris* L. & M. 22-488.....Dominica  
*subelongatus* Pic 19-15.....Honduras  
*suturalis* Pic 19-16.....Colombia  
*weiseri* Pic 28-50.....Argentina
- Loletus* Kies. 52-242  
*Streptotoma* Guér. 62-266  
*brevipennis* Pic 06-51.....Perú  
Argentina  
*grandis* Pic 06-174.....Perú  
*haenschii* Pic 13-20.....Ecuador  
*inapicalis* Pic 06-52.....Perú  
*lemoulti* Pic 13-19.....Fr. Guiana  
*peruvianus* Pic 06-51.....Perú  
*ruficeps* Pic 31-377.....Bolivia  
*singularicornis* Pic 28-68.....Bolivia  
*torticollis* Kies. 52-245.....Venezuela
- Pseudolobetus* Champ. 15-136  
*championi* Gorb. 81-102.....Panamá  
*major* Gorb. 81-102.....Panamá
- Tryptherus* LeC. 51-346  
*Lygerus* Kies. 52-242  
*Molorchus* Say 24-192  
*albomaculatus* Pic 14-9.....Bolivia  
*argentinus* Steinh. 73-571.....Uruguay  
Argentina  
v. *bicoloriceps* Pic 28-14.....Argentina  
*elongatus* Pic 06-44.....Brasil  
*flaviceps* Pic 27-43.....Costa Rica  
*mapirianus* Pic 14-9.....Bolivia  
*obscuricollis* Pic 28-68.....Bolivia  
*placatipennis* Pic 06-44.....Perú  
v. *ruficeps* Pic 06-44.....Perú  
*ruficollis* Pic 14-9.....Brasil  
*rufotestaceus* Pic 14-7.....México  
*trimaculatus* Pic 14-9.....México

## MALTHININI

- Malthinus* Latr. 06-261  
*Ymnis* Gozis 86-23  
*brevipennis* Gorb. 81-104.....Guatemala  
*chevrolati* Guér. 62-267.....Brasil  
*cruenticeps* Gorb. 81-104.....Guatemala  
Panamá  
*diversicornis* Champ. 15-141.....Panamá  
*elegans* Guér. 62-265.....Brasil  
*flavipes* Gorb. 81-105.....Guatemala  
*fuscescens* Blanch. 46-109.....Bolivia  
*ingens* Champ. 15-139.....México  
*jalapanus* Pic 10-6.....México  
*laticeps* Gorb. 81-103.....Guatemala  
*luteolineatus* Pic 10-5.....México  
v. *notatipes* Pic 10-144.....México

|                                     |                        |
|-------------------------------------|------------------------|
| <b>Malthinus</b> —Continued.        |                        |
| melanocerus Champ. 15-140.....      | Guatemala              |
| montivagus Champ. 15-143.....       | Panamá                 |
| paradoxus Dohrn 82-460.....         | Brasil                 |
| schneideri Pic 10-5.....            | México                 |
| sellatus Blanch. 46-109.....        | Bolivia                |
| semirufus Champ. 15-142.....        | México                 |
| subulatus Champ. 15-139.....        | México                 |
| terminatus Gorb. 81-103.....        | Panamá                 |
| variegatipennis Blanch. 46-110..... | Bolivia                |
| <b>Thinalmus</b> Gorb. 81-101       |                        |
| centrolineatus Gorb. 81-101.....    | Guatemala              |
|                                     | Panamá                 |
|                                     | Guatemala              |
|                                     | Panamá                 |
|                                     | Panamá                 |
|                                     | Guatemala              |
|                                     | Panamá                 |
|                                     | Panamá                 |
| <b>Malthesis</b> Mots. 52-1         |                        |
| acuminata Kirsch 70-384.....        | Colombia               |
| atra Mots. 52-2.....                | Colombia               |
| atrocincta Pic 26-14.....           | Colombia               |
| bahiensis Pic 26-15.....            | Brasil                 |
| binotata Pic 26-15.....             | Perú                   |
| brevenotata Pic 26-15.....          | Perú                   |
| brevesulcata Pic 26-15.....         | Brasil                 |
| cinctithorax Pic 26-15.....         | Bolivia                |
| diamantinensis Pic 26-15.....       | Brasil                 |
| discoidea Kirsch 70-384.....        | Colombia               |
| ephippiata Pic 26-14.....           | Bolivia                |
| v. inapicalis Pic 27-252.....       | Bolivia                |
| forestieri Pic 34-130.....          | Fr. Guiana             |
| hickeri Pic 26-143.....             | Perú                   |
| impressa Pic 34-129.....            | Brasil                 |
| impresithorax Pic 26-15.....        | Bolivia                |
| innatatithorax Pic 26-15.....       | Bolivia                |
| latevittata Pic 26-15.....          | Perú                   |
| lepturoides Kirsch 65-87.....       | Colombia               |
| livida Kirsch 65-86.....            | Colombia               |
| lurida Kirsch 70-383.....           | Colombia               |
| marginata Kirsch 70-383.....        | Colombia               |
| marginicollis Kirsch 70-382.....    | Colombia               |
| medionotata Pic 26-14.....          | Colombia               |
| meridana Pic 26-14.....             | Venezuela              |
| notatithorax Pic 26-15.....         | Venezuela              |
| quadrimaculata Pic 26-15.....       | Colombia               |
| rubricollis Pic 26-14.....          | Bolivia                |
| rufohumeralis Pic 26-15.....        | Venezuela              |
| stenopteroides Kirsch 65-87.....    | Colombia               |
| subcyanipennis Pic 35-254.....      | Colombia               |
| suturalis Kirsch 65-86.....         | Colombia               |
| <b>Malthopterus</b> Mots. 52-2      |                        |
| pallidus Mots. 52-2.....            | Colombia               |
| <b>Malthodes</b> Kies. 52-242       |                        |
| apicicornis Pic 27-43.....          | Chaco                  |
| boliwiensis Pic 27-253.....         | Bolivia                |
| brasilensis Pic 13-9.....           | Brasil                 |
| gorhami Pic 13-10.....              | Guatemala              |
|                                     | Panamá                 |
|                                     | Panamá                 |
| gounellei Pic 13-11.....            | Brasil                 |
| pallipes Gorb. 81-105.....          | Guatemala              |
|                                     | Panamá                 |
|                                     | Panamá                 |
| peruviana Pic 13-11.....            | Perú                   |
| pilosa Pic 19-16.....               | <sup>16</sup> Trinidad |
| sanguineicollis Gorb. 81-105.....   | Panamá                 |
| testaceohumeralis Pic 37-64.....    | Perú                   |
| tetra Gorb. 85-310.....             | Panamá                 |
| unicoloricornis Pic 27-43.....      | Bolivia                |

## CHAULIOGNATHINI

|                                    |                  |
|------------------------------------|------------------|
| <b>Chauliognathus</b> Hentz 30-460 |                  |
| abdominalis Perty 30-29.....       | Brasil           |
| <i>malthinus</i> Perty 30-29.....  |                  |
| albonotatus 30-86.....             | Brasil           |
| amazonicus Pic 37-146.....         | Brasil           |
| amplipennis Pic 15-24.....         | Brasil           |
| v. immaculatus Pic 15-24.....      | Brasil           |
| angustatus Pic 34-132.....         | Brasil           |
| angustefasciatus Pic 15-4.....     | Brasil           |
| angustissimus Pic 15-20.....       | Brasil           |
| annulicornis Pic 34-32.....        | Guiana           |
| annulipes Pic 27-240.....          | Brasil           |
| antonii Pic 30-89.....             | Brasil           |
| argentinus Pic 30-86.....          | Argentina        |
| aricanus Pic 15-18.....            | Chile            |
| asuncionensis Pic 27-84.....       | Paraguay         |
| ater Pic 25-16.....                | Costa Rica       |
| aterrimus Gorb. 81-76.....         | México           |
| atriceps Pic 15-19.....            | Colombia         |
| atricolor Pic 12-147.....          | Bolivia          |
| atripennis Pic 24-20.....          | South America    |
| atritarsis Pic 34-33.....          | Brasil           |
| atrithorax Pic 15-18.....          | Bolivia          |
| atrolineatus Pic 34-82.....        | Perú             |
| atroscutellaris Pic 15-6.....      | Brasil           |
| atroscutus Pic 28-59.....          | Guatemala        |
| atrotibialis Pic 25-16.....        | Colombia         |
| augustalisi Pic 29-74.....         | Brasil           |
| barraensis Pic 25-19.....          | Brasil           |
| basalis Lac. 57-pl. 45.....        | Brasil           |
| basingeri Pic 25-16.....           | Brasil           |
| bertheloti Pic 19-19.....          | Brasil           |
| bifasciatus Pic 11-167.....        | Brasil           |
| bilineaticollis Pic 28-35.....     | Paraguay         |
|                                    | Argentina        |
| v. semiconnexus Pic 28-35.....     | Argentina        |
| bilineatus Gorb. 81-72.....        | México           |
| bimaculatilipennis Pic 27-84.....  | Perú             |
| bimaculatus Pic 25-20.....         | Brasil           |
| binotaticeps Pic 15-19.....        | Brasil           |
| v. nigromaculatus Pic 15-20.....   | Brasil           |
| binotaticollis Pic 12-148.....     | Bolivia          |
| bioculatus Pic 25-20.....          | Brasil           |
|                                    | Estr. Magallanes |
| bipartitus Pic 28-60.....          | Perú             |
| v. cincticollis Pic 28-60.....     | Perú             |
| bipunctaticollis Pic 35-255.....   | Colombia         |
| bireductus Pic 25-16.....          | Brasil           |
| birufonotatus Pic 29-74.....       | Chile            |
| bisbimaculatus Pic 24-20.....      | Brasil           |
| v. trinotatithorax Pic 24-20.....  | Brasil           |
| bisbinotatus Pic 34-32.....        | Brasil           |
| blanchardi Kirsch 65-79.....       | Colombia         |
| bogotensis Pic 12-146.....         | Colombia         |
| brevibasalis Pic 37-146.....       | South America    |
| brevelineatus Pic 25-16.....       | Argentina        |
| v. obliteratus Pic 25-16.....      | Argentina        |
| v. wagneri Pic 25-16.....          | Argentina        |
| brevenotatus Pic 15-14.....        | Brasil           |
| brevesuturalis Pic 30-89.....      | Brasil           |
| v. bahianus Pic 30-89.....         | Brasil           |
| brevior Pic 30-86.....             | Brasil           |

<sup>16</sup> Ecuador.



## Chauliognathus—Continued.

- bruchi Bourg. 09-283 ..... Brasil  
 brunneobivittatus Pic 38-151 ..... Fr. Guiana  
 brunneomaculatus Pic 19-19 ..... Colombia  
 brunneonoticeps Pic 17-6 ..... Fr. Guiana  
 brunnescens Pic 28-60 ..... Perú  
 brunnipennis Kirsch 65-79 ..... Colombia  
 buqueti Pic 25-20 ..... Brasil  
 caeruleonotatus Pic 12-147 ..... Bolivia  
 callosithorax Pic 35-255 ..... Colombia  
 caraçensis Pic 15-4 ..... Brasil  
 cardiasp Bourg. 88-clxxvi ..... Brasil  
 carinaticollis Pic 27-47 ..... Colombia  
 caroli Pic 27-15 ..... Argentina  
 chacoensis Pic 38-151 ..... Bolivia  
 v. brevebilineatus Pic 38-151 ..... Bolivia  
 v. breveniger Pic 38-151 ..... Bolivia  
 ciliatipennis Pic 25-20 ..... Brasil  
 cinguliventris Er. 47-83 ..... Perú  
 circumdatus Blanch. 44-103 ..... Argentina  
 collaris Gorb. 81-76 ..... México  
 constrictus Champ. 14-165 ..... México  
 v. longevittatus Pic 37-145 ..... México  
 cordillerae Kirsch 89-7 ..... Ecuador  
 corumbanus Pic 28-63 ..... Brasil  
 corvinus Gorb. 85-281 ..... Guatemala  
 haereticus Gorb. 85-289 ..... Nicaragua  
 Costa Rica  
 Panamá  
 v. chiriquensis Pic 15-17 ..... Panamá  
 v. inlateralis Pic 25-16 ..... Perú  
 v. panamensis Pic 15-17 ..... Panamá  
 costatus Pic 15-17 ..... Brasil  
 v. latebijunctus Pic 27-51 ..... Brasil  
 v. quadricollis Pic 27-51 ..... Brasil  
 curtelineatus Pic 25-16 ..... Argentina  
 curtesuturalis Pic 30-85 ..... Brasil  
 cyaneipennis Pic 28-63 ..... Perú  
 decolor Champ. 14-156 ..... Panamá  
 diamantinensis Pic 15-28 ..... Brasil  
 v. mineirosus Pic 34-131 ..... Brasil  
 dilaticollis Pic 11-167 ..... Colombia  
 dimidiatus Waterh. 78-330 ..... México  
 Nicaragua  
 Costa Rica  
 diosensis Pic 27-48 ..... Perú  
 discithorax Pic 28-60 ..... Costa Rica  
 discobinotatus Pic 38-150 ..... Ecuador  
 dispar Champ. 14-162 ..... México  
 distinguendus Waterh. 78-328 ..... México  
 tabulatus Gorb. 81-70 ..... Guatemala  
 Nicaragua  
 Costa Rica  
 v. brevecapialis Pic 28-63 ..... Brasil  
 v. inscutellaris Pic 15-16 ..... México  
 v. jucundus Gorb. 81-70 ..... México  
 Guatemala  
 v. tricolor Gorb. 81-70 ..... Nicaragua  
 Costa Rica  
 diverselineatus Pic 38-151 ..... Brasil  
 v. diversipennis Pic 38-151 ..... Brasil  
 diversipes Pic 34-132 ..... Brasil  
 domitus Bourg. 88-cci ..... Ecuador  
 erratus Pic 28-36 ..... Argentina  
 evanidus Champ. 14-157 ..... Guatemala  
 excellens Waterh. 78-327 ..... Colombia  
 exiguus Gorb. 85-283 ..... Panamá  
 Colombia  
 expansus Waterh. 78-329 ..... Brasil  
 Argentina  
 v. innotaticollis Pic 15-16 ..... Brasil  
 v. innotatipennis Pic 12-6 ..... Argentina  
 exsanguis Gorb. 81-74 ..... México  
 Guatemala  
 Nicaragua  
 Panamá  
 fallax Germ. 24-72 ..... Brasil  
 quadripunctatus Dej. 21-36 ..... Argentina  
 v. atrofasciatus Pic 25-16 ..... Brasil  
 v. basireductus Pic 25-16 ..... Brasil  
 v. concolor Pic 27-51 ..... Brasil  
 v. medioeductus Pic 28-62 ..... Brasil  
 v. unimaculatus Pic 27-51 ..... Brasil  
 faustus Gorb. 85-278 ..... Costa Rica  
 Panamá  
 flavipennis Pic 24-20 ..... Brasil  
 v. schneideri Pic 34-131 ..... Brasil  
 flavipes Fabr. 81-259 ..... Brasil  
 axillaris Fisch. 23-254 ..... México  
 flavomarginatus Champ. 14-164 ..... México  
 forestierensis Pic 30-89 ..... Fr. Guiana  
 forreri Gorb. 85-282 ..... México  
 v. subulipennis Gorb. 85-282 ..... México  
 freiburganus Pic 30-85 ..... Brasil  
 fuliginosus Pic 37-145 ..... Brasil  
 geniculatus Pic 34-132 ..... Brasil  
 geraesensis Pic 15-134 ..... Brasil  
 germaini Pic 27-252 ..... Bolivia  
 v. nigroapicalis Pic 27-252 ..... Bolivia  
 gounellei Pic 15-6 ..... Brasil  
 goyassensis Pic 27-48 ..... Brasil  
 v. atripes Pic 27-48 ..... Brasil  
 v. inhumeralis Pic 30-85 ..... Brasil  
 v. interruptus Pic 27-48 ..... Brasil  
 v. notaticeps Pic 27-48 ..... Brasil  
 v. obscuripes Pic 27-48 ..... Brasil  
 v. pallidioripes Pic 27-48 ..... Brasil  
 gracilipes Pic 34-132 ..... Brasil  
 gracilis Blanch. 44-104 ..... Argentina  
 grandipes Pic 15-23 ..... Brasil  
 granulatus Pic 25-20 ..... Brasil  
 griseopubens Pic 15-15 ..... Bolivia  
 v. mapirianus Pic 15-15 ..... Bolivia  
 hahneli Pic 34-33 ..... Brasil  
 hamatus Er. 47-83 ..... Perú  
 hansanus Pic 33-117 ..... Brasil  
 v. multireduotus Pic 33-117 ..... Brasil  
 haversii Waterh. 78-325 ..... Uruguay  
 v. brydli Pic 24-89 ..... Brasil  
 heros Guér. 43-18 ..... Costa Rica  
 Panamá  
 Colombia  
 Ecuador  
 Perú  
 v. nitidicollis Gorb. 81-69 ..... Costa Rica  
 v. rex Gorb. 81-68 ..... México  
 Guatemala  
 heterogenes Phil. 61-29 ..... Chile  
 hieroglyphicus Gorb. 85-282 ..... México  
 histrio Gorb. 81-75 ..... México  
 humeralis Pic 15-17 ..... Brasil  
 ignaciosus Pic 24-20 ..... Argentina  
 v. trimaculatus Pic 24-21 ..... Argentina

## Chauliognathus—Continued.

|  |                  |
|--|------------------|
| imbasis Pic 25-16.....                 | Brasil           |
| imparallelus Pic 27-47.....            | Colombia         |
| implicitus Er. 47-83.....              | Perú             |
| impressicollis Pic 15-6.....           | Brasil           |
| impressithorax Pic 27-48.....          | Perú             |
| infernalis Pic 12-146.....             | Perú             |
| v. notaticollis Pic 12-147.....        | Bolivia          |
| v. subinfernalis Pic 12-147.....       | Bolivia          |
| infrahumeralis Pic 25-5.....           | Brasil           |
| v. pauli Pic 25-5.....                 | Brasil           |
| insepinosus Pic 27-240.....            | Brasil           |
| v. lateapicalis Pic 27-240.....        | Brasil           |
| instratus Bourg. 88-cxc.....           | Brasil           |
| inunctus Er. 34-357.....               | Perú             |
| istatayanus Pic 12-148.....            | Brasil           |
| janeirensis Pic 15-4.....              | Brasil           |
| kouracensis Pic 34-32.....             | Fr. Guiana       |
| lagesensis Pic 37-145.....             | Brasil           |
| lajoyei Pic 15-96.....                 | Uruguay          |
| v. trisignatus Pic 29-74.....          | Uruguay          |
| latelineatus Pic 38-151.....           | Perú             |
| latetrinotatus Pic 28-56.....          | Brasil           |
| laticornis Kirsch 73-393.....          | Perú             |
| lecontei Champ. 14-144.....            | México           |
| limbathorax Pic 12-146.....            | Argentina        |
| v. sublimateus Pic 14-471.....         | Bolivia          |
| limbicollis LeC. 58-71.....            | México           |
| <i>hastatus</i> Gorb. 81-77.....       | Guatemala        |
| <i>opacus</i> LeC. 66-90.....          | U. S. A.         |
| v. atricollis Pic 28-95.....           | México           |
| v. scapularis Gorb. 81-77.....         | México           |
| lineiceps Pic 25-20.....               | Brasil           |
| lituratus Gorb. 81-74.....             | México           |
| v. emaciatius Gorb. 81-75.....         | Nicaragua        |
| lojaensis Pic 34-132.....              | Panamá           |
| v. emaciatius Gorb. 81-75.....         | Guatemala        |
| lojaensis Pic 34-132.....              | Ecuador          |
| longipennis Pic 15-6.....              | Brasil           |
| longipes Pic 15-6.....                 | Brasil           |
| longissimus Pic 28-63.....             | Ecuador          |
| luctuosus Latr. 09-366.....            | Perú             |
| luteipennis Pic 15-6.....              | Brasil           |
| v. multinotatus Pic 15-6.....          | Brasil           |
| luteobinotatus Pic 28-63.....          | Paraguay         |
| luteofasciatus Pic 15-4.....           | Brasil           |
| luteomaculatus Pic 15-4.....           | Brasil           |
| luteonotatus Pic 12-102.....           | Brasil           |
| v. mrazi Pic 24-85.....                | Brasil           |
| luteosuturalis Pic 30-86.....          | Brasil           |
| lyciformis Bourg. 87-cxxx.....         | Brasil           |
| maculiceps Pic 24-89.....              | Brasil           |
| magellanicus Blanch. 53-69.....        | Estr. Magallanes |
| magnicollis Pic 15-15.....             | Brasil           |
| malleri Pic 33-12.....                 | Brasil           |
| v. diversemaculatus Pic 33-12.....     | Brasil           |
| v. postmaculatus Pic 33-12.....        | Brasil           |
| marginatus Fabr. 75-206.....           | México           |
| <i>hentzi</i> LeC. 51-338.....         | Bahamas Is.      |
| <i>ligatus</i> Say 25-266.....         | U. S. A.         |
| <i>philadelphicus</i> Dej. 37-117..... |                  |
| maschalostictus Berg 89-148.....       | Argentina        |
| v. sulcatipennis Pic 28-56.....        | Brasil           |
| medionotatus Pic 25-20.....            | Brasil           |
| mediosuturalis Pic 25-19.....          | Brasil           |
| mendesensis Pic 33-118.....            | Brasil           |
| metallicus Pic 34-132.....             | Ecuador          |
| mexicanus Pic 15-16.....               | México           |
| mimicus Pic 25-19.....                 | Brasil           |
| minasensis Pic 28-60.....              | Brasil           |
| mineiroensis Pic 30-89.....            | Brasil           |
| missionum Berg 89-147.....             | Argentina        |
| morio Gorb. 81-77.....                 | ?México          |
| v. wiengreeni Pic 28-95.....           | Brasil           |
| multilineatus Pic 34-131.....          | Brasil           |
| multimaculatus Pic 37-145.....         | Brasil           |
| multiplicatus Pic 29-74.....           | Chile            |
| mundus Champ. 14-150.....              | México           |
| niger Pic 38-121.....                  | México           |
| <i>ater</i> Pic 30-86.....             |                  |
| nigriceps Gorb. 81-74.....             | México           |
| v. apicalis Gorb. 81-75.....           | Br. Honduras     |
| v. jalapensis Pic 15-17.....           | Guatemala        |
| v. mediolimbatus Pic 15-17.....        | Nicaragua        |
| v. obliquus Gorb. 85-281.....          | México           |
| v. trinotatus Pic 15-17.....           | México           |
| nigritarsus Pic 38-121.....            | Paraguay         |
| <i>atritarsis</i> Pic 34-131.....      |                  |
| nigrocinctus Gorb. 81-72.....          | México           |
| v. nigrobasalis Pic 14-471.....        | México           |
| v. signatus Gorb. 81-72.....           | México           |
| nigrolateralis Pic 28-36.....          | Argentina        |
| nigrolimbatus Pic 35-12.....           | Brasil           |
| nigrolineatus Pic 15-15.....           | Brasil           |
| nitidithorax Pic 38-151.....           | Bolivia          |
| obenbergeri Pic 25-15.....             | Brasil           |
| occipitalis Kirsch 89-4.....           | Ecuador          |
| ochraceus Blanch. 44-102.....          | Bolivia          |
| octomaculatus Pic 15-18.....           | Brasil           |
| v. conjunctus Pic 15-18.....           | Brasil           |
| v. semiconjunctus Pic 15-18.....       | Brasil           |
| ocularis Pic 28-60.....                | Brasil           |
| opacipennis Pic 25-20.....             | Brasil           |
| v. postinterruptus Pic 25-16.....      | Brasil           |
| v. pallens Blanch. 44-102.....         | Argentina        |
| v. binotatus Pic 28-56.....            | Brasil           |
| v. maculatipennis Pic 28-56.....       | Brasil           |
| pallidithorax Pic 12-7.....            | Bolivia          |
| pallidus Waterh. 78-330.....           | México           |
| <i>fuscescens</i> Gorb. 81-73.....     | Br. Honduras     |
| <i>odemernides</i> Gorb. 81-73.....    | Guatemala        |
| v. conjunctus Pic 15-18.....           | Nicaragua        |
| panamanus Pic 35-255.....              | Panamá           |
| parallelus Pic 27-47.....              | Colombia         |
| pardalinus Gorb. 85-280.....           | Panamá           |
| particularicornis Pic 27-47.....       | Colombia         |
| pauloensis Pic 27-51.....              | Brasil           |
| v. submaculatus Pic 27-51.....         | Brasil           |
| pelotatus Pic 28-63.....               | Brasil           |
| v. rubroductus Pic 29-74.....          | Brasil           |
| pici Delk. 39-304.....                 | Brasil           |
| <i>lagesensis</i> Pic 33-118.....      |                  |
| v. brevesubapicalis Pic 38-153.....    | Brasil           |
| v. insignatus Pic 33-118.....          | Brasil           |
| plagiatus Blanch. 44-101.....          | Brasil           |
| v. latebasalis Pic 25-20.....          | Brasil           |
| v. latejunctus Pic 25-20.....          | Brasil           |

**Chaulio gnathus**—Continued.

- plicaticollis* Pic 15-6.....Brasil  
   *v. nigromarginatus* Pic 34-33.....Brasil  
*plicatithorax* Pic 27-48.....Bolivia  
*plicatus* Pic 15-134.....Brasil  
   *v. bisbinotatus* Pic 15-134.....Brasil  
*profundus* LeC. 58-71.....México  
   *ineptus* Horn 85-150.....U. S. A.  
   *v. togatus* Waterh. 78-326.....México  
*proteus* Gorb. 81-68.....México  
   Guatemala  
   Br. Honduras  
   Costa Rica  
   Venezuela  
   *v. apicalis* Pic 13-9.....  
   *v. bifasciatus* Pic 13-9.....  
   *v. högei* Pic 37-145.....México  
   *v. inapicalis* Pic 13-9.....  
   *v. nigripennis* Pic 13-9.....  
   *v. trimaculatus* Pic 13-9.....  
*pubescens* Pic 15-4.....Brasil  
*quadrifasciatus* Pic 15-18.....Brasil  
*quadriraculatus* Pic 15-20.....Brasil  
   *v. biconjunctus* Pic 15-20.....Brasil  
*quadrupunctatus* Pic 27-51.....Brasil  
   *v. immaculatithorax* Pic 27-51.....Brasil  
*quinquemaculatus* Pic 15-19.....Brasil  
*reductefasciatus* Pic 38-16.....Brasil  
   *lemoulti* Pic 33-118  
*reductelineatus* Pic 37-146.....Brasil  
*reductenotatus* Pic 38-121.....Brasil  
   *riovus* Pic 33-117  
   *v. innatitithorax* Pic 33-117.....Brasil  
*reductus* Pic 25-19.....Brasil  
   *v. luteoapicalis* Pic 25-20.....Brasil  
   *v. peryensis* Pic 25-19.....Brasil  
*reedii* Pic 29-74.....Chile  
*rhombicus* Germ. 24-69.....Brasil  
*riojaensis* Pic 25-19.....Argentina  
   *v. mendozanus* Pic 25-19.....Argentina  
*riovus* Pic 28-63.....Brasil  
*robusticollis* Pic 11-167.....Brasil  
*rufipes* Pic 24-20.....Paraguay  
   *v. haasi* Pic 28-62.....Paraguay  
   *v. quadrinotatus* Pic 28-62.....Paraguay  
*rufofasciatus* Kirsch 89-6.....Bolivia  
   *v. infasciatus* Pic 27-51.....Bolivia  
*rufohumeralis* Pic 15-16.....Brasil  
*rugipennis* Kirsch 89-6.....Ecuador  
*rugosus* Pic 15-6.....Brasil  
*sagittarius* Gorb. 85-280.....Panamá  
*sallei* Pic 30-86.....México  
   *v. rubrithorax* Pic 30-86.....México  
*saltator* Berg 89-150.....Argentina  
*scabripennis* Bourg. 00-118.....Colombia  
*schüppeli* Bourg. 28-63.....?Colombia  
*scriptus* Germ. 24-68.....Argentina  
   *taeniatus* Dej. 37-118  
   *vittatus* Sturm 26-109  
*scutellaris* LeC. 53-230.....México  
   *basalis* LeC. 59-13.....U. S. A.  
   *lewisi* Crotch 74-78  
*seileri* Pic 25-19.....Colombia  
*semicinctus* Pic 15-16.....México  
*semilimbatus* Pic 12-148.....South America  
*signaticollis* Blanch. 44-101.....Bolivia  
*sinuatipes* Pic 15-133.....Brasil  
   *v. unimaculatus* Pic 15-133.....Brasil  
*sinuatithorax* Pic 27-48.....Perú  
*sodalis* Waterh. 78-326.....México  
   *v. chevrolati* Pic 14-471.....México  
   *v. praescutellaris* Pic 14-471.....México  
*spiniipennis* Pic 15-16.....Brasil  
   *v. sinuatofasciatus* Pic 15-17.....Brasil  
   *v. testaceipennis* Pic 15-17.....Brasil  
*steinbachi* Pic 30-85.....Bolivia  
   *v. buenavistanus* Pic 30-85.....Bolivia  
*sticticus* Gorb. 85-280.....Nicaragua  
   Panamá  
*subacuminatus* Pic 36-2.....Brasil  
   Paraguay  
*subannulicornis* Pic 34-32.....Fr. Guiana  
*subapicalis* Pic 12-6.....Brasil  
   *v. atrimembris* Pic 28-62.....Brasil  
   *v. basispennis* Pic 29-11.....Brasil  
   *v. binotatipennis* Pic 29-11.....Brasil  
   *v. curtemarginatus* Pic 38-151.....South America  
   *v. diversus* Pic 29-11.....Brasil  
   *v. humeralifer* Pic 29-11.....Brasil  
   *v. innotatus* Pic 29-8.....Brasil  
   *v. junctus* Pic 29-11.....Brasil  
   *v. luteobasalis* Pic 28-62.....Brasil  
   *v. mediomaculatus* Pic 38-151.....Brasil  
   *v. reducteapicalis* Pic 29-10.....Brasil  
   *v. separatus* Pic 29-11.....Brasil  
   *v. transversefasciatus* Pic 12-6.....Brasil  
   *v. uberabanus* Pic 29-10.....Brasil  
*subfasciatus* Pic 15-4.....Brasil  
*subgibbosus* Pic 15-19.....Brasil  
*subhumeralis* Pic 15-4.....Brasil  
*sublateralis* Pic 30-89.....Brasil  
*submarginatus* Gorb. 85-279.....Nicaragua  
   Panamá  
*subplicatus* Pic 28-56.....Brasil  
*subsericeus* Pic 37-146.....Surinam  
*sulcaticollis* Blanch. 44-103.....Argentina  
*sulfureoapicalis* Pic 25-16.....Perú  
   Bolivia  
   *v. mapirianus* Pic 25-16.....Bolivia  
*sulphureus* Waterh. 78-331.....México  
   Brasil  
*surinamensis* Pic 27-47.....Surinam  
*tabidus* Er. 47-83.....Perú  
*tenuemarginatus* Pic 34-132.....Brasil  
*tenuis* Er. 47-83.....Perú  
*terminalis* Gorb. 81-76.....Nicaragua  
   Costa Rica  
*testaceicollis* Pic 15-6.....Brasil  
*testaceipes* Pic 15-18.....Bolivia  
   *v. subunicolor* Pic 15-18.....Bolivia  
*thermophilus* Kirsch 65-78.....Colombia  
   *v. colombianus* Pic 25-16.....Colombia  
*theryi* Pic 30-85.....Venezuela  
*tocotensis* Pic 27-48.....Colombia  
*tricoloricollis* Pic 15-14.....South America  
*trifossicollis* Pic 17-6.....Bolivia  
*trilineatus* Pic 28-60.....Brasil  
*trinitatithorax* Pic 27-48.....Perú  
*tripartitus* Chev. 35-106.....México  
   *compressicornis* Klug 37-117.....Guatemala  
   *dimidiatus* Hopfn. 37-117.....Panamá  
   *v. janus* Waterh. 78-329.....México  
   Guatemala  
   Panamá  
   Ecuador  
   *v. waterhousei* Pic 14-471.....Costa Rica

- Cbauliognathus**—Continued.
- undulatofasciatus Pic 25-20.....Brasil  
undulatovittatus Pic 30-85.....Argentina  
unifasciatus Pic 28-62.....Brasil  
v. donceeli Pic 28-62.....Brasil  
v. jatayensis Pic 28-62.....Brasil  
uninotatus Pic 34-131.....Brasil  
venezuelensis Pic 15-20.....Venezuela  
verticalis Pic 27-51.....Brasil  
vestitus Champ. 14-147.....México  
xanthomelas Perty 30-28.....Brasil  
*disparipennis* Bourg. 87-cxxxii
- Daiphron** Gorb. 81-66
- abrahami Pic 27-45.....Br. Guiana  
angustaticeps Pic 11-174.....Perú  
angustatiforme Pic 19-17.....Brasil  
atripenne Pic 34-130.....Brasil  
v. bipartitum Pic 34-130.....Brasil  
bataisitense Pic 26-36.....Brasil  
bilineaticeps Pic 27-47.....Colombia  
v. humerale Pic 27-47.....Colombia  
v. inlineatum Pic 27-47.....Colombia  
bisignatum Pic 27-40.....Perú  
brevehumerale Pic 38-159.....Brasil  
brevelineatum Pic 24-4.....Brasil  
brevinotatum Pic 12-6.....Brasil  
v. innotatum Pic 12-6.....Brasil  
costatum Pic 19-18.....Brasil  
crassicornis Gorb. 81-67.....Guatemala  
espiritense Pic 26-36.....Brasil  
excavatum Pic 19-18.....Guatemala  
externe Pic 26-36.....Brasil  
gorhami Kirsch 89-7.....Ecuador  
incoatum Pic 19-18.....Brasil  
infasciatum Pic 19-17.....Perú  
inscutellare Pic 19-18.....Brasil  
jatahyense Pic 26-36.....Brasil  
lateapicale Pic 24-4.....Brasil  
laticolle Pic 19-17.....Fr. Guiana  
lineatum Pic 12-6.....Panamá  
longulum Pic 19-17.....Bolivia  
lyciforme Gorb. 81-66.....México  
Guatemala  
Nicaragua  
v. innotaticolle Pic 24-4.....Nicaragua  
v. ochraceum Gorb. 81-67.....Guatemala  
Costa Rica  
Panamá  
v. undulatum Pic 19-18.....Brasil  
mendense Pic 26-36.....Brasil  
micronotaticeps Pic 34-130.....Brasil  
minutum Pic 27-40.....Perú
- morio Kirsch 89-8.....Ecuador  
multicostatum Pic 11-174.....Perú  
nigroapicale Pic 34-130.....Brasil  
v. lineaticolle Pic 34-130.....Brasil  
pardoense Pic 26-36.....Brasil  
pauloense Pic 26-36.....Brasil  
personatum Champ. 14-132.....Honduras  
peruvianum Pic 38-159.....Perú  
v. boliviense Pic 38-152.....Bolivia  
piresense Pic 26-36.....Brasil  
polemioides Kirsch 89-8.....Colombia  
v. atripenne Pic 27-4.....Colombia  
Bolivia  
v. divisum Pic 27-4.....Colombia  
Bolivia  
v. fasciatum Pic 34-130.....Brasil  
v. longilineatum Pic 27-4.....Colombia  
Bolivia  
v. minasense Pic 34-130.....Brasil  
v. obliteratum Pic 27-4.....Colombia  
Bolivia  
v. reductum Pic 27-4.....Colombia  
Bolivia  
scutellare Pic 19-17.....Perú  
subdepressum Pic 19-17.....Brasil  
subparallellum Pic 24-4.....Brasil  
suturale Pic 24-4.....Central America  
unifasciatum Pic 24-4.....Fr. Guiana  
vicinum Pic 27-40.....Venezuela
- Psilorhynchus** Blanch. 44-104
- bifasciatus Blanch. 44-105.....Argentina  
nigrolineatus Pic 10-53.....Brasil  
rostratus Lac. 57-349.....Fr. Guiana
- Molychnus** Mots. 52-5
- collaris Mots. 52-6.....Colombia

### INCERTAE SEDIS

- Ptorthodius** Gorb. 81-106
- mandibularis Gorb. 81-107.....Panamá  
ramosus Gorn. 81-107.....Guatemala  
Panamá
- Tytthonyx** LeC. 51-347
- bicolor Hntn. 34-30.....Puerto Rico  
cavicornis L. & M. 22-489.....West Indies  
cubanus L. & M. 22-489.....West Indies  
darlingtoni Mutch. 37-2.....Cuba  
discolor L. & M. 22-490.....West Indies  
marginicollis Mutch. 23-8.....Antigua  
rubidus Mutch. 37-4.....Cuba  
rutilus Mutch. 37-2.....Cuba

## Superfamily CLEROIDEA

### MALACHIIDAE

- Carpobus** Er. 40-132
- opacus Pic 06-233.....Argentina
- Dromanthus** Gorb. 82-121
- apicalis Pic 11-140.....Brasil  
atripennis Pic 24-85.....Brasil  
decipiens Gorb. 82-122.....Panamá  
discoideus Gorb. 86-323.....Brasil  
germaini Pic 13-6.....Bolivia  
gorhami Pic 11-176.....Brasil  
Argentina
- inlateralis Pic 10-108.....Argentina  
v. discoidalis Pic 10-108.....Argentina  
jucundus Gorb. 82-123.....Panamá  
kraatzi Pic 27-254.....Bolivia  
lateralis Pic 09-37.....Brasil  
Argentina  
laticornis Gorb. 86-322.....Panamá  
maculithorax Pic 03-299.....Brasil  
minutus Pic 28-54.....Argentina



|  |                 |
|--|-----------------|
| <b>Attalus</b> —Continued.             |                 |
| plumbeus Champ. 14-48.....             | México          |
| pusillus Gorb. 82-116.....             | México          |
| quadrisignatus Chev. 19-15.....        | Brasil          |
| rollei Pic 07-25.....                  | Argentina       |
| ruficeps Pic 03-300.....               | Brasil          |
| rufipennis Gorb. 82-116.....           | México          |
| <i>basalis</i> Forh. 82-116 (part)     | Guatemala       |
| <i>v. guatemalanus</i> Pic 19-14.....  | Guatemala       |
| sapphirinus Gorb. 82-117.....          | México          |
| scabripennis Champ. 14-45.....         | Guatemala       |
| schenklingi Pic 27-255.....            | Bolivia         |
| schneideri Pic 19-15.....              | México          |
| scutellaris Gorb. 82-119.....          | México          |
|  | Guatemala       |
| serrei Pic 31-448.....                 | Costa Rica      |
| setosus Horn 94-381.....               | Baja Calif.     |
| sexguttatus Champ. 14-45.....          | Panamá          |
| spinipes Pic 19-16.....                | Brasil          |
| subfasciatus Gorb. 86-320.....         | México          |
|  | U. S. A.        |
| <i>v. guatemalanus</i> Pic 19-14.....  | Guatemala       |
| sulcifrons Champ. 14-47.....           | México          |
|  | Central America |
| tabogensis Gorb. 86-319.....           | † I. Taboga     |
| teapanus Champ. 14-45.....             | México          |
|  | Central America |
| teapasensis Pic 19-15.....             | México          |
| trialbonotatus Pic 28-13.....          | Venezuela       |
| tricoloripennis Pic 22-161.....        | Perú            |
|  | Bolivia         |
| trimaculaticeps Pic 19-14.....         | México          |
| trimaculatus Pic 37-61.....            | Guatemala       |
| unicolor Horn 94-381.....              | Baja Calif.     |
| varicus Champ. 14-49.....              | Guatemala       |
| <i>basalis</i> Gorb. 82-116 (part)     |                 |
| verberatus Gorb. 86-318.....           | Panamá          |
| viridimicans Champ. 14-48.....         | México          |
| viridivittatus Champ. 14-46.....       | México          |
|  | Central America |
| <b>Pseudattalus</b> Champ. 14-79       |                 |
| armatus Champ. 14-80.....              | Guatemala       |
| <i>minimus</i> Gorb. 82-121            |                 |
| <i>seminulus</i> Gorb. 82-121          |                 |
| (not Er., 1840)                        |                 |
| <i>minimus</i> Er. 40-113.....         | Panamá          |
|  | Colombia        |
| punctatus Gorb. 86-321.....            | Panamá          |
| <b>Malachius</b> Fabr. 75-207          |                 |
| <i>Hapalorhinus</i> LeC. 59-75         |                 |
| <i>rufipes</i> Fabr. 01-310.....       | Central America |
| <b>Nematocerus</b> Sol. 49-431         |                 |
| <i>incertus</i> Sol. 49-432.....       | Chile           |
| <b>Brachidia</b> Sol. 49-433           |                 |
| <i>ruficollis</i> Sol. 49-433.....     | Chile           |
| <b>Cryptotarsus</b> Kirsch 65-88       |                 |
| <i>tropicus</i> Kirsch 65-88.....      | Colombia        |
| <b>Tanaops</b> LeC. 59-74              |                 |
| <i>Cephalister</i> Mots. 58-209        |                 |
| <i>mexicana</i> Pic 10-5.....          | México          |
| <b>Anthocomus</b> Er. 40-97            |                 |
| <i>basalis</i> Er. 40-110.....         | México          |
|  | Guatemala       |
|  | Nicaragua       |
|  | Colombia        |
| <i>brasiliensis</i> Pic 03-303.....    | Brasil          |
|  | Argentina       |
| <i>v. bruchi</i> Pic 28-54.....        | Argentina       |
| calcitrans Er. 40-111.....             | Colombia        |
| dimidiatus Er. 40-111.....             | Cuba            |
| fuscescens Gorb. 86-319.....           | Panamá          |
| <i>calcaratus</i> Gorb. 86-319         | † I. Taboga     |
| <i>goyasensis</i> Pic 03-304.....      | Brasil          |
| <i>huilae</i> Kirsch 89-105.....       | Colombia        |
| <i>laticollis</i> Er. 40-112.....      | México          |
| <i>sapphirinus</i> Gorb. 82-117.....   | México          |
| <i>scurra</i> Er. 40-111.....          | Colombia        |
| <i>seminulum</i> Er. 40-112.....       | Colombia        |
|  | Venezuela       |
| <i>stigma</i> Er. 40-108.....          | Venezuela       |
| <i>ventralis</i> Horn 72-118.....      | México          |
|  | U. S. A.        |
| <i>viridescens</i> Champ. 14-85.....   | México          |
| Collops Er. 40-54                      |                 |
| <i>ampliocollis</i> Champ. 14-16.....  | México          |
| <i>aulica</i> Er. 40-55.....           | México          |
|  | U. S. A.        |
| <i>balteata</i> LeC. 52-230.....       | México          |
|  | Nicaragua       |
|  | U. S. A.        |
| <i>bipunctata</i> Say 23-185.....      | México          |
| <i>xanthostoma</i> Chev. 36-122        | U. S. A.        |
| <i>blanda</i> Er. 40-60.....           | México          |
|  | U. S. A.        |
| <i>brevicollis</i> Champ. 14-16.....   | México          |
|  | Central America |
| <i>conspicillata</i> Champ. 14-19..... | México          |
| <i>decora</i> Er. 40-59.....           | México          |
| <i>femoralis</i> Gorb. 82-113.....     | México          |
|  | Guatemala       |
| <i>flavolimbata</i> Champ. 14-17.....  | México          |
| <i>vittata</i> Gorb. 82-114            |                 |
| <i>frontalis</i> Gorb. 82-314.....     | México          |
| <i>gemina</i> Er. 40-58.....           | Baja Calif.     |
| <i>decora</i> Er. 40-59                | México          |
| <i>valida</i> Horn 70-80               | Guatemala       |
|  | Nicaragua       |
|  | Venezuela       |
|  | U. S. A.        |
| <i>grandis</i> Champ. 14-15.....       | México          |
| <i>granella</i> Fall 12-253.....       | México          |
|  | U. S. A.        |
| <i>histrion</i> Er. 40-59.....         | México          |
| <i>arguta</i> Fall 02-242              | Guatemala       |
|  | Panamá          |
|  | U. S. A.        |
| <i>histrionica</i> Champ. 14-18.....   | México          |
| <i>histrion</i> Gorb. 82-114           | Guatemala       |
| (not Er., 1840)                        |                 |
| <i>honesta</i> Er. 40-57.....          | Venezuela       |
| <i>illustris</i> Champ. 14-17.....     | México          |
| <i>intermedia</i> Gorb. 86-315.....    | Panamá          |
| <i>lebasii</i> Er. 40-61.....          | Colombia        |
| <i>ludicra</i> Er. 40-60.....          | Hispaniola      |
| <i>margincollis</i> LeC. 52-164.....   | Baja Calif.     |
|  | U. S. A.        |
| <i>nigriceps</i> Say 23-183.....       | México          |
| <i>ximica</i> Er. 40-57                | U. S. A.        |
| <i>sauleyi</i> Champ. 14-27            |                 |
| <i>nigripennis</i> Champ. 14-16.....   | México          |
|  | Central America |
| <i>paradoxa</i> Champ. 14-15.....      | México          |
|  | Central America |

† Panamá.

Collops—Continued.

|  |                 |
|--|-----------------|
| <i>pulchella</i> Horn 70-83.....       | México          |
|  | U. S. A.        |
| <i>punctata</i> LeC. 52-164.....       | México          |
|  | U. S. A.        |
| <i>a. nigrita</i> Schaeef. 12-185..... | México          |
|  | U. S. A.        |
| <i>punctulata</i> LeC. 52-165.....     | [U. S. A.]      |
| <i>v. insulata</i> LeC. 66-94.....     | México          |
|  | U. S. A.        |
| <i>quadricolor</i> Champ. 14-17.....   | México          |
| <i>tricolor</i> Gorh. 82-113.....      | Central America |

|  |                 |
|--|-----------------|
| <i>quadrimaculata</i> Fabr. 98-70.....       | México          |
| <i>ruficollis</i> Fabr. 98-83.....           | U. S. A.        |
| <i>tricolor</i> Say 23-183.....              | México          |
|  | U. S. A.        |
| <i>varipes</i> Champ. 14-18.....             | México          |
|  | Central America |
| <i>vittata</i> Say 23-184.....               | Baja Calif.     |
| <i>haworthi</i> Westw. 53-98.....            | México          |
|  | U. S. A.        |
| <i>Apalochrus</i> Er. 40-50.....             |                 |
| <i>Paratinus</i> Abeille 91-220 (Subg.)..... |                 |
| <i>germaini</i> Pic 19-24.....               | Bolivia         |

DASYTIDAE

MELYRINAE

ASTYLINI

Chalcas Blanch. 35-53

|   |               |
|---|---------------|
| <i>Chalcomorphus</i> Pic 19-23 (Subg.).....   |               |
| <i>Dimorphochalcas</i> Pic 19-23 (Subg.)..... |               |
| <i>Morphochalcas</i> Pic 19-23 (Subg.).....   |               |
| <i>Pseudoastylus</i> Pic 19-7 (Subg.).....    |               |
| <i>bremei</i> Fairm. 47-409.....              | Colombia      |
|   | Venezuela     |
| <i>v. octonotata</i> Pic 19-24.....           | Colombia      |
| <i>v. quinquenotata</i> Pic 19-8.....         | South America |
| <i>v. reducta</i> Pic 19-24.....              | South America |
| <i>cyanea</i> Fairm. 47-408.....              | Colombia      |
|   | Venezuela     |
| <i>fairmairei</i> Bourg. 00-118.....          | Venezuela     |
| <i>fasciculata</i> Pic 19-7.....              | Venezuela     |
| <i>fumata</i> Fairm. 49-8.....                | Colombia      |
| <i>v. discoidalis</i> Pic 19-24.....          | Colombia      |
| <i>v. luteonotata</i> Pic 13-108.....         | Colombia      |
| <i>v. scutellaris</i> Pic 19-24.....          | Venezuela     |
| <i>v. wheeleri</i> Pic 13-108.....            | Colombia      |
| <i>humeralis</i> Fairm. 47-409.....           | Colombia      |
|   | Venezuela     |
| <i>v. unifasciata</i> Pic 19-24.....          | Venezuela     |
| <i>lajoyei</i> Pic 19-8.....                  | Colombia      |
| <i>v. bimaculata</i> Pic 19-24.....           | Colombia      |
| <i>lateralis</i> Fairm. 47-409.....           | Colombia      |
|   | ?Perú         |
| <i>v. stolata</i> Fairm. 49-11.....           | Perú          |
| <i>lineatocollis</i> Fairm. 47-408.....       | Colombia      |
| <i>v. destituta</i> Pic 19-23.....            | Colombia      |
| <i>v. disjuncta</i> Pic 19-22.....            | Colombia      |
| <i>v. gorhami</i> Pic 19-23.....              | South America |
| <i>v. junctus</i> Pic 19-23.....              | Colombia      |
| <i>v. nigricollis</i> Fairm. 49-11.....       | Colombia      |
| <i>lugubris</i> Fairm. 49-9.....              | Colombia      |
|   | Venezuela     |
| <i>v. multinotata</i> Pic 19-24.....          | Colombia      |
| <i>v. quadrinotata</i> Pic 19-24.....         | Colombia      |
| <i>v. trinitata</i> Pic 19-24.....            | Colombia      |
| <i>obesa</i> Fairm. 47-409.....               | Colombia      |
|   | Venezuela     |
| <i>plicata</i> Pic 19-7.....                  | South America |
| <i>sallei</i> Fairm. 78-267.....              | Venezuela     |
| <i>v. fasciata</i> Pic 19-24.....             | Venezuela     |
| <i>v. maculata</i> Pic 19-22.....             | Venezuela     |
| <i>v. notata</i> Pic 19-24.....               | South America |
| <i>v. undulata</i> Pic 19-22.....             | Venezuela     |
| <i>sexplagiata</i> Fairm. 57-409.....         | Colombia      |
| <i>suturalis</i> Pic 21-11.....               | Colombia      |

|  |             |
|--|-------------|
| <i>trabeata</i> Fairm. 47-409.....           | Colombia    |
| <i>mirabilis</i> Bourg. 06-95.....           | Venezuela   |
| <i>v. bipunctata</i> Pic 13-108.....         | Colombia    |
| <i>v. interrupta</i> Pic 19-24.....          | Colombia    |
| <i>turgida</i> Er. 48-560.....               | Br. Guiana  |
| <i>unicolor</i> Fairm. 47-409.....           | Colombia    |
| <i>Astyloporus</i> Pic 19-7.....             |             |
| <i>abnormis</i> Fairm. 78-268.....           | Colombia    |
| <i>correptus</i> Champ. 18-357.....          | Venezuela   |
| <i>fasciculatus</i> Pic 19-7.....            | Venezuela   |
| <i>viridimicans</i> Pic 03-253.....          | Venezuela   |
| <i>v. caerulescens</i> Pic 19-7.....         | Venezuela   |
| <i>Astylus</i> Lap. 36-32.....               |             |
| <i>Apterostylus</i> Pic 19-3 (Subg.).....    |             |
| <i>Heteracrius</i> Kirsch 65-90 (Subg.)..... |             |
| <i>Macrostylus</i> Pic 19-3 (Subg.).....     |             |
| <i>Mecoglossa</i> Sol. 49-426 (Subg.).....   |             |
| <i>Melyrastylus</i> Pic 19-3 (Subg.).....    |             |
| <i>Microastylus</i> Pic 19-3 (Subg.).....    |             |
| <i>Mimochalcas</i> Pic 19-2 (Subg.).....     |             |
| <i>Pseudodarytes</i> Pic 19-3 (Subg.).....   |             |
| <i>Spinastylus</i> Pic 19-3 (Subg.).....     |             |
| <i>acutipennis</i> Pic 19-21.....            | Colombia    |
| <i>v. bogotensis</i> Pic 20-2.....           | Colombia    |
| <i>alboscuteclatus</i> Pic 19-4.....         | Argentina   |
| <i>amabilis</i> Pic 02-35.....               | Colombia    |
|  | Venezuela   |
|  | Perú        |
| <i>v. differens</i> Pic 20-5.....            | Perú        |
| <i>ambages</i> Kirsch 73-396.....            | Perú        |
| <i>angulatus</i> Pic 02-35.....              | Colombia    |
| <i>amabilis</i> Champ. 18-362.....           |             |
| <i>v. claveri</i> Pic 19-21.....             | Colombia    |
| <i>anticejunctus</i> Pic 19-8.....           | Colombia    |
| <i>antillarum</i> Gorh. 98-328.....          | St. Vincent |
| <i>antis</i> Perty 30-29.....                | Brasil      |
| <i>fasciatus</i> S. & M. 12-540.....         | Paraguay    |
|  | Argentina   |
| <i>v. bimaculatus</i> Pic 19-3.....          | Brasil      |
| <i>v. flavofasciatus</i> Blanch. 43-96.....  |             |
| <i>argentinus</i> Pic 05-92.....             | Argentina   |
| <i>v. caerulescens</i> Pic 19-20.....        | Argentina   |
| <i>atriceps</i> Pic 03-105.....              | Paraguay    |
|  | Argentina   |
| <i>atripes</i> Pic 19-8.....                 | Brasil      |
| <i>atromaculatus</i> Blanch. 43-97.....      | Brasil      |
|  | Bolivia     |
|  | Argentina   |
| <i>v. duodecimmaculatus</i> Pic 02-36.....   | Bolivia     |
| <i>alicus</i> Pic 08-328.....                | Colombia    |
|  | Venezuela   |
| <i>v. fenestratus</i> Pic 08-329.....        | Colombia    |

**Astylus**—Continued.

|                                      |               |
|--------------------------------------|---------------|
| v. infenestratus Pic 19-20.....      | Colombia      |
| v. lajoiyi Pic 20-1.....             | Colombia      |
| v. postnotatus Pic 19-20.....        | Colombia      |
| v. unnotatus Pic 20-1.....           | South America |
| baeri Pic 02-34.....                 | Perú          |
| v. reductus Pic 20-2.....            | Perú          |
| v. submarginalis Pic 19-20.....      | Perú          |
| v. theresae Pic 03-254.....          | Perú          |
| bang-haasi Pic 02-34.....            | Argentina     |
| v. reichei Pic 19-4.....             | Bolivia       |
| bipunctatus Pic 19-4.....            | Argentina     |
| bisbilineatus Pic 10-45.....         | Argentina     |
| bolivianus Pic 02-35.....            | Bolivia       |
| bomplandi Er. 47-84.....             | Ecuador       |
|                                      | Perú          |
|                                      | Bolivia       |
| v. bijunctus Pic 19-4.....           | Bolivia       |
| v. erichsoni Pic 20-1.....           | Perú          |
| bourgeoisii Kirsch 89-11.....        | Colombia      |
|                                      | Ecuador       |
| v. bisexguttatus Gorb. 91-52.....    | Ecuador       |
| v. quinquenotatus Pic 20-2.....      | Ecuador       |
| v. trimaculatus Pic 20-2.....        | Ecuador       |
| bruchi Pic 27-13.....                | Argentina     |
| v. internus Pic 27-14.....           | Argentina     |
| caeruleotinctus Champ. 18-345.....   | Colombia      |
|                                      | Venezuela     |
|                                      | Perú          |
| v. irregularis Pic 20-2.....         | Perú          |
| v. rufolineatus Pic 19-4.....        | Colombia      |
|                                      | Perú          |
| v. sallei Pic 20-2.....              | Colombia      |
| v. separatus Pic 20-7.....           | Colombia      |
| v. vicinus Pic 20-2.....             | Colombia      |
| cincticollis Blanch. 43-99.....      | Uruguay       |
| confusus Pic 19-22.....              | Colombia      |
| convexus Champ. 18-359.....          | Perú          |
| cribrosus Pic 19-20.....             | Ecuador       |
| <i>riotti</i> Champ. 18-347.....     |               |
| curtus Pic 19-4.....                 | Perú          |
| curvidens Champ. 18-360.....         | Venezuela     |
| cyanerythrus Perty 30-29.....        | Brasil        |
| <i>bifasciatus</i> Lap. 40-280.....  | Argentina     |
| v. disconotatus Pic 03-254.....      | Brasil        |
| v. inhumeralis Pic 03-254.....       | Brasil        |
| v. reductefasciatus Pic 20-1.....    | Brasil        |
| v. rubrofasciatus Blanch. 43-97..... | Brasil        |
| v. subhumeralis Pic 03-254.....      | Brasil        |
| decoratus Kirsch 65-92.....          | Colombia      |
| diversipes Pic 20-7.....             | Bolivia       |
| elongatus Pic 02-34.....             | Argentina     |
| v. disjunctus Pic 02-34.....         | Argentina     |
| exclamationis Pic 02-35.....         | Bolivia       |
| flavomaculatus Kirsch 65-91.....     | Colombia      |
| flavomarginatus Blanch. 43-100.....  | Bolivia       |
| fontanieri Pic 20-2.....             | Colombia      |
| forcipatus Champ. 18-358.....        | Brasil        |
| gayi Guér. 44-49.....                | Chile         |
| v. affinis Sol. 49-427.....          | Chile         |
| v. chilensis Pic 20-1.....           | Chile         |
| v. conjunctus Pic 19-19.....         | Chile         |
| v. germaini Pic 19-19.....           | Chile         |
| v. porteri Pic 20-1.....             | Chile         |
| v. semijunctus Pic 20-1.....         | Chile         |
| v. subjunctus Pic 20-1.....          | Chile         |
| gorhami Pic 15-8.....                | St. Vincent   |
| gounellei Pic 02-34.....             | Brasil        |
| griseopubens Pic 27-13.....          | Argentina     |
| griseocens Pic 19-20.....            | Brasil        |
| haematostictus Champ. 18-342.....    | Brasil        |
| hamatilis Champ. 18-364.....         | Venezuela     |
| v. diversejunctus Pic 19-22.....     | South America |
| imbricatus Champ. 18-365.....        | Venezuela     |
| indentatus Pic 20-7.....             | Panamá        |
| <i>vittatus</i> Gorb. 82-127.....    |               |
| v. chiriquensis Pic 15-7.....        | Panamá        |
| inseparatus Pic 19-20.....           | Colombia      |
| interruptus Pic 02-35.....           | Bolivia       |
| v. bisbiinterruptus Pic 19-4.....    | Bolivia       |
| v. ininterruptus Pic 20-2.....       | Colombia      |
| v. multiinterruptus Pic 20-2.....    | Bolivia       |
| v. soratanus Pic 19-4.....           | Bolivia       |
| jatayensis Pic 02-35.....            | Brasil        |
| v. armitagei Pic 15-8.....           | Brasil        |
| laetus Er. 47-84.....                | Perú          |
| latemaculatus Pic 02-34.....         | Perú          |
| laticauda Champ. 18-366.....         | Venezuela     |
| lebasii Champ. 18-363.....           | Colombia      |
|                                      | Venezuela     |
|                                      | Colombia      |
| v. championi Pic 19-21.....          | Colombia      |
| v. geayi Pic 20-3.....               | Venezuela     |
| v. laterufus Pic 19-21.....          | Colombia      |
| v. minor Pic 20-397.....             | Colombia      |
| v. trinotatus Pic 19-21.....         | Venezuela     |
| limbaticollis Pic 02-35.....         | Brasil        |
| lineaticollis Pic 23-7.....          | Argentina     |
| v. obliteratus Pic 23-8.....         | Argentina     |
| lineatus Fabr. 75-62.....            | Brasil        |
| v. inlineatus Pic 19-21.....         | Brasil        |
| v. jancirensis Pic 19-21.....        | Brasil        |
| lineolatus Pic 19-4.....             | Argentina     |
| v. rufopunctatus Pic 20-2.....       | Argentina     |
| longipennis Pic 04-29.....           | Brasil        |
| luteicauda Champ. 18-350.....        | Ecuador       |
| luteocinctus Pic 19-188.....         | Brasil        |
| luteoguttatus Champ. 18-349.....     | Ecuador       |
|                                      | Perú          |
| marginatus Pic 20-8.....             | Brasil        |
| michaelisii Pic 08-329.....          | Brasil        |
| minutus Pic 15-8.....                | South America |
| mutatus Pic 19-20.....               | Ecuador       |
| <i>pallipes</i> Bourg. 11-213.....   | Perú          |
| v. subseparatus Pic 20-2.....        | Ecuador       |
| nigrofemorals Pic 15-8.....          | Perú          |
| nigrolimbatus Champ. 18-346.....     | Ecuador       |
|                                      | Perú          |
| nigrolineatus Pic 19-22.....         | Argentina     |
| nigronotatus Pic 02-35.....          | Colombia      |
| <i>curvidens</i> Champ. 18-360.....  | Venezuela     |
|                                      | Perú          |
| v. atronotatus Pic 20-3.....         | Venezuela     |
| v. junctus Pic 19-190.....           | Venezuela     |
| v. longedentatus Pic 19-22.....      | Venezuela     |
| v. rufonotatus Pic 20-3.....         | Venezuela     |
| notaticollis Pic 19-8.....           | Uruguay       |
| octonotatus Pic 19-4.....            | Brasil        |
| octopustulatus Gorb. 86-330.....     | Panamá        |
| pallidipes Pic 02-35.....            | Brasil        |
| pallipes Kirsch 89-11.....           | Ecuador       |
| patagonicus Blanch. 43-99.....       | Argentina     |
| perforatus Pic 20-1.....             | South America |
| peruvianus Pic 19-20.....            | Perú          |
| punctatus Pic 19-4.....              | Ecuador       |



**Astylus**—Continued.

|                             |           |
|-----------------------------|-----------|
| quadri-lineatus Germ. 24-75 | Brasil    |
|                             | Argentina |
| quadrispinosus Pic 19-22    | Colombia  |
| quadritaeniatus Er. 47-84   | Perú      |
| revoli Pic 02-36            | Paraguay  |
| v. brasiliensis Pic 20-2    | Brasil    |
| riveti Bourg. 11-213        | Ecuador   |
| rubricosta Berg 89-145      | Argentina |
| rubripennis Latr. 11-178    | ?Colombia |
|                             | Perú      |
| rubrithorax Pic 01-93       | Brasil    |
| rudifarsis Pic 03-254       | Perú      |
| v. discoidalis Pic 03-254   |           |
| v. metallicus Pic 03-254    |           |
| santiagonensis Pic 14-39    | Argentina |
| scalaris Pic 19-9           | Argentina |
| sexguttatus Kirsch 89-11    | Colombia  |
| sexmaculatus Perty 30-29    | Brasil    |
| v. minasensis Pic 20-2      | Brasil    |
| sexpustulatus Champ. 18-348 | Ecuador   |
| signatus Kirsch 65-91       | Colombia  |
| splendidus Lap. 32-398      | Brasil    |
| strobili Steinh. 74-572     | Argentina |
| subannulatus Pic 03-105     | Perú      |
| v. inannulatus Pic 03-105   | Perú      |
| subdisjunctus Pic 08-329    | Bolivia   |
| subgriseus Pic 02-35        | Brasil    |
| v. barranus Pic 19-21       | Brasil    |
| sublunulatus Pic 29-69      | Perú      |
| suturalis Pic 02-35         | Brasil    |
| testaceicornis Pic 19-9     | Brasil    |
| trifasciatus Guér. 44-48    | Argentina |
|                             | Chile     |
| v. rugosus Sol. 49-426      | Chile     |
| v. solieri Pic 19-19        | Chile     |
| tucumanensis Pic 02-35      | Argentina |
| unicolor Pic 19-9           | Colombia  |
| v. bisbinotatus Pic 25-13   | Colombia  |
| variegatus Germ. 24-77      | Brasil    |
|                             | Paraguay  |
|                             | Argentina |
| v. notatus Pic 02-36        | Brasil    |
| viridimetallicus Pic 19-188 | Argentina |
| viridivittatus Pic 19-188   | Argentina |
| vittaticollis Blanch. 43-98 | Bolivia   |
|                             | Argentina |
|                             | Chile     |
| vittatus Kirsch 65-92       | Panamá    |
|                             | Colombia  |
| wagneri Pic 10-45           | Argentina |

|                              |       |
|------------------------------|-------|
| <b>Astylosoma</b> Pic 03-183 |       |
| immaculata Pic 10-14         | Chile |
| pallidinotata Pic 03-183     | Chile |

**CERALLINI**

|                                  |           |
|----------------------------------|-----------|
| <b>Arthrobrachus</b> Sol. 49-414 |           |
| boucardi Pic 19-9                | Paraguay  |
| brasiliensis Pic 03-254          | Brasil    |
| depressus Steinh. 74-572         | Argentina |
| dubius Pic 19-11                 | Chile     |
| flavipennis Lap. 36-32           | Chile     |
| <i>luteus</i> Blanch. 43-99      |           |
| germaini Pic 19-10               | Chile     |
| impressithorax Pic 19-10         | Argentina |
| lajoyei Pic 19-11                | Uruguay   |

|                                 |                |
|---------------------------------|----------------|
| limbatus Sol. 49-418            | Chile          |
| v. inlimbatus Pic 19-11         | Chile          |
| longipilis Pic 19-9             | Paraguay       |
| maestus Blanch. 43-99           | Chile          |
| marginatus Phil. 64-272         | Chile          |
| minutus Pic 19-10               | ?South America |
| nigripennis Sol. 49-416         | Chile          |
| nigromaculatus Sol. 49-417      | Chile          |
| v. solieri Pic 19-10            | Chile          |
| obscuripes Pic 27-43            | Argentina      |
| punctulatus Phil. 64-273        | Chile          |
| quadriguttatus Pic 19-11        | Chile          |
| quadri-lineatus Steinh. 74-572  | Argentina      |
| quadripunctus Phil. 64-271      | Chile          |
| ruficornis Phil. 64-272         | Chile          |
| rufipennis Sol. 49-417          | Chile          |
| rudifarsis Phil. 64-271         | Chile          |
| scutellaris Phil. 64-273        | Chile          |
| serratinargo Phil. 64-273       | Chile          |
| subacuminatus Sol. 49-417       | Chile          |
| subaeneus Phil. 64-272          | Chile          |
| testaceolimbatus Steinh. 74-573 | Argentina      |
| testaceus Steinh. 74-572        | Argentina      |
| tibialis Sol. 49-416            | Chile          |
| v. infineatus Pic 19-11         | Chile          |
| varians Sol. 49-415             | Chile          |
| v. infuscatus Pic 19-11         | Chile          |
| vicinus Pic 19-10               | Argentina      |
| xanthurus Blanch. 43-100        | Uruguay        |

**MELYRINI**

|                               |             |
|-------------------------------|-------------|
| <b>Melyrodes</b> Gorb. 82-128 |             |
| <i>Alymeris</i> Csy. 95-600   |             |
| <i>Melyris</i> LeC. 61-193    |             |
| atricolor Pic 27-254          | Bolivia     |
| renata Gorb. 82-128           | Guatemala   |
| cupripennis Pic 98-273        | Costa Rica  |
| perforata Gorb. 86-331        | Panamá      |
| serricauda Champ. 14-126      | Panamá      |
| sp. (Wolcott 36-205)          | Puerto Rico |

**DASYTINAE**

**DANACAEINI**

|                               |                  |
|-------------------------------|------------------|
| <b>Danacaea</b> Lap. 36-31    |                  |
| rufotibia Fairm. 83-493       | Estr. Magallanes |
| <b>Hylodanacaea</b> Pic 26-28 |                  |
| squamosa Pic 26-28            | Chile            |

**DASYTINI**

|                                      |             |
|--------------------------------------|-------------|
| <b>Cymbolus</b> Gorb. 86-324         |             |
| castaneus Gorb. 86-324               | México      |
| elongatus Champ. 13-128              | México      |
| punctipennis Gorb. 86-325            | Guatemala   |
| quadrituberculatus Champ. 13-129     | Brasil      |
| rufopiceus Gorb. 86-324              | Guatemala   |
| wolcotti Hntn. 34-21                 | México      |
| <b>Eucymbolus</b> Champ. 13-129      |             |
| cyaneus Champ. 13-130                | Guatemala   |
| <b>Dolicosoma</b> Steph. 30-318      |             |
| nigricornis Bland. 64-254            | Baja Calif. |
|                                      | U. S. A.    |
| <b>Eschatocrepis</b> LeC. 61-193     |             |
| constricta LeC. 52-170               | Baja Calif. |
| <i>constricticollis</i> Mots. 59-390 | U. S. A.    |

- Dasytes* Payk. 99-156
- albopubescens* Pic 26-28.....Chile
- angustatithorax* Pic 28-65.....Chile
- argentina* Pic 10-3.....Argentina
- armitagei* Pic 15-96.....Colombia
- atrocaerulea* Phil. 64-275.....Chile
- baeri* Pic 10-3.....Perú
- .....Argentina
- bang-haasi* Pic 10-2.....Perú
- bifurcata* Pic 10-29.....Argentina
- v. infuscata* Pic 28-50.....Argentina
- v. lillensis* Pic 27-43.....Argentina
- binotata* Sol. 49-422.....Chile
- binotaticollis* Pic 27-254.....Bolivia
- boliuensis* Pic 10-3.....Bolivia
- cinerascens* Germ. 55-394.....Chile
- v. subsquamulosa* Pic 28-66.....Chile
- claveri* Pic 28-65.....Colombia
- corvicosa* Pic 28-65.....Bolivia
- cribratocollis* Pic 10-2.....Perú
- cyanea* Guér. 38-39.....Chile
- cyaneomaculata* Pic 28-64.....Chile
- derbesii* Sol. 49-425.....Chile
- elegans* Sol. 49-423.....Chile
- gayi* Sol. 49-424.....Chile
- germaini* Pic 28-65.....Chile
- giraudi* Sol. 49-425.....Chile
- glabricollis* Phil. 64-275.....Chile
- gounellei* Pic 10-2.....Brasil
- haemorrhoidalis* Sol. 49-421.....Chile
- v. suturifer* Pic 28-65.....Chile
- hudsonicus* LeC. 66-359.....México
- .....U. S. A.
- immarginata* Pic 26-28.....Chile
- impressa* Sol. 49-423.....Chile
- v. notaticollis* Pic 28-65.....Chile
- limbata* Phil. 64-274.....Chile
- limbatithorax* Pic 10-2.....Chile
- limbolithorax* (Zool. Rec. 1910)
- lutea* Sol. 49-420.....Chile
- maculicollis* Sol. 49-422.....Chile
- v. ruficeps* Pic 10-1.....Chile
- marcapatana* Pic 27-43.....Perú
- v. densepunctata* Pic 28-65.....Bolivia
- marginipennis* Sol. 49-421.....Chile
- v. oblitteraticollis* Pic 10-2.....Chile
- pachyteana* Pic 27-43.....Perú
- paulolimbata* Pic 28-65.....Chile
- peruviana* Pic 10-3.....Perú
- puncticollis* Germ. 55-394.....Chile
- pusilla* LeC. 52-170.....Baja Calif.
- .....U. S. A.
- pygidialis* Pic 10-2.....Perú
- v. bicoloripes* Pic 10-2.....Perú
- rollei* Pic 10-13.....Perú
- ruficollis* Phil. 64-275.....Chile
- salzei* Sol. 49-425.....Chile
- seileri* Pic 31-192.....Colombia
- semicincta* Pic 28-65.....Chile
- semilimbata* Pic 10-2.....Brasil
- subcylindricollis* Pic 10-3.....Bolivia
- subparallela* Pic 27-43.....Bolivia
- tibialis* Sol. 49-424.....Chile
- ulparaisana* Pic 10-2.....Chile
- Setigerodasytes* Pic 10-12
- callangana* Pic 10-12.....Perú
- incisicollis* Pic 10-12.....Bolivia
- meridana* Pic 13-108.....Venezuela
- nitidissima* Pic 10-3.....Perú
- Mauronicus* Bourg. 11-211
- maculatus* Pic 27-14.....Argentina
- v. junctus* Pic 28-431.....Argentina
- roberti* Bourg. 11-211.....Ecuador
- Haplamaurus* Kirsch 65-89
- aenescens* Gorb. 91-53.....Ecuador
- andicola* Kirsch 65-90.....Colombia
- cyanescens* Bourg. 11-210.....Ecuador
- kiesenwetteri* Kirsch 65-90.....Colombia
- marginalis* Kirsch 70-369.....Colombia
- marginipennis* Kirsch 89-19.....Ecuador
- opaciceps* Pic 27-254.....Bolivia
- riveti* Bourg. 11-209.....Ecuador
- v. aeneipennis* Bourg. 11-209.....
- rufithorax* Pic 10-53.....Perú
- v. ruficolor* Pic 10-54.....Perú
- setulosus* Bourg. 11-209.....Ecuador
- suturalis* Kirsch 89-10.....Ecuador
- testaceimembris* Pic 10-54.....Perú
- Dasytellus* Csy. 95-564
- impressus* Gorb. 86-329.....México
- subovalis* Csy. 95-565.....U. S. A.
- Dasytastes* Csy. 95-582
- sparsa* Blais. 23-415.....México
- Meecomyceter* Horn 82-125
- testaceipes* Champ. 14-125.....México
- corallipes* Gorb. 86-127
- Sydatopsis* Csy. 95-536
- longicornis* Csy. 95-536.....Baja Calif.
- Trichochoerus* Mots. 59-393
- Byturossomus* Mots. 66-356
- Cradytes* Csy. 95-533 (Subg.)
- Emmenotarsus* Mots. 66-356
- Pristoscelis* LeC. 66-349
- aeneipennis* Gorb. 86-327.....México
- antennatus* Mots. 59-394.....Baja Calif.
- .....U. S. A.
- arcuaticollis* Champ. 14-91.....México
- brevicornis* LeC. 52-169.....Baja Calif.
- .....U. S. A.
- clavatus* Champ. 14-93.....México
- collaris* Blais. 23-409.....México
- conicus* Champ. 14-94.....México
- nigroaeneus* Gorb. 86-327
- convergens* Champ. 14-98.....México
- cyanipennis* Champ. 14-98.....México
- dilaticollis* Champ. 14-99.....México
- fuscus* Gorb. 86-328
- (not LeC. 1852)
- diversicornis* Champ. 14-93.....México
- femoralis* Gorb. 86-328.....México
- ferrugineus* Gorb. 86-330.....México
- exiguus* Csy. 95-471.....U. S. A.
- foveiventris* Champ. 14-94.....México
- franciscuitus* Blais. 23-416.....México
- frigidus* Blais. 23-414.....México
- fulvipes* Gorb. 86-328.....Guatemala
- fulvotarsis* Bland. 64-254.....Baja Calif.
- .....U. S. A.
- fuscicornis* Champ. 14-92.....México
- fuscovittatus* Champ. 14-92.....México
- suturalis* Gorb. 86-327
- gratus* Blais. 23-411.....México
- hidalgoanus* Champ. 14-92.....México
- loretensis* Blais. 23-415.....México

**Trichocirous**—Continued.

- margaritae* Blais. 25-323.....<sup>1</sup> I. Sta. Margarita  
*mexicanus* Csy. 95-472.....México  
*nigripes* Champ. 14-94.....México  
*punctatus* Gorb. 82-126  
*nigroaeneus* Gorb. 82-124.....México  
*paleatus* Champ. 14-92.....México  
*pubescens* Gorb. 82-124.....México  
Guatemala  
*rufipennis* LeC. 58-71.....México  
U. S. A.  
*rufitarsis* Champ. 14-92.....México  
*salvini* Gorb. 82-124.....Guatemala  
*setiger* Champ. 14-94.....México  
*nigroaeneus* Gorb. 86-327  
*sordidus* LeC. 52-169.....<sup>1</sup> I. Magdalena  
<sup>2</sup> I. San Esteban  
U. S. A.  
*squamiger* Blais. 23-412.....México  
*subcuneatus* Champ. 14-94.....México  
*suturalis* LeC. 52-169.....México  
*conformis* LeC. 52-169.....U. S. A.  
*tejonius* LeC. 66-354.....Baja Calif.  
U. S. A.  
*tortugensis* Blais. 23-413.....México  
*truncatipennis* Champ. 14-92.....México  
*viridulus* Champ. 14-94.....México  
**Holomallus** Gorb. 86-325  
*aurivillus* Gorb. 86-326.....México  
*serripes* Champ. 14-89.....México  
**Sydates** Csy. 95-537  
*apicalis* Pic 10-4.....Argentina  
*discipennis* Pic 10-4.....Perú  
Argentina  
*v. lateobscura* Pic 10-4.....Perú  
*v. subfasciata* Pic 10-4.....Perú  
*pallidicolor* Pic 10-4.....Argentina  
**Amecoerens** Sol. 49-419  
*Listrus* Mots. 59-389  
*aeneus* Gorb. 82-125.....México  
Guatemala  
*aeratus* Champ. 14-122.....México  
*albidus* Champ. 14-118.....México  
*albohirsutus* Pic 26-28.....Chile  
*alutaceithorax* Pic 28-66.....Chile  
*argentinus* Pic 28-14.....Argentina  
*bicoloripennis* Pic 28-66.....Chile  
*canescens* Mannh. 43-248.....México  
Guatemala  
*ciliatipennis* Champ. 14-120.....Panamá  
U. S. A.  
*punctatus* Gorb. 86-329  
*cinerascens* (Pic 28-66).....?  
*v. subsquamulosus* Pic 28-66.....Chile  
*corallipes* Gorb. 82-127.....México  
Guatemala  
*coronadensis* Blais. 39-57.....México  
*crenicollis* Champ. 14-117.....México  
*cupreonitens* Gorb. 82-125.....Guatemala  
*danacaeoides* Pic 28-15.....Argentina  
*ferrugineus* Gorb. 86-330.....México  
*exiguus* Csy. 95-471.....U. S. A.  
*flavicornis* Champ. 14-116.....México  
*germaini* Pic 28-65.....Chile  
*laeviusculus* Phil. 64-273.....Chile  
*longicollis* Phil. 64-273.....Chile  
*luceti* Pic 25-212.....Chile  
*metallicus* Gorb. 82-127.....Guatemala  
*minor* Pic 26-27.....Chile  
*obscurus* Sol. 49-419.....Argentina  
Chile  
*paulopubescens* Pic 28-66.....Chile  
*v. chilensis* Pic 28-86.....Chile  
*punctatulus* Champ. 14-119.....México  
*punctatus* Gorb. 82-126.....Guatemala  
*pygmaeus* Gorb. 86-329.....Panamá  
*rufipes* Sol. 49-420.....Argentina  
Chile  
*v. lineatipes* Pic 26-28.....Chile  
*rufofemoralis* Pic 26-28.....Chile  
*salicis* Blais. 21-165.....Panamá  
*semiopacus* Champ. 14-122.....México  
*senilis* LeC. 62-170.....México  
*canescens* Gorb. 82-126.....Guatemala  
*clavicornis* Csy. 95-542.....Panamá  
U. S. A.  
*subaeneus* Sol. 49-420.....Chile  
*subcupreus* Champ. 14-116.....Guatemala  
*subcyanus* Gorb. 82-125.....Guatemala  
*versicolor* Gorb. 82-126.....Guatemala

**INCERTAE SEDIS**

- Antioxou* Gorb. 86-332  
*cribripenne* Gorb. 86-332.....Panamá  
**Microzygia** Pic 32-251  
*semimetallica* Pic 32-252.....Brasil

**CLERIDAE****TILLINAE**

- Cylidrus** Latr. 29-476  
*Epiteles* Newm. 42-403  
*abdominalis* Klug 42-262.....Brasil  
**Monophylla** Spin. 41-75  
*Elasmocerus* LeC. 52-13  
*Macrotelus* Klug 42-274  
*californica* Fall 01-251.....Baja Calif.  
México  
Costa Rica  
U. S. A.  
*cinctipennis* Chev. 74-281.....Cuba  
**Calloitillus** Wolc. 11-115  
*crusoe* Wolc. 23-1.....Puroto Rico  
*elegans* Er. 47-85.....México  
*occidentalis* Gorb. 82-129.....Guatemala  
Nicaragua  
Perú  
U. S. A.  
**Tillus** Oliv. 90-22  
*collaris* Spin. 44-98.....Central America  
U. S. A.  
**Perilypus** Spin. 41-72  
*carbonarius* Spin. 44-105.....?México  
U. S. A.  
**Cymatodera** Gray 32-375  
*angulifera* Gorb. 82-133.....México  
Guatemala  
Costa Rica

<sup>1</sup> Baja California (Mexico).<sup>2</sup> México.

|   |              |
|---|--------------|
| <b>Cymatodera</b> —Continued.             |              |
| angustata Spin. 44-149.....               | México       |
| bipunctata Gorb. 82-135.....              | México       |
|   | Costa Rica   |
| championi Gorb. 82-131.....               | Panamá       |
| conflagrata Klug. 42-272.....             | Venezuela    |
| cylindricollis Chevr. 33-11.....          | México       |
|   | Guatemala    |
|   | U. S. A.     |
| depauperata Gorb. 82-138.....             | Guatemala    |
| discoidalis Chevr. 43-10.....             | México       |
| duplicata Wolc. 10-353.....               | México       |
| flexuosa Gorb. 82-136.....                | México       |
| fuscula LeC. 52-212.....                  | México       |
|   | U. S. A.     |
| geniculata Chevr. 74-282.....             | Guatemala    |
|   | Nicaragua    |
|   | Panamá       |
| gracilis Kirsch 89-12.....                | Colombia     |
| grandis Gorb. 82-130.....                 | México       |
| grossa Gorb. 82-138.....                  | México       |
| guatemalensis Schklg. 00-385.....         | Guatemala    |
| högei Gorb. 82-135.....                   | México       |
|   | Guatemala    |
| hopei Gray 32-375.....                    | México       |
| <i>gigantea</i> Horn 80-148.....          | U. S. A.     |
| ibidioides Spin. 44-124.....              | Brasil       |
| inornata Say 35-161.....                  | México       |
| <i>tenera</i> LeC. 52-15.....             | U. S. A.     |
| insignis Schklg. 15-110.....              | Costa Rica   |
| kolbei Schklg. 47-303.....                | México       |
| laeta Spin. 44-143.....                   | Colombia     |
| <i>regalis</i> Spin. 44-144.....          |              |
| liturata Gorb. 82-134.....                | Guatemala    |
| lunulata Gorb. 82-133.....                | Guatemala    |
| marmorata Klug 42-271.....                | México       |
| megacephala Chevr. 76-8.....              | Colombia     |
| melazona Chevr. 74-282.....               | Colombia     |
| modesta Spin. 44-144.....                 | ?México      |
|   | Chile        |
| nitida Gorb. 82-134.....                  | México       |
|   | Guatemala    |
| pallidipennis Chevr. 74-8.....            | México       |
|   | Br. Honduras |
| parallela Gorb. 82-132.....               | Guatemala    |
|   | Panamá       |
| prolixa Klug 42-272.....                  | Costa Rica   |
|   | Venezuela    |
|   | Guiana       |
| sallei Thoms. 60-49.....                  | México       |
| <i>emarginata</i> Chevr. 76-8.....        | Costa Rica   |
| satirata Gorb. 86-334.....                | Panamá       |
| sericans Gorb. 86-333.....                | Panamá       |
| striatopunctata Chevr. 76-8.....          | México       |
| texana Gorb. 82-134.....                  | México       |
|   | U. S. A.     |
| undata Spin. 44-142.....                  | México       |
| <i>marmorata</i> Spin. 44-pl. 9.....      |              |
| vagemaculata Thoms. 60-50.....            | México       |
| valida Gorb. 82-137.....                  | Guatemala    |
| venusta Wolc. 27-19.....                  | Costa Rica   |
|   | Panamá       |
| wickhami Wolc. 10-354.....                | México       |
| <b>Notocymatodera</b> Schklg. 07-310      |              |
| dimidiata Germain 55-393.....             | Chile        |
| <b>Aphelocerus</b> Kirsch 70-369          |              |
| sturnus Kirsch 70-369.....                | Colombia     |
| <b>CLERINAE</b>                           |              |
| Axina Kby. 18-389                         |              |
| <i>Ctenaxina</i> Schklg. 06-254 (Subg.)   |              |
| <i>analis</i> Kby. 18-391.....            | Brasil       |
| <i>rustfarsis</i> Perty 34-30.....        | Paraguay     |
| <i>argentina</i> .....                    | Argentina    |
| <i>basalis</i> Schklg. 00-389.....        | México       |
| <i>bifasciata</i> Chevr. 76-9.....        | Brasil       |
| <i>centrimaculata</i> Schklg. 00-388..... |              |
| <i>brunnea</i> Schklg. 06-254.....        | Perú         |
| <i>conspicua</i> Schklg. 00-390.....      | Brasil       |
| <i>fasciata</i> Kirsch 73-398.....        | Perú         |
| <i>lateralis</i> Pic 36-15.....           | Brasil       |
| <i>munda</i> Schklg. 00-391.....          | Brasil       |
| <i>nigrifrons</i> Schklg. 06-253.....     | Venezuela    |
| <i>parcepunctata</i> Schklg. 00-388.....  | México       |
| <i>picta</i> Schklg. 07-309.....          | Brasil       |
| <i>plagiata</i> Schklg. 00-390.....       | Brasil       |
| <i>sexmaculata</i> Spin. 44-124.....      | Brasil       |
| <b>Priocera</b> Kby. 18-389               |              |
| <i>abdominalis</i> Blanch. 43-91.....     | Bolivia      |
| <i>angulata</i> Schklg. 00-387.....       | Brasil       |
| <i>apicalis</i> Thoms. 60-51.....         | Brasil       |
| <i>aurosignata</i> Lucas 57-92.....       | Brasil       |
| <i>bispinosa</i> Klug 42-284.....         | Colombia     |
| <i>reichei</i> Spin. 44-121.....          | Brasil       |
| <i>v. diverselutea</i> Pic 36-15.....     | Colombia     |
| <i>castanea</i> Newm. 38-350.....         | ?Brasil      |
|   | U. S. A.     |
| <i>cinctiventris</i> Chevr. 43-32.....    | Brasil       |
| <i>clavipes</i> Gorb. 82-140.....         | México       |
|   | Guatemala    |
|   | Costa Rica   |
|   | Panamá       |
| <i>cylindrica</i> Thoms. 60-54.....       | Brasil       |
| <i>dentipennis</i> Thoms. 60-50.....      | Brasil       |
| <i>equestris</i> Schklg. 06-257.....      | Brasil       |
| <i>femoralis</i> Kirsch 65-93.....        | Costa Rica   |
|   | Colombia     |
|   | Perú         |
| <i>gracilis</i> Schklg. 06-257.....       | Brasil       |
| <i>hypocrita</i> Chevr. 74-283.....       | Brasil       |
| <i>klugi</i> Thoms. 60-52.....            | Colombia     |
| <i>lateralis</i> Thoms. 60-55.....        | Brasil       |
| <i>longula</i> Schklg. 06-256.....        | Brasil       |
| <i>marginicollis</i> Chevr. 43-31.....    | Brasil       |
| <i>miersiana</i> White 49-49.....         | Brasil       |
| <i>minuta</i> Thoms. 60-55.....           | Brasil       |
| <i>pallens</i> Thoms. 60-54.....          | Brasil       |
| <i>podagrica</i> Schklg. 00-385.....      | Brasil       |
| <i>v. pygmaea</i> Schklg. 02-321.....     | Brasil       |
| <i>proxima</i> Chevr. 76-10.....          | Brasil       |
| <i>pustulata</i> Spin. 44-118.....        | México       |
| <i>flaoguttata</i> Chevr. 74-283.....     | Guatemala    |
|   | Nicaragua    |
|   | Panamá       |
| <i>quadrigibbosa</i> Thoms. 60-53.....    | Brasil       |
| <i>quadrinotata</i> Schklg. 00-389.....   | Brasil       |
|   | Argentina    |
| <i>ruficrus</i> Chevr. 76-9.....          | Brasil       |
| <i>salamandra</i> Schklg. 06-255.....     | México       |
|   | Costa Rica   |



|                                      |                |  |
|--------------------------------------|----------------|--|
| <b>Adelphoclerus</b> —Continued.     |                |  |
| nitidus Wolc. 10-357.....            | México         |  |
|                                      | Panamá         |  |
| <b>Enoclerus</b> Gahan 10-62         |                |  |
| <i>Caestron</i> Spin. 44-269         |                |  |
| <i>Clerus</i> of authors             |                |  |
| <i>Poecilochroa</i> Chev. 76-5       |                |  |
| abdominalis Chev. 34-52.....         | México         |  |
| <i>zonatus</i> Klug 42-297           |                |  |
| abruptus LeC. 58-72.....             | ?Argentina     |  |
|                                      | U. S. A.       |  |
| v. flavosignatus Spin. 44-239.....   | Brasil         |  |
|                                      | Argentina      |  |
|                                      | México         |  |
| v. laetus Klug 42-301.....           | Guatemala      |  |
| v. recurvatus Gorb. 82-158.....      | Guatemala      |  |
| aeneicollis Spin. 44-254.....        | México         |  |
| aesopius Gorb. 82-160.....           | Nicaragua      |  |
| aestivus Schklg. 06-274.....         | Brasil         |  |
| albofasciatus Chev. 43-24.....       | México         |  |
|                                      | Bolivia        |  |
| anceps Gorb. 82-157.....             | Guatemala      |  |
| annulatus Esch. 22-50.....           | Brasil         |  |
| araneipes Corp. 25-394.....          | Costa Rica     |  |
| v. costiricensis Wolc. 27-41.....    | Costa Rica     |  |
| arrowi Schklg. 07-311.....           | ?              |  |
| artifex Spin. 44-243.....            | Fr. Guiana     |  |
|                                      | Brasil         |  |
| atriceps Gorb. 76-82.....            | Guatemala      |  |
|                                      | Panamá         |  |
| atrotuberculatus Pic 36-6.....       | Bolivia        |  |
| auronotatus Chev. 76-15.....         | Colombia       |  |
| axillaris Er. 47-85.....             | Perú           |  |
| badeni Gorb. 76-80.....              | México         |  |
|                                      | U. S. A.       |  |
| beatu Gorb. 82-154.....              | México         |  |
|                                      | Guatemala      |  |
| bellus Schklg. 98-365.....           | Bolivia        |  |
| v. obscuricollis Schklg. 07-312..... | Ecuador        |  |
| bicarinatus Gorb. 82-152.....        | Nicaragua      |  |
|                                      | Costa Rica     |  |
|                                      | Panamá         |  |
| biconjunctus Pic 36-4.....           | Brasil         |  |
| bilobus Spin. 44-240.....            | Brasil         |  |
|                                      | Bolivia        |  |
| binodulus Gorb. 76-77.....           | México         |  |
| <i>mutabilis</i> Chev. 74-291        | Guatemala      |  |
|                                      | Nicaragua      |  |
|                                      | Costa Rica     |  |
|                                      | Panamá         |  |
|                                      | Colombia       |  |
|                                      | Venezuela      |  |
|                                      | Guiana         |  |
|                                      | Brasil         |  |
|                                      | Ecuador        |  |
|                                      | Perú           |  |
| bipartitus Schklg. 15-314.....       | Ecuador        |  |
| bispinis Wolc. 27-47.....            | Costa Rica     |  |
| bombycinus Chev. 33-42.....          | México         |  |
|                                      | Nicaragua      |  |
|                                      | U. S. A.       |  |
| boucardi Chev. 76-13.....            | México         |  |
| <i>vulpinus</i> Gorb. 76-81          | Guatemala      |  |
|                                      | Costa Rica     |  |
| cautus Gorb. 82-152.....             | Guatemala      |  |
| cinctus Schklg. 15-315.....          | Perú           |  |
| cinereopilosus Blanch. 43-91.....    | Brasil         |  |
|                                      | Guatemala      |  |
|                                      | Panamá         |  |
| circumductus Schklg. 15-314.....     | Brasil         |  |
| clermonti Pic 36-5.....              | Bolivia        |  |
| coccineus Schklg. 06-272.....        | México         |  |
| cognatus Chev. 74-296.....           | Brasil         |  |
| columbiae Spin. 44-135.....          | Colombia       |  |
| <i>columbicus</i> Schklg. 03-43      |                |  |
| commodus Klug 42-303.....            | Brasil         |  |
|                                      | Paraguay       |  |
| v. bolivianus Schklg. 06-276.....    | Bolivia        |  |
| comptus Klug 42-304.....             | Brasil         |  |
| concinus Gorb. 78-165.....           | México         |  |
|                                      | Guatemala      |  |
| contractus Gorb. 82-154.....         | México         |  |
| <i>laterinotatus</i> Kr. 99-88       | Guatemala      |  |
| crabronarius Spin. 44-247.....       | ?South America |  |
|                                      | ?U. S. A.      |  |
| v. deletus Wolc. 27-62.....          | Costa Rica     |  |
| cuneatus Gorb. 82-160.....           | México         |  |
| cyaneus Chev. 76-15.....             | Colombia       |  |
| cylindricus Gorb. 78-164.....        | México         |  |
|                                      | Guatemala      |  |
| decussatus Klug. 42-296.....         | Brasil         |  |
|                                      | México         |  |
|                                      | U. S. A.       |  |
| v. ornatus Spin. 44-247.....         | México         |  |
| <i>höpfneri</i> Spin. 44-256         |                |  |
| delicicolus Gorb. 76-82.....         | Brasil         |  |
|                                      | Perú           |  |
| denticollis Spin. 49-407.....        | Chile          |  |
| dichrous Chpn. 27-2.....             | Brasil         |  |
| dilambda Wolc. 27-59.....            | Costa Rica     |  |
| dimidiatus Schklg. 07-304.....       | México         |  |
| distinctus Spin. 44-244.....         | Brasil         |  |
| elegantulus Schklg. 02-325.....      | Venezuela      |  |
| erythropterus Klug 42-306.....       | Brasil         |  |
| erythropus Klug 42-304.....          | Brasil         |  |
| faber Chev. 74-294.....              | Guiana         |  |
|                                      | Brasil         |  |
| fasciatus Schklg. 00-394.....        | Brasil         |  |
| fasciicollis Schklg. 00-393.....     | Brasil         |  |
| faustus Schklg. 00-395.....          | Perú           |  |
| felix Gorb. 76-80.....               | Brasil         |  |
|                                      | Argentina      |  |
| femoralis Gorb. 76-77.....           | Brasil         |  |
|                                      | Argentina      |  |
| festivus Gorb. 76-78.....            | Brasil         |  |
| flavibasis Chpn. 27-4.....           | Brasil         |  |
| fraternus Schklg. 07-311.....        | Brasil         |  |
| fugitivus Wolc. 27-57.....           | México         |  |
|                                      | Costa Rica     |  |
| v. cupidus Wolc. 27-59.....          | Costa Rica     |  |
|                                      | Panamá         |  |
| gahani Schklg. 07-311.....           | Brasil         |  |
| gaudens Gorb. 76-79.....             | Brasil         |  |
| griseopubens Pic 39-32.....          | México         |  |
| guatemalensis Gorb. 82-158.....      | Guatemala      |  |
| hieroglyphicus Gorb. 76-79.....      | Brasil         |  |
| högei Gorb. 82-159.....              | México         |  |
| hybridus Chev. 76-13.....            | Brasil         |  |
| immarginatus Chev. 74-297.....       | Colombia       |  |
| indagator Chev. 74-292.....          | Venezuela      |  |
| inimicoides Chpn. 27-2.....          | Brasil         |  |
| inimicus Wolc. 12-72.....            | Brasil         |  |
| insidiosus Gorb. 82-160.....         | Panamá         |  |
| interruptus Klug 42-305.....         | Brasil         |  |

**Enoclerus**—Continued.

|  |            |   |
|--|------------|---|
| <i>lacordairei</i> Spin. 44-140.....       | Brasil     | Costa Rica                                |
| <i>laportei</i> Spin. 44-258.....          | México     | Panamá                                    |
|  | ?Brasil    | Colombia                                  |
| <i>v. imperialis</i> Spin. 44-259.....     | México     | Venezuela                                 |
| <i>latefasciatus</i> Wolc. 10-360.....     | México     | Brasil                                    |
| <i>lateluteus</i> Pic 36-3.....            | Brasil     | Ecuador                                   |
| <i>luteoapicalis</i> Pic 36-6.....         | Brasil     | Perú                                      |
| <i>latesellatus</i> Schklg. 00-18.....     | México     | Brasil                                    |
| <i>laticinctus</i> White 49-50.....        | Brasil     | México                                    |
| <i>lepidus</i> Klug 42-302.....            | Brasil     | Guatemala                                 |
| <i>leucomelas</i> Chevr. 74-281.....       | México     | Nicaragua                                 |
| <i>lugubris</i> Er. 47-85.....             | Brasil     | Costa Rica                                |
|  | Perú       | Brasil                                    |
|  | Bolivia    | <i>v. captiosus</i> Wolc. 27-51.....      |
| <i>luscus</i> Klug 42-299.....             | México     | Costa Rica                                |
| <i>maculicollis</i> Spin. 44-273.....      | Brasil     | <i>pelsonioides</i> Schklg. 15-315.....   |
| <i>malleri</i> Pic 36-4.....               | Brasil     | México                                    |
| <i>melanocephalus</i> Gorb. 76-83.....     | Brasil     | <i>peruvianus</i> Pic 36-4.....           |
| <i>meridanus</i> Chevr. 74-293.....        | México     | Perú                                      |
| <i>meridionalis</i> Chevr. 76-13.....      | Brasil     | <i>phaleratus</i> Klug 42-300.....        |
| <i>metasternalis</i> Schklg. 07-312.....   | Brasil     | Brasil                                    |
| <i>mexicanus</i> Lap. 36-44.....           | México     | <i>pictus</i> Gorb. 82-155.....           |
| <i>assimilis</i> Spin. 44-249.....         | Guatemala  | Guatemala                                 |
|  | Nicaragua  | <i>plagiatus</i> Gorb. 86-339.....        |
|  | Panamá     | Panamá                                    |
|  | U. S. A.   | <i>planonotatus</i> Lap. 36-45.....       |
| <i>v. assimilis</i> Chevr. 43-17.....      | México     | Brasil                                    |
|  | Guatemala  | <i>puellus</i> Gorb. 86-339.....          |
|  | Panamá     | Guatemala                                 |
| <i>v. semiochraceus</i> Chevr. 74-292..... | México     | <i>pulchellus</i> Klug 42-303.....        |
| <i>v. silbermanni</i> Chevr. 43-21.....    | México     | Brasil                                    |
|  | Guatemala  | <i>obliquefasciatus</i> Chev. 43-32       |
|  | Nicaragua  | <i>pulcher</i> Schklg. 07-310.....        |
|  | Costa Rica | Brasil                                    |
|  | Panamá     | <i>pusillus</i> Klug 42-306.....          |
|  | U. S. A.   | Colombia                                  |
|  |            | <i>arcuatus</i> Spin. 44-245.....         |
|  |            | Brasil                                    |
|  |            | <i>pusio</i> Schklg. 06-276.....          |
|  |            | Perú                                      |
|  |            | <i>quadriguttatus</i> Oliv. 95-18.....    |
|  |            | México                                    |
|  |            | <i>incertus</i> LeC. 65-55.....           |
|  |            | U. S. A.                                  |
|  |            | <i>nigripes</i> Say 23-191                |
|  |            | <i>quadrinodosus</i> Chevr. 74-293.....   |
|  |            | México                                    |
|  |            | Guatemala                                 |
|  |            | Nicaragua                                 |
|  |            | Panamá                                    |
|  |            | U. S. A.                                  |
| <i>militaris</i> Schklg. 06-272.....       | Brasil     | <i>quadrinotatus</i> Chevr. 43-22.....    |
| <i>miniatus</i> Spin. 44-139.....          | Fr. Guiana | México                                    |
| <i>simulans</i> Chevr. 74-294.....         | Brasil     | <i>rectefasciatus</i> Schklg. 15-313..... |
|  | Paraguay   | Brasil                                    |
|  | Argentina  | <i>rosmarus</i> Say 23-190.....           |
| <i>minutus</i> Blanch. 43-90.....          | Brasil     | Costa Rica                                |
|  | Argentina  | U. S. A.                                  |
| <i>moestus</i> Klug 42-298.....            | México     | <i>angustus</i> LeC. 49-21                |
| <i>truncatus</i> LeC. 52-23.....           | U. S. A.   | <i>oculatus</i> Spin. 44-267              |
| <i>morosus</i> Chevr. 74-296.....          | Brasil     | Fr. Guiana                                |
| <i>muzensis</i> Schklg. 15-313.....        | Colombia   | <i>v. apicatus</i> Schklg. 06-275.....    |
| <i>mysticus</i> Klug 42-300.....           | Brasil     | Brasil                                    |
| <i>antiquus</i> Spin. 44-246.....          | Argentina  | <i>v. nigricollis</i> Schklg. 02-324..... |
| <i>nigriventris</i> Blanch. 43-90.....     | Argentina  | Brasil                                    |
| <i>nigrocinctus</i> Klug 42-294.....       | México     | <i>rufimanus</i> Schklg. 00-395.....      |
| <i>bicinctus</i> Spin. 44-260.....         | México     | Perú                                      |
| <i>a. retrocinctus</i> Corp. 33-116.....   | México     | <i>rufomemoratus</i> Schklg. 13-314.....  |
| <i>v. bicinctus</i> Klug 42-297.....       | México     | Perú                                      |
| <i>errans</i> Gorb. 76-80.....             | México     | <i>rutilus</i> Gorb. 82-155.....          |
| <i>nigromaculatus</i> Chevr. 43-20.....    | México     | México                                    |
| <i>nitidus</i> Chevr. 43-24.....           | México     | Guatemala                                 |
| <i>laevigatus</i> Spin. 44-238.....        | Bolivia    | <i>sahlbergi</i> Chevr. 76-13.....        |
| <i>nebulosus</i> Spin. 44-238.....         | México     | Brasil                                    |
| <i>v. brunripes</i> Spin. 44-239.....      | México     | <i>salvini</i> Gorb. 76-68.....           |
|  | México     | México                                    |
|  | Colombia   | Guatemala                                 |
|  | México     | Nicaragua                                 |
|  | Colombia   | Costa Rica                                |
|  | Colombia   | Panamá                                    |
| <i>nodulifer</i> Gorb. 82-150.....         | México     | Panamá                                    |
| <i>mutabilis</i> Chev. 74-291.....         | Guatemala  | México                                    |
|  | Nicaragua  | Panamá                                    |
|  |            | Brasil                                    |
|  |            | Paraguay                                  |
|  |            | Argentina                                 |
|  |            | <i>v. tristis</i> Schklg. 06-273.....     |
|  |            | Brasil                                    |
|  |            | <i>scitulus</i> Schklg. 03-396.....       |
|  |            | México                                    |
|  |            | <i>scutellaris</i> Chevr. 74-296.....     |
|  |            | México                                    |
|  |            | <i>sericans</i> Westw. 44-254.....        |
|  |            | México                                    |
|  |            | <i>sexguttatus</i> Fabr. 75-823.....      |
|  |            | South America                             |
|  |            | <i>sigma</i> Gorb. 76-77.....             |
|  |            | Brasil                                    |
|  |            | <i>signatus</i> Klug 42-301.....          |
|  |            | México                                    |
|  |            | <i>bisignatus</i> Spin. 44-272            |

|   |              |  |
|---|--------------|--|
| <b>Enoclerus</b> —Continued.              |              |  |
| <i>sobrinus</i> Lap. 36-45.....           | Brasil       |  |
| <i>sphegeus</i> Fabr. 87-125.....         | México       |  |
| <i>sobrius</i> Walk. 66-326.....          | U. S. A.     |  |
| <i>v. arachnodes</i> Klug 42-299.....     | México       |  |
| <i>spinolae</i> LeC. 53-230.....          | U. S. A.     |  |
| <i>steinheili</i> Chevr. 76-14.....       | Panamá       |  |
| <i>subfasciatus</i> Chevr. 76-14.....     | Colombia     |  |
| <i>subjunctus</i> Schklg. 00-393.....     | Brasil       |  |
| <i>v. tristiculus</i> Schklg. 07-310..... | Brasil       |  |
| <i>suturalis</i> Schklg. 06-277.....      | Brasil       |  |
| <i>tarsatus</i> Klug 42-303.....          | Brasil       |  |
| <i>tenenbaumi</i> Pic 40-2.....           | México       |  |
| <i>tibialis</i> Klug 42-302.....          | Brasil       |  |
| <i>tomentosus</i> Schklg. 06-275.....     | Bolivia      |  |
| <i>torquatus</i> Chevr. 74-294.....       | Guiana       |  |
| <i>tricinctus</i> Chevr. 74-295.....      | Guiana       |  |
| <i>socius</i> Chevr. 74-262.....          | Brasil       |  |
| <i>tricolor</i> Lap. 36-46.....           | México       |  |
| <i>triplagiatus</i> Blanch. 43-90.....    | Brasil       |  |
| <i>trifasciatus</i> Blanch. 43-pl. 6..... | Paraguay     |  |
| <i>trogositoides</i> Spin. 44-269.....    | Argentina    |  |
| <i>tubercularis</i> Gorb. 82-153.....     | México       |  |
| <i>uncinatus</i> Schklg. 07-312.....      | Guatemala    |  |
| <i>variegatus</i> Spin. 44-250.....       | Brasil       |  |
| <i>varius</i> Klug 42-296.....            | México       |  |
| <i>venator</i> Chevr. 43-18.....          | México       |  |
| <i>lesneuri</i> Spin. 44-249.....         |              |  |
| <i>versicolor</i> Lap. 36-45.....         | Brasil       |  |
| <i>miniaceus</i> Blanch. 43-89.....       | Argentina    |  |
| <i>v. cruentatus</i> Spin. 44-251.....    | Brasil       |  |
| <i>v. granadensis</i> Schklg. 06-273..... | Colombia     |  |
| <i>v. jucundus</i> Klug 42-296.....       | Brasil       |  |
| <i>viduus</i> Klug 42-297.....            | México       |  |
| <i>cuprescens</i> Gorb. 76-81.....        | U. S. A.     |  |
| <i>erythrogaster</i> Spin. 44-272.....    |              |  |
| <i>rufiventris</i> Chevr. 43-11.....      |              |  |
| <i>villicus</i> Gorb. 86-340.....         | Costa Rica   |  |
| <i>vulneratus</i> Klug 42-302.....        | Panamá       |  |
| <i>wagneri</i> Pic 36-5.....              | México       |  |
| <i>X-album</i> Gorb. 86-151.....          | Argentina    |  |
| <i>zebra</i> Chevr. 43-23.....            | Guatemala    |  |
|   | Br. Honduras |  |
|   | Nicaragua    |  |
|   | Costa Rica   |  |
|   | Panamá       |  |
|   | México       |  |
|   | Guatemala    |  |
|   | Nicaragua    |  |
| <b>Thanoeroclerus</b> Lef. 38-13          |              |  |
| <i>Isoclerus</i> Lewis 92-191.....        |              |  |
| <i>Thanoeroclerus</i> L. & M. 14-433..... |              |  |
| <i>buquet</i> Lef. 35-577.....            | Cuba         |  |
| <i>girodi</i> Chevr. 80-31.....           | Guadeloupe   |  |
|   | U. S. A.     |  |
|   | Old World    |  |
| <b>Parathanoeroclerus</b> Pic 36-20       |              |  |
| <i>triimpressus</i> Pic 36-20.....        | Brasil       |  |
| <b>Aulicus</b> Spin. 41-74                |              |  |
| <i>alboguttulatus</i> Chevr. 74-299.....  | Cuba         |  |
| <i>basicollis</i> Chevr. 74-299.....      | Cuba         |  |
| <i>bilineatus</i> Chevr. 74-300.....      | Cuba         |  |
| <i>coffini</i> White 49-53.....           | México       |  |
| <i>monticola</i> Gorb. 82-146.....        | México       |  |
| U. S. A.                                  |              |  |
| <i>nero</i> Spin. 44-330.....             | México       |  |
| U. S. A.                                  |              |  |
| <i>semifasciatus</i> Linsley 36-254.....  | México       |  |
| <i>thoracicus</i> Schklg. 07-305.....     | México       |  |
| <i>Muisca</i> Spin. 44-147.....           |              |  |
| <i>bitaeniata</i> Spin. 44-148.....       | Colombia     |  |
| <i>Trichodes</i> Hbst. 92-154.....        |              |  |
| <i>Pachyscelis</i> Hope 40-139.....       |              |  |
| <i>illustris</i> Horn 76-231.....         | México       |  |
| U. S. A.                                  |              |  |
| <b>Calcedyma</b> Lac. 57-460              |              |  |
| <i>Polycaon</i> Lap. 40-282.....          |              |  |
| <i>aequipunctata</i> Spin. 49-386.....    | Chile        |  |
| <i>chiliensis</i> Lap. 40-283.....        | Chile        |  |
| <i>bizonata</i> Blanch. 43-89.....        |              |  |
| <i>multiguttata</i> Pic 11-164.....       | Argentina    |  |
| <i>v. atricollis</i> Pic 27-20.....       | Argentina    |  |
| <b>Epiclines</b> Chevr. 38-49             |              |  |
| <i>Dereutes</i> Chevr. 76-29.....         |              |  |
| <i>Eurycranium</i> Blanch. 45-87.....     |              |  |
| <i>Eurycranus</i> Gorb. 82-165.....       |              |  |
| <i>Eurymetopum</i> Blanch. 43-92.....     |              |  |
| <i>Therutes</i> Hai. 79-250.....          |              |  |
| <i>acutipennis</i> Spin. 49-396.....      | Chile        |  |
| <i>advena</i> Chevr. 76-22.....           | Chile        |  |
| <i>aenea</i> Phil. 64-266.....            | Chile        |  |
| <i>analis</i> Phil. 64-268.....           | Chile        |  |
| <i>angusta</i> Phil. 64-266.....          | Chile        |  |
| <i>basalis</i> Blanch. 43-96.....         | Chile        |  |
| <i>brachialis</i> Chevr. 76-32.....       | Chile        |  |
| <i>brevis</i> Chevr. 76-31.....           | Chile        |  |
| <i>centurio</i> Chevr. 76-31.....         | Chile        |  |
| <i>circumflexa</i> Chevr. 74-223.....     | Chile        |  |
| <i>dimidiata</i> Chevr. 76-34.....        | Chile        |  |
| <i>dimidiatipennis</i> Chevr. 76-30.....  | Chile        |  |
| <i>eburneocincta</i> Spin. 49-397.....    | Argentina    |  |
| Chile                                     |              |  |
| <i>v. nigripes</i> Schklg. 00-397.....    | Argentina    |  |
| <i>frigida</i> Chevr. 76-35.....          | Chile        |  |
| <i>frontalis</i> Chevr. 76-46.....        | Chile        |  |
| <i>fulvipes</i> Blanch. 43-93.....        | Chile        |  |
| <i>substriata</i> Spin. 49-394.....       |              |  |
| <i>gayi</i> Chevr. 29-50.....             | Chile        |  |
| <i>implicata</i> Chevr. 76-33.....        | Chile        |  |
| <i>impressa</i> Spin. 49-393.....         | Chile        |  |
| <i>infuscata</i> Chevr. 76-47.....        | Chile        |  |
| <i>landbecki</i> Phil. 64-269.....        | Chile        |  |
| <i>landkubi</i> Chevr. 76-30.....         |              |  |
| <i>longula</i> Spin. 44-138.....          | Chile        |  |
| <i>luridipennis</i> Chevr. 76-47.....     | Chile        |  |
| <i>maculata</i> Blanch. 43-92.....        | Argentina    |  |
| <i>costicollis</i> Spin. 49-401.....      | Chile        |  |
| <i>maculipennis</i> Chevr. 76-35.....     | Chile        |  |
| <i>modesta</i> Phil. 64-267.....          | Chile        |  |
| <i>nodicollis</i> Chevr. 76-36.....       | Chile        |  |
| <i>nudata</i> Spin. 49-400.....           | Chile        |  |
| <i>obscura</i> Phil. 64-267.....          | Chile        |  |
| <i>ornata</i> Phil. 65-656.....           | Chile        |  |
| <i>ornatipennis</i> Chevr. 76-33.....     | Chile        |  |
| <i>pallens</i> Blanch. 43-93.....         | Chile        |  |
| <i>paralella</i> Fairm. 61-3.....         | Argentina    |  |
| <i>cinctipennis</i> Chevr. 76-32.....     | Chile        |  |



## Epiclines—Continued.

|                                      |            |  |             |
|--------------------------------------|------------|--|-------------|
| <i>prasina</i> Spin. 49-403          | Argentina  |  |             |
|                                      | Chile      |  |             |
| <i>proteus</i> Spin. 49-404          | Chile      |  |             |
| <i>pulchellus</i> Wolc. 11-124       | México     |  |             |
| <i>puncticollis</i> Spin. 49-389     | Chile      |  |             |
| <i>quadrifasciolata</i> Chevr. 76-33 | Chile      |  |             |
| <i>rubida</i> Chevr. 76-34           | Chile      |  |             |
| <i>ruficollis</i> Phil. 64-267       | Chile      |  |             |
| <i>semifusca</i> Chevr. 76-31        | Chile      |  |             |
| <i>semimetallica</i> F. & G. 62-3    | Chile      |  |             |
| <i>seminigra</i> Chevr. 76-31        | Chile      |  |             |
| <i>semiprasina</i> Chevr. 76-35      | Argentina  |  |             |
|                                      | Chile      |  |             |
| <i>semirufa</i> F. & G. 62-3         | Chile      |  |             |
| <i>similis</i> Schklg. 00-327        | Chile      |  |             |
| <i>spinolai</i> Gemm. 70-121         | Chile      |  |             |
| <i>gayi</i> Spin. 49-389             |            |  |             |
| <i>trinodosa</i> Chevr. 76-46        | Chile      |  |             |
| <i>tristis</i> Spin. 49-390          | Chile      |  |             |
| <i>virens</i> Chevr. 76-32           | Chile      |  |             |
| <i>viridiaenea</i> Gorch. 82-165     | Guatemala  |  |             |
| <i>viridis</i> Phil. 64-268          | Argentina  |  |             |
|                                      | Chile      |  |             |
| <i>vittula</i> F. & G. 61-3          | Chile      |  |             |
| <b>HYDROCERINAE</b>                  |            |  |             |
| <i>Hydrocera</i> Newm. 38-379        |            |  |             |
| <i>aeneicollis</i> Schklg. 07-306    | México     |  |             |
| <i>albofasciata</i> Lucas 57-93      | Brasil     |  |             |
| <i>antillae</i> Wolc. 27-81          | Costa Rica |  |             |
| <i>aprica</i> Wolc. 27-83            | Costa Rica |  |             |
| <i>aspera</i> Wolc. 10-379           | México     |  |             |
| <i>attenuata</i> Klug. 42-312        | Brasil     |  |             |
| <i>azurea</i> Spin. 44-52            | Colombia   |  |             |
| <i>basalis</i> Klug 42-312           | Venezuela  |  |             |
|                                      | Paraguay   |  |             |
|                                      | Argentina  |  |             |
| <i>bicarinata</i> Spin. 44-43        | Brasil     |  |             |
| <i>bituberculata</i> Chevr. 74-322   | México     |  |             |
|                                      | Guatemala  |  |             |
|                                      | Nicaragua  |  |             |
|                                      | Panamá     |  |             |
| <i>bonariensis</i> Steinh. 73-573    | Argentina  |  |             |
| <i>brevipennis</i> Spin. 44-46       | Colombia   |  |             |
| <i>bruchi</i> Schklg. 08-701         | Argentina  |  |             |
| <i>calceidiformis</i> Chevr. 76-28   | Colombia   |  |             |
| <i>chalybeata</i> Gorch. 83-170      | México     |  |             |
|                                      | Guatemala  |  |             |
| <i>cincta</i> Spin. 44-48            | México     |  |             |
|                                      | Guatemala  |  |             |
|                                      | Nicaragua  |  |             |
|                                      | Panamá     |  |             |
|                                      | Fr. Guiana |  |             |
|                                      | Brasil     |  |             |
| <i>clavata</i> Gorch. 83-172         | México     |  |             |
| <i>corticina</i> Gorch. 83-173       | México     |  |             |
|                                      | Guatemala  |  |             |
| <i>cruciata</i> Chevr. 43-33         | Colombia   |  |             |
| <i>cryptocerina</i> Gorch. 83-175    | Guatemala  |  |             |
|                                      | Costa Rica |  |             |
|                                      | Panamá     |  |             |
| <i>cyanipennis</i> Gorch. 83-175     | Guatemala  |  |             |
| <i>cylindricollis</i> Gorch. 86-343  | México     |  |             |
|                                      | Guatemala  |  |             |
|                                      | Nicaragua  |  |             |
| <i>discoidea</i> LeC. 52-213         |            |  | Costa Rica  |
|                                      |            |  | Panamá      |
|                                      |            |  | México      |
| <i>furcata</i> Gorch. 86-342         |            |  | U. S. A.    |
| <i>femoralis</i> Chevr. 76-29        |            |  | Brasil      |
| <i>flavofemorata</i> Gorch. 77-261   |            |  | Brasil      |
| <i>fulvipennis</i> Schklg. 98-366    |            |  | Guatemala   |
| <i>fraudulenta</i> Wolc. 27-79       |            |  | Costa Rica  |
| <i>fuscata</i> Wolc. 27-77           |            |  | Costa Rica  |
| <i>gorhami</i> Wolc. 10-378          |            |  | México      |
| <i>guatemalae</i> Gorch. 77-261      |            |  | Guatemala   |
| <i>haematica</i> Gorch. 83-172       |            |  | México      |
| <i>huachiana</i> Chpn. 27-4          |            |  | Brasil      |
| <i>impressa</i> Gorch. 83-176        |            |  | ?México     |
|                                      |            |  | Panamá      |
| <i>intricata</i> Gorch. 83-174       |            |  | Guatemala   |
| <i>ischion</i> Chevr. 76-29          |            |  | Brasil      |
| <i>lateralis</i> Gorch. 83-169       |            |  | Costa Rica  |
|                                      |            |  | Panamá      |
| <i>livida</i> Klug 42-313            |            |  | Brasil      |
| <i>lividipes</i> Chevr. 76-28        |            |  | Colombia    |
| <i>macilenta</i> Wolc. 27-78         |            |  | Costa Rica  |
| <i>marginata</i> Gorch. 77-260       |            |  | Guatemala   |
|                                      |            |  | Panamá      |
| <i>v. atriceps</i> Pic 33-20         |            |  | Guatemala   |
| <i>mexicana</i> Wolc. 11-122         |            |  | México      |
| <i>mirifica</i> Schklg. 07-307       |            |  | México      |
| <i>nigroaenea</i> Gorch. 83-174      |            |  | México      |
| <i>niudicollis</i> Chevr. 74-322     |            |  | México      |
| <i>niveifascia</i> Schaeff. 05-156   |            |  | México      |
|                                      |            |  | U. S. A.    |
| <i>obscura</i> Gorch. 83-172         |            |  | Guatemala   |
|                                      |            |  | Costa Rica  |
|                                      |            |  | Panamá      |
| <i>olivacea</i> Gorch. 77-262        |            |  | Brasil      |
| <i>omogera</i> Horn. 94-383          |            |  | Baja Calif. |
| <i>pallipes</i> Gorch. 77-261        |            |  | Brasil      |
| <i>pulchella</i> Gorch. 83-171       |            |  | Guatemala   |
|                                      |            |  | Panamá      |
| <i>quadrilineata</i> Chevr. 74-322   |            |  | México      |
|                                      |            |  | Guatemala   |
| <i>rudis</i> Gorch. 86-342           |            |  | México      |
| <i>rufithorax</i> Gorch. 77-262      |            |  | Brasil      |
| <i>scapularis</i> Gorch. 83-170      |            |  | Panamá      |
| <i>schmidti</i> Pic 40-3             |            |  | Costa Rica  |
| <i>semimarginata</i> Pic 33-20       |            |  | Guatemala   |
| <i>sordida</i> Gorch. 83-173         |            |  | México      |
| <i>spinolai</i> Wolc. 10-380         |            |  | México      |
| <i>steniformis</i> Klug 42-314       |            |  | Brasil      |
| <i>subulata</i> Gorch. 83-169        |            |  | Guatemala   |
|                                      |            |  | Panamá      |
| <i>subvittata</i> Gorch. 83-170      |            |  | Guatemala   |
|                                      |            |  | Panamá      |
| <i>superba</i> Wolc. 11-122          |            |  | México      |
| <i>suturalis</i> Klug 42-313         |            |  | México      |
| <i>limbata</i> Spin. 44-49           |            |  | ?Panamá     |
|                                      |            |  | U. S. A.    |
| <i>tenella</i> Klug 42-314           |            |  | México      |
| <i>testacea</i> Gorch. 83-169        |            |  | México      |
|                                      |            |  | Guatemala   |
|                                      |            |  | Panamá      |
| <i>trichroa</i> Gorch. 83-171        |            |  | Guatemala   |
| <i>villosa</i> Schklg. 08-702        |            |  | México      |
| <i>virescens</i> Gorch. 77-262       |            |  | Brasil      |
| <i>vitrina</i> Gorch. 86-343         |            |  | México      |
|                                      |            |  | Costa Rica  |
|                                      |            |  | Panamá      |

- Isolemida* Gorch. 77-257 ..... Brasil  
*angustata* Pic 33-20 ..... Brasil  
*apicalis* Gorch. 77-259 ..... Brasil  
*batesi* Gorch. 77-259 ..... Brasil  
*bipunctata* Schklg. 00-399 ..... Brasil  
     Argentina  
*cariniceps* Wolc. 10-376 ..... Nicaragua  
*clermonti* Pic 33-19 ..... Brasil  
     v. *notatipennis* Pic 33-19 ..... Brasil  
*donckieri* Pic 33-18 ..... Brasil  
*pulchella* Gorch. 77-258 ..... Brasil  
*punctata* Pic 33-20 ..... Brasil  
*rufithorax* Pic 33-19 ..... Brasil  
*substriata* Chpn. 20-51 ..... Chile  
*subtilis* Gorch. 77-259 ..... Brasil  
*subviridis* Gorch. 83-177 ..... Panamá  
*Theano* Lap. 36-51 ..... Colombia  
*pusillum* Lap. 36-51 ..... Colombia
- ### PHYLLLOBAENINAE
- Phyllobaenus* Spin. 44-1  
*capitatus* Gorch. 77-248 ..... Brasil  
*erythrocephalus* Gorch. 82-167 ..... México  
     Guatemala  
     Nicaragua  
     Panamá  
*linearis* Gorch. 82-182 ..... Panamá  
*manni* Wolc. 12-73 ..... Brasil  
*nitidus* Gorch. 77-248 ..... Brasil  
*punctatus* Gorch. 82-167 ..... México  
     Guatemala  
     sp. (Wolcott 36-205) ..... Puerto Rico  
*Ellipotoma* Spin. 44-36  
*chiriquiana* Gorch. 83-182 ..... Panamá  
*lateralis* Klug 42-377 ..... Brasil  
*tenuiformis* Spin. 44-38 ..... Colombia  
     *tenuicornis* Gahan 10-73 ..... Brasil  
*trilineata* Chevr. 74-324 ..... México  
*Pyticeroideus* Kuw. 94-7  
*arrogans* Kuw. 94-9 ..... Brasil  
*manni* Chpn. 27-8 ..... Brasil  
*Pyticeroopsis* Schklg. 16-153  
*bruchi* Schklg. 16-154 ..... Argentina  
*Epiphloeus* Spin. 41-75  
*animosus* Wolc. 27-92 ..... Costa Rica  
*bakeri* Wolc. 12-74 ..... Brasil  
*balteatus* Chevr. 43-36 ..... Brasil  
*buqueti* Spin. 41-10 ..... Fr. Guiana  
*byssinus* Er. 47-86 ..... Perú  
*debilis* Kuw. 93-493 ..... Brasil  
*duodecimmaculatus* Klug 42-370 ..... Fr. Guiana  
     *duodecimpunctatus* Spin. 44-167 ..... Brasil  
     *pantherinus* Chevr. 43-35 ..... Brasil  
*fasciatus* Klug 42-371 ..... Brasil  
     *chevrolati* Gorch. 77-246 ..... Brasil  
*iracundus* Wolc. 12-74 ..... Brasil  
*lividipes* Chevr. 74-320 ..... Venezuela  
*marginellus* Spin. 44-15 ..... Fr. Guiana  
*marginipes* Chevr. 74-320 ..... México  
     Nicaragua  
     Panamá  
     Brasil  
*micaceus* Chpn. 27-6 ..... Brasil  
*mucores* Klug 42-371 ..... Brasil  
*nebulosus* Chevr. 76-28 ..... Cuba  
*nubilius* Klug 42-370 ..... Brasil  
*obscurus* Kuw. 93-494 ..... México  
*ornatus* Spin. 44-12 ..... Fr. Guiana  
*parvulus* Schklg. 00-398 ..... Brasil  
*pilosus* Chpn. 27-7 ..... Brasil  
*princeps* Gorch. 86-340 ..... Panamá  
*pulcherrimus* Gorch. 77-246 ..... Brasil  
*quadristigma* Chevr. 74-320 ..... Cuba  
*quattuordecimmaculatus* Chevr. 76-27 ..... ?Cuba  
     Brasil  
*schenklingi* Gahan 10-72 ..... Brasil  
*setulosus* Thoms. 60-60 ..... México  
     Guatemala  
     Nicaragua  
     Panamá  
     Brasil  
*sexplagiatus* Kuw. 93-494 ..... Brasil  
*simplex* Schklg. 00-397 ..... Bolivia  
*speculum* Klug 42-372 ..... Brasil  
*terzonatus* Gorch. 77-247 ..... Brasil  
*tibialis* Kuw. 93-495 ..... Brasil  
*tomentosus* Spin. 44-13 ..... Fr. Guiana  
     Brasil  
*tricolor* Kuw. 93-493 ..... Brasil  
*variegatus* Klug 42-372 ..... Brasil  
*velutinus* Gorch. 77-247 ..... Brasil  
     *ruficeps* Kuw. 93-495 ..... Brasil  
*vitticollis* Schklg. 06-299 ..... Brasil  
*sp.* (Wolcott 36-205) ..... Puerto Rico  
*Plocamocera* Spin. 44-17  
*confrater* Kuw. 93-496 ..... Brasil  
     v. *sericelloides* Kuw. 93-497 ..... Brasil  
     v. *similis* Kuw. 93-497 ..... Brasil  
*sericella* Spin. 44-19 ..... Guatemala  
     Panamá  
     Colombia  
     Brasil
- ### ENOPLIINAE
- Tenerus* Lap. 36-43  
     *Prionophorus* Blanch. 53-64  
*atrirtarsis* Pic 26-358 ..... Brasil  
*Neotenerus* Schklg. 06-309  
*longicollis* Pic 35-9 ..... Argentina  
*tuberculatus* Schklg. 06-309 ..... Brasil  
     Paraguay  
*Orthopleura* Spin. 44-80  
*binotata* Gorch. 83-185 ..... México  
     Guatemala  
*cyanipennis* Chpn. 20-52 ..... México  
*damicornis* Fabr. 98-117 ..... México  
     Cuba  
     U. S. A.  
     *bimaculata* Melsh. 46-307 ..... Cuba  
     *nigripennis* Spin. 44-82 ..... U. S. A.  
     *pennsylvanica* Chevr. 74-325 ..... U. S. A.  
     *thoracica* Say 23-188 ..... U. S. A.  
*guadeloupensis* Wolcott 43-138 ..... Guadeloupe  
*hintoni* Wolcott 43-134 ..... México  
*ichnoides* Chevr. 74-324 ..... México  
*lepida* Klug 42-359 ..... Cuba  
*pulchra* Pic 33-18 ..... Brasil  
*punctatissima* Chevr. 43-34 ..... Cuba  
     U. S. A.  
*purpurea* Gorch. 83-186 ..... Guatemala  
*quadraticollis* Spin. 44-pl.32 ..... México  
*suturalis* Chevr. 74-328 ..... México  
*teneroides* Gorch. 83-186 ..... Panamá  
*Goyasenum* Pic 36-7 ..... Brasil  
*ruficolle* Pic 36-7 ..... Brasil

## Ichneea Lap. 36-55

- Pseudichneea* Schklg. 00-400 (Subg.)  
*aequinoctialis* Spin. 44-25.....Colombia  
 Brasil  
*antennata* Schklg. 16-151.....Brasil  
*aterrima* Klug 42-378.....México  
*batesiana* Gorb. 77-412.....Brasil  
 v. *pelonioides* Gorb. 77-412.....Brasil  
*confluens* Kuw. 94-12.....Brasil  
*digna* Wolc. 27-93.....Costa Rica  
*dimidiatipennis* Spin. 44-162.....Colombia  
*disjuncta* Gorb. 77-411.....Nicaragua  
 Brasil  
*duges* Gorb. 83-181.....México  
*frenata* Er. 47-87.....Perú  
*fumigata* Gorb. 77-414.....Brasil  
*funesta* Gorb. 77-410.....Brasil  
*histrica* Gorb. 83-178.....Panamá  
*histris* Gorb. 83-pl.10  
*humeralis* Spin. 44-16.....Fr. Guiana  
 v. *irrita* Wolc. 12-76.....Brasil  
*impressicollis* Gorb. 77-414.....Brasil  
*incerta* Gorb. 77-413.....Brasil  
*lycoides* Lap. 36-55.....Colombia  
 Brasil  
 v. *melanura* Klug 42-376.....Brasil  
*marginella* Klug 42-376.....México  
*circumcincta* Chevr. 74-324.....Guatemala  
*enoplioides* Spin. 44-25.....Nicaragua  
*pubescens* Spin. 44-27.....Colombia  
 Venezuela  
 Fr. Guiana  
 Brasil  
 Perú  
*mexicana* Thoms. 60-65.....México  
 Guatemala  
 Nicaragua  
 Panamá  
 Brasil  
*mimica* Gorb. 77-412.....Brasil  
*mitella* Gorb. 77-411.....Brasil  
 v. *femoralis* Schklg. 00-401.....Brasil  
*opaca* Klug 42-377.....Colombia  
*divisa* Chevr. 43-37.....Surinam  
*roseicollis* Kuw. 94-9.....Brasil  
*panamensis* Gorb. 83-179.....Panamá  
*plumbea* Gorb. 77-413.....Brasil  
*praeusta* Klug 42-376.....Brasil  
*procera* Schklg. 00-399.....Perú  
*religiosa* Chevr. 74-323.....México  
 Guatemala  
*sericea* Klug 42-373.....Brasil  
*striaticollis* Kuw. 94-11.....Brasil  
*subfasciata* Gorb. 77-410.....Brasil  
*suturaalba* Chevr. 76-37.....Colombia  
*vitticollis* Kuw. 94-11.....México  
*kuwerti* Lohde 99-305  
*calceata* Chevr. 43-37.....Brasil  
*eliminata* Schklg. 00-400.....Brasil  
*obscura* Gorb. 77-414.....Brasil  
*varicollis* Schklg. 06-310.....Brasil  
**Platynoptera** Chevr. 34-18  
*ampliata* Klug 42-375.....Brasil  
*duponti* Spin. 44-64.....México  
*goryi* Lap. 36-54.....Fr. Guiana  
*lyciformis* Chevr. 34-pl.30.....Colombia  
 Brasil  
 v. *humeralis* Pic 33-17.....Brasil  
*lycoides* Spin. 44-67.....Colombia  
 Venezuela  
*mexicana* Thoms. 60-65.....México  
 Guatemala  
*pectoralis* Schklg. 00-401.....Brasil  
 v. *simplex* Schklg. 00-402.....?Panamá  
 Brasil  
*suturalis* Schklg. 98-367.....Bolivia  
*testaceiceps* Pic 36-6.....Brasil  
*tucumanensis* Schklg. 08-703.....Argentina  
 v. *baeri* Pic 33-17.....Argentina  
**Pyticera** Spin. 44-69  
*championi* Gorb. 83-184.....Guatemala  
*coronota* Gorb. 77-416.....Brasil  
*duponti* Spin. 44-71.....Brasil  
*flavicollis* Gorb. 77-416.....Guiana  
 Brasil  
 v. *suturalis* Schklg. 06-311.....Bolivia  
**Pelonides** Kuw. 94-8  
*humeralis* Horn 67-135.....México  
*militaris* Chevr. 74-324.....U. S. A.  
*scabripennis* LeC. 65-98.....Baja Calif.  
**Chariessa** Perty 30-109  
*Brachymorphus* Chevr. 35-150  
*Pelonium* Spin. 44-347  
*elegans* Horn 70-87.....México  
*lomberti* Rivers 94-396.....U. S. A.  
*ramicornis* Perty 30-109.....Brasil  
*vestita* Chevr. 35-150.....México  
*spectabilis* Lap. 36-50.....Guatemala  
 Nicaragua  
 Panamá  
 Brasil  
 U. S. A.  
**Apolopha** Spin. 41-75  
*apicicornis* Chevr. 76-38.....Panamá  
*vitticollis* Gorb. 77-415.....Brasil  
*fronticosta* Kuw. 94-10.....Brasil  
*fryana* Gorb. 77-415.....Brasil  
 Argentina  
*nitida* Gorb. 77-415.....Brasil  
*reichei* Spin. 44-383.....Colombia  
*suturalis* Klug 42-378.....Brasil  
**Lasiodera** Gray 32-pl. 48  
*Lasiodera* Bruch 15-253  
*kirbyi* Gray 32-376.....Brasil  
*superba* Lucas 57-94  
*malleri* Pic 33-292.....Brasil  
*ruficollis* Gorb. 77-419.....Panamá  
 Brasil  
*rufipes* Klug 42-362.....Brasil  
 Argentina  
*stenochioides* Chevr. 74-325.....México  
*trifasciata* Lap. 36-47.....Brasil  
*cleroides* Spin. 44-374  
**Cregya** LeC. 61-197  
*Caleruelerus* Gahan 10-75  
*abdita* Wolc. 27-99.....Costa Rica  
*apicalis* Spin. 44-155.....Brasil  
*bruchi* Schklg. 08-705.....Argentina  
*carinata* Schklg. 08-704.....Brasil  
*circumcincta* Chevr. 74-328.....Brasil  
*confluens* Gorb. 77-423.....Brasil  
*ccniformis* Chevr. 76-40.....Brasil  
 v. *centromaculata* Chevr. 76-40.....Brasil  
 v. *marginipennis* Chevr. 76-40.....Brasil

|                                       |   |
|---------------------------------------|---|
| <i>Cregya</i> —Continued.             |   |
| <i>contaminata</i> Klug 42-368        | Colombia                                    |
| <i>obsoleta</i> Blanch. 43-95         | Argentina                                   |
| <i>crinita</i> Klug 42-369            | Panamá                                      |
| <i>collaris</i> Spin. 44-364          | Colombia                                    |
| <i>v. flava</i> Spin. 44-365          | Brasil                                      |
| <i>v. colombiana</i> Spin. 44-366     | Colombia                                    |
| <i>decempunctata</i> Chevr. 76-39     | Brasil                                      |
| <i>difformis</i> Gorb. 77-420         | Brasil                                      |
| <i>dilatata</i> Chevr. 76-39          | Brasil                                      |
| <i>divisa</i> Gorb. 03-169            | Brasil                                      |
| <i>duodecimpunctata</i> Klug 42-368   | Brasil                                      |
| <i>fera</i> Wolc. 27-97               | Costa Rica                                  |
| <i>fimbriolata</i> Chevr. 43-35       | Brasil                                      |
| <i>flavolimbatata</i> Spin. 44-354    | Brasil                                      |
| <i>flavomarginata</i> Chevr. 74-327   | Brasil                                      |
| <i>frontalis</i> Kuw. 94-12           | Brasil                                      |
| <i>galerucoides</i> Spin. 44-372      | Fr. Guiana                                  |
| <i>gemina</i> Schklg. 00-409          | Perú  |
| <i>hirtula</i> Klug 42-367            | Brasil                                      |
| <i>cribripennis</i> Spin. 44-379      |   |
| <i>inscripta</i> Gorb. 83-191         | Panamá                                      |
| <i>insignis</i> Chevr. 74-326         | Brasil                                      |
| <i>insularis</i> Gorb. 98-322         | St. Vincent                                 |
| <i>irrorata</i> Gorb. 77-422          | Brasil                                      |
| <i>kraatzii</i> Schklg. 00-408        | Brasil                                      |
| <i>v. ohausi</i> Schklg. 06-315       | Brasil                                      |
| <i>lateripunctata</i> Schklg. 06-314  | Colombia                                    |
| <i>v. unicolor</i> Schklg. 06-315     | Colombia                                    |
| <i>lineolata</i> Gorb. 83-191         | Guatemala                                   |
| <i>maculosa</i> Gorb. 77-424          | Brasil                                      |
| <i>meieri</i> Schklg. 00-408          | South America                               |
|                                       | ?Europe                                     |
| <i>metallescens</i> Gorb. 83-189      | Guatemala                                   |
| <i>micans</i> Gorb. 77-421            | Brasil                                      |
| <i>minasensis</i> Pic 33-18           | Brasil                                      |
| <i>nigropunctata</i> Chevr. 76-38     | Brasil                                      |
| <i>nigrosignata</i> Spin. 44-371      | Colombia                                    |
|                                       | Venezuela                                   |
| <i>octonotata</i> Gorb. 83-191        | Costa Rica                                  |
|                                       | Panamá                                      |
| <i>peninsularis</i> Schaeff. 17-132   | Baja Calif.                                 |
| <i>pivicentris</i> Chevr. 74-325      | Cuba  |
| <i>pictipennis</i> Gorb. 77-423       | Brasil                                      |
| <i>posticalis</i> Chpn. 27-10         | Brasil                                      |
| <i>pulchella</i> White 49-50          | Colombia                                    |
| <i>quadrifoveolata</i> Schklg. 06-313 | Brasil                                      |
| <i>quadrisingnata</i> Spin. 44-365    | México                                      |
| <i>quadrinotata</i> Chevr. 74-328     | Br. Honduras                                |
| <i>uncinata</i> Chevr. 74-278         | Guatemala                                   |
|                                       | Nicaragua                                   |
|                                       | Panamá                                      |
|                                       | Colombia                                    |
|                                       | U. S. A.                                    |
| <i>v. bilineicollis</i> Chevr. 74-327 | México                                      |
|                                       | Guatemala                                   |
|                                       | Panamá                                      |
| <i>ridens</i> Gorb. 77-422            | Brasil                                      |
| <i>ruficeps</i> Schklg. 00-404        | Brasil                                      |
| <i>scutellaris</i> Spin. 44-156       | Brasil                                      |
| <i>sexnotata</i> Klug 42-368          | Brasil                                      |
| <i>v. conjuncta</i> Schklg. 07-313    | Brasil                                      |
| <i>v. octoplagiata</i> Schklg. 03-20  | Paraguay                                    |
| <i>v. quadrinotata</i> Schklg. 03-20  | Perú  |
| <i>subapicalis</i> Schklg. 00-403     | Brasil                                      |
| <i>terminata</i> Blanch. 43-94        | Brasil                                      |
| <i>testacea</i> Klug 42-367           | Colombia                                    |
|                                       |   |
|                                       | <i>variabilis</i> Spin. 44-367              |
|                                       | Brasil                                      |
|                                       | <i>thoracica</i> Gorb. 03-170               |
|                                       | Brasil                                      |
|                                       | <i>togata</i> Chevr. 76-39                  |
|                                       | Brasil                                      |
|                                       | <i>vittata</i> Spin. 44-159                 |
|                                       | Brasil                                      |
|                                       | <i>vitticeps</i> Blanch. 43-95              |
|                                       | Brasil                                      |
|                                       | <i>humeralis</i> Spin. 44-366               |
|                                       | Argentina                                   |
|                                       | <i>vittipennis</i> Schklg. 06-316           |
|                                       | Paraguay                                    |
|                                       | Argentina                                   |
|                                       | <i>wagneri</i> Pic 33-17                    |
|                                       | Argentina                                   |
|                                       | <i>xanthura</i> Chevr. 76-40                |
|                                       | Brasil                                      |
|                                       | Corinthiscus F. & G. 61-4                   |
|                                       | <i>Phylira</i> Lap. 36-53 (not Leach, 1817) |
|                                       | Brasil                                      |
|                                       | <i>alcicornis</i> Klug 42-361               |
|                                       | Panamá                                      |
|                                       | <i>amabilis</i> Spin. 44-1362               |
|                                       | Colombia                                    |
|                                       | Br. Guiana                                  |
|                                       | Fr. Guiana                                  |
|                                       | Brasil                                      |
|                                       | <i>amoenus</i> Guér. 29-55                  |
|                                       | Panamá                                      |
|                                       | <i>fasciculatus</i> Klug 42-364             |
|                                       | Brasil                                      |
|                                       | Argentina                                   |
|                                       | Chile                                       |
|                                       | <i>v. cyaneomaculatus</i> Blanch. 43-94     |
|                                       | Argentina                                   |
|                                       | <i>amplius</i> Chevr. 76-41                 |
|                                       | Colombia                                    |
|                                       | <i>angulicollis</i> Chevr. 76-41            |
|                                       | Colombia                                    |
|                                       | <i>atronotatus</i> Pic 35-101               |
|                                       | Argentina                                   |
|                                       | <i>v. junctus</i> Pic 35-101                |
|                                       | Argentina                                   |
|                                       | <i>v. separatus</i> Pic 35-101              |
|                                       | Argentina                                   |
|                                       | <i>auripennis</i> Hope 35-95                |
|                                       | Brasil                                      |
|                                       | <i>axinoides</i> Wolc. 23-3                 |
|                                       | Cuba  |
|                                       | <i>badeni</i> Gorb. 77-420                  |
|                                       | Brasil                                      |
|                                       | <i>bicolor</i> Lap. 36-52                   |
|                                       | Colombia                                    |
|                                       | <i>bipartitus</i> Schklg. 16-153            |
|                                       | Brasil                                      |
|                                       | <i>bipunctatus</i> Gorb. 77-421             |
|                                       | Brasil                                      |
|                                       | <i>buqueti</i> Spin. 44-152                 |
|                                       | Colombia                                    |
|                                       | <i>cyaneus</i> Gorb. 03-170                 |
|                                       | Brasil                                      |
|                                       | <i>decorus</i> Klug 42-364                  |
|                                       | Brasil                                      |
|                                       | <i>erymanthoides</i> Schklg. 06-313         |
|                                       | Brasil                                      |
|                                       | <i>fossipennis</i> Schklg. 17-282           |
|                                       | Argentina                                   |
|                                       | <i>fugax</i> Klug 42-365                    |
|                                       | Brasil                                      |
|                                       | <i>fulvicollis</i> Chevr. 76-7              |
|                                       | Paraguay                                    |
|                                       | <i>geniculatus</i> Klug 42-360              |
|                                       | Colombia                                    |
|                                       | <i>praestus</i> Spin. 44-368                |
|                                       | Brasil                                      |
|                                       | <i>seminiger</i> Chevr. 43-34               |
|                                       | Uruguay                                     |
|                                       | Argentina                                   |
|                                       | <i>gounellei</i> Pic 33-17                  |
|                                       | Brasil                                      |
|                                       | <i>guyanensis</i> Chevr. 76-38              |
|                                       | Fr. Guiana                                  |
|                                       | <i>helopioides</i> Lap. 36-54               |
|                                       | Brasil                                      |
|                                       | <i>pulchellus</i> Spin. 44-377              |
|                                       | Guatemala                                   |
|                                       | <i>seminitatus</i> Chevr. 76-37             |
|                                       |   |
|                                       | <i>helvolus</i> Dalm. 23-56                 |
|                                       | Brasil                                      |
|                                       | <i>inaequalicollis</i> Schklg. 02-331       |
|                                       | ?Brasil                                     |
|                                       | <i>insignicornis</i> F. & G. 61-4           |
|                                       | Argentina                                   |
|                                       | <i>tuberculipennis</i> Schklg. 00-406       |
|                                       | Chile                                       |
|                                       | <i>v. dimidiatus</i> Schklg. 00-406         |
|                                       | Chile                                       |
|                                       | <i>jucundus</i> Schklg. 00-404              |
|                                       | Brasil                                      |
|                                       | <i>lampyroides</i> Spin. 44-349             |
|                                       | Colombia                                    |
|                                       | Brasil                                      |
|                                       | <i>lateapicalis</i> Pic 35-101              |
|                                       | Argentina                                   |
|                                       | <i>lituratus</i> Kby. 18-393                |
|                                       | Brasil                                      |
|                                       | <i>liberatus</i> Lap. 40-289                |
|                                       |   |
|                                       | <i>lividus</i> Er. 47-85                    |
|                                       | Ecuador                                     |
|                                       | Perú  |
|                                       | Bolivia                                     |
|                                       | <i>lobaticollis</i> Lesne 09-521            |
|                                       | Ecuador                                     |
|                                       | Perú  |
|                                       | <i>longfieldae</i> Blair 28-677             |
|                                       | Is. Galápagos                               |

Corinthiscus—Continued.

|                                |            |
|--------------------------------|------------|
| luctuosus Spin. 44-351         | Fr. Guiana |
| luridus Gorb. 86-346           | Panamá     |
| multinotatus Pic 35-101        | Argentina  |
| murinus Klug 42-358            | Hispaniola |
| nigroclavatus Chevr. 74-326    | México     |
| niger Chevr. 76-38             | Brasil     |
| niveus Chevr. 43-35            | Brasil     |
| notabilis Gorb. 83-188         | Panamá     |
| optabilis Gorb. 77-419         | Brasil     |
| ornatus Klug 42-363            | Brasil     |
| percomptus Gorb. 83-189        | Panamá     |
| <i>percoptus</i> Wolc. 27-4    |            |
| photinoides Chevr. 76-42       | Brasil     |
| pilosus Klug 42-369            | Colombia   |
| <i>klugi</i> Gorb. 77-418      | Perú       |
| <i>testaceus</i> Spin. 44-158  |            |
| placidus Schklg. 00-405        | Brasil     |
| v. unipunctatus Pic 35-9       | Brasil     |
| plaumanni Pic 36-20            | Brasil     |
| posticus Klug 42-361           | Brasil     |
| quadriplagiatus Kuw. 94-13     | Brasil     |
| ramosus Schklg. 00-402         | Brasil     |
| riveti Lesne 09-520            | Perú       |
| schenklingi Gorb. 03-169       | Brasil     |
| scoparius Klug 42-365          | Brasil     |
| <i>fulticornis</i> Lucas 57-95 |            |
| semirufus Gorb. 77-420         | Brasil     |
| sexpunctatus Kirsch 73-398     | Perú       |
| sinaloae Chpn. 20-53           | México     |
| spinolae Chpn. 20-54           | México     |
| subfasciatus Chevr. 74-327     | Guadeloupe |
| suturalis Spin. 44-352         | Brasil     |
| tarsalis Schklg. 00-407        | Brasil     |
|                                | Paraguay   |
|                                | Argentina  |
| tetrasemus, new name           | Fr. Guiana |
| <i>quadrinotatus</i> Pic 35-9  |            |
| (not Chevr., 1874)             |            |
| tetraspilotus Chevr. 76-47     | Colombia   |
| tuberculatus Pic 35-101        | Argentina  |
| varipennis Spin. 49-pl. 9      | Chile      |
| velutinus Klug 42-358          | Hispaniola |
|                                | Brasil     |
| viridis Pic 36-20              | Brasil     |
| v. semimarginatus Pic 36-20    | Brasil     |
| viridipennis Kby. 18-393       | Brasil     |
| a. rossi Schklg. 16-153        | Brasil     |
| voluptuosus Thoms. 60-66       | Brasil     |
| xanthochilis Chevr. 76-41      | Colombia   |
| zonatus Thoms. 60-66           | Brasil     |
| Mathesis Waterh. 77-7          |            |
| reductipennis Pic 27-45        | Br. Guiana |

KORYNETINAE

|                           |         |
|---------------------------|---------|
| Lesneoclerus Corp. 36-210 |         |
| neocleroides Corp. 36-210 | Bolivia |

|                                    |                                |
|------------------------------------|--------------------------------|
| Tarsostenus Spin. 44-287           |                                |
| univittatus Rossi 92-44            | Baja Calif.                    |
| <i>albofasciatus</i> Melsh. 46-306 | Argentina                      |
| <i>picipennis</i> Westw. 49-48     | Haiti                          |
|                                    | U. S. A.                       |
|                                    | Old World                      |
| Lebariella Spin. 44-77             |                                |
| bisbinotata Gorb. 83-192           | Honduras                       |
| discolor Klug 42-353               | México                         |
| v. tibialis Schklg. 98-368         | México                         |
|                                    | U. S. A.                       |
| erythrodera Spin. 44-79            | Colombia                       |
| janthina LeC. 65-99                | Baja Calif.                    |
| limbipennis Chevr. 76-43           | Chile                          |
| marginella Chevr. 43-42            | México                         |
| pallipes Klug 42-353               | México                         |
| <i>nigripennis</i> LeC. 65-99      | U. S. A.                       |
| quadrimaculata Pic 39-19           | México                         |
| subanchoralis Chevr. 76-43         | Chile                          |
| Madoniella Pic 35-10               |                                |
| minor Pic 35-10                    | Guadeloupe                     |
| corporali Pic 35-11                | Guadeloupe                     |
| Korynetes Hbst. 92-148             |                                |
| <i>Corynetes</i> of authors        |                                |
| aenea Phil. 64-270                 | Chile                          |
| coerulea Deg. 75-163               | ?America                       |
|                                    | Old World                      |
| ovata Spin. 49-411                 | Chile                          |
| Necrobilia Oliv. 95-76             |                                |
| <i>Agonolia</i> Muls. 63-122       |                                |
| fusca Steinh. 73-573               | Argentina                      |
| ruficollis Fabr. 75-57             | México                         |
|                                    | Br. Honduras                   |
|                                    | Uruguay                        |
|                                    | Argentina                      |
|                                    | Chile                          |
|                                    | Cuba                           |
|                                    | U. S. A.                       |
|                                    | Old World                      |
| rufipes Deg. 75-165                | Baja Calif.                    |
| <i>amethystina</i> Steph. 32-417   | México                         |
| <i>dermestoides</i> P. & M. 83-68  | Br. Honduras                   |
| <i>foveicollis</i> Schklg. 00-20   | Guatemala                      |
| <i>glabra</i> Champol. 14-41       | Panamá                         |
| <i>mumiarum</i> Hope 34-54         | Brasil                         |
| <i>pilifera</i> Rtrr. 94-85        | Bolivia                        |
|                                    | Argentina                      |
|                                    | Chile                          |
|                                    | <sup>10</sup> Is. J. Fernández |
|                                    | Cuba                           |
|                                    | Puerto Rico                    |
|                                    | U. S. A.                       |
|                                    | Old World                      |
| v. aeneipennis Csiki 00-124        |                                |
| Loedelia Lucas 20-380              |                                |
| <i>Necrobiodes</i> Gahan 10-76     |                                |
| (not Fairm., 1882)                 |                                |
| mexicana Gahan 10-76               | México                         |

TEMNOCHILIDAE

(*Ostomidae, Trogositidae, Ostomatidae*)

NEMOSOMATINAE

|                           |       |
|---------------------------|-------|
| Acalanthis Er. 44-446     |       |
| mirabilis Rtrr. 76-10     | Chile |
| quadrisingnata Er. 44-446 | Chile |

|                                    |             |
|------------------------------------|-------------|
| <i>quadrinotata</i> Blanch. 51-436 |             |
| semimetallica F. & G. 61-3         | Chile       |
| Calanthosoma Rtrr. 76-10           |             |
| flavomaculata Rtrr. 76-11          | West Indies |

<sup>10</sup> Chile.

## Nemosomia Rtrr. 76-11

*Nemosoma* of authors

- fulva Lév. 05-44.....Brasil  
landesi Lév. 01-318.....Martinique  
picta Lév. 89-251.....Brasil  
v. bimaculata Lév. 99-653.....Brasil  
pujoli Lév. 02-118.....Brasil  
simoni Lév. 89-viii.....Venezuela  
vorax Rtrr. 76-12.....Colombia

## Nemosoma Latr. 04-239

*Monesoma* Lév. 94-cxlv (Subg.)

- brasiliensis Lév. 99-664.....Brasil  
gounellei Lév. 94-cxlv.....Brasil  
nigripennis Rtrr. 76-13.....Colombia  
punctata Lév. 88-411.....Brasil  
signata Shp. 91-388.....Guatemala

## Cylidrella Shp. 91-389

- mollis Shp. 91-389.....Guatemala

## Dupontiella Spin. 44-168

- fasciata Spin. 44-172.....Venezuela  
ichneumonoides Spin. 44-170.....Venezuela

## TEMNOCHILINAE

## Corticotomus Shp. 91-390

- basalis Shp. 91-390.....Guatemala  
bicolor Lév. 95-76.....Chile  
gracilis Shp. 91-391.....Panamá  
quadriraculatus Lév. 94-cxi.....Brasil  
sharpi Lév. 05-29.....México

## Airora Rtrr. 76-18

- apicalis Rtrr. 76-20.....Colombia  
bituberculata Lév. 05-45.....Brasil  
canescens Rtrr. 76-20.....South America  
centralis Shp. 91-392.....México

- Guatemala  
Panamá  
decipiens Lév. 99-644.....México  
ferruginea Lév. 05-31.....Venezuela  
grouvellei Lév. 88-411.....Colombia  
humeralis Lév. 94-cxlv.....Brasil  
longicollis Guér. 46-200.....México

*clivoides* Rtrr. 76-19

- Guatemala  
Nicaragua  
Colombia  
Brasil  
Bolivia  
modesta Lév. 07-399.....Venezuela  
parallelicollis Lév. 94-cxlv.....Venezuela  
Brasil  
pollens Shp. 91-392.....México  
procera Rtrr. 76-19.....Bolivia  
Paraguay

- striatopunctata Rtrr. 76-20.....West Indies

- Brasil

- suturata Lév. 94-liiii.....Brasil

- teres Melsh. 46-64.....Baja Calif.

*aequalis* Rtrr. 77-172

- U. S. A.

- vicina Lév. 03-30.....Brasil

- wagneri Lév. 07-247.....Argentina

- yucatanica Shp. 91-391.....México

- sp. (Wolcott 36-218).....Puerto Rico

## Temnochilodes Lev. 90-clxxxiii

- dugesii Lév. 90-clxxxiii.....México

## Temnochila Er. 44-449

- aenea Oliv. 90-7.....Puerto Rico

- Brasil

- alticola Shp. 91-405.....Guatemala

- aureola Rtrr. 75-38.....México

- aurora Rtrr. 75-36.....Brasil

- barbata LeC. 63-65.....Baja Calif.

- bedeli Lév. 88-414.....Venezuela

- belti Shp. 91-415.....Nicaragua

- biolleyi Lév. 03-191.....Costa Rica

- boboensis Shp. 91-409.....México

- boliviensis Lév. 03-191.....Bolivia

- borrei Rtrr. 75-37.....West Indies

- Colombia

- brevior Lév. 88-414.....Colombia

- chalcona Kirsch 73-149.....México

- Br. Honduras

- Guatemala

- Nicaragua

- Costa Rica

- Panamá

- Colombia

- Perú

- championi Shp. 91-410.....Nicaragua

- Costa Rica

- Panamá

- chevrolati Rtrr. 75-12.....México

- Guatemala

- El Salvador

- Fr. Guiana

- Brasil

- chiriouensis Shp. 91-412.....Panamá

- chrysosterna Rtrr. 75-19.....Fr. Guiana

- colossus Serv. 28-719.....Colombia

- Fr. Guiana

- Argentina

- corynthia Rtrr. 75-33.....México

- corynthia* Lév. 10-11

- costaricensis Shp. 91-410.....Costa Rica

- curta Lév. 89-139.....Fr. Guiana

- davidi Lév. 98-366.....Ecuador

- dendrobia G. & B. 50-436.....Colombia

- derasa Shp. 91-406.....México

- Guatemala

- diffinis Shp. 91-407.....México

- Guatemala

- digitata Shp. 91-393.....Br. Honduras

- Nicaragua

- Panamá

- doumerci Serv. 28-719.....Fr. Guiana

- dryadis Rtrr. 75-28.....México

- ebenina Blanch. 53-205.....Mustique

- Bolivia

- Uruguay

- Argentina

- edentata Schaff. 18-194.....Baja Calif.

- exarata Shp. 91-406.....México

- festiva Serv. 28-179.....?México

- splendens* Gray ?-93

- foveicollis Rtrr. 75-26.....Fr. Guiana

- Brasil

- fraudulenta Shp. 91-401.....México

- fulgidovittata Blanch. 53-205.....Bolivia

- galapagoensis Mutch 38-5.....Is. Galápagos

- geminata Shp. 91-398.....Panamá

- gigantea Rtrr. 75-9.....Brasil

Temnochila—Continued.

|                                    |                          |  |                 |
|------------------------------------|--------------------------|--|-----------------|
| gloriosa Rtrr. 75-34.....          | Colombia                 | sculpturata Rtrr. 75-10.....           | Colombia        |
| grandis Shp. 91-405.....           | Guatemala                | sharpi Lév. 94-cxlvii.....             | Colombia        |
| grilloi Lév. 05-92.....            | Brasil                   | smithi Shp. 91-407.....                | México          |
|                                    | Argentina                | splendida Gory 31-38.....              | Fr. Guiana      |
| grouvellei Lév. 88-415.....        | Panamá                   | steinheili Rtrr. 75-12.....            | Colombia        |
| guatemalana Shp. 91-396.....       | México                   |  | Argentina       |
|                                    | Guatemala                | stipes Shp. 91-413.....                | México          |
|                                    | Panamá                   | subcylindrica Lév. 07-402.....         | Brasil          |
| hubbardi Lév. 89-417.....          | Cuba                     | sulcifrons Shp. 91-406.....            | México          |
|                                    | U. S. A.                 |  | Br. Honduras    |
| insignis Rtrr. 75-10.....          | West Indies              | sulcisternum Lév. 88-412.....          | Guatemala       |
|                                    | Colombia                 | suturata Rtrr. 75-39.....              | Jamaica         |
| iris Rtrr. 75-42.....              | México                   |  | México          |
|                                    | Guatemala                | telemanensis Shp. 91-412.....          | Guatemala       |
|                                    | Costa Rica               | tristis Muls. 53-8.....                | Colombia        |
| jansoni Lév. 88-412.....           | ?Brasil                  | <i>cribricollis</i> Rtrr. 75-14.....   | Brasil          |
| jekeli Rtrr. 75-43.....            | Colombia                 |  | Argentina       |
| <i>sennevillei</i> Lév. 78-98..... |                          | urbensis Shp. 91-404.....              | Old World       |
| kirschi Rtrr. 75-24.....           | Colombia                 | varians Guér. 46-200.....              | México          |
| laevicollis Rtrr. 75-14.....       | ?Fr. Guiana              |  | Fr. Guiana      |
| laticollis Rtrr. 75-39.....        | México                   |  | Brasil          |
| lebasii Rtrr. 75-17.....           | Colombia                 | varicolor Lév. 88-413.....             | Colombia        |
|                                    | Argentina                | virescens Fabr. 75-817.....            | Baja Calif.     |
| leveillaei Shp. 91-394.....        | Panamá                   | <i>chlorodia</i> Mannh. 43-301.....    | Is. Tres Marías |
| lucens Rtrr. 75-15.....            | Brasil                   | <i>cyanea</i> Rtrr. 75-28.....         | México          |
|                                    | Argentina                | <i>viridicyanea</i> Mannh. 43-302..... | Br. Honduras    |
| metallica Perch. 36-pl. 14.....    | México                   |  | Guatemala       |
| <i>mexicana</i> Rtrr. 75-32.....   |                          |  | * I. Roatán     |
| mirabilis Rtrr. 75-41.....         | Colombia                 |  | Nicaragua       |
| miranda Shp. 91-404.....           | México                   |  | Costa Rica      |
| nigritarsis Lév. 88-415.....       | Brasil                   |  | Panamá          |
| obscura Rtrr. 75-18.....           | ?Guadeloupe              |  | Guiana          |
|                                    | ?U. S. A.                |  | U. S. A.        |
| obsoleta Rtrr. 91-404.....         | México                   | Marnia Lév. 89-xxi.....                |                 |
| obtusicollis Rtrr. 75-43.....      | Venezuela                | grouvellei Lév. 99-644.....            | Brasil          |
| olivacea Rtrr. 75-26.....          | Colombia                 | sallei Lév. 89-cxl.....                | Venezuela       |
| olivicolor Lév. 88-413.....        | Ecuador                  | sipolisi Lév. 89-xxi.....              | Brasil          |
| parva Lév. 88-417.....             | Hispaniola               | Eupyeus Shp. 91-415.....               |                 |
| patricioi Karsch 81-56.....        | <sup>18</sup> St. Thomas | lentus Shp. 91-416.....                | México          |
| peninsularis Schaeff. 18-196.....  | Baja Calif.              | Tenebroides P. & M. 83-87.....         |                 |
| peruviana Lév. 07-403.....         | Perú                     | aenea Rtrr. 75-77.....                 | Colombia        |
| planicollis Shp. 91-401.....       | Guatemala                | aeneipennis Rtrr. 75-76.....           | Brasil          |
| planipennis Lév. 89-xliv.....      | México                   | albomaculata Rtrr. 75-78.....          | Central America |
| <i>metallica</i> Rtrr. 75-26.....  |                          |  | Colombia        |
| polita Chev. 33-66.....            | México                   | albonotata Rtrr. 75-79.....            | Fr. Guiana      |
|                                    | Br. Honduras             | alticola Shp. 91-425.....              | Guatemala       |
|                                    | Guatemala                | alutacea Lév. 05-49.....               | Brasil          |
|                                    | Panamá                   | anceps Lév. 88-421.....                | México          |
| pollens Shp. 91-392.....           | México                   |  | Guatemala       |
| polygonalis Lév. 99-651.....       | Brasil                   | antennalis Rtrr. 75-76.....            | Colombia        |
| portoricensis Lév. 07-401.....     | Puerto Rico              | auriculata Shp. 91-429.....            | Guatemala       |
| praerita Shp. 91-400.....          | México                   | bipustulata Fabr. 01-152.....          | México          |
| punctatissima Rtrr. 75-22.....     | Brasil                   |  | Guatemala       |
| punicea Rtrr. 75-40.....           | Brasil                   |  | Panamá          |
| quadrícollis Rtrr. 75-15.....      | México                   |  | Colombia        |
|                                    | Guatemala                |  | Fr. Guiana      |
|                                    | Nicaragua                |  | Brasil          |
|                                    | Panamá                   |  | Chaco           |
| querula Shp. 91-408.....           | Guatemala                |  | Argentina       |
| reitteri Kirsch 85-207.....        | Colombia                 |  | West Indies     |
| reversa Shp. 91-409.....           | México                   | v. impressifrons Rtrr. 75-66.....      | South America   |
| rugulosa Kirsch 73-149.....        | Perú                     | boggianii Lév. 05-92.....              | Paraguay        |
| sallei Lév. 88-416.....            | México                   | bouvouloiri Lév. 88-424.....           | México          |
|                                    | Guatemala                |  | Guatemala       |
| salvini Shp. 91-393.....           | Panamá                   |  | Nicaragua       |

\* Honduras.

<sup>18</sup> Virgin Islands (W. I.).

## Tenebroides—Continued.

|                                 |       |                       |  |
|---------------------------------|-------|-----------------------|--|
| brevis LéV. 99-645              | ----- | Brasil                |  |
| breviuscula Rtrtr. 75-72        | ----- | México                |  |
|                                 |       | Guatemala             |  |
|                                 |       | Brasil                |  |
| brunnea LéV. 88-419             | ----- | Fr. Guiana            |  |
| bugnioni LéV. 02-462            | ----- | Colombia              |  |
| carbonaria LéV. 88-422          | ----- | Fr. Guiana            |  |
| carinata LéV. 94-cxlv           | ----- | Brasil                |  |
| celata Shp. 91-418              | ----- | México                |  |
|                                 |       | Nicaragua             |  |
| chevrolati Rtrtr. 75-72         | ----- | México                |  |
|                                 |       | Guatemala             |  |
|                                 |       | Nicaragua             |  |
| circumcincta LéV. 88-419        | ----- | México                |  |
|                                 |       | Guatemala             |  |
|                                 |       | Nicaragua             |  |
| complicata Shp. 91-435          | ----- | Central America       |  |
| cordicollis LéV. 88-420         | ----- | Brasil                |  |
| cribrata LéV. 94-cxlvii         | ----- | México                |  |
| cucujoides Rtrtr. 75-68         | ----- | Colombia              |  |
| delicata LéV. 99-655            | ----- | Brasil                |  |
| depressa Guér. 46-201           | ----- | México                |  |
|                                 |       | Guatemala             |  |
|                                 |       | Venezuela             |  |
|                                 |       | Brasil                |  |
| difficilis LéV. 88-421          | ----- | Br. Honduras          |  |
| dilatata Er. 47-93              | ----- | Perú                  |  |
| donckieri LéV. 02-118           | ----- | Brasil                |  |
| elongatula DuVal 57-251         | ----- | Cuba                  |  |
| excellens Shp. 91-430           | ----- | Panamá                |  |
| explanata Rtrtr. 75-73          | ----- | Colombia              |  |
| facilis Shp. 91-420             | ----- | México                |  |
| fenestrata LéV. 88-425          | ----- | México                |  |
| flaviolavis Rtrtr. 75-78        | ----- | Cuba                  |  |
| fossulata LéV. 99-645           | ----- | Bolivia               |  |
| fryi LéV. 98-367                | ----- | Brasil                |  |
| fulgens Shp. 91-436             | ----- | Panamá                |  |
| fulvilineata LéV. 88-419        | ----- | Brasil                |  |
| germaini LéV. 95-77             | ----- | Bolivia               |  |
| godmani Shp. 91-431             | ----- | Panamá                |  |
| gounellei LéV. 88-425           | ----- | Brasil                |  |
| gracilipes Shp. 91-433          | ----- | Panamá                |  |
| harpaloides LéV. 88-423         | ----- | México                |  |
| helophora Shp. 91-432           | ----- | México                |  |
| humeralis LéV. 88-426           | ----- | Colombia              |  |
| importuna LéV. 05-47            | ----- | Brasil                |  |
| incerta LéV. 88-423             | ----- | México                |  |
| instabilis Shp. 91-427          | ----- | México                |  |
| iterata Shp. 91-428             | ----- | México                |  |
| jatahyensis LéV. 02-119         | ----- | Brasil                |  |
| lata LéV. 88-423                | ----- | México                |  |
| latreillei LéV. 89-62           | ----- | South America         |  |
| marginata Latr. 33-19           |       |                       |  |
| lineolata Rtrtr. 77-172         | ----- | Colombia              |  |
| litigiosa Rtrtr. 75-71          | ----- | Brasil                |  |
| longicornis LéV. 89-253         | ----- | Brasil                |  |
| longula Shp. 91-428             | ----- | Guatemala             |  |
| lucida Shp. 91-429              | ----- | Panamá                |  |
| marginicollis Shp. 91-427       | ----- | Guatemala             |  |
| marseuli Rtrtr. 75-75           | ----- | Brasil                |  |
| mauritanica Linn. 58-417        | ----- | ?Baja Calif.          |  |
| <i>bucephala</i> Hbst. 84-141   |       | México                |  |
| <i>caraboides</i> Fabr. 75-256  |       | Guatemala             |  |
| <i>complanata</i> P. & M. 83-87 |       | Nicaragua             |  |
| <i>dubia</i> Scriba 90-42       |       | Venezuela             |  |
| <i>fusca</i> Goetz 77-125       |       | Chaco                 |  |
| <i>picea</i> Schall. 83-319     |       | Argentina             |  |
| <i>plana</i> Quensel 90-19      |       | <sup>12</sup> Mona I. |  |
| <i>striata</i> Fourcr. 85-3     |       | Puerto Rico           |  |
|                                 |       | Guadeloupe            |  |
|                                 |       | U. S. A.              |  |
| metallescens Rtrtr. 75-77       | ----- | Brasil                |  |
| moerens Shp. 91-436             | ----- | Panamá                |  |
| mordax Shp. 91-423              | ----- | Costa Rica            |  |
| murina Rtrtr. 75-71             | ----- | Colombia              |  |
| memosomiaeformis LéV. 05-46     | ----- | Brasil                |  |
| nigrocyanea LéV. 05-35          | ----- | Paraguay              |  |
| nigroviridis LéV. 88-427        | ----- | México                |  |
| oblonga Shp. 91-423             | ----- | México                |  |
|                                 |       | Panamá                |  |
| opaca Rtrtr. 75-69              | ----- | Colombia              |  |
|                                 |       | U. S. A.              |  |
| ornata LéV. 89-252              | ----- | Brasil                |  |
|                                 |       | Argentina             |  |
| paralela Fairm. 50-55           | ----- | Hispaniola            |  |
| <i>serrata</i> Woll. 54-155     |       | Old World             |  |
| passeti LéV. 05-37              | ----- | Brasil                |  |
| patruelis Rtrtr. 75-70          | ----- | Brasil                |  |
| polita Shp. 91-435              | ----- | Guatemala             |  |
| pollens Shp. 91-432             | ----- | México                |  |
|                                 |       | Br. Honduras          |  |
|                                 |       | Nicaragua             |  |
| puichella Rtrtr. 75-78          | ----- | Colombia              |  |
| pumila LéV. 88-426              | ----- | Colombia              |  |
| punctulata Rtrtr. 75-74         | ----- | Cuba                  |  |
|                                 |       | Puerto Rico           |  |
|                                 |       | Guadeloupe            |  |
| quadriguttata Rtrtr. 75-68      | ----- | Brasil                |  |
|                                 |       | Argentina             |  |
| reflexa Rtrtr. 75-74            | ----- | Colombia              |  |
| reitteri LéV. 88-420            | ----- | Panamá                |  |
|                                 |       | Brasil                |  |
| repetita Shp. 91-246            | ----- | México                |  |
|                                 |       | Guatemala             |  |
| ritsemæ LéV. 89-139             | ----- | Costa Rica            |  |
|                                 |       | Colombia              |  |
| rubra Rtrtr. 75-73              | ----- | Guatemala             |  |
|                                 |       | Nicaragua             |  |
|                                 |       | Brasil                |  |
|                                 |       | Argentina             |  |
| rubromarginata Rtrtr. 75-78     | ----- | Brasil                |  |
|                                 |       | Argentina             |  |
|                                 |       | Colombia              |  |
| ruficollis Rtrtr. 75-67         | ----- | Colombia              |  |
| rufipes LéV. 89-254             | ----- | Brasil                |  |
| rufiventris Rtrtr. 75-67        | ----- | Colombia              |  |
|                                 |       | Chaco                 |  |
|                                 |       | Argentina             |  |
| rufolimbata LéV. 88-424         | ----- | México                |  |
|                                 |       | Guatemala             |  |
| sallæi Shp. 91-430              | ----- | México                |  |
| scaberrima LéV. 05-48           | ----- | Brasil                |  |
| schauflussi Rtrtr. 75-71        | ----- | Venezuela             |  |
| sculpturata Rtrtr. 75-75        | ----- | Brasil                |  |
| sennevillei LéV. 89-425         | ----- | Central America       |  |
| sericata Shp. 91-434            | ----- | Guatemala             |  |
| serraticollis LéV. 07-404       | ----- | Argentina             |  |
| sharpi LéV. 91-cxcii            | ----- | Panamá                |  |
| <i>bimaculata</i> Shp. 91-434   |       |                       |  |
| similis LéV. 05-34              | ----- | Brasil                |  |
| sonorensis Shp. 91-418          | ----- | México                |  |
|                                 |       | Cuba                  |  |
| soror DuVal 57-252              | ----- | Cuba                  |  |
| spectator Shp. 91-421           | ----- | Guatemala             |  |

<sup>12</sup> West Indies.



## Tenebroides—Continued.

|                               |       |                         |
|-------------------------------|-------|-------------------------|
| steinheili Rtrr. 75-75        | ..... | <sup>15</sup> ?Mustique |
|                               |       | Colombia                |
| stulta Lév. 07-248            | ..... | Argentina               |
| subcostata Schaeff. 12-148    | ..... | Brasil                  |
| subplana Rtrr. 75-70          | ..... | México                  |
| subrubra Lév. 99-656          | ..... | Brasil                  |
| subvirescens Lév. 89-252      | ..... | Brasil                  |
| sulcifrons DuVal 57-253       | ..... | México                  |
|                               |       | Guatemala               |
|                               |       | Panamá                  |
|                               |       | Brasil                  |
|                               |       | Cuba                    |
| transversicollis DuVal 57-255 | ..... | Cuba                    |
|                               |       | Puerto Rico             |
|                               |       | Guadeloupe              |
| undulata Shp. 91-424          | ..... | Guatemala               |
| viridescens Lév. 89-253       | ..... | Brasil                  |
| vittata Schaeff. 12-148       | ..... | Brasil                  |
| yucatanica Lév. 88-421        | ..... | México                  |
|                               |       | Br. Honduras            |
| zapotensis Shp. 91-436        | ..... | Guatemala               |
| zunilensis Shp. 91-420        | ..... | Guatemala               |
| Colydobius Shp. 91-437        | ..... |                         |
| divisus Shp. 91-437           | ..... | Panamá                  |
| dufaui Lév. 07-405            | ..... | Guadeloupe              |
| signatus Shp. 91-437          | ..... | Guatemala               |

## LEPERININAE

|                                  |       |                  |
|----------------------------------|-------|------------------|
| Phanodesta Rtrr. 76-31           | ..... |                  |
| <i>Toxicum</i> Blanch. 51-441    | ..... |                  |
| (not Latreille, 1802)            | ..... |                  |
| brevipennis Rtrr. 76-33          | ..... | Chile            |
| cribraria Blanch. 51-441         | ..... | Chile            |
| <i>cordaticollis</i> Rtrr. 76-33 | ..... | Is. J. Fernández |
| <i>picea</i> Germain 55-406      | ..... |                  |
| cribrata Germain 55-407          | ..... | Chile            |
| <i>angulata</i> Rtrr. 76-33      | ..... | Is. J. Fernández |
| johowi Germain 98-716            | ..... | Chile            |
| pubescens Germain 98-719         | ..... | Chile            |
| robusta Pic 24-378               | ..... | Is. J. Fernández |

|                                |       |                  |
|--------------------------------|-------|------------------|
| variegata Germain 55-406       | ..... | Chile            |
| <i>costipennis</i> Rtrr. 76-34 | ..... | Is. J. Fernández |

## OSTOMINAE

|                                  |       |                |
|----------------------------------|-------|----------------|
| Aneyrona Rtrr. 76-51             | ..... |                |
| <i>Gaurambopsis</i> Kr. 78-238   | ..... |                |
| argentina Grouv. 16-248          | ..... | Argentina      |
| extensa Rtrr. 77-173             | ..... | Colombia       |
| pygmaea Lév 07-249               | ..... | Argentina      |
| Leptonyxia Rtrr. 76-54           | ..... |                |
| boliviensis Lév 95-79            | ..... | Bolivia        |
| brevicollis Rtrr. 76-54          | ..... | Colombia       |
| costipennis Rtrr. 76-55          | ..... | Brasil         |
| fairmairei Lév. 92-xcv           | ..... | Brasil         |
| germaini Lév 95-79               | ..... | Bolivia        |
| grouvellei Lév 95-78             | ..... | Bolivia        |
| ornata Lév 95-77                 | ..... | Brasil         |
| sedilloti Lév. 88-428            | ..... | Colombia       |
| variegata Lév 07-407             | ..... | Brasil         |
| Holopleuridia Rtrr. 76-56        | ..... |                |
| maculosa Rtrr. 76-54             | ..... | Colombia       |
| Lophocateres Olliff 83-180       | ..... |                |
| gounellei Lév 05-179             | ..... | Brasil         |
| pusilla Klug 32-159              | ..... | [Cosmopolitan] |
| <i>africana</i> Mots. 63-508     | ..... | Venezuela      |
| <i>ypani</i> Allib. 47-12        | ..... | Guadeloupe     |
| Diontolobus Sol. 49-367          | ..... |                |
| <i>Micropeltis</i> Rect. 67-38   | ..... |                |
| costulatus Rtrr. 76-80           | ..... | Chile          |
| flavolimbatus Rtrr. 77-22        | ..... | Chile          |
| inaequalis Rtrr. 77-175          | ..... | Chile          |
| incostatus Rtrr. 76-59           | ..... | Chile          |
| lanuginosus Lév. 95-80           | ..... | Chile          |
| punctipennis Sol. 49-368         | ..... | Argentina      |
| <i>seraticollis</i> Redt. 67-39  | ..... | Chile          |
|                                  |       | T. del Fuego   |
| v. lateritus Fairm. 83-488       | ..... | Chile          |
| Decamerus Sol. 49-369            | ..... |                |
| <i>Peltostoma</i> Rtrr. 77-173   | ..... |                |
| haemorrhoidalis Sol. 49-371      | ..... | Argentina      |
| <i>unguicularis</i> Rtrr. 77-174 | ..... | Chile          |

## DERMESTIDAE

## DERMESTINAE

|                                |       |              |
|--------------------------------|-------|--------------|
| Dermestes Linn. 58-354         | ..... |              |
| ater Deg. 74-223               | ..... | México       |
| <i>cadaverina</i> Fabr. 75-55  | ..... | Br. Honduras |
| <i>chinensis</i> Mots. 66-168  | ..... | Br. Guiana   |
| <i>javarequi</i> Godard 82-383 | ..... | Brasil       |
| <i>felina</i> Fabr. 87-34      | ..... | Paraguay     |
| <i>subcostata</i> Murr. 67-22  | ..... | Argentina    |
|                                |       | Cuba         |
|                                |       | Puerto Rico  |
|                                |       | U. S. A.     |
|                                |       | Old World    |
| v. domestica Germ. 24-83       | ..... | ?            |
| <i>noxia</i> M. & R. 67-55     | ..... |              |
| canina Germ. 24-84             | ..... | Jamaica      |
| <i>dissector</i> Kby. 37-115   | ..... | U. S. A.     |
| <i>marina</i> LeC. 54-108      | ..... |              |
| <i>nubila</i> Say 32-3         | ..... |              |
| carnivora Fabr. 75-55          | ..... | México       |
| <i>mucoorea</i> LeC. 54-108    | ..... | Br. Honduras |
| <i>sobrina</i> LeC. 54-108     | ..... | Guatemala    |

|                                |       |               |
|--------------------------------|-------|---------------|
| <i>versicolor</i> Lap. 41-33   | ..... | Nicaragua     |
|                                |       | El Salvador   |
|                                |       | Costa Rica    |
|                                |       | Panamá        |
|                                |       | Colombia      |
|                                |       | South America |
|                                |       | Cuba          |
|                                |       | Puerto Rico   |
|                                |       | Guadeloupe    |
|                                |       | Grenada       |
|                                |       | U. S. A.      |
|                                |       | Old World     |
| elongatissima Pic 16-15        | ..... | Ecuador       |
| fasciata LeC. 54-107           | ..... | México        |
| impressicollis Rtrr. 81-29     | ..... | South America |
| maculata Deg. 74-223           | ..... | México        |
| <i>elongata</i> Hope 34-55     | ..... | Br. Honduras  |
| <i>lateralis</i> Sturm 26-130  | ..... | Guatemala     |
| <i>lupina</i> Fr. 43-206       | ..... | Honduras      |
| <i>marginata</i> Thunb. 81-7   | ..... | Nicaragua     |
| <i>ratula</i> M. & R. 68-30    | ..... | Costa Rica    |
| <i>semistriata</i> Boh. 51-583 | ..... | Panamá        |

<sup>15</sup> Grenadines (W. I.).

## Dermestes—Continued.

|                                    |                                |
|------------------------------------|--------------------------------|
| <i>maculata</i> —Continued.        |                                |
| <i>senex</i> Germ. 24-84           | Argentina                      |
| <i>sudanica</i> Gredl. 77-506      | <sup>10</sup> Is. J. Fernandez |
| <i>vulpina</i> Fabr. 81-64         | Cuba                           |
|                                    | Puerto Rico                    |
|                                    | U. S. A.                       |
|                                    | Old World                      |
| <i>mannerheimi</i> LeC. 54-107     | México                         |
| <i>marmorata</i> Say 23-197        | México                         |
|                                    | Cuba                           |
|                                    | U. S. A.                       |
| <i>peruviana</i> Lap. 40-33        | México                         |
| <i>angustata</i> Csy. 00-143       | Perú                           |
| <i>gulo</i> M. & G. 55-275         | Argentina                      |
| <i>haemorrhoidalis</i> Küst. 52-64 | Chile                          |
| <i>oblonga</i> Sol. 49-365         | U. S. A.                       |
| <i>rufofusca</i> Sol. 49-365       | Old World                      |
| <i>sobrina</i> LeC. 54-108         | México                         |
|                                    | U. S. A.                       |

## ATTAGENINAE

|                                     |             |
|-------------------------------------|-------------|
| <i>Attagenus</i> Latr. 02-121       |             |
| <i>adpersus</i> Blanch. 43-21       | Bolivia     |
| <i>brasilensis</i> Pic 23-3         | Brasil      |
| <i>diversepubescens</i> Pic 37-195  | Costa Rica  |
| <i>gloriosae</i> Fabr. 01-107       | Cuba        |
| <i>annulifer</i> Lap. 40-36         |             |
| <i>cinnamomeus</i> Roth. 11-122     |             |
| <i>subfasciatus</i> Chev. 63-617    |             |
| <i>unfasciatus</i> Fairm. 60-168    |             |
| <i>pellio</i> Linn. 58-355          | ?America    |
| <i>ater</i> Hbst. 92-95             | Old World   |
| <i>bipunctatus</i> Deg. 74-197      |             |
| <i>cylindricornis</i> Schrank 89-65 |             |
| <i>macellarius</i> Fabr. 81-63      |             |
| <i>schranksi</i> Klug 93-480        |             |
| <i>piceus</i> Oliv. 90-10           | México      |
| <i>brunneus</i> Fald. 35-227        | Cuba        |
| <i>fulvipes</i> M. & R. 67-71       | Puerto Rico |
| <i>obliquus</i> Rey 89-59           | U. S. A.    |
| <i>sordidus</i> Heer 41-438         | Old World   |
| <i>sp.</i> (Bruch 15-33)            | Argentina   |
| <i>Genattus</i> Shp. 02-646         |             |
| <i>aequalis</i> Shp. 02-646         | México      |
| <i>Novelsis</i> Csy. 00-148         |             |
| <i>horni</i> Jayne 82-356           | México      |
|                                     | U. S. A.    |
| <i>Decamerus</i> Sol. 49-369        |             |
| <i>haemorrhoidalis</i> Sol. 49-371  | Chile       |

## MEGATOMINAE

|                                  |              |
|----------------------------------|--------------|
| <i>Psenomegatomia</i> Pic 15-3   |              |
| <i>boliviensis</i> Pic 15-4      | Bolivia      |
| <i>Perimegatomia</i> Horn 75-135 |              |
| <i>guadalupensis</i> Csy. 00-150 | I. Guadalupe |
| <i>Globicornis</i> Latr. 29-511  |              |
| <i>argentina</i> Pic 08-233      | Argentina    |
| <i>bitaeniata</i> Steinh. 69-258 | Argentina    |
| <i>boliviana</i> Pic 37-196      | Bolivia      |
| <i>clavata</i> Rtrr. 81-37       | Brasil       |
| <i>fulvipes</i> Guér. 38-138     | Cuba         |
|                                  | Puerto Rico  |
|                                  | Guadeloupe   |
|                                  | Brasil       |
|                                  | Old World    |
| <i>latenotata</i> Pic 15-4       | Argentina    |

|                                    |                 |
|------------------------------------|-----------------|
| <i>Pseudothaumaglossa</i> Pic 18-1 |                 |
| <i>anthrenoides</i> Pic 18-1       | Brasil          |
| <i>Entomotrogus</i> Ganglb. 04-33  |                 |
| <i>megatomoides</i> Rtrr. 80-85    | México          |
| <i>Caccoleptus</i> Shp. 02-649     |                 |
| <i>anisotomoides</i> Shp. 02-650   | Br. Honduras    |
| <i>rotundus</i> Shp. 02-649        | Panamá          |
| <i>Eucnoeris</i> Shp. 02-648       |                 |
| <i>anthrenoides</i> Shp. 02-694    | México          |
|                                    | Panamá          |
| <i>ater</i> Pic 37-193             | Costa Rica      |
| <i>baeri</i> Pic 15-5              | Argentina       |
| <i>dispar</i> Shp. 02-648          | México          |
| <i>Trogoderma</i> Latr. 29-511     |                 |
| <i>Eurhopalus</i> Sol. 49-372      |                 |
| <i>angusta</i> Sol. 49-374         | Chile           |
| <i>apicalis</i> Pic 36-1           | Brasil          |
| <i>bicincta</i> Rtrr. 80-38        | West Indies     |
| <i>bifasciata</i> Redt. 68-44      | Chile           |
| <i>celata</i> Shp. 02-647          | México          |
| <i>denticornis</i> Fab. 01-108     | Brasil          |
| <i>filipes</i> Shp. 02-647         | México          |
|                                    | Central America |
| <i>gounellei</i> Pic 15-4          | Brasil          |
| <i>gravidata</i> Shp. 02-648       | México          |
| <i>insularis</i> Chev. 63-617      | Cuba            |
|                                    | Puerto Rico     |
| <i>mexicana</i> Rtrr. 80-38        | México          |
| <i>nitens</i> Arrow 15-432         | Brasil          |
| <i>pectinicornis</i> Rtrr. 80-39   | Brasil          |
|                                    | Argentina       |
| <i>rubiginosa</i> Sol. 49-373      | Chile           |
| <i>ruficeps</i> Pic 37-410         | Br. Guiana      |
| <i>ruficollis</i> Rtrr. 80-39      | Brasil          |
| <i>schmorli</i> Rtrr. 80-39        | Brasil          |
| <i>serraticornis</i> Fabr. 92-265  | Brasil          |
| <i>subfasciata</i> Chev. 63-617    | Cuba            |
| <i>subrotundata</i> Rtrr. 80-39    | Brasil          |
| <i>subtilis</i> Rtrr. 80-39        | Chile           |
| <i>thoracica</i> Rtrr. 80-39       | Brasil          |
| <i>v. bicoloripes</i> Pic 36-1     | Brasil          |
| <i>v. obscura</i> Pic 36-1         | Brasil          |
| <i>variegata</i> Sol. 49-373       | Chile           |
| <i>vicina</i> Sol. 49-374          | Chile           |
| <i>Cryptorhopalum</i> Guér. 38-67  |                 |
| <i>amulae</i> Shp. 02-666          | México          |
| <i>appendiculatum</i> Shp. 02-658  | México          |
| <i>argentinum</i> Pic 16-3         | Argentina       |
| <i>argutum</i> Shp. 02-656         | México          |
|                                    | Guatemala       |
| <i>v. cordovanum</i> Shp. 02-656   | México          |
| <i>atomarium</i> Rtrr. 80-47       | Brasil          |
| <i>atripes</i> Rtrr. 80-46         | Colombia        |
| <i>atropubescens</i> Rtrr. 80-46   | Colombia        |
|                                    | Brasil          |
| <i>atrum</i> Pic 37-193            | Costa Rica      |
| <i>baeri</i> Pic 16-3              | Perú            |
| <i>bicolor</i> Shp. 02-656         | Br. Honduras    |
| <i>billimeki</i> Rtrr. 80-44       | México          |
| <i>v. brunneipenne</i> Rtrr. 80-46 | México          |
| <i>bimaculatum</i> Rtrr. 80-49     | Brasil          |
| <i>biolleyi</i> Pic 16-3           | Costa Rica      |
| <i>hisignatum</i> Shp. 02-653      | Panamá          |
| <i>bolivianum</i> Pic 16-3         | Colombia        |
| <i>brevicolle</i> Shp. 02-663      | Panamá          |
| <i>brunnescens</i> Pic 16-17       | South America   |
| <i>callanganum</i> Pic 27-5        | Perú            |

<sup>10</sup> Chile.

## Cryptorhopalum—Continued.

|                                   |       |                        |
|-----------------------------------|-------|------------------------|
| caseyi Dalla T. 11-73             | ..... | México                 |
| <i>affine</i> Csy. 00-157         | ..... | U. S. A.               |
| (not Rtrr., 1881)                 |       |                        |
| celatum Shp. 02-659               | ..... | México                 |
| centromaculatum Rtrr. 80-48       | ..... | Brasil                 |
| v. notatum Pic 27-5               | ..... | Brasil                 |
| chontalense Shp. 02-663           | ..... | Nicaragua              |
| claveri Pic 16-2                  | ..... | Colombia               |
| cleryi Guér. 39-44                | ..... | Perú                   |
| convexum Pic 27-186               | ..... | Colombia               |
| corumbanum Pic 23-3               | ..... | Brasil                 |
| cribriceps Pic 02-659             | ..... | Nicaragua              |
| cribripenne Rtrr. 80-44           | ..... | México                 |
| cyphonoide Shp. 02-664            | ..... | México                 |
| difficile Rtrr. 80-47             | ..... | Brasil                 |
| discedens Shp. 02-666             | ..... | México                 |
| divisum Shp. 02-657               | ..... | Nicaragua              |
| dubium Shp. 02-654                | ..... | Panamá                 |
|                                   |       | México                 |
|                                   |       | Br. Honduras           |
| ducale Shp. 02-665                | ..... | Guatemala              |
| equisoleae Shp. 02-665            | ..... | México                 |
|                                   |       | Br. Honduras           |
| eximium Arrow 15-442              | ..... | Brasil                 |
| felis Arrow 15-442                | ..... | Brasil                 |
| flammulatum Shp. 02-655           | ..... | Guatemala              |
| flavopictum Lac. 55-pl. 23        | ..... | Brasil                 |
| fraterium Shp. 02-667             | ..... | México                 |
| funestum Shp. 02-66               | ..... | México                 |
| fusculum LeC. 54-111              | ..... | México                 |
|                                   |       | U. S. A.               |
| geniculatum Pic 16-2              | ..... | Brasil                 |
| germanum Shp. 02-655              | ..... | México                 |
|                                   |       | Guatemala              |
| globuloide Shp. 02-664            | ..... | Nicaragua              |
| globulum Rtrr. 80-44              | ..... | México                 |
| gounellei Pic 16-3                | ..... | Brasil                 |
| gravidum Shp. 02-660              | ..... | México                 |
| guatemalenum Shp. 02-658          | ..... | Guatemala              |
| heydeni Kirsch. 70-355            | ..... | Colombia               |
| hirsutum Pic 27-4                 | ..... | Bolivia                |
| imperiale Rtrr. 80-48             | ..... | Brasil                 |
| incanum Rtrr. 80-45               | ..... | México                 |
| instabile Shp. 02-654             | ..... | Guatemala              |
|                                   |       | Nicaragua              |
|                                   |       | Panamá                 |
| laterale Shp. 02-659              | ..... | México                 |
| laticolle Pic 27-4                | ..... | Brasil                 |
| maculatum Fabr. 01-108            | ..... | South America          |
| mexicanum Pic 16-2                | ..... | México                 |
| misellum Shp. 02-662              | ..... | Guatemala              |
| mordelloide Shp. 02-664           | ..... | Guatemala              |
| motschulskyi Rtrr. 08-55          | ..... | ?                      |
| <i>haemorrhoidale</i> Mots. 58-48 |       |                        |
| nevermanni Pic 37-194             | ..... | Costa Rica             |
| nitidissimum Pic 16-3             | ..... | Ecuador                |
| oberthüri Rtrr. 80-47             | ..... | Colombia               |
|                                   |       | Brasil                 |
| obscuriceps Pic 16-3              | ..... | Brasil                 |
| v. bruchi Pic 28-49               | ..... | Argentina              |
| ochraceum Shp. 02-663             | ..... | Br. Honduras           |
|                                   |       | Guatemala              |
| orbiculosum Rtrr. 80-48           | ..... | Colombia               |
| orbiculum Rtrr. 80-52             | ..... | Colombia               |
| pedestre Shp. 02-667              | ..... | Guatemala              |
| perforatum Pic 27-185             | ..... | Brasil                 |
| peruvianum Pic 16-2               | ..... | Perú                   |
| pilosum Kirsch 70-355             | ..... | Colombia               |
| posticatum Shp. 02-653            | ..... | Panamá                 |
| postnotatum Pic 27-5              | ..... | Brasil                 |
| v. mediofasciatum Pic 27-5        | ..... | Brasil                 |
| presuturale Pic 29-2              | ..... | Perú                   |
| puberulum Rtrr. 80-44             | ..... | México                 |
| punctatissimum Rtrr. 80-46        | ..... | South America          |
| quadripunctatum Guér. 39-43       | ..... | Perú                   |
| quinquepunctatum Rtrr. 80-47      | ..... | Bolivia                |
| robustum Shp. 02-660              | ..... | México                 |
| ruficornis LeC. 54-111            | ..... | México                 |
| <i>rufipes</i> Shp. 02-660        |       |                        |
| rufipenne Pic 16-4                | ..... | Colombia               |
| rufipes Rtrr. 80-44               | ..... | México                 |
| rufofasciatum Rtrr. 80-49         | ..... | Colombia               |
| rufonotatum Pic 16-17             | ..... | South America          |
| rugosipenne Pic 16-2              | ..... | Paraguay               |
| rugulosum Pic 23-3                | ..... | Brasil                 |
| rusticolle Pic 27-5               | ..... | Perú                   |
| sahlbergi Rtrr. 80-46             | ..... | Brasil                 |
| scutellare Arrow 15-443           | ..... | <sup>15</sup> Mustique |
| septemsignatum Shp. 02-653        | ..... | Br. Honduras           |
|                                   |       | Guatemala              |
| sexpunctatum Rtrr. 80-48          | ..... | Brasil                 |
| sexsignatum Rtrr. 80-47           | ..... | Brasil                 |
| sordidum Shp. 02-662              | ..... | México                 |
| splendidum Rtrr. 80-47            | ..... | Colombia               |
| subcaneum Pic 27-5                | ..... | Bolivia                |
| subfasciatum Shp. 02-657          | ..... | México                 |
| submetallicum Pic 37-194          | ..... | Costa Rica             |
| subtilis Shp. 02-662              | ..... | Guatemala              |
| subtrifasciatum Rtrr. 80-48       | ..... | Brasil                 |
| teapense Shp. 02-658              | ..... | México                 |
| teffense Rtrr. 80-48              | ..... | Brasil                 |
| trifasciatum Pic 27-5             | ..... | Bolivia                |
| trogodermoides Rtrr. 80-48        | ..... | Brasil                 |
| truncatum Kirsch. 70-355          | ..... | Colombia               |
| uniforme Pic 27-4                 | ..... | Brasil                 |
| ventanense Shp. 02-661            | ..... | México                 |
| vestitum Shp. 02-666              | ..... | Guatemala              |
| vicinum Shp. 02-667               | ..... | México                 |
| villosum Rtrr. 80-45              | ..... | México                 |
| viridipubens Pic 23-3             | ..... | Fr. Guiana             |
| sp. (Wolcott 36-217)              | ..... | Puerto Rico            |
| Falsocryptorhopalum Pic 36-1      |       |                        |
| <i>impressum</i> Pic 36-2         | ..... | Brasil                 |
| Hemirhopalum Shp. 02-651          |       |                        |
| <i>bicolor</i> Shp. 02-651        | ..... | Nicaragua              |
| <i>buprestoide</i> Shp. 02-652    | ..... | Guatemala              |
| <i>clythraeforme</i> Shp. 02-651  | ..... | Guatemala              |
| <i>cyaneum</i> Pic 27-186         | ..... | Perú                   |
| <i>hadrotomoides</i> Shp. 02-652  | ..... | México                 |
| <i>laticolle</i> Pic 27-186       | ..... | Perú                   |
| <i>longipenne</i> Pic 16-17       | ..... | Perú                   |
| <i>rufipenne</i> Pic 16-17        | ..... | México                 |
| <i>suturale</i> Pic 37-5          | ..... | Chile                  |
| <i>testaceipes</i> Pic 36-2       | ..... | Brasil                 |
| <b>ANTHRENINAE</b>                |       |                        |
| Anthrenus Fabr. 75-61             |       |                        |
| <i>scrophulariae</i> Linn. 58-356 | ..... | Venezuela              |
| <i>histrion</i> Fabr. 92-264      | ..... | U. S. A.               |
| <i>variegatus</i> Scop. 63-264    | ..... | Old World              |
| <i>verbasci</i> Hbst. 97-328      | ..... |                        |

<sup>15</sup> Grenadines (W. I.).

- Anthrenus**—Continued.  
*verbasci* Linn. 67-568.....Cosmopolitan  
*v. substriatus* Csy. 00-161.....Central America

## TRINODINAE

- Trinodes** Latr. 29-513  
*mexicana* Rtt. 80-60.....México  
**Aspectus** LeC. 54-113  
*centralis* Shp. 02-668.....Guatemala

- hystrix* Shp. 02-668.....México  
*minutus* Shp. 02-669.....México  
*obscurus* Shp. 02-669.....México

## INCERTAE SEDIS

- Diodontolobus** Sol. 49-267  
*lateritius* Fairm. 83-488.....Chile  
*puctipennis* Sol. 49-368.....Chile

## Superfamily BOSTRICOIDEA

## BOSTRICHIDAE

*(Bostrychidae)*

## DYSIDINAE

- Dysides** Perty 30-113  
*obscura* Perty 30-113.....Venezuela  
 Guiana  
 Brasil  
*platensis* Fairm. 92-245.....Paraguay  
 Argentina

## DINODERINAE

- Rhizopertha** Steph. 30-354  
*dominica* Fabr. 92-359.....México  
*exiguus* Walk. 59-260.....Honduras  
*fissicornis* Marsh. 02-82.....Brasil  
*frumentaria* Nordl. 55-238.....Cuba  
*moderata* Walk. 59-260.....Puerto Rico  
*picea* Marsh. 02-88.....U. S. A.  
*pusilla* Fabr. 98-156.....Old World  
*rufa* Hope 45-16  
**Stephanopachys** Waterh. 88-349  
*Dinoderus* Guér. 45-xvii  
*dugesi* Lesne 39-93.....México  
**Prostephanus** Lesne 98-342  
*punctatus* Say 27-258.....México  
 Guatemala  
 Nicaragua  
 U. S. A.  
*sulcicollis* F. & G. 61-?.....Chile  
<sup>10</sup> Is. J. Fernández  
*truncatus* Horn 78-549.....Baja Calif.  
 Central America  
 U. S. A.  
**Dinoderus** Steph. 30-352  
*Patea* Csy. 98-66  
*brevis* Horn 78-549.....?Jamaica  
 U. S. A.  
*distinctus* Lesne 97-322.....?Guadeloupe  
 Philippine Is.  
*minutus* Fabr. 75-54.....Guatemala  
*bifoveolatus* Zouf. 94-42.....Honduras  
*japonicus* Mots. 15-184.....Brasil  
*siculus* Baudi 73-336.....Argentina  
*substriatus* Steph. 30-352.....Hispaniola  
*vertens* Walk. 59-260.....Puerto Rico  
 St. Vincent  
 Grenada  
 U. S. A.  
*perfoliatus* Gorb. 86-353.....Panamá  
 Old World

## BOSTRICHINAE

## CHILENIINI

- Chilenius** Lesne 21-287  
*spenicollis* F. & G. 61-4.....Chile  
*tabulifrons* Lesne 35-34.....Chile

## POLYCAONINI

- Polycaon** Lap. 36-30  
*Allaocnemis* LeC. 53-233  
*chilense* Er. 34-390.....Perú  
*benani* Curt. 29-204.....Bolivia  
*chilense* Lap. 36-30.....Argentina  
 Chile  
*punctatum* LeC. 65-102.....Baja Calif.  
*pubescens* LeC. 65-102  
**Heterarthron** Guér. 44-186  
*amoenum* Lesne 11-46.....México  
*plicatum* LeC. 83-211  
*caribeum* Lesne 06-396.....Guadeloupe  
<sup>6</sup> Trinidad  
*crassulum* Lesne 11-46.....México  
*digueci* Lesne 11-47.....México  
*exesum* LeC. 58-74.....Baja Calif.  
 México  
*femorale* Lesne 96-115.....Guatemala  
*femorale* Fabr. 92-361.....Cuba  
<sup>12</sup> St. Croix  
*gonagrum* Fabr. 98-156.....Cuba  
 Jamaica  
 Hispaniola  
<sup>13</sup> Mona Is.  
 Puerto Rico  
<sup>14</sup> St. Thomas  
<sup>14</sup> St. Barthélemy  
 Guadeloupe  
 Dominica  
 St. Vincent  
*gracilipes* Blanch. 43-205.....Brasil  
*carinatum* Guér. 44-187.....Bolivia  
 Argentina  
*jamaicense* Lesne 06-395.....Jamaica  
*longitarse* Lesne 11-46.....México  
*parvidens* Lesne 95-169.....Brasil  
*parvulum* Lesne 25-29.....México  
*plicatum* LeC. 74-65.....México  
*obliquum* LeC. 74-66.....Cuba  
 Jamaica  
 U. S. A.

<sup>6</sup> Venezuela.<sup>10</sup> Chile.<sup>13</sup> West Indies.<sup>12</sup> Virgin Islands (W. I.).<sup>14</sup> Leeward Islands (W. I.).

**Heterarthron**—Continued.  
*rufipes* Blanch. 43-205.....Bolivia  
*strigipenne* Lesne 37-323.....México  
     *plicatum* Lesne 96-115.....Colombia  
*subdepressum* Lesne 97-146.....México  
*truncatum* Guér. 44-186.....Venezuela  
     Guiana  
*valleculatum* Lesne 13-191.....Argentina

**BOSTRICHINI**  
**BOSTRICHINA**

**Dexicrates** Lesne 99-455  
*robusta* Blanch. 51-433.....Argentina  
     Chile  
     s. *argentina* Lesne 11-345.....Argentina  
**Lichenophanes** Lesne 99-457  
     *Bostrichus* LeC. 61-208  
         (not Geoffr., 1762)  
*albicans* Lesne 98-464.....Brasil  
*bedeli* Lesne 95-172.....Colombia  
     Brasil  
*egregia* Lesne 34-39.....Perú  
*fasciata* Lesne 95-172.....Colombia  
     Brasil  
*fasciculata* Fall 09-162.....Baja Calif.  
*penicillata* Lesne 95-171.....México  
     *verrucosa* Gorch. 86-353  
*plicata* Guér. 44-185.....Brasil  
     Chaco  
     Argentina  
*tuberosa* Lesne 34-40.....México  
*verrucosa* Gorch. 83-214.....México  
     Guatemala

**Neoterius** Lesne 99-443  
*fairmairei* Lesne 98-582.....Perú  
     Chile  
*mystax* Blanch. 51-432.....Chile  
*pulvinatus* Blanch. 51-431.....Chile  
     <sup>10</sup> Is. J. Fernández

**Dolichobostrychus** Lesne 99-583  
*angustus* Steinh. 73-574.....South America  
     Argentina  
*fossulatus* Blanch. 43-204.....Argentina  
*gracilis* Lesne 98-583.....Brasil  
*granulifrons* Lesne 95-170.....Brasil  
*vitis* Mendes 32-2.....Brasil

**Bostrychopsis** Lesne 99-444  
*eremita* Er. 47-87.....Perú  
*ganglbaueri* Lesne 98-542.....Brasil  
*laminifer* Lesne 95-174.....Brasil  
     *lamifer* Bruch 15-260.....Paraguay  
         Argentina  
*trimorpha* Lesne 98-544.....South America  
*uncinata* Germ. 24-463.....South America  
     *frontalis* Linell 98-257.....Brasil  
     *furcata* Perty 34-83.....Argentina  
     *serrata* Blanch. 43-204  
     s. *castelnaui* Lesne 98-543.....Argentina  
     s. *gounellei* Lesne 98-543.....Argentina  
     s. *orbignyi* Lesne 98-543.....Argentina  
*valida* Lesne 98-541.....Brasil  
     s. *guyanica* Lesne 37-173.....Guiana  
**Amphicerus** LeC. 61-208  
     *Caenophrada* Waterh. 88-350  
     *Schistoceros* Lesne 99-442  
*clunalis* Lesne 39-100.....México

*cornutus* Pallas 72-8.....Baja Calif.  
     *bicornutus* Latr. 33-65.....<sup>2</sup> Is. Tres Marias  
     *deflexus* Gorch. 83-213.....México  
     *migrator* Shp. 85-160.....Nicaragua  
     *peregrinus* Er. 47-87.....Panamá  
     *punctipennis* LeC. 58-73.....<sup>4</sup> I. Taboga  
     *tristis* Gorch. 83-213.....South America  
         Guadeloupe  
         U. S. A.  
         Hawaii  
     s. *consanguineus* Lesne 98-506.....?  
     s. *galapaganus* Lesne 10-184.....Is. Galápagos  
*hamatus* Fabr. 87-33.....?Cuba  
     *aspericollis* Germ. 24-465.....U. S. A.  
     *bicaudatus* Say 24-320  
     *serricollis* Germ. 24-464  
*lignator* Lesne 98-505.....Venezuela  
*securimentum* Lesne 39-99.....México  
*tubularis* Gorch. 83-216.....Panamá  
**Apatides** Csy. 98-66  
*fortis* LeC. 65-101.....Baja Calif.  
     U. S. A.

**Bostrychoplites** Lesne 99-443  
*corticina* H. & T. 07-197.....Brasil  
**Micrapate** Csy. 98-66  
     *Bostrychulus* Lesne 99-444  
*amplicollis* Lesne 98-597.....Paraguay  
*atra* Lesne 98-595.....Brasil  
*bicostula* Lesne 06-406.....Brasil  
*brasilienis* Lesne 98-594.....Brasil  
*brevipes* Lesne 98-597.....Brasil  
*bruchii* Lesne 31-99.....Argentina  
*catamarcana* Lesne 31-101.....Argentina  
*cordobiana* Lesne 31-101.....Argentina  
*cribripennis* Lesne 98-596.....Brasil  
*dinoderoides* Horn 78-543.....Baja Calif.  
     U. S. A.  
*discrepans* Lesne 39-105.....Guatemala  
*exigua* Lesne 98-595.....Colombia  
*foraminata* Lesne 06-271.....Panamá  
     *scapularis* Gorch. 83-216  
*fusca* Lesne 98-595.....Panamá  
     Cuba  
*germaini* Lesne 98-596.....Brasil  
*guatemalensis* Lesne 06-274.....Guatemala  
*horni* Lesne 98-595.....Brasil  
*humeralis* Blanch. 51-434.....Chile  
*labialis* Lesne 06-271.....Guatemala  
*obesa* Lesne 98-597.....Brasil  
*pinguis* Lesne 39-108.....México  
*puncticollis* Kies. 77-39.....South America  
     *brunnipes* Fabr. 01-383.....?West Indies  
     *elongata* Strüb. 59-271  
         (not Payk., 1800)  
*pupulus* Lesne 06-407.....Brasil  
*quadraticollis* Lesne 98-593.....Guiana  
*scabrata* Er. 47-87.....Perú  
     *vitis* Blanch. 51-433.....Bolivia  
         Chile  
*scapularis* Gorch. 83-216.....México  
     Guatemala  
     Panamá  
*sericeicollis* Lesne 06-272.....México  
     Guatemala  
*unguiculata* Lesne 06-270.....México  
*wagneri* Lesne 06-12.....Chaco  
     Argentina

<sup>2</sup> Mexico.

<sup>4</sup> Panamá.

<sup>10</sup> Chile.

- Sinoxylodes** Lesne 99-444  
*curtula* Er. 47-87.....Guatemala  
*championi* Gorb. 83-214.....South America
- Sinocalon** Lesne 07-447  
*pilosulum* Lesne 06-449.....Argentina  
*reticulatum* Lesne 06-449.....Argentina  
*vestitum* Lesne 95-175.....Bolivia  
Argentina
- XYLOPERTHINA**
- Xylomeira** Lesne 01-502  
*torquata* Fabr. 01-382.....Cuba  
*floridana* Horn 85-155.....Hispaniola  
*sextuberculata* Gorb. 98-329.....Puerto Rico  
(not LeC., 1858).....<sup>13</sup> St. Thomas  
*tridens* Fabr. 92-362.....Antigua  
(not Lesne, 1901).....Guadeloupe  
St. Lucia  
Grenada
- Xyloprista** Lesne 01-497  
*arcellata* Lesne 91-498.....Brasil  
*hexacantha* Fairm. 92-245.....South America  
Argentina  
*praemorsa* Er. 47-87.....South America
- Dendrobiella** Csy. 98-67  
*aspera* LeC. 58-73.....México  
*sericans* Horn 78-542.....U. S. A.  
(not LeC., 1858)  
*isthmicola* Lesne 33-238.....Central America  
*sericea* Lesne 00-491  
(not M. & W., 1852)  
*sericans* LeC. 58-73.....Baja Calif.  
México  
*pubescens* Csy. 98-67.....Guatemala  
Honduras  
Panamá  
U. S. A.
- sericea* M. & W. 52-14.....Guatemala  
*sublaevis* Csy. 98-68.....Cuba  
Jamaica  
Hispaniola
- Tetrapriocera** Horn 78-544  
*caprina* Lesne 31-104.....Argentina  
*defracta* Lesne 00-483.....Brasil  
*laevifrons* Lesne 00-483.....Paraguay  
*longicornis* Oliv. 95-15.....México  
*schwarzi* Horn 78-545.....Br. Honduras  
*tridens* Lesne 00-482.....Guatemala  
(not Fabr. 1792).....Nicaragua  
Costa Rica  
Panamá  
Colombia  
Venezuela  
Brasil
- Xylobiops** Csy. 98-67  
*concisa* Lesne 00-506.....Colombia  
Venezuela  
*parilis* Lesne 00-506.....México  
*sextuberculata* LeC. 58-73.....México  
Guatemala  
Grenada  
U. S. A.  
*texana* Horn 78-542.....Jamaica  
U. S. A.
- Xyloblaptus** Lesne 01-476  
*mexicanus* Lesne 39-119.....México  
*quadrispinosus* LeC. 66-100.....Baja Calif.  
Guatemala  
U. S. A.
- Xylopertha** Guér. 45-17  
*picea* Oliv. 90-110.....Brasil  
*crinitarsis* Gerst. 71-57.....Africa  
*cultrata* Thoms. 59-83  
*femorata* Klug 33-203  
*fumata* Murr. 67-94  
*heydeni* Schilsky 99-92  
*s. plumbeipennis* Lesne 24-222.....
- Xylionulus** Lesne 01-476  
*transvena* Lesne 00-426.....Brasil  
Africa
- Xylopsocus** Lesne 01-479  
*capucinus* Fabr. 81-62.....Brasil  
*eremitus* Oliv. 90-110.....Old World  
*marginatus* Fabr. 01-382  
*nicobaricus* Redt. 68-114

### APATINA

- Apate** Fabr. 75-54  
*monacha* Fabr. 75-54.....Cuba  
*carmelita* Fabr. 01-379.....Puerto Rico  
*francisca* Fabr. 01-379.....Africa  
*gibba* Fabr. 98-156  
*mendica* Oliv. 90-108  
*semicosta* Thoms. 57-83  
*sennii* DeStef. 11-62  
*v. rufiventris* Lucas 43-25.....
- terebrans* Pallas 72-7.....Jamaica  
*monacha* Fabr. 01-379.....Brasil  
*muricata* Fabr. 75-54.....Africa

## LYCTIDAE

### LYCTINAE

- Lycetus** Fabr. 92-502  
*brunneus* Steph. 30-117.....(Cosmopolitan)  
*carolinae* Csy. 91-13  
*costatus* Blackb. 88-265  
*disputans* Walk. 58-206  
*glycyrrhizae* Chevr. 44-191
- jatrophae* Woll. 67-112  
*retrahens* Walk. 58-207  
*rugulosus* Montr. 61-266  
*caribeus* Lesne 31-96.....Central America  
West Indies  
*cinereus* Blanch. 51-438.....Chile  
*nitidicollis* Rtrtr. 78-197  
*longicornis* Rtrtr. 78-197.....Colombia

<sup>13</sup> West Indies.<sup>12</sup> Virgin Islands (W. I.).

**Lycetus**—Continued.  
*planicollis* LeC. 58-74.....Baja Calif.  
*carbonarius* Wald 32-167.....México  
U. S. A.  
*simplex* Rtrr. 78-198.....Colombia  
*tomentosus* Rtrr. 78-198.....Guatemala  
*griseus* Gorb. 83-212.....México  
*villosus* Lesne 11-537.....México

**Minthea** Pasc. 66-97.....(Cosmopolitan)  
*rugicollis* Walk. 58-206.....Hispaniola  
*foveicollis* Rtrr. 78-199.....Hispaniola  
*hispidata* Blackb. 85-141.....  
*similata* Pasc. 66-141.....  
*squamifera* Pasc. 66-97.....South America  
*stichothrix* Rtrr. 78-199.....

**Lycotryxylon** Rtrr. 78-196.....  
*japonum* Rtrr. 78-199.....Puerto Rico  
*japonicum* Wolc. 36-244.....Indo-Malaya  
*seriehispidum* Kies. 79-319.....Japan

## TROGOXYLONINAE

**Trogoxylon** LeC. 62-209.....  
*curtulum* Csy. 91-13.....Central America  
Puerto Rico  
*californicum* Csy. 91-14.....Baja Calif.  
U. S. A.  
*praeustum* Er. 47-88.....Perú  
*prostomoides* Gorb. 83-212.....México  
Guatemala  
?Nicaragua  
Panamá  
St. Vincent  
Grenada  
*punctatum* LeC. 65-104.....Baja Calif.  
*rectangulum* Lesne 21-229.....Hispaniola  
*recticollis* Rtrr. 78-199.....Argentina  
**Phlyctetus** Lesne 11-206.....  
*gounellei* Grouv. 96-193.....Brasil

## PTINIDAE

## GIBBIINAE

**Gibbium** Scop. 77-505.....  
*aequinoctiale* Boield. 54-Ixxxiv.....America  
Cuba  
*cherolati* Boield. 54-Ixxxv.....Old World  
*psyllioides* Czemp. 78-51.....(Cosmopolitan)  
*apterum* Fourc. 85-57.....México  
*scotiis* Fabr. 81-74.....Cuba  
*seminulum* Schrank 81-36.....<sup>14</sup> St. John  
<sup>12</sup> Montserrat  
St. Vincent  
Old World

**Mezium** Curt. 28-pl. 232.....  
*americanum* Lap. 40-297.....Perú  
*arachnoides* Desbr. 75-50.....Argentina  
*nitidipenne* Germain 55-395.....Chile  
*sulcatum* Woll. 54-273.....U. S. A.  
*sulcicollis* Brullé 38-60.....Old World  
*sulcatum* Fabr. 81-73.....Uruguay  
*cristatum* Boh. 58-86.....Old World  
*hirticollis* Lap. 40-297.....

**Trigonogenius** Sol. 49-464.....  
*aceus* Pic 00-258.....Chile  
U. S. A.  
*arcuatus* Gorb. 86-347.....<sup>4</sup> I. Taboga  
*globulus* Sol. 49-464.....Colombia  
*faretus* LeC. 65-100.....Perú  
Argentina  
Chile  
U. S. A.  
Old World  
*v. globosus* Sol. 49-464.....Colombia  
Chile  
*v. squalidus* Boield. 56-667.....Colombia  
Chile  
*impressicollis* Pic 17-258.....Perú  
*nigronotatus* Pic 01-278.....Bolivia  
*niveus* Gorb. 83-197.....Guatemala  
Panamá  
*v. trinotatus* Pic 00-258.....  
*peruvianus* Pic 03-99.....Perú  
*tropicus* Kirsch 89-12.....Ecuador

**Sphaericus** Woll. 54-263.....  
*brasiliensis* Pic 23-74.....Brasil  
*densepunctatus* Pic 36-131.....Brasil

**Pitnus** Gorb. 83-197.....  
*huesanus* Fisher 19-295.....Bahamas Is.  
Jamaica  
U. S. A.  
*pygmaeus* Gorb. 83-198.....Baja Calif.  
Guatemala  
U. S. A.

**Niptomezium** Pic 02-50.....  
*patagonicum* Pic 02-50.....Patagonia  
*sparsepilosum* Pic 02-50.....Argentina  
**Niptus** Boield. 56-290.....  
*maximus* Pic 08-178.....Brasil  
*schmidti* Fairm. 78-Ixxxvi.....Perú  
*touroueri* Pic 17-258.....Argentina  
*ventriculus* LeC. 59-13.....México  
Guatemala  
U. S. A.

**Niptinus** Fall 05-108.....  
*unilineatus* Pic 00-252.....México  
U. S. A.

**Ptinus** Linn. 66-537.....  
*albicomus* Boield. 56-503.....Brasil  
*albipunctum* Gorb. 83-194.....Panamá  
*albonotatus* Pic 96-46.....Brasil  
*alboscutellatus* Boield. 54-Ixxx.....Chile  
*amazonicus* Pic 14-8.....Brasil  
*apicipennis* Pic 99-32.....Brasil  
*bivittatus* Boield. 54-Ixxx.....Brasil  
*brasiliensis* Pic 99-32.....Brasil  
Bolivia  
*v. inhirticollis* Pic 00-255.....  
*bruchii* Pic 05-135.....Argentina  
*chilensis* Pic 00-10.....Chile  
*coarctatus* Gorb. 83-195.....México  
Guatemala  
*corumbanus* Pic 31-5.....Brasil  
*divulgatus* Pic 07-317.....Chile  
*donceeli* Pic 06-227.....South America  
Argentina  
*donekieri* Pic 98-171.....Brasil  
*drakei* Pic 07-318.....Paraguay  
*dufauti* Pic 06-21.....Guadeloupe  
*elegans* Sol. 49-463.....Chile  
*fascicularis* Er. 47-86.....Perú  
*foncki* Phil. 64-280.....Chile  
*germaini* Pic 12-6.....Chile

<sup>4</sup> Panamá.<sup>12</sup> West Indies.<sup>14</sup> Leeward Islands (W. I.).

|                                  |       |             |                                   |       |                        |
|----------------------------------|-------|-------------|-----------------------------------|-------|------------------------|
| <b>Ptinus</b> —Continued.        |       |             |                                   |       |                        |
| gorhami Pic 00-254               | ..... | Chile       | obliquefasciatus Pic 39-6         | ..... | Hispaniola             |
| gounellei Pic 96-45              | ..... | Brasil      | obscuripes Pic 00-211             | ..... | Brasil                 |
| goyasensis Pic 98-172            | ..... | Brasil      | paulpictus Pic 10-155             | ..... | Ecuador                |
| groulti Pic 00-211               | ..... | Brasil      | posticatus Pic 09-168             | ..... | Chile                  |
| grouvellei Pic 99-32             | ..... | Brasil      | reedi Pic 12-4                    | ..... | Chile                  |
| hirtellus Sturm 37-80            | ..... | Guatemala   | riveti Pic 10-154                 | ..... | Perú                   |
| <i>brunneus</i> Duft. 25-65      | ..... | U. S. A.    | rubricollis Pic 28-99             | ..... | Argentina              |
| <i>testaceus</i> Oliv. 90-9      | ..... | Old World   | ruficapillus Pic 99-32            | ..... | Brasil                 |
| hirtithorax Pic 00-254           | ..... | Argentina   | <i>spicicollis</i> Boield. 56-496 | ..... |                        |
|                                  |       | Chile       | rufipennis Pic 31-5               | ..... | Brasil                 |
| inapicalis Pic 99-32             | ..... | Brasil      | santiagonus Pic 29-344            | ..... | Chile                  |
| inhumeralis Pic 12-4             | ..... | Chile       | semibrunneus Pic 98-170           | ..... | Brasil                 |
| interruptus LeC. 57-48           | ..... | Baja Calif. | semiobscurus Pic 96-46            | ..... | Brasil                 |
|                                  |       | U. S. A.    | silvestrii Pic 02-49              | ..... | Patagonia              |
| jatayensis Pic 99-33             | ..... | Brasil      | spicicollis Sol. 49-462           | ..... | Uruguay                |
| jousseilini Pic 11-122           | ..... | Colombia    |                                   |       | Chile                  |
| latefasciatus Gorh. 83-194       | ..... | México      | subfasciatus Pic 00-257           | ..... | Venezuela              |
|                                  |       | Guatemala   | submetallicus Pic 00-253          | ..... | Brasil                 |
|                                  |       | Costa Rica  | sulcatus Sol. 49-463              | ..... | Chile                  |
|                                  |       | Panamá      | tessellatus Gorh. 98-324          | ..... | <sup>15</sup> Mustique |
| v. <i>tripartitus</i> Pic 00-256 | ..... | Brasil      | testaceipes Pic 10-105            | ..... | Argentina              |
| latenotatus Pic 26-74            | ..... | Paraguay    | theresae Pic 98-171               | ..... | Brasil                 |
| lateralis Gorh. 83-195           | ..... | Guatemala   | tomentosus Boield. 54-cxxx        | ..... | Colombia               |
| latus Pic 96-46                  | ..... | Brasil      |                                   |       | Venezuela              |
| maculithorax Pic 96-46           | ..... | Brasil      | v. <i>nodieri</i> Pic 39-5        | ..... | Guiana                 |
| medionudatus Pic 26-4            | ..... | Chile       | unifasciatus Pic 12-2             | ..... | Chile                  |
| mexicanus Pic 01-299             | ..... | México      | vittatus Pic 98-172               | ..... | Brasil                 |
| multifasciculatus Pic 26-4       | ..... | Chile       | wagneri Pic 10-105                | ..... | Argentina              |
| nigricolor Pic 01-26             | ..... | Argentina   | witi Pic 08-177                   | ..... | Ecuador                |
| niveicollis Boield. 56-661       | ..... | Cuba        | sp. (Wolcott 36-238)              | ..... | Puerto Rico            |

## GNOSTIDAE

|                                 |                 |
|---------------------------------|-----------------|
| <b>Gnostus</b> Westw. 55-90     |                 |
| <i>formicicola</i> Westw. 55-90 | ..... Brasil    |
| <i>meinerti</i> Wasm. 94-121    | ..... Venezuela |

## ANOBIIDAE

|                                     |       |                                |
|-------------------------------------|-------|--------------------------------|
| <b>ERNOBIINAE</b>                   |       |                                |
| <b>Seymniusenthea</b> Pic 09-170    |       |                                |
| <i>apicalis</i> Pic 09-170          | ..... | Guadeloupe                     |
| <b>Ozognathus</b> LeC. 61-205       |       |                                |
| <i>Durangoum</i> Pic 03-182 (Subg.) |       |                                |
| <i>Micranobium</i> Gorh. 83-202     |       |                                |
| <i>elongatus</i> Pic 23-4           | ..... | Chile                          |
| <i>exiguus</i> Gorh. 83-202         | ..... | Guatemala                      |
|                                     |       | St. Vincent                    |
|                                     |       | Grenada                        |
| <i>hirtus</i> Pic 23-4              | ..... | Chile                          |
| <i>inarmatus</i> Pic 04-18          | ..... | Chile                          |
| <i>mexicanus</i> Pic 03-183         | ..... | México                         |
| <i>rufescens</i> Pic 04-18          | ..... | Chile                          |
| <i>seileri</i> Pic 31-193           | ..... | Colombia                       |
| <b>Ernobius</b> Thoms. 59-88        |       |                                |
| <i>Philoxylon</i> LeC. 61-205       |       |                                |
| <i>germaini</i> Pic 12-6            | ..... | Chile                          |
| <b>Pachotelus</b> Sol. 49-474       |       |                                |
| <i>bicolor</i> Sol. 49-475          | ..... | Chile                          |
| <i>fuscus</i> Sol. 49-476           | ..... | Chile                          |
| <i>pullus</i> Phil. 64-280          |       |                                |
| <b>ANOBIINAE</b>                    |       |                                |
| <b>Oligomerus</b> Redt. 49-347      |       |                                |
| <i>wagneri</i> Pic 22-6             | ..... | Argentina                      |
|                                     |       |                                |
| <b>Magnanobium</b> Pic 26-16        |       |                                |
| <i>elongatum</i> Pic 26-16          | ..... | Argentina                      |
| v. <i>obscurum</i> Pic 26-16        | ..... | Argentina                      |
| <b>Stegobium</b> Mots. 60-154       |       |                                |
| <i>Sitodrepa</i> Thoms. 63-166      |       |                                |
| <i>panicea</i> Linn. 61-145         | ..... | Baja Calif.                    |
| <i>ferruginea</i> Hbst. 83-27       | ..... | México                         |
| <i>minuta</i> Fabr. 92-238          | ..... | Guatemala                      |
| <i>nana</i> Küst. 50-45             | ..... | Colombia                       |
| <i>obesa</i> Melsh. 44-309          | ..... | Venezuela                      |
| <i>rubella</i> Marsh. 02-85         | ..... | Brasil                         |
| <i>tenuicornis</i> Marsh. 02-84     | ..... | Perú                           |
| <i>tenuistriata</i> Say 25-173      | ..... | Argentina                      |
| <i>testacea</i> Thunb. 84-6         | ..... | <sup>10</sup> Is. J. Fernández |
| <i>upsaliensis</i> Linn. 88-1605    | ..... | Puerto Rico                    |
|                                     |       | Guadeloupe                     |
|                                     |       | U. S. A.                       |
|                                     |       | Old World                      |
| <b>Trichodesma</b> LeC. 61-204      |       |                                |
| <i>albida</i> Gorh. 83-199          | ..... | Guatemala                      |
| <i>albidolata</i> Gorh. 83-200      | ..... | Guatemala                      |
| <i>amazonica</i> Pic 15-3           | ..... | Brasil                         |
| <i>armata</i> Champ. 13-139         | ..... | Guatemala                      |
| <i>bahiensis</i> Pic 02-409         | ..... | Brasil                         |
| v. <i>obliterata</i> Pic 02-409     | ..... | Brasil                         |
| <i>dentatithorax</i> Pic 01-27      | ..... | Brasil                         |
| <i>denticollis</i> Blair. 28-675    | ..... | Is. Galápagos                  |

<sup>10</sup> Chile.<sup>15</sup> Grenadines (W. I.).



**Trichodesma**—Continued.

|                                    |             |
|------------------------------------|-------------|
| donckieri Pic 02-408.....          | Brasil      |
| fasciculata Pic 02-409.....        | Brasil      |
| gorhami Pic 01-93.....             | México      |
| <i>imperator</i> Gorh. 83-199..... | Guatemala   |
| gouneillei Pic 01-94.....          | Brasil      |
| goyasensis Pic 00-57.....          | Brasil      |
| imperator Lap. 36-58.....          | México      |
| .....                              | Guatemala   |
| latissima Pic 02-409.....          | Brasil      |
| mexicana Pic 01-93.....            | México      |
| notatipennis Pic 02-409.....       | Brasil      |
| oakleyi Fisher 36-238.....         | Puerto Rico |
| pietipennis Champ. 13-135.....     | Guatemala   |
| plumbea Gorh. 83-201.....          | Guatemala   |
| robustior Pic 02-409.....          | Brasil      |
| .....                              | Paraguay    |
| scripta Champ. 13-136.....         | México      |
| sellata Horn 94-386.....           | Baja Calif. |
| .....                              | U. S. A.    |
| semialbida Pic 01-26.....          | Brasil      |
| texana Champ. 13-134.....          | México      |
| tricristata Champ. 13-133.....     | México      |
| truncata Champ. 13-138.....        | Guatemala   |
| W-album Gorh. 83-200.....          | México      |
| .....                              | Guatemala   |

**Nicobium** LeC. 61-204

|                                      |            |
|--------------------------------------|------------|
| castaneum Oliv. 90-7.....            | ?Argentina |
| <i>tomentosum</i> M. & R. 63-81..... | Old World  |
| v. <i>hirtum</i> Ill. 07-19.....     | ?Argentina |
| <i>fasciatum</i> Dufour 43-153.....  | Old World  |
| expansicolle Pic 23-4.....           | Chile      |
| lineaticolle Pic 37-4.....           | Brasil     |
| spinolae Sol. 49-469.....            | Chile      |

**Anobium** Fab. 75-62

|                                      |                                |
|--------------------------------------|--------------------------------|
| acutangulum Sol. 49-470.....         | Chile                          |
| angulare Er. 34-233.....             | Chile                          |
| cylindricum Sol. 49-472.....         | Chile                          |
| elevatum Lap. 40-294.....            | Brasil                         |
| fumosum Sol. 49-471.....             | Chile                          |
| .....                                | <sup>10</sup> Is. J. Fernández |
| haemorrhoidale Phil. 64-281.....     | Chile                          |
| lunatum Sol. 49-472.....             | Chile                          |
| nigrum Sol. 49-470.....              | Chile                          |
| oblongum Sol. 49-471.....            | Chile                          |
| punctatum Deg. 74-230.....           | Baja Calif.                    |
| <i>cylindricum</i> Marsh. 02-83..... | Argentina                      |
| <i>domesticum</i> Geoffr. 85-26..... | <sup>10</sup> Is. J. Fernández |
| <i>latreillei</i> Duf. 43-48.....    | U. S. A.                       |
| <i>perlinax</i> Fabr. 75-62.....     | Old World                      |
| <i>pumilis</i> LeC. 65-232.....      |                                |
| <i>striatum</i> Sol. 49-469.....     |                                |
| sulcatum Sol. 49-469.....            | Chile                          |

**Hadrobreghmus** Thoms. 59-89

|                                    |           |
|------------------------------------|-----------|
| <i>Cacotemnus</i> LeC. 61-204..... |           |
| <i>Hemicoleus</i> LeC. 61-204..... |           |
| aurosignatus Pic 01-94.....        | Brasil    |
| incisicollis Pic 09-38.....        | Argentina |
| punctatipennis Pic 08-177.....     | Chile     |

**Trypopyta** Redt. 49-346

|                             |        |
|-----------------------------|--------|
| subelongata Pic 01-278..... | Brasil |
|-----------------------------|--------|

## PTILININAE

**Ptilinus** Geoffr. 85-4

|                          |        |
|--------------------------|--------|
| angustatus Pic 22-4..... | Brasil |
| bahianus Pic 22-4.....   | Brasil |

|                                 |                |
|---------------------------------|----------------|
| brasilienis Pic 01-278.....     | Brasil         |
| corumbanus Pic 32-13.....       | Brasil         |
| gounellei Pic 17-2.....         | Brasil         |
| granulatus Pic 22-6.....        | ?South America |
| grouvellei Pic 01-278.....      | Brasil         |
| .....                           | Argentina      |
| inaequalithorax Pic 11-122..... | Argentina      |
| insulcatus Pic 32-12.....       | Guatemala      |
| maculicollis Champ. 13-160..... | Guatemala      |
| magnicollis Pic 33-13.....      | Brasil         |
| mexicanus Pic 01-95.....        | México         |
| nigriceps Pic 32-12.....        | Panamá         |
| sericeus Champ. 13-159.....     | Guatemala      |

## CEROCOSMINAE

**Cerocosmus** Gemm. 73-146

|                                    |       |
|------------------------------------|-------|
| <i>Cosmocerus</i> Sol. 49-476..... |       |
| cinereus Sol. 49-477.....          | Chile |

## XYLETININAE

**Plananobius** Pic 03-182

|                             |        |
|-----------------------------|--------|
| aureopubens Pic 03-182..... | Brasil |
|-----------------------------|--------|

**Dasytanobium** Pic 02-23

|                           |        |
|---------------------------|--------|
| inaequale Pic 02-23.....  | Brasil |
| monstrosum Pic 10-60..... | Brasil |

**Gibboxyletinus** Pic 01-94

|                                  |        |
|----------------------------------|--------|
| fuscipennis Pic 01-95.....       | Brasil |
| v. <i>laticor</i> Pic 01-95..... | Brasil |
| gounellei Pic 01-95.....         | Brasil |
| intermedius Pic 01-95.....       | Brasil |
| nitidipennis Pic 01-95.....      | Brasil |
| subpubescens Pic 01-95.....      | Brasil |

**Xyletomerus** Fall 05-197

|                              |       |
|------------------------------|-------|
| atricolor Pic 23-5.....      | Chile |
| brevihirsutus Pic 23-5.....  | Chile |
| germaini Pic 23-5.....       | Chile |
| impressipennis Pic 23-5..... | Chile |
| latus Pic 23-4.....          | Chile |
| major Pic 23-5.....          | Chile |
| subelongatus Pic 23-4.....   | Chile |
| testaceicornis Pic 23-5..... | Chile |

**Xyletinus** Latr. 09-376

|                                      |                 |
|--------------------------------------|-----------------|
| argenteolineatus Pic 34-19.....      | Central America |
| bahiensis Pic 02-130.....            | Brasil          |
| boliviensis Pic 07-338.....          | Bolivia         |
| bombycinus Er. 47-86.....            | Perú            |
| brasilienis Pic 02-17.....           | Brasil          |
| .....                                | Argentina       |
| v. <i>argentinus</i> Pic 05-135..... | Argentina       |
| byssinus Kirsch 74-399.....          | Perú            |
| castaneus Lap. 40-295.....           | West Indies     |
| costifer Pic 02-17.....              | Brasil          |
| denticollis Pic 02-18.....           | Brasil          |
| discoidalis Pic 02-17.....           | Brasil          |
| distinctevestitus Pic 02-21.....     | Brasil          |
| distincticollis Pic 02-131.....      | Brasil          |
| duranti Pic 02-17.....               | Brasil          |
| gounellei Pic 02-18.....             | Brasil          |
| griseopubens Pic 15-8.....           | Brasil          |
| inaequalicollis Pic 33-11.....       | Ecuador         |
| inermicollis Pic 02-18.....          | Brasil          |
| longior Pic 22-4.....                | Brasil          |
| marmoratus Pic 11-183.....           | Guadeloupe      |
| maximus Pic 02-18.....               | Brasil          |
| nitidior Pic 02-18.....              | Brasil          |

<sup>10</sup> Chile.



## Calymmaderus—Continued.

|                                      |               |
|--------------------------------------|---------------|
| humilis Pic 04-37.....               | Brasil        |
| v. lator Pic 27-247.....             | Brasil        |
| v. nitidissimus Pic 04-37.....       | Brasil        |
| instriatus Pic 22-5.....             | Brasil        |
| latipennis Pic 15-7.....             | Brasil        |
| marginaticollis Pic 23-7.....        | Chile         |
| metallicus Pic 02-31.....            | Perú          |
| mexicanus Pic 04-18.....             | México        |
| minasensis Pic 04-37.....            | Brasil        |
| minutus Sol. 49-474.....             | Chile         |
| multimaculatus Pic 22-4.....         | Brasil        |
| nigricolor Pic 04-37.....            | Brasil        |
| v. subartenuatus Pic 04-37.....      | Brasil        |
| nigromaculatus Pic 04-32.....        | Brasil        |
| nigronotatus Pic 10-46.....          | Argentina     |
| nitescens Champ. 13-147.....         | Panamá        |
| oblongus Gohr. 83-206.....           | México        |
| pubescens Pic 02-55.....             | Brasil        |
| pubescens Pic 02-55.....             | Baja Calif.   |
| punctatipennis Pic 23-7.....         | Chile         |
| punctatus Pic 22-5.....              | Brasil        |
| pupatus Gohr. 83-205.....            | México        |
| rufescens Pic 02-55.....             | Brasil        |
| rufomaculatus Pic 15-7.....          | Brasil        |
| rufonitens Pic 04-37.....            | Brasil        |
| semirufus Champ. 13-147.....         | México        |
| sericeomaculatus Pic 15-9.....       | Brasil        |
| sericeus Pic 23-5.....               | Chile         |
| sharpi Gohr. 86-348.....             | México        |
| subexplanatus Pic 23-5.....          | Chile         |
| sublineatus Pic 04-18.....           | Chile         |
| subnotatus Pic 04-36.....            | South America |
| subopacus Pic 04-31.....             | Brasil        |
| substriatus Pic 22-5.....            | Brasil        |
| subvestitus Champ. 13-145.....       | México        |
| suturalis Pic 02-55.....             | Brasil        |
| tessellatus Pic 00-68.....           | Brasil        |
| testaceipes Pic 05-92.....           | Cuba          |
| theresae Pic 02-31.....              | Perú          |
| v. bahiensis Pic 04-37.....          | Brasil        |
| throscoides Gohr. 83-206.....        | Br. Honduras  |
| variegatus Pic 00-68.....            | Brasil        |
| venezuelensis Pic 04-19.....         | Venezuela     |
| verdensis Pic 32-11.....             | Brasil        |
| <b>Microthaptor</b> Pic 22-5.....    |               |
| ovatus Pic 22-5.....                 | Brasil        |
| <b>Lioliolus</b> Gohr. 83-203.....   |               |
| exiguus Gohr. 86-347.....            | Honduras      |
| glaber Gohr. 83-203.....             | Guatemala     |
| ovulum Gohr. 83-205.....             | Nicaragua     |
| pubescens Gohr. 83-204.....          | Panamá        |
| punctatus Gohr. 83-203.....          | Guatemala     |
| striatus Gohr. 83-204.....           | Panamá        |
| striatus Gohr. 83-204.....           | Honduras      |
| striatus Gohr. 83-204.....           | Panamá        |
| striatus Gohr. 83-204.....           | Nicaragua     |
| <b>Microsternus</b> Shp. 81-526..... |               |
| brunneivillis Gohr. 86-349.....      | Panamá        |
| laevis Gohr. 98-327.....             | St. Vincent   |
| sericatus Waltl 32-167.....          | México        |
| substriatus Gohr. 86-349.....        | Guatemala     |
| substriatus Gohr. 86-349.....        | Panamá        |
| <b>Catorama</b> Guér. 50-431.....    |               |
| Cathorama Gohr. 83-207.....          |               |
| Hemiptychus LeC. 65-239.....         |               |
| Tricornus Waterh. 49-68.....         |               |
| Xylothecca Rtrr. 97-204.....         |               |
| argentina Pic 04-57.....             | Argentina     |
| v. longesulcata Pic 28-50.....       | Argentina     |
| baeri Pic 04-19.....                 | Perú          |
| brasiliensis Pic 02-68.....          | Brasil        |
| brevesulcata Pic 27-187.....         | Argentina     |
| caudata Pic 28-49.....               | Argentina     |
| claveri Pic 23-5.....                | Colombia      |
| convexa Pic 02-68.....               | Brasil        |
| cibrata Pic 05-92.....               | Brasil        |
| v. distincta Pic 05-92.....          |               |
| curta Pic 27-7.....                  | Argentina     |
| diversistriata Pic 04-56.....        | Brasil        |
| dufaui Pic 11-183.....               | Guadeloupe    |
| estriata Horn 94-390.....            | Baja Calif.   |
| fulvopilosa Pic 27-8.....            | U. S. A.      |
| germaini Pic 23-5.....               | Brasil        |
| gossypii Brèthes 24-67.....          | Chile         |
| goyasensis Pic 05-92.....            | Perú          |
| guyanensis Pic 23-5.....             | Brasil        |
| herbarium Gohr. 83-207.....          | Fr. Guiana    |
| hogeii Pic 27-10.....                | México        |
| holosericea Pic 04-103.....          | Nicaragua     |
| humeralis Kirsch 74-401.....         | El Salvador   |
| impresifrons Fall 95-234.....        | Panamá        |
| instriata Pic 23-5.....              | South America |
| insulcata Pic 27-9.....              | Argentina     |
| insulicola Fisher 36-240.....        | Argentina     |
| latipennis Pic 27-9.....             | Puerto Rico   |
| major Pic 28-4.....                  | Trinidad      |
| maroniensis Pic 27-8.....            | Argentina     |
| mexicana Pic 27-10.....              | Fr. Guiana    |
| v. multistriata Pic 27-10.....       | México        |
| micans Boisd. 05-235.....            | México        |
| minutissima Pic 04-104.....          | Brasil        |
| obsoleta LeC. 65-240.....            | Argentina     |
| palmarum Guér. 51-cxv.....           | Baja Calif.   |
| peruviana Kirsch 73-401.....         | U. S. A.      |
| presuturalis Pic 27-186.....         | México        |
| puncticeps Gohr. 86-348.....         | Guatemala     |
| reitteri Pic 27-9.....               | Hispaniola    |
| robustus Pic 23-5.....               | Perú          |
| v. caucensis Pic 27-8.....           | Brasil        |
| rubriventris Pic 04-57.....          | México        |
| v. subglabra Pic 04-57.....          | México        |
| rudepunctata Pic 04-57.....          | Brasil        |
| rudepunctata Pic 04-57.....          | Argentina     |

\* Venezuela.

|                                  |                              |
|----------------------------------|------------------------------|
| <b>Catorama</b> —Continued.      |                              |
| rufa Pic 27-7                    | Argentina                    |
| sallei Guér. 51-cxv              | Hispaniola                   |
|                                  | Guadeloupe                   |
| seminulum Gorb. 83-207           | México                       |
|                                  | Guatemala                    |
|                                  | Nicaragua                    |
|                                  | Panamá                       |
| sparsopunctata Pic 28-4          | Argentina                    |
| v. approximata Pic 28-4          | Argentina                    |
| v. reductepunctata Pic 28-4      | Argentina                    |
| subplicata Pic 27-9              | Brasil                       |
| subrutileps Pic 05-136           | Argentina                    |
| substriata Pic 05-136            | Argentina                    |
| tabaci Guér. 50-437              | Cuba                         |
| theacaoides Pic 04-103           | Brasil                       |
| tijucana Pic 04-103              | Brasil                       |
| unisolcata Pic 27-187            | Brasil                       |
| venezuelensis Pic 27-9           | Venezuela                    |
| wagneri Pic 27-186               | Argentina                    |
| zeae Waterh. 49-68               | Barbados                     |
| <b>Cryptorama</b> Fall 05-256    |                              |
| densipunctata Fisher 36-240      | Puerto Rico                  |
| <b>Chondrotheca</b> Lesne 10-305 |                              |
| asperula Lesne 10-306            | Perú                         |
| <b>Ascutotheca</b> Lesne 11-22   |                              |
| germaini Lesne 11-23             | Chile                        |
| <b>Protheca</b> LeC. 65-241      |                              |
| flavitaris Fisher 36-241         | Puerto Rico                  |
| <b>Priotoma</b> Gorb. 86-350     |                              |
| albicincta Pic 27-22             | Fr. Guiana                   |
| argentifera Pic 02-21            | Brasil                       |
| atronotata Pic 26-15             | Argentina                    |
| bireductestriata Pic 37-3        | Fr. Guiana                   |
| bistriatiipennis Pic 37-2        | México                       |
| brevilinea Champ. 13-157         | Panamá                       |
| brevis Gorb. 86-351              | Panamá                       |
| contracta Gorb. 83-209           | Guatemala                    |
|                                  | Panamá                       |
| flaviventris Pic 04-19           | Colombia                     |
| gounellei Pic 05-115             | Brasil                       |
| goyasensis Pic 10-46             | Brasil                       |
| insularis Champ. 13-158          | St. Vincent                  |
| brevis L. & M. 14-435            |                              |
| minuta Pic 05-93                 | Venezuela                    |
| multistriata Pic 10-45           | Argentina                    |
|                                  | Brasil                       |
|                                  | Chile                        |
|                                  | Panamá                       |
|                                  | Guatemala                    |
|                                  | Bolivia                      |
| <b>Nevermannus</b> Fisher 27-116 |                              |
| Nevermannia Fisher 27-49         |                              |
| (not Enderl., 1921)              |                              |
| dorcatomoides Fisher 27-49       | Costa Rica                   |
| <b>Dorcatoma</b> Hbst. 92-103    |                              |
| bibliophaga Magalh. 07-97        | Brasil                       |
| bimaculata Phil. 64-281          | Chile                        |
| castanea Gyll. 08-114            | <sup>13</sup> St. Barthélemy |
|                                  | South America                |
| discoidalis (Pic 23-6)           | ?                            |
| v. nigronotata Pic 23-6          | Chile                        |
| v. pallidior Pic 23-6            | Chile                        |
| germaini Pic 23-7                | Chile                        |
| nigra Phil. 64-282               | Chile                        |
| rubra Phil. 64-282               | Chile                        |
| rufipes Boh. 58-87               | Argentina                    |
| <b>Phoberus</b> Kirsch 74-400    |                              |
| byrrhoides Kirsch 74-401         | Perú                         |
| <b>Caenocera</b> Thoms. 59-90    |                              |
| Tylistus LeC. 61-203             |                              |
| flohri Champ. 13-154             | México                       |
| insulana Fisher 36-242           | Puerto Rico                  |
| maculata Fisher 36-242           | Puerto Rico                  |
| mexicana Pic 37-3                | México                       |
| oakleyi Fisher 36-241            | Puerto Rico                  |
| quercus Champ. 13-153            | México                       |
|                                  | Guatemala                    |
| rufimembris Pic 37-3             | Brasil                       |
| v. corumbana Pic 37-4            | Brasil                       |
| <b>INCERTAE SEDIS</b>            |                              |
| <b>Trachelus</b> Sol. 49-465     |                              |
| modestus Sol. 49-465             | Chile                        |
| <b>Santiagomus</b> Pic 03-107    |                              |
| gorhami Pic 03-107               | Chile                        |

## SPHINDIDAE

|                                  |           |
|----------------------------------|-----------|
| <b>Sphindus</b> Chevr. 33-8      |           |
| cubensis Rtrr. 78-202            | Cuba      |
| dubius Gyll. 08-249              | ?Grenada  |
|                                  | Old World |
| kiesenwetteri Rtrr. 78-201       | Argentina |
| major Rtrr. 78-201               | Argentina |
| <b>Euryosphindus</b> LeC. 78-602 |           |
| bicolor Fisher 36-201            | Cuba      |

## ADERIDAE

(*Euglenidae*, *Xylophilidae*, *Hylophilidae*)

|                                  |  |
|----------------------------------|--|
| <b>Aderus</b> Westw. 29-57       |  |
| Ariotus Csy. 95-773 (Subg.)      |  |
| Axylophilus Csy. 95-774 (Subg.)  |  |
| Elonus Csy. 95-773 (Subg.)       |  |
| Emelinus Csy. 95-773 (Subg.)     |  |
| Euglenes Westw. 30-59            |  |
| Ganascus Csy. 95-774 (Subg.)     |  |
| Hylophilus Berth. 27-375         |  |
| (not Temm., 1822)                |  |
| Olotelus M. & R. 66-22 (Subg.)   |  |
| Phomalus Csy. 95-773 (Subg.)     |  |
| Pseudariotus Csy. 95-774 (Subg.) |  |
| Sandytes Csy. 95-774 (Subg.)     |  |
| Scanylus Csy. 95-774 (Subg.)     |  |

<sup>13</sup> Virgin Islands (W. I.).

Aderus—Continued.

*Tanilotes* Csy. 95-774 (Subg.)  
*Fanonus* Csy. 95-774 (Subg.)  
*Xylophilus* Latr. 25-383  
 (not Mannh., 1823)  
*Zonantes* Csy. 95-773 (Subg.)  
*aequinoctialis* Champ. 90-180.....México  
 Guatemala  
 Panamá  
 Brasil  
 St. Vincent  
 v. *innotatus* Pic 02-20.....México  
*amazonicus* Champ. 16-57.....South America  
*amulae* Champ. 90-170.....México  
*angulatus* Pic 98-262.....Brasil  
*anthicoides* Champ. 90-188.....Guatemala  
*apicipornis* Pic 09-111.....Bolivia  
*apilicornis* (Zool. Rec. 09-247)  
*apicipennis* Pic 05-261.....Brasil  
*appendiculatus* Champ. 93-458.....México  
*applicaticeps* Pic 03-99.....Brasil  
*arcuatipes* Pic 02-21.....Brasil  
*argentatus* Champ. 90-186.....México  
 Guatemala  
*atomarioides* Champ. 16-62.....St. Vincent  
*atriceps* Pic 00-231.....Grenada  
*nigricollis* Champ. 96-43  
*atricolor* Champ. 90-177.....Panamá  
*banghaasi* Pic 35-18.....Bolivia  
*bifasciatus* Pic 97-63.....México  
*bogotensis* Pic 07-131.....South America  
*boliuiensis* Pic 09-111.....Bolivia  
*brasilienis* Pic 98-262.....Brasil  
*breviramus* Champ. 90-172.....Panamá  
*brevis* Pic 98-261.....Brasil  
*bruchii* Pic 26-24.....Argentina  
*canescens* Champ. 93-459.....México  
*championi* Pic 94-lxxviii.....México  
*bicolor* Champ. 90-182  
 v. *unicolor* Pic 05-249.....México  
*chiriouensis* Champ. 90-180.....Panamá  
 ?Brasil  
*cinctipennis* Champ. 90-179.....México  
 Guatemala  
 Nicaragua  
 v. *suturifer* Pic 98-262.....Brasil  
*coroicoensis* Pic 39-14.....Bolivia  
*corticarioides* Champ. 90-184.....Panamá  
*corumbanus* Pic 35-18.....Brasil  
*costaricanus* Pic 29-19.....Costa Rica  
*crassicornis* Pic 98-261.....Brasil  
*curvipes* Champ. 90-175.....Guatemala  
*distincticornis* Pic 05-258.....Brasil  
*dryophiloides* Champ. 16-58.....South America  
*elongatus* Pic 98-262.....Brasil  
 v. *notatipennis* Pic 98-262.....Brasil  
*externotatus* Pic 29-18.....Costa Rica  
*femorialis* Champ. 90-185.....Guatemala  
*flabellatus* Champ. 90-168.....México  
*flavicornis* Champ. 90-178.....México  
*flavipalpis* Champ. 93-456.....México  
*flavipes* Champ. 16-58.....South America  
*flavitarsis* Champ. 90-175.....Guatemala  
*forticornis* Champ. 90-173.....Panamá  
*fragilis* Champ. 90-182.....Guatemala  
*funereus* Champ. 90-178.....Guatemala  
*fuscofasciatus* Champ. 16-59.....South America

*geniculatus* Champ. 93-457.....México  
 Guatemala  
*germaini* Pic 09-112.....Bolivia  
*gounellei* Pic 01-68.....Brasil  
*goyasensis* Pic 02-20.....Brasil  
*gracilis* Pic 98-263.....Brasil  
 v. *pallidus* Pic 98-263.....Brasil  
*guttatus* Champ. 96-44.....Puerto Rico  
 St. Vincent  
 Grenada  
*guyanensis* Pic 20-14.....Guiana  
*halcicoides* Champ. 16-61.....Grenada  
*humeralis* Champ. 90-174.....Panamá  
*impressipennis* Pic 98-262.....Brasil  
*inflatus* Champ. 90-183.....México  
 v. *solaris* Pic 05-250.....Nicaragua  
*ingens* Champ. 16-50.....South America  
*inimpressipennis* Pic 39-14.....México  
*insularis* Champ. 16-56.....South America  
*jamaicensis* Pic 13-109.....Jamaica  
*lacterosus* Champ. 90-173.....Guatemala  
*lactineus* Champ. 93-459.....México  
*latefasciatus* Champ. 16-56.....South America  
*laticeps* Champ. 90-177.....México  
 Guatemala  
*laticollis* Champ. 90-184.....México  
*laticollis* Pic 98-263.....Brasil  
*latissimus* Pic 99-28.....Bolivia  
 v. *obscuripennis* Pic 09-110.....Bolivia  
*laeus* Pic 09-111.....Bolivia  
*lemoulti* Pic 09-167.....Fr. Guiana  
*longicornis* Pic 02-21.....Brasil  
*lugens* Champ. 16-49.....South America  
*maculicollis* Pic 97-62.....México  
*magniceps* Pic 05-258.....Brasil  
*maroniensis* Pic 20-14.....Guiana  
*mexicanus* Champ. 93-456.....México  
*multinotatus* Pic 20-14.....Guadeloupe  
*nigripes* Pic 09-111.....Bolivia  
*obliquus* Champ. 93-458.....México  
*obscuricolor* Pic 05-261.....Brasil  
 Bolivia  
*obscurior* Pic 98-262.....Brasil  
*pallidimembris* Pic 14-16.....Brasil  
*peregrinus* Pic 09-250.....México  
*peruvianus* Pic 00-19.....Perú  
*prehensus* Champ. 16-53.....South America  
*pubens* Pic 97-62.....México  
*quadrisignatus* Champ. 90-179.....Panamá  
*ramicornis* Pic 01-67.....Brasil  
*ramosus* Champ. 90-169.....Guatemala  
*rectifasciatus* Champ. 16-55.....South America  
*robusticornis* Pic 09-110.....Bolivia  
*robustus* Pic 02-21.....Brasil  
*rubripennis* Pic 07-131.....Colombia  
 South America  
*rufithorax* Pic 05-262.....Brasil  
 v. *piceoundulatus* Pic 35-19.....Brasil  
*rugosicollis* Pic 02-21.....Brasil  
*sahlbergi* Pic 98-261.....Brasil  
 v. *obscuriceps* Pic 05-262.....Brasil  
*semibrunneus* Pic 05-260.....Brasil  
*semilimbatus* Pic 05-281.....Argentina  
*semipruinosus* Pic 02-20.....Brasil  
*sericeus* Champ. 90-185.....Panamá  
*sexmaculatus* Champ. 90-181.....Guatemala  
*silaceus* Champ. 93-460.....México

|   |  |
|---|--|
| <b>Aderus</b> —Continued.               |  |
| <i>singularis</i> Champ. 90-187.....    | Guatemala                              |
| <i>staudingeri</i> Pic 00-20.....       | Perú                                   |
| <i>sticticus</i> Champ. 90-170.....     | Guatemala                              |
| <i>stigmaticus</i> Champ. 90-189.....   | Guatemala                              |
| <i>subcoeruleus</i> Pic 09-111.....     | Bolivia                                |
| <i>subcoeruleus</i> (Zool. Rec. 09-247) |  |
| <i>subcrassipes</i> Pic 02-22.....      | Brasil                                 |
| <i>subcurvipes</i> Pic 01-68.....       | Brasil                                 |
| <i>surinamensis</i> Pic 39-14.....      | Surinam                                |
| <i>suturalis</i> Champ. 90-187.....     | Panamá                                 |
| <i>tantillus</i> Champ. 90-190.....     | Guatemala                              |
| <i>testaceicornis</i> Pic 08-274.....   | Brasil                                 |
| <i>tovarensis</i> Pic 21-416.....       | Venezuela                              |
| <i>triangularis</i> Pic 01-68.....      | Brasil                                 |
|   | <i>trifasciatus</i> Champ. 90-171..... |
|   | Guatemala                              |
|   | Panamá                                 |
|   | ?Brasil                                |
|   | Grenada                                |
|   | <i>triguttatus</i> Champ. 16-51.....   |
|   | South America                          |
|   | <i>turrialbanus</i> Pic 29-18.....     |
|   | Costa Rica                             |
|   | <i>unifasciatus</i> Champ. 90-183..... |
|   | México                                 |
|   | <i>venezuelensis</i> Pic 02-22.....    |
|   | Venezuela                              |
|   | <i>vicinus</i> Pic 05-260.....         |
|   | Brasil                                 |
|   | <i>V-notatus</i> Champ. 90-176.....    |
|   | Guatemala                              |
|   | <i>Dasytomorphus</i> F. & G. 63-238    |
|   | <i>ruficollis</i> F. & G. 63-239.....  |
|   | Chile                                  |
|   | <i>Cnopua</i> Champ. 93-460            |
|   | <i>florhi</i> Champ. 93-460.....       |
|   | México                                 |

## Superfamily LYMEXYLONOIDEA

### LYMEXYLONIDAE

(*Lymexylidae*, *Atractoceridae*, *Telegeusidae*)

|   |                                       |
|---|---------------------------------------|
| <b>Atractocerus</b> Palis. 01-3         |                                       |
| <i>Macrogaster</i> Thunb. 05-281        |                                       |
| <i>brasiliensis</i> L. & S. 25-309..... | México                                |
| <i>antillarum</i> Vittr. 13-168.....    | Guatemala                             |
| <i>dipterorum</i> Lap. 40-290.....      | Nicaragua                             |
| <i>dipterum</i> Perty 30-25.....        | Panamá                                |
| <i>dipterus</i> Brullé 57-119.....      | Brasil                                |
| <i>molochooides</i> Guér. 29-57.....    | Argentina                             |
|   | Chile                                 |
| <i>procerus</i> Schklg. 14-319.....     | Fr. Guiana                            |
|   | Brasil                                |
| <i>termiticola</i> Wasm. 02-104.....    | Brasil                                |
| <i>valdivianus</i> Phil. 66-113.....    | Chile                                 |
|   | <i>Melittomma</i> Murr. 67-314        |
|   | <i>abdominalis</i> Pic 36-3.....      |
|   | Perú                                  |
|   | <i>brasiliensis</i> Lap. 32-398.....  |
|   | México                                |
|   | <i>angusta</i> Tasch. 08-pl. 26.....  |
|   | Guatemala                             |
|   | <i>castanea</i> Murr. 67-316.....     |
|   | Nicaragua                             |
|   | Brasil                                |
|   | Old World                             |
|   | <i>lateritia</i> Fairm. 87-156.....   |
|   | Surinam                               |
|   | <i>v. binotata</i> Pic 36-3.....      |
|   | Guiana                                |
|   | <i>v. ruficollis</i> Pic 36-3.....    |
|   | ?Guiana                               |
|   | ?Brasil                               |
|   | <i>marginella</i> Schklg. 14-320..... |
|   | Brasil                                |
|   | Ecuador                               |
|   | <i>valida</i> Schklg. 14-321.....     |
|   | Brasil                                |

## Superfamily NITIDULOIDEA

### THORICTIDAE

|                                 |            |
|---------------------------------|------------|
| <b>Thorictodes</b> Rtrr. 75-45  |            |
| <i>heydeni</i> Rtrr. 75-46..... | Guadeloupe |
|                                 | Old World  |

### NITIDULIDAE

#### CATERETINAE (*Brachypterinae*)

|                                      |             |
|--------------------------------------|-------------|
| <b>Cateretes</b> Hbst. 93-11         |             |
| <i>Cercus</i> Latr. 96-68.....       |             |
| <i>sericans</i> LeC. 59-69.....      | Baja Calif. |
|                                      | U. S. A.    |
| <i>leuronectes</i> Olliff 91-59..... |             |
| <i>montana</i> Olliff 91-60.....     | Ecuador     |
| <b>Cercometes</b> Rtrr. 75-99        |             |
| <i>andicola</i> Olliff 91-58.....    | Ecuador     |
| <i>deyrollei</i> Rtrr. 75-100.....   | Brasil      |
| <i>nigroaenea</i> Grouv. 14-45.....  | Ecuador     |
| <i>polita</i> Rtrr. 73-167.....      | Colombia    |
| <i>rugosa</i> Rtrr. 75-100.....      | Chile       |
| <i>splendens</i> Grouv. 14-44.....   | Ecuador     |
| <i>strigosa</i> Rtrr. 75-100.....    | Chile       |

|                                       |           |
|---------------------------------------|-----------|
| <b>Brachypterus</b> Kugel. 94-560     |           |
| <i>flavipes</i> Murr. 64-245.....     | Brasil    |
| <i>globularius</i> Murr. 64-245.....  | México    |
|                                       | U. S. A.  |
| <i>insularis</i> Grouv. 98-35.....    | Grenada   |
|                                       | Trinidad  |
| <i>nigropiceus</i> Grouv. 05-121..... | Argentina |
| <i>urticae</i> Fabr. 92-235.....      | México    |
|                                       | U. S. A.  |
|                                       | Old World |

#### MELIGETHINAE

|                                    |          |
|------------------------------------|----------|
| <b>Cychocephalus</b> Rtrr. 73-180  |          |
| <i>Cychopeistus</i> Rtrr. 75-185   |          |
| <i>corvinus</i> Rtrr. 73-181.....  | México   |
| <i>luctuosus</i> Rtrr. 73-181..... | Colombia |

**Mystrops** Er. 43-234  
*Priops* Rtrr. 73-167  
*adusta* Murr. 64-414.....Colombia  
*basalis* Rtrr. 73-179.....Brasil  
*debilis* Er. 43-235.....Brasil  
*discoidea* Murr. 64-412.....Brasil  
*dufau* Grouv. 13-290.....Guadeloupe  
*dura* Er. 43-235.....Panamá  
.....Brasil  
*flavicans* Murr. 64-413.....Brasil  
*fryi* Grouv. 98-352.....Brasil  
*heterocera* Shp. 89-268.....Guatemala  
*insularis* Grouv. 98-352.....West Indies  
*mexicana* Rtrr. 73-168.....México  
.....Panamá  
*palmarum* Bond. 40-212.....Brasil  
*rotundula* Shp. 89-266.....Panamá  
*teapensis* Shp. 89-267.....México  
**Cryptoraea** Rtrr. 73-55  
*americana* Rtrr. 73-58.....Colombia  
*dalmasi* Grouv. 02-462.....Venezuela  
**Meligethes** Steph. 30-45  
*aenea* Fabr. 75-78.....México  
*rufimana* LeC. 57-37.....U. S. A.  
.....Old World

CARPOPHILINAE

**Colopterus** Er. 42-149  
*Colastus* Er. 43-236  
*Cyllopedes* Murr. 64-258 (Subg.)  
*abdominalis* Er. 43-241.....Brasil  
*aberrans* Shp. 89-277.....Guatemala  
*adustus* Er. 43-242.....Brasil  
*amputatus* Er. 43-243.....México  
.....Nicaragua  
.....Colombia  
.....Brasil  
.....Argentina  
.....Bahamas Is.  
.....Cuba  
.....Puerto Rico  
.....Guadeloupe  
*angularis* Shp. 89-274.....Guatemala  
*ater* Murr. 64-275.....Venezuela  
*atramentarius* Grouv. 98-345.....Bolivia  
*auropilosus* Grouv. 98-347.....Bolivia  
*bicolor* Grouv. 98-346.....Brasil  
*bimaculatus* Er. 43-239.....Colombia  
*biplagiatus* Murr. 64-260.....Colombia  
*bisignatus* Murr. 64-260.....Venezuela  
*bohemani* Murr. 64-263.....Brasil  
.....Argentina  
    *v. basalis* Murr. 64-263.....Brasil  
    *v. candezei* Murr. 64-263.....Brasil  
    *v. nigripennis* Murr. 64-263.....Brasil  
*brevipes* Shp. 89-271.....Br. Honduras  
.....Guatemala  
.....Panamá  
*bruchi* Grouv. 05-122.....Argentina  
*brunneus* Rtrr. 76-317.....Colombia  
*brunnicornis* Grouv. 98-347.....Bolivia  
*centralis* Grouv. 06-113.....Costa Rica  
*chiriquensis* Shp. 89-275.....Guatemala  
.....Panamá

*circumscriptus* Er. 43-238.....Brasil  
*consobrinus* Murr. 64-268.....Brasil  
.....Argentina  
*decorus* Murr. 64-279.....Brasil  
*denticulatus* Shp. 89-276.....México  
.....Br. Honduras  
.....Guatemala  
.....Panamá  
*difficilis* Grouv. 98-346.....Bolivia  
*discoideus* Er. 43-239.....Fr. Guiana  
*dispar* Murr. 64-268.....México  
*dorsalis* Murr. 64-264.....Brasil  
*elongatus* Rtrr. 75-101.....Brasil  
*ferrugineus* Murr. 64-280.....Brasil  
*fervidus* Murr. 64-262.....Brasil  
.....Argentina  
*flaveolus* Rtrr. 73-170.....Surinam  
*fryi* Grouv. 98-344.....Colombia  
*fulvipes* Murr. 64-275.....Brasil  
*gounellei* Grouv. 96-177.....Brasil  
*guatemalensis* Shp. 89-269.....Guatemala  
*heydeni* Murr. 64-262.....Brasil  
*hilaris* Murr. 64-266.....Venezuela  
*hirtus* Grouv. 98-344.....Bolivia  
*inflatipennis* Shp. 89-272.....Panamá  
*laevicollis* Shp. 89-273.....Panamá  
*latus* Murr. 64-272.....México  
    *major* Rtrr. 73-169.....Guatemala  
    *tonsus* Murr. 64-273.....Nicaragua  
.....Colombia  
.....Brasil  
.....Argentina  
*macropterus* Fabr. 01-354.....Colombia  
    *shalestris* Murr. 64-273.....Brasil  
.....Perú  
.....Argentina  
    *v. sordidus* Shp. 89-271.....México  
.....Guatemala  
.....Nicaragua  
.....Panamá  
.....Brasil  
.....Perú  
*melanocephalus* Er. 43-238.....Fr. Guiana  
*mimetes* Shp. 89-270.....Panamá  
*minutus* Grouv. 98-345.....Brasil  
*mollis* Shp. 89-273.....Panamá  
*morio* Er. 43-242.....Colombia  
.....Brasil  
    *v. lugens* Murr. 64-270.....South America  
    *v. perforatus* Murr. 64-270.....Brasil  
*murrayi* Kirsch 66-174.....Colombia  
*niger* Murr. 64-261.....Brasil  
*obsoletus* Rtrr. 76-309.....Colombia  
*opacus* Grouv. 98-346.....Bolivia  
*pectoralis* Kirsch 65-46.....Colombia  
*plagiatus* Er. 43-240.....Brasil  
*pocularis* Murr. 64-276.....Brasil  
*posticus* Er. 43-237.....México  
.....Guatemala  
.....Nicaragua  
.....Colombia  
    *v. scutellaris* Murr. 64-259.....  
*pubescens* Murr. 64-273.....Brasil  
*punctiventris* Shp. 89-275.....Panamá  
*rufipes* Er. 43-241.....Columbia

|   |  |
|---|--|
| <b>Colopterus</b> —Continued.             |  |
| <i>ruptus</i> Fabr. 01-354.....           | Guadeloupe<br>St. Vincent<br>Grenada<br>Venezuela<br>Brasil<br>Argentina         |
| <i>setiger</i> Shp. 89-274.....           | Guatemala  |
| <i>signaticollis</i> Murr. 64-276.....    | Brasil   |
| <i>simplex</i> Murr. 64-274.....          | México   |
| <i>brevicollis</i> Murr. 64-271.....      | Guatemala<br>Panamá<br>Brasil<br>Argentina                                       |
| <i>v. sallei</i> Murr. 64-274.....        |  |
| <i>striaticollis</i> Murr. 64-280.....    | Brasil   |
| <i>truncatus</i> Rand. 38-18.....         | México   |
| <i>infirmus</i> Er. 43-245.....           | Guatemala  |
| <i>limbatus</i> LeC. 58-62.....           | Colombia   |
| <i>obliquus</i> LeC. 58-62.....           | Brasil   |
| <i>triangularis</i> Murr. 64-282.....     | Perú<br>Argentina<br>Cuba<br>Puerto Rico<br>Guadeloupe<br>St. Vincent<br>Grenada |
| <i>varius</i> Er. 47-92.....              | Perú   |
| <i>vestitus</i> Shp. 89-272.....          | México<br>Guatemala<br>Nicaragua<br>Venezuela                                    |
| <i>vetustus</i> Murr. 64-267.....         | Brasil   |
| <i>vulneratus</i> Er. 43-240.....         | Colombia<br>Brasil<br>Argentina  |
| <b>Brachyepelus</b> Er. 42-148            |  |
| <i>Leiopelus</i> Murr. 64-287.....        |  |
| <i>anceps</i> Murr. 64-297.....           | St. Vincent<br>Grenada<br>Colombia<br>Brasil                                     |
| <i>brachypterus</i> Shp. 89-278.....      | Guatemala<br>Panamá  |
| <i>compressus</i> Grouv. 98-348.....      | México   |
| <i>conoteloides</i> Shp. 89-279.....      | México<br>Guatemala<br>Nicaragua   |
| <i>convexus</i> Murr. 64-306.....         | Brasil   |
| <i>costatus</i> Shp. 89-278.....          | Guatemala  |
| <i>dilutus</i> Rtrtr. 73-170.....         | Colombia   |
| <i>hispinoides</i> Shp. 89-280.....       | Guatemala  |
| <i>longipennis</i> Grouv. 98-349.....     | Brasil   |
| <i>mutilatus</i> Er. 43-246.....          | Central America<br>Colombia<br>Brasil  |
|   | <sup>13</sup> St. Thomas<br>Guadeloupe<br>Grenada                                |
| <i>nigripennis</i> Shp. 89-280.....       | <sup>4</sup> Is. Perlas  |
| <i>prolixus</i> Murr. 64-297.....         | Venezuela  |
| <i>reflexus</i> Rtrtr. 76-310.....        | Colombia   |
| <i>similis</i> Grouv. 98-349.....         | Fr. Guiana   |
| <i>simoni</i> Grouv. 91-313.....          | Colombia   |
| <i>staphylinoides</i> Shp. 89-279.....    | Guatemala<br>Panamá  |
| <i>steinheili</i> Rtrtr. 76-310.....      | Colombia   |
| <i>tenuis</i> Murr. 64-298.....           | Guadeloupe<br>St. Vincent<br>Brasil<br>Panamá                                    |
| <i>vicinus</i> Shp. 89-278.....           |  |
| <b>Teloconus</b> Grouv. 16-234            |  |
| <i>mirificus</i> Grouv. 16-234.....       | Argentina  |
| <b>Campsopyga</b> Murr. 64-327            |  |
| <i>atricolor</i> Grouv. 16-241.....       | Paraguay   |
| <i>pallidipennis</i> Murr. 64-328.....    | Colombia   |
| <i>fulgida</i> Rtrtr. 73-171.....         | Venezuela  |
| <i>simplex</i> Rtrtr. 73-172.....         |  |
| <b>Grammorus</b> Murr. 68-104             |  |
| <i>caelatus</i> Gerst. 64-309.....        | Colombia   |
| <b>Cillaeus</b> Lap. 35-133               |  |
| <i>expressus</i> Grouv. 16-239.....       | Argentina  |
| <i>impressicollis</i> Grouv. 98-350.....  | México   |
| <i>insularis</i> Grouv. 98-350.....       | Hispaniola   |
| <i>linearis</i> Er. 43-249.....           | Guadeloupe<br>Colombia   |
| <i>murrayi</i> Rtrtr. 73-172.....         | Brasil   |
| <i>prolongatus</i> Shp. 89-282.....       | Guatemala<br>Panamá  |
| <i>puncticollis</i> Rtrtr. 76-310.....    | Brasil   |
| <i>sharpi</i> Grouv. 98-351.....          | Guatemala  |
| <i>prolixus</i> Shp. 89-281.....          | Panamá   |
| <i>sulcicollis</i> Rtrtr. 73-173.....     | Colombia   |
| <i>zunilensis</i> Shp. 89-282.....        | Guatemala  |
| <b>Halepopeplus</b> Murr. 64-257          |  |
| <i>Chalepopeplus</i> G. & H. 68-809       |  |
| <i>batesi</i> Murr. 64-326.....           | Brasil   |
| <i>bipustulatus</i> Murr. 64-325.....     | Brasil   |
| <i>conoteloides</i> Rtrtr. 76-305.....    | Perú   |
| <i>dimidiatus</i> Kirsch 73-140.....      | Perú   |
| <i>erythropygus</i> Murr. 64-326.....     | Brasil   |
| <i>kirschi</i> Rtrtr. 76-306.....         | Perú   |
| <i>morio</i> Rtrtr. 76-305.....           | Perú   |
| <i>obscurus</i> Rtrtr. 76-311.....        | Colombia   |
| <i>optatus</i> Shp. 89-281.....           | Nicaragua  |
| <i>politus</i> Shp. 89-280.....           | Panamá   |
| <i>suturalis</i> Rtrtr. 76-305.....       | Perú   |
| <i>vorax</i> Rtrtr. 76-317.....           | Colombia   |
| <b>Hypodetus</b> Murr. 64-328             |  |
| <i>xanthurus</i> Murr. 64-329.....        | Brasil   |
| <b>Macrostolops</b> Grouv. 16-236         |  |
| <i>inuitata</i> Grouv. 16-236.....        | Paraguay   |
| <i>singularis</i> Grouv. 16-238.....      | Paraguay   |
| <b>Macrostola</b> Murr. 64-331            |  |
| <i>costulata</i> Rtrtr. 73-173.....       | Brasil   |
| <i>lutea</i> Murr. 64-333.....            | <sup>14</sup> Montserrat<br>Venezuela  |
| <i>picea</i> Shp. 89-286.....             | Nicaragua<br>Panamá  |
| <i>straminea</i> Murr. 64-332.....        | México<br>Guatemala<br>Nicaragua<br>Panamá<br>Colombia                           |
| <i>v. vitraci</i> Grouv. 02-756.....      | Guadeloupe   |
| <b>Carpophilops</b> Grouv. 98-353         |  |
| <i>fryi</i> Grouv. 98-353.....            | Brasil   |
| <b>Conotelus</b> Er. 43-249               |  |
| <i>brachypteroides</i> Grouv. 98-351..... | Brasil   |
| <i>chiriquensis</i> Shp. 89-284.....      | ?Nicaragua<br>Panamá   |

<sup>4</sup> Panamá.<sup>13</sup> Virgin Islands (W. I.).<sup>14</sup> Leeward Islands (W. I.).



**Conotelus**—Continued.

|                                 |  |
|---------------------------------|--|
| conicus Fabr. 01-603            | Jamaica<br>Puerto Rico<br><sup>14</sup> Montserrat<br>Guadeloupe<br>St. Vincent<br><sup>15</sup> Bequia<br><sup>15</sup> Mustique<br>v. fuscipennis Er. 43-251<br>nitidissimus Rtrr. 80-1<br>Cuba<br>Puerto Rico<br>Guadeloupe |
| femoralis Er. 43-253            | Colombia<br>Argentina  |
| fryi Grouv. 98-352              | Brasil   |
| guatemalensis Shp. 89-285       | Guatemala  |
| hondurensis Shp. 89-284         | Br. Honduras   |
| irregularis Schauf. 79-479      | Colombia   |
| latitarsis Shp. 89-285          | México   |
| luteicornis Er. 43-254          | Colombia<br>Brasil<br>Baja Calif.<br>México<br>Br. Honduras<br>Guatemala<br>Panamá   |
| mexicanus Murr. 64-337          | U. S. A.<br>Nicaragua<br>Brasil<br>Argentina<br>México<br>Panamá<br>Brasil<br>Argentina<br>México<br>Colombia<br>Guatemala<br>Panamá<br>Perú<br>Cuba   |
| niger Er. 43-252                | Nicaragua<br>Brasil<br>Argentina<br>México<br>Panamá   |
| nigricornis Shp. 89-284         | Brasil<br>Argentina<br>México<br>Panamá  |
| nitidus Murr. 64-337            | Brasil<br>Argentina<br>Colombia<br>México<br>Guatemala<br>Panamá<br>Perú<br>Cuba   |
| parvulus Rtrr. 77-166           | Colombia   |
| rufipes Murr. 64-336            | México<br>Guatemala<br>Panamá<br>Perú<br>Cuba  |
| spissicornis Fabr. 01-603       | Cuba   |
| obscurus Murr. 64-335           |  |
| stenoides Murr. 64-338          | México<br>Guatemala<br>Nicaragua<br>Panamá<br>Brasil<br>Perú<br>Bolivia<br>Argentina<br>St. Vincent<br>Guadeloupe<br>Colombia  |
| vicinus Er. 43-253              | Colombia   |
| <b>Carpophilus</b> Steph. 30-30 |  |
| Ecnomorphus Mots. 58-42 (Subg.) |  |
| Endomerus Murr. 64-384 (Subg.)  |  |
| Myothorax Murr. 64-372 (Subg.)  |  |
| Nitops Murr. 64-382             |  |
| Tribrachys LeC. 61-83           |  |
| Urophorus Murr. 64-342 (Subg.)  |  |
| alticola Shp. 89-293            | Guatemala  |
| brevipennis Blanch. 42-64       | México   |
| lacertosus Murr. 64-354         | Guatemala  |
| purpureipennis Murr. 64-354     | Venezuela  |

|                            |  |
|----------------------------|--|
| canescens Shp. 89-301      | Brasil<br>Perú<br>México   |
| comatus Shp. 89-292        | Panamá   |
| compressus Murr. 64-351    | Brasil   |
| concolor Shp. 89-298       | Guatemala  |
| confertus Shp. 89-295      | México<br>Guatemala<br>Panamá  |
| crassicornis Rtrr. 73-177  | Colombia   |
| crassus Shp. 89-297        | México   |
| curvipes Shp. 89-299       | México<br>?Guatemala   |
| deceptor Shp. 89-303       | México<br>Guatemala  |
| deflexus Shp. 89-290       | México<br>Guatemala  |
| dimidiatus Fabr. 92-261    | México   |
| europilorus Woll. 54-117   | Br. Honduras   |
| levisi Rtrr. 84-258        | Guatemala  |
| pusillus Steph. 30-51      | Honduras<br>Nicaragua<br>Guiana<br>Argentina<br>Bahamas Is.<br>Cuba<br><sup>12</sup> I. de Pinos<br>Puerto Rico<br>Guadeloupe<br>Grenada<br>U. S. A. |
| v. contingens Walk. 58-206 |  |
| biguttatus G. & H. 68-810  |  |
| dilutus Murr. 64-373       |  |
| limbalis Murr. 64-373      |  |
| nigrinus Murr. 64-373      |  |
| robustus Murr. 64-373      |  |
| testaceus Murr. 64-373     |  |
| vittiger Murr. 64-373      |  |
| v. luridus 64-377          | [Cosmopolitan]   |
| v. mutilatus Er. 43-258    | [Cosmopolitan]<br>Cuba   |
| bimaculatus Montr. 60-262  | Cuba   |
| hemipterus Fabr. 92-261    | Puerto Rico  |
| puberulus Montr. 60-263    | <sup>13</sup> Vieques<br><sup>14</sup> Montserrat<br>Guadeloupe<br>Grenada<br>Argentina  |
| v. ochropterus Klug 62-209 | Cuba   |
| tempestivus DuVal 56-42    | Old World  |
| distinctus Rtrr. 73-177    | Colombia   |
| dohrni Rtrr. 76-308        | ?Uruguay<br>Argentina  |
| dufaui Grouv. 08-41        | Guadeloupe   |
| dulcis Shp. 99-294         | Guatemala  |
| elaterinus Shp. 99-296     | Panamá   |
| epuraeoides Shp. 99-393    | Guatemala  |
| erichsoni Shp. 99-295      | Guatemala  |
| ferrugineus Murr. 64-349   | México<br>Guatemala<br>Panamá  |
| floralis Er. 43-261        | Baja Calif.<br>México  |
| funebrius Shp. 89-288      | Guatemala<br>Panamá  |

<sup>4</sup> Panamá. <sup>12</sup> West Indies. <sup>13</sup> Virgin Islands (W. I.).

<sup>14</sup> Leeward Islands (W. I.). <sup>15</sup> Grenadines (W. I.).

## Carpophilus—Continued.

|                                   |                 |                                     |                                |
|-----------------------------------|-----------------|-------------------------------------|--------------------------------|
| hemipterus Linn. 58-358           | México          | tempestivus Er. 43-260              | Cuba                           |
| <i>brevipennis</i> Germain 55-397 | Br. Honduras    |                                     | Puerto Rico                    |
|                                   | Guatemala       |                                     | U. S. A.                       |
|                                   | Argentina       | v. terminatus Murr. 64-389          |                                |
|                                   | Chile           | teter Grouv. 13-293                 | Guatemala                      |
|                                   | Cuba            | <i>obscurus</i> Shp. 89-293         |                                |
|                                   | Hispaniola      | transitens Shp. 89-290              | México                         |
|                                   | Puerto Rico     |                                     | Guatemala                      |
|                                   | Guadeloupe      | tristis Er. 43-264                  | Brasil                         |
|                                   | St. Vincent     |                                     | Argentina                      |
|                                   | Grenada         | ventralis Shp. 89-297               | Guatemala                      |
|                                   | U. S. A.        | veraepacis Shp. 56-93               | Guatemala                      |
|                                   | Old World       | viduatus Shp. 56-93                 | México                         |
| humeralis Fabr. 98-74             | ?Puerto Rico    |                                     | Guatemala                      |
|                                   | Old World       | vitraci Grouv. 02-757               | Guadeloupe                     |
| humilis Er. 43-262                | México          | sp. (Pic 24-377)                    | <sup>10</sup> Is. J. Fernández |
|                                   | Guatemala       | <b>NITIDULINAE</b>                  |                                |
|                                   | Venezuela       | Eumystrops Shp. 89-304              |                                |
| languidus Er. 43-261              | Colombia        | centralis Shp. 89-304               | Panamá                         |
| ligneus Murr. 64-350              | México          | Ericmodes Rtrr. 78-167              |                                |
|                                   | Guatemala       | <i>Aporozoum</i> Germain 92-251     |                                |
|                                   | Nicaragua       | fuscitarsis Rtrr. 77-168            | Chile                          |
|                                   | Panamá          | sylvatica Phil. 64-405              | Argentina                      |
| longiventris Shp. 89-301          | México          | <i>synchitoides</i> Rtrr. 77-168    | Chile                          |
| lugubris Murr. 64-355             | México          | Haptoncus Murr. 64-401              |                                |
|                                   | Guatemala       | luteolus Er. 43-272                 | México                         |
|                                   | Panamá          | <i>forealis</i> Shp. 90-pl. IX      | Br. Honduras                   |
|                                   | Venezuela       | <i>intendens</i> Walk. 58-206       | Guatemala                      |
|                                   | Brasil          | <i>pauperculus</i> Rtrr. 73-179     | Nicaragua                      |
|                                   | ?U. S. A.       | <i>pubescens</i> Murr. 64-403       | ?Argentina                     |
| luteipennis Rtrr. 73-174          | México          | <i>subquadratus</i> Rtrr. 77-22     | Cuba                           |
| marginatus Er. 43-262             | Guatemala       |                                     | <sup>12</sup> Mona I.          |
|                                   | U. S. A.        |                                     | Puerto Rico                    |
| marginellus Mots. 58-40           | Argentina       |                                     | Guadeloupe                     |
| melanopterus Er. 43-262           | México          |                                     | St. Vincent                    |
|                                   | U. S. A.        |                                     | Grenada                        |
| mexicanus Rtrr. 73-175            | México          |                                     | U. S. A.                       |
| <i>limbipennis</i> Rtrr. 73-174   | Guatemala       |                                     | Old World                      |
| nepos Murr. 64-381                | Brasil          |                                     | Old World                      |
| obtusicollis Rtrr. 73-175         | México          |                                     | Brasil                         |
| ophthalmicus Murr. 64-383         | México          |                                     | Argentina                      |
|                                   | Colombia        | Nitidula Fabr. 75-77                |                                |
|                                   | Trinidad        | bourgeoisii Grouv. 14-47            | Chile                          |
| ovatus Grouv. 12-291              | Guadeloupe      | chiliensis Germain 55-396           | Chile                          |
| pallens Blanch. 42-64             | Brasil          | complanata Germain 55-396           | Chile                          |
| <i>sordidus</i> Er. 47-92         | Argentina       | rufidens Rtrr. 73-44                | Colombia                       |
| pallipennis Say 23-194            | Baja Calif.     | ziczac Say 25-179                   | México                         |
| <i>pollens</i> Shp. 89-300        | México          |                                     | U. S. A.                       |
|                                   | Bahamas Is.     | sp. (Pic 24-377)                    | <sup>10</sup> Is. J. Fernández |
|                                   | U. S. A.        | Nitidulora Rtrr. 73-10              |                                |
| palmaris Shp. 89-396              | Guatemala       | ephippia Er. 43-268                 | Brasil                         |
| piger Murr. 64-384                | Guatemala       | glabrata Rtrr. 75-102               | Brasil                         |
| proximus Grouv. 06-310            | Paraguay        | Omosita Er. 43-298                  |                                |
| punctipennis Rtrr. 73-176         | Brasil          | colon Linn. 58-362                  | México                         |
| rufitarsis Murr. 64-354           | Guatemala       | <i>bipartita</i> Trost 01-18        | U. S. A.                       |
| rufus Murr. 64-371                | México          | <i>haemorrhoidalis</i> Fabr. 76-216 | Old World                      |
| senex Murr. 64-384                | México          | funesta Rtrr. 73-45                 | México                         |
| senilis Shp. 89-302               | México          |                                     | Guatemala                      |
|                                   | Br. Honduras    |                                     | ?Argentina                     |
|                                   | Guatemala       | Cratonura Rtrr. 75-60               |                                |
|                                   | Nicaragua       | rufithorax Rtrr. 83-74              | Chile                          |
|                                   | Panamá          | <i>ruficollis</i> Rtrr. 73-24       |                                |
| similaris Shp. 89-289             | Central America | Epuraeopsis Rtrr. 75-59             |                                |
| succisus Er. 43-259               | Brasil          | maculipennis Sol. 51-363            | Argentina                      |
|                                   | Argentina       |                                     | Chile                          |

<sup>10</sup> Chile.<sup>12</sup> West Indies.



|  |                          |
|--|--------------------------|
| Perilopa—Continued.                    |                          |
| deplanata Shp. 90-319.....             | Panamá                   |
| ferruginea Grouv. 96-380.....          | Brasil                   |
| fryi Grouv. 98-354.....                | Brasil                   |
| peltidea Er. 43-277.....               | Colombia                 |
| placida Shp. 90-320.....               | Guatemala                |
| punctigera Shp. 90-319.....            | Panamá                   |
| seriata Grouv. 06-114.....             | Ecuador                  |
| subtuberculata Rtrr. 75-102.....       | Brasil                   |
| Perilopsis Rtrr. 75-55                 |                          |
| flava Rtrr. 73-11.....                 | Chile                    |
| Lobiopa Er. 43-291                     |                          |
| <i>Cerophorus</i> Lap. 40-10           |                          |
| bruchi Grouv. 16-242.....              | Argentina                |
| cassidoidea Shp. 90-322.....           | Guatemala                |
| cimicina Er. 43-293.....               | Brasil                   |
| discedens Shp. 90-323.....             | Guatemala                |
| elongata Rtrr. 75-103.....             | Brasil                   |
| insularis Lap. 40-10.....              | México                   |
| <i>contaminata</i> Er. 43-296          | Br. Honduras             |
| <i>decumana</i> Er. 43-295             | Guatemala                |
| <i>dimidiata</i> Er. 43-295            | Nicaragua                |
| <i>grandis</i> Er. 43-294              | Costa Rica               |
|  | Panamá                   |
|  | <sup>4</sup> I. Taboga   |
|  | Colombia                 |
|  | Br. Guiana               |
|  | Brasil                   |
|  | Argentina                |
|  | Cuba                     |
|  | Puerto Rico              |
|  | <sup>13</sup> St. Thomas |
|  | Guadeloupe               |
|  | St. Vincent              |
|  | Grenada                  |
|  | U. S. A.                 |
| lata Blanch. 42-63.....                | Brasil                   |
|  | Bolivia                  |
| lineola Kirsch 73-140.....             | Perú                     |
| marginata Grouv. 05-124.....           | Argentina                |
| nigromaculata Blanch. 42-62.....       | Brasil                   |
| <i>peltoides</i> Er. 43-293            | Bolivia                  |
|  | Argentina                |
| peruviana Guér. 29-63.....             | Perú                     |
| <i>scrobiculata</i> Er. 43-297         |                          |
| praecox Er. 43-297.....                | Brasil                   |
| pubescens Grouv. 96-179.....           | Brasil                   |
|  | Argentina                |
| retusa Shp. 90-321.....                | Nicaragua                |
|  | ?Guiana                  |
| rotundata Er. 43-294.....              | Brasil                   |
| setulosa Er. 47-93.....                | Perú                     |
| <i>chiliensis</i> Rtrr. 73-49          | Argentina                |
|  | Chile                    |
| simulatrix Shp. 90-322.....            | México                   |
|  | Guatemala                |
|  | Nicaragua                |
|  | Panamá                   |
| undulata Say 25-179.....               | Baja Calif.              |
|  | México                   |
|  | U. S. A.                 |
| Soronia Er. 43-277                     |                          |
| <i>Norosia</i> Port. 31-149 (Subg.)    |                          |
| minuta Grouv. 96-178.....              | Brasil                   |
| rectangula Rtrr. 75-102.....           | México                   |
| Caconia Shp. 90-324                    |                          |
| obscura Shp. 90-324.....               | México                   |
| Niliodes Murr. 68-78                   |                          |
| bipenicillata Murr. 68-78.....         | Brasil                   |
| Platychorodes Rtrr. 84-261             |                          |
| plumicornis Rtrr. 84-261.....          | Brasil                   |
| Camptodes Er. 43-321                   |                          |
| <i>Eucamptodes</i> Shp. 90-327 (Subg.) |                          |
| abdominalis Er. 43-327.....            | Brasil                   |
| aberrans Shp. 90-334.....              | México                   |
| addenda Shp. 91-341.....               | Guatemala                |
| adustula Rtrr. 77-170.....             | México                   |
| aenea Grouv. 98-368.....               | Bolivia                  |
| aequinoctialis Er. 43-330.....         | Colombia                 |
| aerummosa Rtrr. 76-307.....            | Perú                     |
| angustipennis Rtrr. 73-120.....        | Brasil                   |
| apicipennis Rtrr. 73-118.....          | Brasil                   |
| argus Grouv. 98-366.....               | Bolivia                  |
| armata Shp. 91-346.....                | Guatemala                |
| aterrima Er. 43-324.....               | Brasil                   |
| atriceps Rtrr. 75-112.....             | México                   |
| atripennis Rtrr. 73-127.....           | Colombia                 |
| aucta Rtrr. 73-115.....                | Brasil                   |
| bicolor Er. 43-333.....                | México                   |
| biformis Rtrr. 78-32.....              | Bolivia                  |
| bisignata Er. 43-341.....              | Brasil                   |
| <i>v. ventralis</i> Rtrr. 78-103.....  | Brasil                   |
| brevis Rtrr. 78-104.....               | México                   |
| bruchi Grouv. 05-124.....              | Argentina                |
| castelnaui Grouv. 98-367.....          | Brasil                   |
| championi Shp. 90-328.....             | Guatemala                |
| chiriquensis Shp. 91-347.....          | Panamá                   |
| cinctipennis Shp. 90-331.....          | Guatemala                |
| coerulescens Grouv. 98-363.....        | Bolivia                  |
| cognata Shp. 91-338.....               | México                   |
|  | Guatemala                |
|  | Panamá                   |
| collaris Rtrr. 73-109.....             | México                   |
| communis Er. 43-336.....               | México                   |
| <i>concolor</i> Er. 43-338             | Br. Honduras             |
| <i>staphylaea</i> Er. 43-337           | Guatemala                |
| <i>tempestiva</i> Er. 43-336           | Panamá                   |
|  | Brasil                   |
| <i>v. vilis</i> Shp. 91-337.....       | Central America          |
| contracta Er. 43-339.....              | Fr. Guiana               |
| coralina Rtrr. 73-117.....             | Brasil                   |
| cuprea Grouv. 98-366.....              | Bolivia                  |
| curta Er. 43-340.....                  | Colombia                 |
|  | Argentina                |
| cyaneipennis Er. 43-329.....           | Brasil                   |
| czwalinai Rtrr. 75-113.....            | Fr. Guiana               |
| decipiens Shp. 90-113.....             | Panamá                   |
| detrita Er. 43-335.....                | Colombia                 |
| dichroa Kirsch 73-143.....             | Perú                     |
| difficilis Kirsch 73-143.....          | Perú                     |
| diffinis Shp. 91-348.....              | Panamá                   |
| dilutoangula Grouv. 98-358.....        | Bolivia                  |
| dimorpha Shp. 91-344.....              | Panamá                   |
| discoidea Rtrr. 73-125.....            | México                   |
| discolor Er. 43-333.....               | Brasil                   |
| dispar Er. 43-334.....                 | Brasil                   |

<sup>4</sup> Panamá.<sup>13</sup> Virgin Islands (W. I.).

## Camptodes—Continued.

|                                |              |                                      |               |
|--------------------------------|--------------|--------------------------------------|---------------|
| distincta Rtrr. 73-122.....    | Perú         | meridionalis Grouv. 98-361.....      | Paraguay      |
| divisa Shp. 90-332.....        | México       | metallica Rtrr. 73-112.....          | México        |
|                                | Guatemala    | mexicana Shp. 91-346.....            | México        |
|                                | Brasil       | micans Kirsch 65-47.....             | Colombia      |
| elongata Grouv. 98-368.....    | Bolivia      | mirabilis Grouv. 96-182.....         | Brasil        |
| erichsoni Rtrr. 73-124.....    | Brasil       | molesta Kirsch 73-147.....           | ?México       |
| erythrodera Shp. 91-343.....   | México       |                                      | Perú          |
|                                | Br. Honduras | morio Er. 43-325.....                | México        |
|                                | Guatemala    |                                      | ?Br. Honduras |
|                                | Costa Rica   |                                      | Guatemala     |
|                                | Brasil       |                                      | Brasil        |
| exoleta Er. 43-337.....        | México       | M-rubrum Brullé 36-65.....           | Brasil        |
| externa Shp. 91-337.....       | Guatemala    | <i>rubripennis</i> Rtrr. 73-110..... | Bolivia       |
|                                | Brasil       | <i>trilineata</i> Rtrr. 77-169.....  | Brasil        |
| fallax Grouv. 98-362.....      | Brasil       | mutata Grouv. 12-398.....            | Guatemala     |
| fastuosa Er. 43-340.....       | Brasil       | <i>polita</i> Shp. 90-333.....       |               |
| fervens Er. 43-337.....        | Brasil       | nigriceps Grouv. 96-182.....         | Guatemala     |
| flava Fabr. 01-95.....         | Brasil       | nigriclava Shp. 90-333.....          | México        |
| flavipes Er. 43-332.....       | Brasil       |                                      | Colombia      |
| flohri Shp. 90-332.....        | México       | nigrina Shp. 91-340.....             | Guatemala     |
| foreli Grouv. 02-463.....      | Leeward Is.  | nigripennis Er. 43-334.....          | Colombia      |
|                                | Venezuela    | nigrita Lap. 40-9.....               | Argentina     |
| formosa Shp. 90-328.....       | México       | nigriventris Rtrr. 76-319.....       | Argentina     |
|                                | Br. Honduras | nigrocyanea Rtrr. 73-105.....        | México        |
|                                | Guatemala    | nigroviridis Rtrr. 73-105.....       | México        |
|                                | ?Panamá      |                                      | Brasil        |
| fulva Er. 43-335.....          | Guiana       | nitida Rtrr. 73-105.....             | ?             |
| furcata shp. 91-345.....       | Panamá       | nitidicollis Rtrr. 73-123.....       | Perú          |
| fuscipennis Rtrr. 73-125.....  | Guiana       | nitidipennis Rtrr. 73-126.....       | Colombia      |
| gaumeri Shp. 90-330.....       | México       |                                      | Brasil        |
| germaini Grouv. 98-361.....    | Bolivia      | nitidula Fabr. 01-95.....            | Brasil        |
| glaberrima Rtrr. 73-116.....   | Brasil       |                                      | Argentina     |
| godmani Shp. 90-331.....       | Panamá       | <i>v. gibbus</i> Er. 43-325.....     |               |
| gouellei Grouv. 96-183.....    | Brasil       | notata Er. 43-341.....               | Brasil        |
| hassoti Grouv. 14-48.....      | Ecuador      | notaticollis Grouv. 98-364.....      | Brasil        |
| helvola Er. 43-331.....        | Fr. Guiana   | obscura Fabr. 01-95.....             | Colombia      |
| hemisphaerica Kby. 18-395..... | Brasil       |                                      | Brasil        |
| heterocheila Shp. 91-341.....  | México       |                                      | Argentina     |
| humeralis Brullé 42-66.....    | Brasil       | obsoleta Kirsch 73-145.....          | Perú          |
|                                | Argentina    | onusta Grouv. 98-365.....            | Brasil        |
| ignota Grouv. 98-362.....      | Brasil       | opaca Kirsch 73-146.....             | Perú          |
| illustris Chev. 34-43.....     | México       | pilula Grouv. 98-361.....            | Colombia      |
| irritans Kirsch 73-144.....    | Perú         | plagiata Er. 43-328.....             | Brasil        |
| iterata Shp. 91-344.....       | Guatemala    | polita Rtrr. 43-116.....             | ?             |
| jeckeli Rtrr. 73-119.....      | Brasil       | principalis Shp. 90-327.....         | México        |
| jucunda Shp. 90-334.....       | Guatemala    | punctatocollis Grouv. 98-364.....    | Brasil        |
| kirschi Rtrr. 76-306.....      | Perú         | pygidialis Kirsch 73-145.....        | Perú          |
| labilis Er. 43-333.....        | Brasil       | pyxis Shp. 91-339.....               | México        |
| laeta Kirsch 73-146.....       | Perú         |                                      | Br. Honduras  |
| laevicollis Rtrr. 76-113.....  | Colombia     |                                      | Guatemala     |
| languida Rtrr. 76-108.....     | Colombia     |                                      | Panamá        |
| larvata Grouv. 98-367.....     | Brasil       | rubens Er. 43-339.....               | Brasil        |
| lateralis Rtrr. 76-307.....    | Perú         | rubripes Rtrr. 75-113.....           | Brasil        |
| laticornis Shp. 91-342.....    | Panamá       | rubrovittata Rtrr. 73-111.....       | Bolivia       |
| latipes Shp. 91-347.....       | Panamá       | rufescens Lap. 40-9.....             | Brasil        |
| limbicollis Rtrr. 75-113.....  | México       | rutila Er. 43-332.....               | Brasil        |
|                                | Guatemala    | scutellata Sturm 26-64.....          | Brasil        |
| limbipennis Rtrr. 73-109.....  | México       | <i>melanaria</i> Fr. 43-324.....     | Argentina     |
|                                | Guatemala    | <i>tristis</i> Lap. 40-9.....        |               |
| lutea Rtrr. 73-113.....        | Brasil       | <i>unicolor</i> Sturm 43-90.....     |               |
| maculata Lap. 40-9.....        | Brasil       | sharpi Grouv. 98-369.....            | Guatemala     |
| marginata Rtrr. 75-111.....    | Brasil       | <i>biformis</i> Shp. 91-339.....     |               |
| masculina Shp. 91-348.....     | Panamá       | signaticollis Rtrr. 73-111.....      | Colombia      |
| maura Shp. 91-344.....         | Guatemala    | solitaria Shp. 90-335.....           | Guatemala     |
| melanoptera Shp. 90-336.....   | México       | sordida Shp. 91-342.....             | Guatemala     |
| melanura Blanch. 42-67.....    | Bolivia      | splendens Rtrr. 73-107.....          | Colombia      |

- Camptodes**—Continued.
- steinheili Rtrtr. 76-319..... Colombia  
subnigriceps Group. 12-398..... Brasil  
    *nigriceps* Group. 98-363  
terminalis Shp. 91-343..... Panamá  
thoracica Lap. 40-9..... Bolivia  
    *ardua* Er. 43-330  
transfuga Group. 12-298..... Panamá  
    *signaticollis* Shp. 91-345  
transversa Rtrtr. 73-107..... México  
    *thoracica* Er. 43-329..... Guatemala  
tricolor Er. 43-326..... México  
turpis Kirsch 73-144..... Perú  
umbripennis Rtrtr. 73-120..... Perú  
viridescens Rtrtr. 73-112..... Brasil  
viridipennis Fvl. 61-6..... Fr. Guiana  
vittata Er. 43-327..... Brasil  
    *flavoangula* Rtrtr. 76-207..... Argentina  
    *humerosa* Rtrtr. 76-207  
    *liturata* Rtrtr. 76-207  
    *lugubris* Rtrtr. 76-207  
    *phalerata* Er. 43-328  
    *ruficollis* Rtrtr. 76-207  
    *rufoangula* Rtrtr. 76-207  
    *variegata* Rtrtr. 76-207  
sp. (L. & M. 14-420)..... St. Vincent
- Ampbrirossus** Er. 43-346  
    *Lobostoma* Fairm. 92-90  
    *Rhacostoma* Berg 98-18  
horni Shp. 91-349..... Guatemala  
lateralis Er. 43-348..... Brasil  
limbatus Shp. 91-349..... Guatemala  
vicinus Group. 16-245..... Argentina
- Cyclramus** Kugel. 94-543  
    *Campta* Steph. 30-30  
bruchi Group. 05-124..... Argentina  
distinctus Group. 12-300..... Perú  
    *variegatus* Rtrtr. 76-306
- Aethina** Er. 43-306  
brunnea Rtrtr. 75-108..... México  
concolor Shp. 91-350..... Br. Honduras  
    Guatemala  
quadrata Shp. 91-351..... Guatemala  
    Panamá  
villosa Rtrtr. 73-84..... México  
    Br. Honduras  
    Guatemala
- Pocadius** Er. 43-318  
brevis Rtrtr. 73-94..... Cuba  
carbonarius Er. 43-321..... Brasil  
fulvipennis Er. 43-319..... México  
glaber Group. 16-244..... Argentina  
helvols Er. 43-320..... México  
    *breviusculus* Rtrtr. 76-318..... Argentina  
    *ferrugineus* Chev. 63-604..... Cuba  
    *infuscatus* Rtrtr. 73-94..... U. S. A.  
    *limbatus* Rtrtr. 73-95  
    *rubidus* Er. 43-320..... Brasil  
    Argentina
- Pocadionta** Lucas 20-526  
    *Pocadiopsis* Group. 98-360  
    (not Fairmaire, 1896)  
dentipes Group. 98-360..... Chile
- Hebascus** Er. 43-311  
    *analis* Fabr. 01-95..... Colombia  
    Brasil  
    *aurantiacus* Shp. 91-353..... Guatemala
- bugabensis Shp. 91-352..... Panamá  
discoideus Rtrtr. 73-97..... México  
erinaceus Shp. 91-353..... Panamá  
helvols Er. 43-314..... Brasil  
hirtellus Er. 43-313..... Colombia  
mexicanus Shp. 91-352..... México  
testaceus Er. 43-314..... Brasil  
trali Shp. 91-353..... Panamá  
    Brasil  
vestitus Kirsch 73-142..... Perú  
villosus Blanch. 42-67..... Bolivia  
    Argentina
- Camptomorphus** Group. 98-369  
longipes Group. 98-369..... Brasil
- Teichostethus** Shp. 91-354  
    *Trichostethus* Group. 13-161  
guatemalensis Shp. 91-355..... Guatemala  
vinosus Shp. 91-354..... México
- Cyllodes** Er. 43-342  
    *Strongylus* Hbst. 92-179  
aequalis Shp. 91-356..... México  
    Panamá  
basalis Rtrtr. 75-114..... Brasil  
camptoides Rtrtr. 73-128..... México  
chiriquensis Shp. 91-356..... Costa Rica  
    Panamá  
collaris Er. 43-344..... Brasil  
erichsoni Rtrtr. 75-114..... Brasil  
exilis Group. 91-315..... Colombia  
lateralis Shp. 91-355..... Guatemala  
lateritia Er. 43-344..... Brasil  
mandibularis Er. 43-343..... Brasil  
mimetes Shp. 91-357..... Panamá  
mollis Shp. 91-356..... México  
pallodoideus Rtrtr. 73-130..... Brasil  
rotundata Rtrtr. 76-307..... Perú  
ruba Rtrtr. 77-170..... Colombia  
unicolor Shp. 91-355..... México
- Nodola** Brêthes 25-198  
    *chilensis* Brêthes 25-200..... Chile
- Apsectochilus** Rtrtr. 74-512  
hydroporoides Rtrtr. 74-513..... Colombia  
steinheili Rtrtr. 74-513..... Colombia
- Cyllodenus** Rtrtr. 77-189  
    *Strongylomorphus* Rtrtr. 75-115  
deyrollei Rtrtr. 75-116..... Brasil
- Mecyllodes** Shp. 91-357  
    *clavicornis* Shp. 91-358..... Guatemala  
    Nicaragua  
    *nigropicta* Shp. 91-358..... México  
    Guatemala
- Somatoxus** Shp. 91-359  
    *Somatorus* Group. 98-372  
    *acuminatus* Group. 98-372..... Bolivia  
    *brasiliensis* Group. 98-373..... Brasil  
    *chiliensis* Group. 98-373..... Chile  
    *hydroporoides* Shp. 91-360..... México  
    Panamá  
    *sallaei* Shp. 91-360..... México
- Cyclocaecus** Shp. 91-361  
brevicollis Shp. 91-361..... Panamá  
laeticulus Shp. 91-362..... Panamá  
monticola Shp. 91-361..... Guatemala
- Meonecerus** Shp. 91-358  
punctatolineatus Group. 98-372..... Perú  
salvini Shp. 91-359..... Guatemala  
seriatus Shp. 91-359..... Panamá

**Oxyenemus** Er. 43-351  
*Eugoniopus* Rtrr. 84-264  
*Psilopyga* LeC. 53-286

annulipes Rtrr. 73-137.....Brasil  
aterrimus Rtrr. 73-137.....Brasil  
fasciatus Shp. 91-364.....México  
fulvus Er. 43-352.....Panamá  
Guiana  
Brasil

nigriceps Rtrr. 73-136.....Brasil  
nigritus Rtrr. 75-117.....South America  
rostratus Rtrr. 73-136.....México  
Guatemala  
Nicaragua  
Panamá  
Brasil

ruficollis Grouv. 98-374.....Brasil

**Pycnoenemus** Shp. 91-363  
anisotomoides Shp. 91-363.....Panamá

**Palodes** Er. 43-348  
*Neopalodes* Rtrr. 84-264 (Subg.)

abdominalis Shp. 91-369.....Guatemala  
annulifer Lap. 40-9.....Brasil  
bohemani Grouv. 98-370.....Brazil  
cercyonoides Shp. 91-368.....México  
cyanescens Grouv. 98-36.....St. Vincent  
deleta Shp. 91-367.....México  
Guatemala  
Panamá

discoidea Grouv. 98-370.....Brasil  
filipes Shp. 91-371.....México  
gracilipes Kirsch 73-148.....Perú  
guttata Shp. 91-370.....Guatemala  
juccunda Rtrr. 73-133.....México  
laeta Grouv. 98-371.....Brasil  
limbicollis Rtrr. 80-4.....Brasil  
marginicollis Rtrr. 75-117.....Brasil  
mexicana Shp. 91-365.....México  
micans Shp. 91-366.....México  
Guatemala  
Panamá

obscura Shp. 91-371.....Panamá  
pallida Rtrr. 75-116.....Brasil  
picta Shp. 91-370.....Guatemala  
punctata Shp. 91-369.....México  
regularis Shp. 91-368.....México  
Guatemala

reversa Shp. 91-365.....México  
ruficollis Rtrr. 73-134.....Cuba  
<sup>12</sup> I. de Pinos  
?St. Vincent

ruficornis Grouv. 98-371.....Brasil  
sellata Shp. 91-367.....México  
signaticollis Shp. 91-367.....México  
smithi Shp. 91-368.....México  
strongyliformis Shp. 91-366.....Guatemala  
translata Grouv. 12-398.....Grenada  
*smithi* Grouv. 98-35

vivida Shp. 91-369.....Panamá

**Eusphaerius** Shp. 91-371  
godmani Shp. 91-372.....Panamá  
rubicundus Shp. 91-372.....México  
Panamá

scutellatus Shp. 91-372.....México  
Guatemala

**Lordyrops** Rtrr. 75-106  
deyrollei Rtrr. 75-107.....Brasil

**Neopocadius** Grouv. 06-214  
loretoensis Bruch 38-163.....Argentina

nitiduloides Grouv. 06-214.....Argentina

**Lasiodactylus** Perty 34-34  
*Lordites* Er. 43-316

brunneus Perty 30-35.....Brasil  
*procerus* Er. 43-317

villosus Blanch. 42-62.....Brasil  
*americanus* Rtrr. 73-92.....Bolivia

CRYPTARCHINAE

**Cryptarcha** Shuck. 39-165  
aelypta Rtrr. 73-142.....México  
aeneicollis Rtrr. 75-118.....Brasil  
apicipennis Rtrr. 73-144.....Venezuela  
atomaria Shp. 91-383.....Panamá  
badeni Rtrr. 73-154.....Brasil  
brevidens Shp. 91-377.....Guatemala  
camptoides Rtrr. 73-145.....Brasil  
castanescens Grouv. 16-246.....Argentina  
cephalotes Shp. 91-380.....Guatemala  
chiliensis Germ. 55-396.....Chile  
circellaris Er. 43-357.....Brasil  
clavata Rtrr. 73-144.....México  
clavigera Shp. 91-381.....México  
Panamá

comma Shp. 91-382.....México  
costaricensis Shp. 91-383.....Costa Rica  
deyrollei Rtrr. 75-119.....Brasil  
discedens Shp. 91-381.....Guatemala  
elongata Rtrr. 73-143.....México  
ephippiger Rtrr. 73-147.....Colombia  
foveicollis Rtrr. 93-154.....Brasil  
furcata Shp. 91-376.....Guatemala  
fusca Er. 43-356.....México  
fuscipennis Kirsch 73-148.....Perú  
gentilis Shp. 91-377.....Guatemala  
germaini Grouv. 98-374.....Chile  
gibbula Shp. 91-378.....México  
Guatemala

grandicollis Rtrr. 75-118.....Venezuela  
guatemalena Shp. 91-375.....Guatemala  
haemorrhoidalis Rtrr. 75-118.....Brasil  
imbellis Shp. 75-383.....Guatemala  
inaequalis Shp. 91-377.....Guatemala  
jocosa Grouv. 06-332.....Paraguay  
lineola Esch. 22-44.....Argentina  
Chile

longidens Shp. 91-374.....México  
maculosa Rtrr. 77-129.....Chile  
meligethoides Rtrr. 74-513.....Colombia  
micros Grouv. 98-376.....Brasil  
minuta Grouv. 98-375.....Brasil  
morata Shp. 91-379.....Guatemala  
nanula Rtrr. 73-155.....Colombia  
nigra Shp. 91-375.....Panamá  
nigrovaria Rtrr. 75-121.....Bolivia  
nitidissima Rtrr. 73-156.....Brasil  
ovata Rtrr. 73-148.....Brasil  
palloides Rtrr. 73-156.....Brasil  
picta Er. 43-357.....Brasil  
placida Grouv. 98-375.....Bolivia  
plena Shp. 91-279.....México  
Br. Honduras  
Guatemala  
Panamá

<sup>12</sup> West Indies.

|  |                                |
|--|--------------------------------|
| <b>Cryptarcha</b> —Continued.            |                                |
| <i>polita</i> Rtrr. 73-154.....          | Brasil                         |
| <i>puncticeps</i> Shp. 91-380.....       | Panamá                         |
| <i>pusilla</i> Er. 43-358.....           | Colombia                       |
| <i>pygidialis</i> Rtrr. 75-117.....      | México                         |
| <i>regularis</i> Shp. 91-379.....        | Panamá                         |
| <i>rubens</i> Er. 43-358.....            | Brasil                         |
| <i>rufipes</i> Fabr. 01-85.....          | Brasil                         |
| <i>sanguinea</i> Shp. 91-275.....        | Guatemala                      |
| <i>striatopunctata</i> Rtrr. 73-147..... | Colombia                       |
| <i>subtilis</i> Shp. 91-378.....         | Guatemala                      |
| <i>thalycroides</i> Rtrr. 73-146.....    | México                         |
| <i>v. lateralis</i> Shp. 91-382.....     | Guatemala                      |
| <i>tricidata</i> Rtrr. 73-145.....       | ?                              |
| <i>turbida</i> Er. 43-357.....           | Brasil                         |
| <i>uniformis</i> Rtrr. 77-171.....       | Colombia                       |
| <b>Lepiarcha</b> Shp. 91-385             |                                |
| <i>Lipiarcha</i> Grov. 13-183            |                                |
| <i>omositoides</i> Rtrr. 73-151.....     | México                         |
|  | Guatemala                      |
| <b>Liarcha</b> Shp. 91-385               |                                |
| <i>placida</i> Shp. 91-385.....          | México                         |
|  | Guatemala                      |
|  | Costa Rica                     |
| <b>Cnips</b> Phil. 64-457                |                                |
| <i>diversa</i> Pic 24-379.....           | <sup>10</sup> Is. J. Fernández |
| <i>marginalis</i> Phil. 64-459.....      | Chile                          |
| <i>marginata</i> Rtrr. 73-164.....       | Chile                          |
| <i>picta</i> Phil. 64-458.....           | Chile                          |
| <i>quadrisingnata</i> Phil. 64-458.....  | Chile                          |
| <i>subcaudata</i> Fairm. 61-1.....       | Chile                          |
| <b>Paromia</b> Westw. 50-167             |                                |
| <i>doocoides</i> Westw. 50-168.....      | ?Colombia                      |
| <i>westwoodi</i> Dohrn 62-158            | Chile                          |
|  | ?Australia                     |
| <i>valdiviana</i> Phil. 64-460.....      | Chile                          |
| <b>Lioseuma</b> Fairm. 61-1              |                                |
| <i>Aparomia</i> Redt. 67-35              |                                |
| <i>rubrovaria</i> Fairm. 61-1.....       | Chile                          |
| <i>germaini</i> Olliff 83-50             |                                |
| <i>luteipennis</i> Phil. 64-456          |                                |
| <i>modesta</i> Phil. 64-457              |                                |
| <i>nigricollis</i> Fairm. 61-1           |                                |
| <i>rieli</i> Phil. 64-456                |                                |
| <i>xacarilla</i> Thoms. 56-475.....      | Chile                          |
| <i>bifasciata</i> Redt. 67-36            |                                |
| <b>Paromidia</b> Rtrr. 73-141            |                                |
| <i>ebenina</i> Blanch. 42-62.....        | Brasil                         |
| <i>nigerrima</i> Rtrr. 73-158            | Bolivia                        |
|  | Argentina                      |
| <i>nitidula</i> Grov. 96-184.....        | Brasil                         |
| <b>Pityophagus</b> Shuck. 39-171         |                                |
| <i>arcuatus</i> Er. 43-360.....          | México                         |
| <i>insignis</i> Shp. 91-386.....         | México                         |
| <b>Glischrochilus</b> Rtrr. 73-162       |                                |
| <i>Ips</i> Fabr. 76-23                   |                                |
| <i>clarkana</i> Woll. 74-71.....         | Brasil                         |
| <i>fuscipennis</i> Lap. 40-14.....       | México                         |
| <i>ultimus</i> Shp. 91-387.....          | México                         |
| sp. (Wolcott 36-220).....                | Puerto Rico                    |
| <b>Ipsimorpha</b> Rtrr. 73-165           |                                |
| <i>ruficapilla</i> Rtrr. 73-130.....     | México                         |
| <i>striatopunctata</i> Rtrr. 73-165..... | México                         |

## CYBOCEPHALINAE

|  |               |
|--|---------------|
| <b>Pycnocephalus</b> Shp. 91-373         |               |
| <i>argentinus</i> Brèthes 22-265.....    | Argentina     |
| <i>metallicus</i> Shp. 91-373.....       | Guatemala     |
|  | Panamá        |
| <b>Cybocephalus</b> Er. 44-441           |               |
| <i>Aceribis</i> Waterh. 77-78 (Subg.)    |               |
| <i>aciculatus</i> Champ. 13-71.....      | México        |
| <i>auriculatus</i> Champ. 13-71.....     | México        |
| <i>chiliensis</i> Rtrr. 75-56.....       | Chile         |
| <i>deyrollei</i> Rtrr. 75-55.....        | Brasil        |
| <i>flavicornis</i> Champ. 13-71.....     | Guatemala     |
| <i>nitidissimus</i> Rtrr. 74-5.....      | Brasil        |
| <i>schwarzii</i> Champ. 13-72.....       | México        |
| <i>serrativentris</i> Waterh. 77-78..... | Is. Galápagos |
| <i>subaeneus</i> Rtrr. 75-55.....        | Chile         |
| <i>tricaudatus</i> Rtrr. 75-56.....      | Brasil        |

## Superfamily CUCUJOIDEA

## CUCUJIDAE

## CUCUJINAE

## ULEIOTINI

|  |           |
|--|-----------|
| <b>Uleiota</b> Latr. 96-46               |           |
| <i>Brontes</i> Fabr. 01-97               |           |
| <i>chilensis</i> Blanch. 51-443.....     | Argentina |
|  | Chile     |
| <i>geminatus</i> Say (Bruch 15-326)..... | Argentina |
| <i>integricollis</i> Fairm. 60-5.....    | Chile     |

## CUCUJINI

|                                     |        |
|-------------------------------------|--------|
| <b>Palaestes</b> Perty 30-83        |        |
| <i>abrupta</i> Shp. 99-506.....     | Panamá |
| <i>freyreissi</i> Heyd. 27-46.....  | Brasil |
| <i>bicolor</i> Perty 32-84          |        |
| <i>dejeani</i> Gray 32-pl. 60       |        |
| <i>freyersi</i> Guér. 44-204        |        |
| <i>mandibularis</i> Guér. 44-pl. 42 |        |

|  |           |
|--|-----------|
| <i>nicaraguae</i> Shp. 99-506.....     | Nicaragua |
| <i>nigriceps</i> Waterh. 80-286.....   | Perú      |
| <i>nigridens</i> Shp. 99-506.....      | Panamá    |
| <i>scutellaris</i> Shp. 99-507.....    | Guatemala |
| <i>tenuicornis</i> Waterh. 80-287..... | Perú      |
| <i>varipes</i> Shp. 99-505.....        | Guatemala |
| <b>Pediaeus</b> Shuck. 39-150          |           |
| <i>centralis</i> Shp. 99-511.....      | Guatemala |
| <i>concolor</i> Shp. 99-512.....       | Guatemala |
| <i>confertus</i> Shp. 99-508.....      | Guatemala |
| <i>jugularis</i> Shp. 99-512.....      | Guatemala |
|  | Panamá    |
| <i>major</i> Shp. 99-507.....          | Guatemala |
| <i>mexicanus</i> Shp. 99-508.....      | México    |
| <i>similis</i> Shp. 99-508.....        | Guatemala |
| <b>Salpingomimus</b> Champ. 13-85      |           |
| <i>deceptor</i> Champ. 13-86.....      | Panamá    |

<sup>10</sup> Chile.



## INOPEPLINI

(See *Staphylinidae: Osoriinae*)

## LAEMOPHLOEINI

*Laemophloeus* Lap. 40-384*Silvanophloeus* Shp. 99-537 (Subg.)

addendus Shp 99-529.....Guatemala

adustus LeC. 54-74.....?Puerto Rico

U. S. A.

aemulus Brèthes 22-278.....Argentina

aeneus Grouv. 76-492.....Brasil

albipennis Rtrr. 78-191.....Colombia

albofasciatus Grouv. 77-L.....Venezuela

alticola Shp. 99-527.....Guatemala

amulae Shp. 99-521.....México

annectens Shp. 99-523.....Guatemala

anticus Shp. 99-518.....Panamá

atomarius Shp. 99-538.....Panamá

bembidium Shp. 99-539.....Guatemala

bicolor Chev. 63-612.....Cuba

bifasciatus Grouv. (Bruch 15-326).....Argentina

bituberculatus Rtrr. 78-316.....Puerto Rico

boops Shp. 99-517.....Guatemala

carabinus Shp. 99-525.....Panamá

carinatus Rtrr. 78-192.....Brasil

caseyi Grouv. 98-42.....Grenada

castaneipennis Grouv. 76-494.....Grenada

Colombia

Brasil

catharinensis Kess. 26-72.....Brasil

celatus Shp. 99-523.....Guatemala

cephalotes LeC. 54-76.....Baja Calif.

U. S. A.

championi Shp. 99-516.....Guatemala

chevrolati Grouv. 78-264.....Cuba

clavicornis Shp. 99-520.....Guatemala

cognatus Shp. 99-539.....Guatemala

commixtus Grouv. 12-304.....Guadeloupe

concaus Rtrr. 78-192.....Cuba

constrictus Kess. 26-75.....Brasil

convexus Grouv. 76-493.....Guatemala

corporalis Shp. 99-526.....Guatemala

costatus Grouv. 76-501.....México

curtus Grouv. 76-xxxiii.....Panamá

Brasil

deletus Grouv. 96-191.....Brasil

distanus Shp. 99-527.....Guatemala

distinguentus Shp. 99-513.....Guatemala

Panamá

dives Shp. 99-530.....Panamá

dufau Grouv. 02-763.....Guadeloupe

endomychus Shp. 99-519.....Guatemala

exquisitus Grouv. 08-54.....Guadeloupe

ferrugineus Steph. 31-223.....[Cosmopolitan]

*concolor* Smith 51-6.....Guadeloupe*monilicornis* Steph. 31-223.....Argentina*obsoletus* Smith 51-7.....*testaceus* Payk. 99-168.....

flavescens Shp. 99-522.....Guatemala

fraudator Shp. 99-539.....Guatemala

frequens Shp. 99-526.....Guatemala

Panamá

germaini Grouv. 96-200.....Guatemala

Panamá

Colombia

Bolivia

gounellei Grouv. 96-190.....Brasil

guatemalensis Shp. 99-522.....Guatemala

hoplites Shp. 99-517.....México

Guatemala

Nicaragua

immersus Shp. 99-520.....Panamá

impressus Grouv. 76-xxxiii.....Brasil

incisus Shp. 99-521.....Guatemala

Panamá

infimus Shp. 99-538.....Guatemala

insolitus Shp. 99-524.....Guatemala

inustus Shp. 99-525.....Guatemala

iteratus Shp. 99-528.....México

Br. Honduras

Guatemala

Colombia

St. Vincent

Grenada

kesseli Hetsch. 28-142.....Brasil

*ambiguus* Kess. 26-66.....

(not Grouv., 1923).....

lacerdae Grouv. 77-211.....Brasil

lucanoides Smith 51-5.....Colombia

*seminger* Rtrr. 76-49.....?U. S. A.

macrognathus Rtrr. 76-48.....Colombia

mathani Grouv. 89-103.....Brasil

Argentina

megacephalus Grouv. 76-495.....Colombia

minusculus Grouv. 76-502.....México

minutus Oliv. 91-243.....[Cosmopolitan]

*brevis* Fairm. 50-56.....Cuba*crassicornis* Waltl 39-225.....Puerto Rico*longicornis* Mannh. 43-303.....Guadeloupe*parallelus* Smith 51-7.....St. Vincent*pusillus* Schönh. 17-55.....Grenada*testaceus* Steph. 31-224.....Argentina

mixtus Grouv. 89-103.....Brasil

modestus Say 27-268.....Guadeloupe

*singularis* Smith 51-7.....

nigrifrons Grouv. 96-201.....Bolivia

nitens LeC. 54-75.....México

*gundlachi* Grouv. 76-499.....Br. Honduras

Guatemala

Panamá

Argentina

Grenada

U. S. A.

obliquefasciatus Grouv. 76-492.....Venezuela

optatus Shp. 99-522.....Guatemala

ovipennis Rtrr. 76-51.....Brasil

pallens Kess. 26-72.....Brasil

pallentipennis Grouv. 76-500.....Central America

?Colombia

Guadeloupe

St. Vincent

Grenada

pallidipennis Rtrr. 76-48.....Brasil

pauper Shp. 99-530.....México

permixtus Grouv. 12-303.....Guadeloupe

pilatei Grouv. 76-496.....Brasil

prominens Hetsch. 28-142.....Brasil

*notabilis* Kess. 26-72.....

punctulaticollis Hetsch. 29-94.....Guatemala

*puncticollis* Shp. 99-519.....

(not Fleischer, 1829).....

quadridentatus Champ. 13-84.....Guatemala

quinquearticulatus Grouv. 96-201.....Brasil

## Laemophloeus—Continued.

|                                    |       |                        |
|------------------------------------|-------|------------------------|
| reitteri Grouv. 77-210             | ..... | Panamá                 |
| <i>breviceps</i> Shp. 99-516       | ..... | Brasil                 |
| repandus Rtrtr. 76-50              | ..... | Brasil                 |
| semiaeneus Rtrtr. 76-49            | ..... | Colombia               |
| semiflavus Grouv. 76-497           | ..... | Colombia               |
| sexarticulatus Kess. 26-72         | ..... | Brasil                 |
| sharpi Hetsch. 30-41               | ..... | Panamá                 |
| <i>minutus</i> Shp. 99-518         | ..... |                        |
| similans Kess. 26-72               | ..... | Brasil                 |
| smithi Grouv. 89-41                | ..... | Grenada                |
| stramineus Rtrtr. 76-46            | ..... | Brasil                 |
| straminipennis Rtrtr. 76-47        | ..... | Brasil                 |
| striatus Shp. 99-524               | ..... | Panamá                 |
| suturalis Rtrtr. 76-50             | ..... | México                 |
|                                    |       | Guatemala              |
|                                    |       | Panamá                 |
|                                    |       | Colombia               |
| <i>v. circumdatus</i> Shp. 99-514  | ..... | México                 |
| teapensis Grouv. 76-494            | ..... | México                 |
| testaceus Fabr. 87-166             | ..... | [Cosmopolitan]         |
| <i>suberis</i> Lucas 47-479        | ..... |                        |
| turcicus Grouv. 76-xxxiii          | ..... | [Cosmopolitan]         |
| unicornis Rtrtr. 76-45             | ..... | México                 |
| <i>recticollis</i> Rtrtr. 76-52    | ..... | Br. Honduras           |
| <i>uncicornis</i> L. & M. 14-415   | ..... | Guatemala              |
|                                    |       | Colombia               |
|                                    |       | Brasil                 |
|                                    |       | Cuba                   |
|                                    |       | Puerto Rico            |
|                                    |       | Guadeloupe             |
|                                    |       | Martinique             |
|                                    |       | St. Vincent            |
|                                    |       | <sup>15</sup> Mustique |
|                                    |       | Grenada                |
| unifasciatus Grouv. (Bruch 15-326) | ..... | Argentina              |
| urgens Kess. 26-75                 | ..... | Brasil                 |
| victus Kess. 26-69                 | ..... | Brasil                 |
| Deinophloeus Shp. 99-540           | ..... | México                 |
| <i>ducalis</i> Shp. 99-540         | ..... | Guatemala              |
|                                    |       | Panamá                 |
| <i>sinuatus</i> Shp. 99-540        | ..... |                        |
| Lathropus Er. 45-307               | ..... | ?Cuba                  |
| <i>costatus</i> Grouv. 02-763      | ..... | Guadeloupe             |
|                                    |       | Guatemala              |
| <i>minimus</i> Champ. 13-85        | ..... | México                 |
| <i>parvulus</i> Grouv. 78-73       | ..... | México                 |
| <i>pictus</i> Schw. 78-358         | ..... | México                 |
|                                    |       | U. S. A.               |
| Dysmerus Csy. 84-77                | ..... |                        |
| <i>Dasymerus</i> Grouv. 03-56      | ..... | Guadeloupe             |
| <i>sulcicollis</i> Grouv. 08-56    | ..... |                        |
| Rhabdophloeus Shp. 99-531          | ..... | Panamá                 |
| <i>chiriquensis</i> Shp. 99-532    | ..... | México                 |
| <i>concolor</i> Shp. 99-531        | ..... | Guatemala              |
| <i>costatus</i> Grouv. 76-501      | ..... | México                 |
|                                    |       | Guatemala              |
| <i>difficilis</i> Kess. 26-75      | ..... | Brasil                 |
| <i>dispar</i> Shp. 99-532          | ..... | Guatemala              |
| <i>strictus</i> Kess. 26-75        | ..... | Brasil                 |
| Parandrita L. & H. 80-133          | ..... | México                 |
| <i>capito</i> Grouv. 81-94         | ..... | Guatemala              |
| <i>deceptor</i> Shp. 99-536        | ..... | Guatemala              |
| <i>stipes</i> Shp. 99-536          | ..... | México                 |
|                                    |       | Guatemala              |

## Rhinomalus Gemm. 70-124

|                                   |       |                     |
|-----------------------------------|-------|---------------------|
| <i>Homalirhinus</i> Chevr. 33-60  | ..... | (not Schönh., 1832) |
| <i>Xenorhinus</i> L. & H. 83-134  | ..... |                     |
| anthracinus Shp. 99-535           | ..... | México              |
| chiriquensis Shp. 99-535          | ..... | México              |
|                                   |       | Panamá              |
| <i>elegans</i> Grouv. 77-208      | ..... | Brasil              |
| <i>facetus</i> Grouv. 96-198      | ..... | Brasil              |
| <i>fulvicollis</i> Grouv. 96-199  | ..... | Bolivia             |
| <i>ruficollis</i> Grouv. 96-198   | ..... | Brasil              |
| <i>rufirostris</i> Chev. 33-61    | ..... | Colombia            |
| <i>signatus</i> Shp. 99-535       | ..... | Guatemala           |
| <i>unifasciatus</i> Grouv. 96-198 | ..... | Brasil              |
| <i>vicinus</i> Grouv. 96-197      | ..... | México              |
| Rhinophloeus Shp. 99-532          | ..... |                     |
| <i>gracilis</i> Shp. 99-533       | ..... | Guatemala           |
| <i>nasutus</i> Shp. 99-534        | ..... | México              |
|                                   |       | Guatemala           |
| <i>productus</i> Grouv. 76-491    | ..... | México              |
|                                   |       | Guatemala           |
|                                   |       | Brasil              |
| <i>salpingoides</i> Grouv. 76-490 | ..... | México              |
|                                   |       | Guatemala           |
|                                   |       | Brasil              |

## PASSANDRINAE

|                                    |       |           |
|------------------------------------|-------|-----------|
| Passandra Dalm. 17-146             | ..... |           |
| <i>brasiliensis</i> Chevr. 29-202  | ..... | Brasil    |
| <i>columbus</i> Newm. 38-398       | ..... | Brasil    |
| <i>fasciata</i> Gray 32-93         | ..... | México    |
|                                    |       | Guatemala |
|                                    |       | Nicaragua |
|                                    |       | Colombia  |
|                                    |       | Chaco     |
|                                    |       | Argentina |
|                                    |       | Cuba      |
| <i>mexicana</i> Csy. 16-113        | ..... | México    |
| <i>rubrolineata</i> Blanch. 43-205 | ..... | Brasil    |
| Passandrella Grouv. 16-6           | ..... |           |
| <i>visenda</i> Grouv. 16-6         | ..... | Brasil    |

## NARTHECIINAE

|                                |       |           |
|--------------------------------|-------|-----------|
| Paraphloeus Shp. 99-509        | ..... |           |
| <i>crassiceps</i> Shp. 99-510  | ..... | Guatemala |
| <i>longicollis</i> Shp. 99-510 | ..... | Guatemala |

## SILVANINAE

## SILVANINI

|   |       |             |
|---|-------|-------------|
| Silvanus Latr. 07-19                          | ..... |             |
| <i>Cathartosilvanus</i> Grouv. 12-340 (Subg.) | ..... |             |
| <i>angulicollis</i> Rtrtr. 78-194             | ..... | Guatemala   |
|   |       | Colombia    |
|   |       | Grenada     |
| <i>communis</i> Grouv. 78-75                  | ..... | Colombia    |
|   |       | Brasil      |
| <i>costatus</i> Steinh. 69-256                | ..... | Argentina   |
| <i>guatemalensis</i> Shp. 99-560              | ..... | Guatemala   |
| <i>muticus</i> Shp. 99-560                    | ..... | Guatemala   |
| <i>planatus</i> Germ. 24-466                  | ..... | ?Guadeloupe |
|   |       | U. S. A.    |

<sup>15</sup> Grenadines (W. I.).

|  |  |
|--|--|
| <i>Silvanus</i> —Continued.                    |  |
| <i>trivialis</i> Grouv. 78-75.....             | México<br>Br. Honduras<br>Guatemala<br>Brasil<br>Guadeloupe<br>St. Vincent<br>Grenada  |
| <i>unidentatus</i> Fabr. 92-232.....           | [Cosmopolitan]<br>Grenada  |
| <i>gratiosus</i> Mots. 63-501                  | Grenada  |
| <i>planus</i> Hbst. 97-285                     |  |
| <i>siculus</i> Stierl. 64-147                  |  |
| <i>vulgaris</i> Grouv. 78-74.....              | México<br>Guatemala<br>Colombia<br>Brasil  |
| <i>Silvanoprus</i> Rtrr. 11-45                 |  |
| <i>scuticollis</i> Walk. 59-53.....            | Puerto Rico<br>Guadeloupe<br>St. Vincent<br>Grenada<br>Fr. Guiana<br>Old World   |
| <i>triangulus</i> Rtrr. 76-60                  |  |
| <i>Silvaninus</i> Grouv. 12-379                |  |
| <i>consors</i> Shp. 00-561.....                | Guatemala  |
| <i>nitidus</i> Grouv. 89-162.....              | México<br>Guatemala<br>Venezuela   |
| <i>Silvanosoma</i> Brèthes 22-276              |  |
| <i>striata</i> Brèthes 22-276.....             | Argentina  |
| <i>Silvanops</i> Grouv. 12-380                 |  |
| <i>columbina</i> Grouv. 81-96.....             | Colombia   |
| <i>perforata</i> Shp. 00-562.....              | México<br>Guatemala<br>Panamá  |
| <i>v. concolor</i> Shp. 00-562.....            | Guatemala  |
| <i>Synobius</i> Shp. 99-558                    |  |
| <i>lobatus</i> Grouv. 96-207.....              | Brasil   |
| <i>lobicollis</i> Shp. 99-558.....             | Panamá   |
| <i>Ahasverus</i> Gozis 81-cxxvii               |  |
| <i>advena</i> Waltl 32-169.....                | [Cosmopolitan]<br>?Baja Calif.<br>México<br>Guatemala<br>Nicaragua<br>Panamá<br>Argentina<br><sup>12</sup> Mona I.<br>Puerto Rico<br>Guadeloupe<br>Grenada |
| <i>angustatus</i> Lucas 47-221                 |  |
| <i>guerini</i> Alib. 47-12                     |  |
| <i>musaeorum</i> Ziegl. 44-270                 |  |
| <i>striatus</i> Rouget 76-ccvii                |  |
| <i>cryptophagoides</i> Rtrr. 78-195.....       | Colombia   |
| <i>delauneyi</i> Grouv. 12-300.....            | Guadeloupe   |
| <i>excisus</i> Rtrr. 76-128.....               | Guatemala<br>New World<br>East Indies  |
| <i>humeralis</i> Grouv. 12-301.....            | <sup>13</sup> St. Thomas<br>Guadeloupe   |
| <i>nausibioides</i> Grouv. 12-374.....         | Fr. Guiana   |
| <i>opaculus</i> LeC. 54-78.....                | México<br>?St. Vincent<br>?Grenada<br>U. S. A.   |
| <i>quadricollis</i> Rtrr. 76-128               |  |
| <i>plagiatus</i> Grouv. 12-375.....            | Guadeloupe   |
| <i>rectus</i> LeC. 54-78.....                  | Cuba<br>Puerto Rico<br>U. S. A.  |
| <i>subopacus</i> Grouv. 12-377.....            | Brasil   |
| <i>Oryzaephilus</i> Ganglb. 99-45              |  |
| <i>surinamensis</i> Linn. 58-357.....          | [Cosmopolitan]<br>?Baja Calif.<br>Guatemala<br>Surinam<br>Argentina<br>Cuba<br>Puerto Rico<br>Guadeloupe   |
| <i>cursor</i> Fabr. 92-96                      |  |
| <i>frumentarius</i> Fabr. 92-496               |  |
| <i>sexdentatus</i> Fabr. 92-232                |  |
| <i>v. affinis</i> Chevr. (L' & M. 14-416)..... | Cuba   |
| <i>Cathartus</i> Reiche 54-77                  |  |
| <i>annectens</i> Shp. 99-559.....              | Br. Honduras   |
| <i>quadricollis</i> Guér. 29-198.....          | [Cosmopolitan]<br>México<br>Guatemala<br>Nicaragua<br>Panamá<br>Cuba<br>Puerto Rico<br>St. Vincent<br>Grenada<br>U. S. A.                                  |
| <i>cassiae</i> Reiche 54-78                    |  |
| <i>gemellatus</i> DuVal 57-104                 |  |
| <i>Monanus</i> Shp. 79-85                      |  |
| <i>concinulus</i> Walk. 58-207.....            | [Cosmopolitan]<br>México<br>Nicaragua<br>Puerto Rico<br>Guadeloupe<br>St. Vincent<br><sup>14</sup> Mustique<br>Grenada                                     |
| <i>fasciatus</i> Woll. 74-169                  |  |
| <i>fascipennis</i> Rtrr. 76-129                |  |
| <i>signatus</i> Frauent. 67-438                |  |
| <i>Nausibius</i> Redt. 58-lxxxii               |  |
| <i>brevicornis</i> Shp. 99-557.....            | Guatemala  |
| <i>clavicornis</i> Kugel. 94-511.....          | [Cosmopolitan]<br>México<br>Br. Honduras<br>Guatemala<br>Nicaragua<br>Argentina<br>Cuba<br>Hispaniola<br>Puerto Rico<br>Guadeloupe<br>St. Vincent          |
| <i>dentatus</i> Marsh. 02-108                  |  |
| <i>intermedius</i> Smith 51-16                 |  |
| <i>latus</i> Fairm. 50-53                      |  |
| <i>major</i> Zimm. 69-257                      |  |
| <i>parallelus</i> Walk. 58-206                 |  |
| <i>gigas</i> Grouv. 96-206.....                | Brasil   |
| <i>grouvellei</i> Shp. 99-557.....             | Panamá   |
| <i>inermis</i> Grouv. 96-208.....              | Brasil   |
| <i>ingens</i> Grouv. 96-191.....               | Brasil   |
| <i>sahilbergi</i> Grouv. 96-206.....           | Brasil   |
| <i>silvanoides</i> Shp. 99-557.....            | Guatemala  |
| <i>sinuatus</i> Grouv. 96-209.....             | ?  |
| <i>wagneri</i> Grouv. 12-316.....              | Argentina  |
| <i>Eunausibius</i> Grouv. 12-314               |  |
| <i>elongatus</i> Grouv. 96-192.....            | Brasil   |
| <i>tenebrionoides</i> Grouv. 96-193.....       | Brasil   |
| <i>wheeleri</i> S. & B. 21-192.....            | Br. Guiana   |
| <i>Platamus</i> Er. 45-329                     |  |
| <i>Euplatamus</i> Shp. 99-549                  |  |
| <i>buqueti</i> Grouv. 77-L.....                | Fr. Guiana<br>Brasil   |

<sup>12</sup> West Indies.<sup>13</sup> Virgin Islands (W. I.).<sup>14</sup> Grenadines (W. I.).

|   |  |
|---|--|
| <b>Platamus</b> —Continued.                       |  |
| castaneus Grouv. 81-89.....                       | Brasil   |
| debilis Shp. 99-549.....                          | Br. Honduras<br>Nicaragua                        |
| deyrollei Grouv. 76-xxxii.....                    | Brasil   |
| dufaufi Grouv. 92-761.....                        | Guadeloupe                                       |
| humeralis Rtrr. 77-176.....                       | Panamá<br>?Colombia                              |
| longicornis Shp. 99-550.....                      | Br. Honduras<br>Panamá                           |
| mexicanus Grouv. 76-490.....                      | México   |
| pallidulus Chevr. 64-602.....                     | Cuba   |
| <i>pallidus</i> Rtrr. 77-7.....                   | Puerto Rico                                      |
| richteri Rtrr. 78-189.....                        | Venezuela  |
| schaumi Grouv. 76-xxxii.....                      | Colombia<br>Venezuela                            |
| sharpi Hetsch. 30-74.....                         | Panamá   |
| <i>humeralis</i> Shp. 99-550.....                 |  |
| <b>Platamops</b> Rtrr. 77-177.....                |  |
| decorata Rtrr. 77-177.....                        | Colombia<br>Brasil                               |
| thiemei Grouv. 89-102.....                        | Colombia   |
| vittata Rtrr. 77-178.....                         | Colombia<br>Brasil                               |
| <b>Aplatamus</b> Grouv. 12-314.....               |  |
| difficilis Shp. 89-548.....                       | Guatemala  |
| dispar Shp. 89-549.....                           | Guatemala  |
| grouvellei Shp. 89-547.....                       | México   |
| mexicanus Grouv. 76-490.....                      | México   |
| uniformis Shp. 99-548.....                        | Guatemala  |
| <b>Coccidiotrophus</b> S. & B. 21-189.....        |  |
| cordiae Barb. 28-167.....                         | Bolivia  |
| socialis S. & B. 21-190.....                      | Br. Guiana                                       |
| <b>Amydala</b> Rtrr. 77-179.....                  |  |
| anophthalma Rtrr. 77-180.....                     | Chile  |
| <b>PSAMMOECINI</b>                                |  |
| <b>Telephanus</b> Er. 45-329.....                 |  |
| <i>Heterodromia</i> Hald. 45-127.....             |  |
| <i>Telephanapterus</i> Neverm. 37-17 (Subg.)..... |  |
| aculeatus Neverm. 32-33.....                      | Jamaica  |
| acuminatus Grouv. 77-lviii.....                   | Colombia   |
| agilis Grouv. 77-lviii.....                       | México<br>Guatemala                              |
| americanus Oliv. 95-7.....                        | Fr. Guiana                                       |
| apicalis Grouv. 77-207.....                       | Cuba   |
| applanatus Neverm. 31-149.....                    | Costa Rica                                       |
| argentatus Rtrr. 74-521.....                      | Colombia   |
| assmanni Neverm. 31-122.....                      | Costa Rica                                       |
| barberi Neverm. 31-178.....                       | Panamá   |
| basiliscus Neverm. 31-184.....                    | México   |
| bipunctatus Schauf. 76-385.....                   | Cuba   |
| v. <i>quadripunctatus</i> Schauf. 76-385.....     |  |
| blairi Neverm. 32-15.....                         | Grenada  |
| brontoides Shp. 99-555.....                       | México<br>Br. Honduras<br>Guatemala<br>Nicaragua |
| bruchi Grouv. 05-125.....                         | Argentina  |
| bucephalus Neverm. 31-155.....                    | México   |
| bupthalmus Neverm. 31-179.....                    | Panamá   |
| centralis Shp. 99-552.....                        | Guatemala  |
| v. <i>immaculatus</i> Shp. 99-552.....            | Guatemala  |
| ceraunoides Neverm. 32-10.....                    | St. Vincent                                      |
| consimilis Neverm. 37-13.....                     | Haiti  |
| costaricensis Neverm. 31-163.....                 | Costa Rica                                       |
| v. <i>nigricornis</i> Neverm. 31-163.....         | Costa Rica                                       |
| cribratus Grouv. 16-85.....                       | Jamaica  |
| crux Grouv. 77-208.....                           | México   |
| cubanus Neverm. 32-28.....                        | Cuba<br>Puerto Rico                              |
| darlingtoni Neverm. 37-18.....                    | Jamaica  |
| declivis Neverm. 37-11.....                       | Haiti  |
| decoratus Grouv. 80-172.....                      | Colombia   |
| dentatus Neverm. 37-8.....                        | R. Dominicana                                    |
| diabolicus Neverm. 31-182.....                    | Costa Rica                                       |
| dilutus Rtrr. 74-523.....                         | Colombia<br>Venezuela<br>Brasil                  |
| dromioides Shp. 99-554.....                       | Panamá   |
| dubitalis Grouv. 89-159.....                      | Venezuela  |
| dubius Grouv. 80-170.....                         | Colombia   |
| elongatus Grouv. 89-159.....                      | ?St. Vincent<br>?Grenada<br>Venezuela            |
| fallax Grouv. 80-171.....                         | México<br>Guatemala<br>Colombia<br>Venezuela     |
| flohri Neverm. 31-177.....                        | México   |
| glycerius Neverm. 31-157.....                     | México   |
| gracilicornis Shp. 99-554.....                    | Panamá   |
| grossicornis Neverm. 31-139.....                  | Costa Rica                                       |
| guadalupensis Grouv. 02-762.....                  | Guadeloupe                                       |
| guanacasteco Neverm. 31-133.....                  | Costa Rica                                       |
| haitianus Neverm. 32-32.....                      | Haiti  |
| haroldi Schauf. 76-385.....                       | Venezuela  |
| hirsutus Neverm. 31-134.....                      | México   |
| horridus Neverm. 31-175.....                      | Costa Rica                                       |
| humeralifer Neverm. 31-142.....                   | Costa Rica                                       |
| humerosus Rtrr. 74-522.....                       | Brasil   |
| insignis Grouv. 80-174.....                       | Colombia   |
| juvencus Neverm. 31-141.....                      | Costa Rica                                       |
| kuntzeni Neverm. 31-131.....                      | México   |
| leptos Neverm. 37-7.....                          | Jamaica  |
| longulus Neverm. 31-170.....                      | Costa Rica                                       |
| megacephalus Neverm. 32-12.....                   | Puerto Rico                                      |
| melanchlorus Neverm. 31-138.....                  | Costa Rica                                       |
| melanocephalus Grouv. 89-159.....                 | Venezuela  |
| mexicanus Shp. 99-552.....                        | México   |
| micans Grouv. 80-171.....                         | Colombia   |
| minutus Grouv. 81-91.....                         | Jamaica  |
| niger Rtrr. 74-523.....                           | Colombia   |
| nigricollis Shp. 99-553.....                      | México<br>Guatemala                              |
| nigroflavus Neverm. 31-177.....                   | Costa Rica                                       |
| nigrolateralis Neverm. 37-14.....                 | R. Dominicana                                    |
| nodicornis Neverm. 32-21.....                     | <sup>14</sup> Montserrat                         |
| obscurus Grouv. 81-91.....                        | Venezuela  |
| ornatus Rtrr. 74-521.....                         | Colombia<br>Venezuela                            |
| ovalis Grouv. 89-158.....                         | Venezuela  |
| pallidulus Chevr. 63-612.....                     | Cuba   |
| <i>pallidus</i> Rtrr. 74-523.....                 | Puerto Rico<br>Guadeloupe                        |
| pallidus Schauf. 76-391.....                      | Brasil   |
| <i>bimaculatus</i> Schauf. 76-492.....            |  |
| panamensis Neverm. 31-171.....                    | Panamá   |
| paradoxus Rtrr. 74-524.....                       | Grenada<br>Colombia<br>Venezuela                 |

<sup>14</sup> Leeward Islands (W. I.).

**Telephanus**—Continued.

|                                    |                                     |
|------------------------------------|-------------------------------------|
| parallelus Grouv. 89-157.....      | Colombia<br>Venezuela               |
| parvulus Grouv. 08-53.....         | Guadeloupe                          |
| pilicornis Rtrr. 74-522.....       | Brasil                              |
| v. lateralis Schauf. 76-390.....   | Brasil                              |
| procerulus Rtrr. 74-520.....       | Colombia                            |
| pubescens Grouv. 77-1viii.....     | México<br>Nicaragua                 |
| pulchellus Rtrr. 78-190.....       | Venezuela                           |
| pygmaeus Neverm. 32-5.....         | Guadeloupe                          |
| reductus Schauf. 76-390.....       | Brasil                              |
| ruficollis Neverm. 31-129.....     | Costa Rica                          |
| sahlbergi Grouv. 96-188.....       | Brasil                              |
| scabrosicollis Neverm. 31-167..... | Costa Rica                          |
| schwarzi Neverm. 31-147.....       | Panamá                              |
| sellatus Shp. 99-556.....          | México<br>Guatemala                 |
| serratus Neverm. 31-161.....       | Costa Rica                          |
| setulosus Shp. 99-555.....         | México<br>Br. Honduras<br>Guatemala |
| sharpi Arrow 09-193.....           | México                              |
| <i>gracilis</i> Shp. 99-553.....   | Guatemala                           |
| (not Schauf. 1893)                 | Nicaragua                           |
| signatus Grouv. 80-172.....        | Colombia                            |
| silvestris Neverm. 31-150.....     | Guatemala                           |
| similis Grouv. 89-161.....         | Venezuela                           |
| simplicicollis Shp. 99-551.....    | México                              |
| squalidus Neverm. 37-15.....       | Jamaica                             |
| strictus Grouv. 16-84.....         | Jamaica                             |
| subpubescens Grouv. 99-102.....    | Brasil                              |
| tabaciphilus Neverm. 37-5.....     | R. Dominicana                       |
| terminatus Grouv. 80-175.....      | St. Vincent<br>Venezuela            |
| titschacki Neverm. 32-7.....       | Brasil                              |
| turrialbensis Neverm. 31-146.....  | Guadeloupe<br>Costa Rica            |
| <b>Pseudochrodes</b> Rtrr. 76-53   |                                     |
| suturalis Rtrr. 76-54.....         | Brasil<br>Chile                     |

**CRYPTAMORPHINI**

|                                  |                |
|----------------------------------|----------------|
| <b>Cryptamorpha</b> Woll. 54-156 |                |
| <i>Pseudophanus</i> LeC. 59-84   |                |
| desjardinsi Guér. 44-196.....    | [Cosmopolitan] |
| <i>fasciata</i> Redt. 67-41..... | St. Vincent    |
| <i>hubbardi</i> Csy. 84-167..... | Grenada        |
| <i>musae</i> Woll. 54-157        |                |
| <i>signata</i> LeC. 59-85        |                |
| redtenbacheri Rtrr. 76-45.....   | Chile          |

**HEMIEPELINAE**

|                                    |                     |
|------------------------------------|---------------------|
| <b>Hemiepeplus</b> Berth. 27-394   |                     |
| gounellei Grouv. 96-189.....       | Brasil              |
| gundlachi Grouv. 78-xliv.....      | Cuba                |
| insularis Grouv. 96-196.....       | Hispaniola          |
| marginipennis LeC. 54-79.....      | Cuba                |
| <i>dejeani</i> Waterh. 76-121..... | U. S. A.            |
| <i>dohrni</i> Pasc. 66-443         |                     |
| <i>microphthalmus</i> Schw. 78-360 |                     |
| mexicanus Grouv. 96-196.....       | México<br>Guatemala |

|                                |      |
|--------------------------------|------|
| <b>Holoepplus</b> Arrow 30-230 |      |
| cubensis Arrow 30-230.....     | Cuba |

**SCALIDIINAE**

|                                    |  |
|------------------------------------|--|
| <b>Scalidia</b> Er. 45-305         |  |
| <i>Sysstos</i> Shp. 99-529         |  |
| <i>Taphrosclidia</i> Crotch 73-44  |  |
| addenda Shp. 99-543.....           | Guatemala                                  |
| atra Grouv. 16-13.....             | Brasil                                     |
| atratala Grouv. 16-16.....         | Colombia                                   |
| capitalis Grouv. 16-11.....        | Brasil                                     |
| filum Rtrr. 76-39.....             | ?South America                             |
| gounellei Grouv. 16-12.....        | Brasil                                     |
| humeralis Grouv. 16-17.....        | Brasil                                     |
| ignota Grouv. 16-18.....           | Argentina                                  |
| linearis LeC. 63-70.....           | Baja Calif.<br>Brasil<br>Cuba<br>U. S. A.  |
| longiceps Shp. 99-541.....         | Guatemala                                  |
| minuta Grouv. 16-14.....           | Brasil                                     |
| postica Grouv. 16-10.....          | Colombia                                   |
| rostrata Shp. 99-542.....          | Panamá                                     |
| semicastanea Rtrr. 76-39.....      | Brasil<br>Argentina                        |
| sharpi Grouv. 16-15.....           | ?Brasil                                    |
| tenuissima Rtrr. 76-40.....        | ?South America                             |
| <b>Catogenus</b> Westw. 30-221     |  |
| <i>Anisoceras</i> Hope 40-131      |  |
| acutangulus Rtrr. 78-185.....      | Venezuela                                  |
| castaneus P-rty 34-114.....        | Brasil<br>Argentina                        |
| collaris Shp. 99-502.....          | Guatemala                                  |
| concolor Blanch. 37-205.....       | Patagonia                                  |
| cylindricollis Lac. 54-pl. 21..... | Fr. Guiana<br>Brasil                       |
| decoratus Newm. 39-303.....        | Brasil<br>Argentina                        |
| distinctus Guér. 44-203.....       | Chile<br>Colombia                          |
| germanus Shp. 99-501.....          | México<br>Guatemala<br>Nicaragua<br>Panamá |
| gracilicornis (Bruch 15-326).....  | Argentina                                  |
| integratus Shp. 99-501.....        | México                                     |
| lebasii Guér. 44-202.....          | Colombia                                   |
| longicornis Grouv. 74-xxviii.....  | México<br>?Argentina<br>U. S. A.           |
| planus Rtrr. 77-176.....           | México<br>Guatemala                        |
| pusillus Shp. 99-502.....          | Guatemala                                  |
| sharpi Csy. 16-17.....             | México                                     |
| <i>puncticollis</i> Shp. 99-504    | Guatemala                                  |
| (not Newm., 1839)                  |  |
| temacensis Shp. 99-503.....        | México                                     |

**MONOTOMINAE**

|                               |   |
|-------------------------------|---|
| <b>Monotoma</b> Hbst. 93-22   |   |
| americana Aubé 37-461.....    | St. Vincent<br>Grenada<br>Argentina<br>U. S. A. |
| centralis Shp. 00-564.....    | México<br>Guatemala<br>Argentina                |
| hoffmanni H. & A. 35-314..... | México  |

- Monotoma**—Continued.
- munda* Shp. 00-564.....Panamá
- paralela* LeC. 55-305.....?Guadeloupe  
U. S. A.
- picipes* Hbst. 93-24.....Guadeloupe
- congener* Woll. 57-68.....St. Vincent
- contracta* Marsh. 02-110.....Grenada
- foveata* LeC. 55-305.....U. S. A.
- pallida* Steph. 30-103.....Old World
- robustula* Mots. 68-200
- scabra* Kunze 39-384
- pusilla* Shp. 00-565.....Panamá
- quadrifoveolata* Aubé 37-468.....Chile
- subquadrifoveolata* Fowl. 89-271.....Old World
- spinicollis* Aubé 37-462.....Guadeloupe
- spinifera* Woll. 57-67.....St. Vincent
- spinigera* Chaud. 45-211.....Grenada  
Old World
- Phyconomus** LeC. 61-86
- Mimema* Woll. 61-135
- juridipennis* Rtrtr. 76-299.....México
- substataeus* Rtrtr. 76-299.....México
- v. discoideus* Rtrtr. 76-299.....México
- Hesperobaenus** LeC. 61-86
- lineellus* Rtrtr. 73-41.....?St. Vincent  
?Grenada  
?U. S. A.
- stipes* Shp. 00-566.....Guatemala
- Europs** Woll. 54-149
- Nomophloeus* LeC. 78-328
- apicalis* Rtrtr. 72-41.....Jamaica  
Puerto Rico  
Guadeloupe  
?Martinique
- bilineata* Shp. 00-568.....Nicaragua
- chilensis* Grouv. 96-213.....Chile
- cognata* Shp. 00-568.....Guatemala
- convergens* Shp. 00-572.....México
- corticina* Grouv. 96-212.....Chile
- diffusa* Shp. 00-567.....México
- Br. Honduras  
Nicaragua  
Panamá
- discedens* Shp. 00-572.....Guatemala
- euplectoides* Shp. 00-570.....Panamá
- fallax* Grouv. 02-766.....Guadeloupe
- foveicollis* Grouv. 08-57.....Guadeloupe
- frontalis* Grouv. 96-213.....Argentina  
Chile
- germari* Rtrtr. 76-300.....México
- illaesa* Shp. 00-568.....Nicaragua
- impressa* Grouv. 96-210.....Brasil
- longula* Shp. 00-571.....Guatemala
- maculata* Grouv. 96-210.....Hispaniola  
?Puerto Rico  
St. Vincent
- nana* Shp. 00-571.....Guatemala
- obtusa* Shp. 00-569.....México
- oxytela* Shp. 00-569.....Guatemala
- pumilio* Shp. 00-570.....Panamá
- rhizophagoides* Rtrtr. 72-41.....Mexico  
Guatemala  
?Martinique
- simplex* Shp. 00-570.....Costa Rica
- sordida* Grouv. 96-211.....Brasil
- vicina* Grouv. 96-211.....Brasil
- wollastoni* Rtrtr. 72-40.....Argentina  
Colombia  
Venezuela
- zonata* Grouv. 02-765.....Guadeloupe  
Martinique
- Aneurops** Shp. 00-573
- championi* Shp. 00-573.....Guatemala
- Bactridium** LeC. 61-86
- Crine* Pascoe 63-29
- adustum* Rtrtr. 72-34.....México  
Br. Honduras  
Guatemala  
Guadeloupe  
St. Vincent  
Grenada  
U. S. A.
- angulicolle* Rtrtr. 72-33.....Cuba  
?Colombia
- angustum* Shp. 00-576.....Guatemala
- atratum* Rtrtr. 76-300.....Brasil
- brevicollis* Rtrtr. 76-300.....Brasil
- brevicornis* Shp. 00-575.....Panamá
- cephalotes* Pasc. 63-31.....Brasil
- crassum* Shp. 00-575.....Guatemala
- cubaense* Chevr. 63-604.....Cuba
- divisum* Shp. 00-574.....Guatemala
- eumorphum* Shp. 00-577.....Guatemala
- exiguum* Grouv. 08-58.....Guadeloupe
- flohri* Shp. 00-576.....México
- fryi* Horn 79-265.....Brasil
- germanum* Shp. 00-577.....Guatemala
- heydeni* Rtrtr. 72-33.....Cuba
- quadricolle* Rtrtr. 72-33.....Colombia
- rude* Shp. 00-576.....Guatemala  
Panamá
- Leptipsius** Csy. 16-93
- striatus* LeC. 58-65.....México  
U. S. A.
- Tristaria** Rtrtr. 78-320
- gounellei* Grouv. 96-193.....Brasil
- Thione** Shp. 99-544
- cephalotes* Shp. 99-545.....Nicaragua  
Panamá
- championi* Shp. 99-546.....Guatemala  
Panamá  
Guadeloupe
- puncticeps* Shp. 99-545.....Panamá
- Smicrips** LeC. 78-399
- Tisiphone* Rtrtr. 76-296  
(not Hübner, 1816)
- chontalena* Shp. 00-578.....Guatemala  
Nicaragua
- distans* Shp. 00-579.....Guatemala
- exilis* Murr. 64-238.....Hispaniola
- nitiduloides* Rtrtr. 76-301.....Guadeloupe  
St. Vincent  
Grenada
- mexicana* Shp. 00-579.....México
- palmicola* LeC. 78-399.....Cuba
- hypocoproides* Rtrtr. 76-301.....Puerto Rico  
U. S. A.

## INCERTAE SEDIS

- Aprostomis** Grouv. 12-306
- cephalotes* Grouv. 12-306.....Guadeloupe

## BIPHYLLIDAE

- Diplocoelus* Guér. 77-186  
*amplicollis* Rtrr. 77-191.....Brasil  
*atomus* Grouv. 16-51.....Fr. Guiana  
*bicolor* Shp. 00-621.....Guatemala  
*foveolatus* Rtrr. 77-187.....Chile  
*grandis* Rtrr. 77-186.....México  
*haagi* Rtrr. 77-186.....México  
*mus* Rtrr. 77-188.....?West Indies  
*oblongus* Germain 55-395.....Chile  
*parvus* Shp. 00-622.....México  
Guatemala  
Panamá  
*subjectus* Grouv. 19-67.....Brasil  
*oblongus* Rtrr. 77-188.....Chile  
*tessellatus* Rtrr. 77-187.....Chile  
*Gonicoelus* Shp. 00-604  
*affinis* Grouv. 02-465.....Colombia  
*angustus* Shp. 00-615.....México  
*arduus* Shp. 00-617.....Guatemala  
Panamá  
*bimargo* Shp. 00-616.....Guatemala  
*brevicollis* Shp. 00-607.....México  
*celatus* Shp. 00-608.....Panamá  
*championi* Shp. 00-613.....Guatemala  
*chontalenus* Shp. 00-614.....Nicaragua  
*concolor* Shp. 00-618.....Panamá  
*crispatus* Shp. 00-615.....Panamá  
*cultratus* Shp. 00-609.....Panamá  
*deplanatus* Shp. 00-620.....México  
Br. Honduras  
Guatemala  
Nicaragua  
Panamá  
*germanus* Shp. 00-606.....México  
Nicaragua  
*guatemalensis* Shp. 00-611.....Guatemala  
*hirtus* Shp. 00-608.....Panamá  
*humilis* Shp. 00-616.....México  
?Guatemala  
*hystrix* Shp. 00-612.....México  
*laticollis* Shp. 00-617.....Guatemala  
*latus* Shp. 00-611.....Panamá  
*longicornis* Shp. 00-609.....Panamá  
*mediocris* Shp. 00-610.....Panamá  
*mexicanus* Shp. 00-607.....México  
*mollis* Shp. 00-621.....Guatemala  
*monticola* Shp. 00-619.....Guatemala  
*muticus* Shp. 00-618.....México  
*opsis* Shp. 00-619.....Guatemala  
*parnoides* Shp. 00-610.....México  
*planus* Shp. 00-614.....Panamá  
*relictus* Shp. 00-606.....Panamá  
*rudis* Shp. 00-606.....Panamá  
*securiger* Shp. 00-612.....Panamá  
*segnis* Shp. 00-618.....México  
*sellatus* Shp. 00-620.....Guatemala  
*spheniscus* Shp. 00-616.....Guatemala  
*subtilis* Shp. 00-603.....Panamá  
*throscoides* Shp. 00-613.....Panamá  
*tricornis* Shp. 00-605.....Panamá  
*unicornis* Shp. 00-605.....Guatemala  
Panamá  
*vestitus* Shp. 00-611.....México  
Guatemala  
*Anobocoelus* Shp. 02-625  
*arcanus* Grouv. 14-53.....Ecuador  
*championi* Shp. 02-626.....Guatemala  
*costulatus* Chev. 63-615.....Cuba  
*optatus* Shp. 02-625.....México  
*Euderopus* Shp. 02-622  
*brevipes* Shp. 00-622.....Guatemala  
*chaetophorus* Shp. 02-625.....Panamá  
*iteratus* Shp. 02-624.....Panamá  
*microps* Shp. 02-623.....Guatemala  
*perbrevis* Shp. 02-623.....México  
Guatemala  
*regularis* Shp. 02-624.....Panamá  
*setosus* Shp. 02-624.....Panamá  
*unicolor* Shp. 02-623.....Panamá  
*Cryptophilus* Rtrr. 74-381  
*frater* Grouv. (L. & M. 14-416).....Guadeloupe

## LANGURIIDAE

- LANGURIINAE  
*Goniolauguria* Crotch 76-395  
*flavipes* Fowl. 86-317.....Brasil  
*latipes* Saund. 34-149.....Brasil  
Uruguay  
Argentina  
*palmata* Gorch. 87-2.....Guatemala  
Panamá  
*reichi* Crotch 76-395.....Brasil  
*Langurites* Mots. 60-243  
*apiciventris* Csy. 16-147.....México  
*lineata* Lap. 32-412.....Baja Calif.  
*supercilians* Leng 20-201.....México  
Br. Honduras  
Guatemala  
Nicaragua  
Costa Rica  
Panamá  
Colombia  
Venezuela  
*a. infusca* Mots. 60-243.....Central America  
*a. scapularis* Chev. 34-97.....México  
*a. ventralis* Crotch 76-392.....  
*a. vittata* Mots. 60-243.....Nicaragua  
*a. vitticollis* Mots. 60-243.....México  
*Camptoearpus* Gorch. 87-6  
*longicollis* Mots. 60-244.....México  
*prolongatus* Crotch 76-393.....Br. Honduras  
Guatemala  
Nicaragua  
Panamá  
Bolivia  
*Dasydactylus* Gorch. 87-14  
*aeneopiceus* Gorch. 98-248.....México  
*buprestoides* Gorch. 87-15.....México  
Guatemala  
*chalcus* Crotch 76-393.....México  
Guatemala  
*concinus* Gorch. 87-24.....Panamá  
*cribratus* Gorch. 87-21.....México  
*cyanopterus* Gorch. 87-23.....México

|                                      |  |
|--------------------------------------|--|
| <b>Dasyaedactylus</b> —Continued.    |  |
| glabricollis Gorch. 87-16.....       | México<br>Br. Honduras<br>Guatemala<br>Nicaragua<br>Panamá |
| hondoensis Gorch. 87-21.....         | México<br>Br. Honduras<br>Guatemala                        |
| laevicollis Gorch. 87-17.....        | México   |
| longicollis Gorch. 87-20.....        | Guatemala<br>Nicaragua                                     |
| nitidus Gorch. 87-18.....            | México   |
| picipes Gorch. 87-22.....            | México<br>Guatemala  |
| plaumanni Mader 36-100.....          | Brasil   |
| puncticeps Gorch. 87-17.....         | México   |
| puncticollis Gorch. 87-18.....       | México   |
| punctisternum Gorch. 87-19.....      | México   |
| sellatus Crotch 76-385.....          | México<br>Br. Honduras                                     |
| solarii Gorch. 00-365.....           | Nicaragua  |
| subtilior Gorch. 87-20.....          | México<br>Br. Honduras                                     |
| subulatus Gorch. 87-15.....          | Panamá   |
| teredilis Gorch. 87-22.....          | México<br>Guatemala  |
| thoracicus Gorch. 87-19.....         | México   |
| ventralis Chevr. 34-98.....          | México   |
| zunilensis Gorch. 87-20.....         | Guatemala  |
| <b>Nomotus</b> Gorch. 87-24          |  |
| aenescens Gorch. 87-25.....          | México<br>Guatemala  |
| capitellensis Gorch. 87-26.....      | Br. Honduras<br>Guatemala                                  |
| plutonus Gorch. 87-25.....           | Panamá   |
| <b>Trapezidera</b> Mots. 60-244      |  |
| aenea Crotch 76-393.....             | México   |
| ahena Gorch. 87-4.....               | Guatemala<br>Nicaragua<br>Costa Rica<br>Panamá             |
| andigrada Kirsch 66-215.....         | Colombia   |
| angusticollis Mots. 60-244.....      | Guatemala  |
| brunnipes Mots. 60-244.....          | Central America  |
| brunniventris Mots. 60-244.....      | Nicaragua  |
| brunneiventris Gorch. 87-6.....      | Nicaragua  |
| dilaticollis Mots. 60-244.....       | México   |
| lateralis Gorch. 87-5.....           | Br. Honduras<br>Guatemala                                  |
| porrecta Kirsch 66-214.....          | Colombia   |
| <b>Ectrapezidera</b> Fowl. 08-6      |  |
| semiotina Gorch. 87-4.....           | México<br>Guatemala<br>Nicaragua                           |
| <b>Teretilanguria</b> Crotch 76-394  |  |
| basalis Guér. 29-314.....            | Colombia   |
| kirschi Crotch 76-394.....           | Colombia   |
| metallica Gorch. 87-8.....           | Nicaragua<br>Costa Rica                                    |
| nigroaenea Gorch. 87-9.....          | Guatemala  |
| panamae Crotch 76-394.....           | Panamá   |
| versicolor Gorch. 87-9.....          | México<br>Guatemala  |
| <b>Compsolanguria</b> Fowl. 86-314   |  |
| concinna Fowl. 86-315.....           | Brasil   |
| teres Fowl. 86-315.....              | Colombia   |
| <b>Ortholanguria</b> Crotch 76-395   |  |
| <i>Ortholanguroides</i> Fowl. 86-316 |  |
| batesi Crotch 76-395.....            | Fr. Guiana<br>Brasil                                       |
| concolor Crotch 76-396.....          | Colombia   |
| cylindrica Fowl. 86-316.....         | Guiana   |
| egensis Fowl. 86-316.....            | Brasil   |
| elongata Gorch. 87-26.....           | México   |
| extensa Gorch. 87-27.....            | Panamá   |
| virescens Fowl. 86-317.....          | Brasil   |
| <b>Languria</b> Latr. 02-209         |  |
| aculeata Gorch. 87-11.....           | México   |
| capitata Gorch. 87-11.....           | México   |
| cyanipennis Crotch 76-384.....       | México   |
| <i>cyanipennis</i> Fowl. 08-29.....  | Guatemala<br>Nicaragua                                     |
| irregularis Csy. 16-149.....         | México   |
| laeta LeC. 54-159.....               | México   |
| <i>melanoptera</i> Gorch. 87-10..... | U. S. A.   |
| sanguinicollis Chevr. 34-99.....     | México<br>U. S. A.   |
| simplicicollis Say 35-201.....       | México   |
| <b>Meristobelus</b> Gorch. 87-7      |  |
| forcipatus Gorch. 87-7.....          | México   |
| <b>Aeropteroxys</b> Gorch. 87-13     |  |
| acuminata Gorch. 98-247.....         | México   |
| aztecaana Csy. 16-151.....           | México   |
| caudata Gorch. 87-13.....            | México   |
| gracilis Newm. 33-390.....           | México   |
| <i>bicolor</i> Latr. 07-65.....      | Br. Honduras   |
| <i>latreillei</i> LeC. 54-160.....   | Guatemala  |
| <i>nigriceps</i> Mots. 60-242.....   | U. S. A.   |
| a. inornata Rand. 38-48.....         | México   |
| U. S. A.                             |  |
| pertenuis Csy. 16-152.....           | México   |
| <b>CLADOXENINAE</b>                  |  |
| <b>Thalissella</b> Crotch 76-402     |  |
| ampla Grouv. 19-103.....             | Brasil   |
| andicola Grouv. 19-101.....          | Bolivia  |
| crotchi Gorch. 98-249.....           | Br. Honduras<br>Panamá                                     |
| diluta Grouv. 19-108.....            | Fr. Guiana   |
| fuscocastanea Grouv. 19-106.....     | Bolivia  |
| gounellei Grouv. 19-109.....         | Brasil   |
| lepida Grouv. 19-100.....            | Brasil   |
| luteola Grouv. 19-99.....            | Bolivia  |
| peruviana Crotch 76-403.....         | Perú   |
| simplex Grouv. 19-111.....           | Brasil   |
| variegata Grouv. 19-105.....         | Venezuela  |
| <b>Crotebia</b> Fowl. 86-305         |  |
| angustula Gorch. 87-30.....          | Panamá   |
| balzani Gorch. 60-367.....           | Bolivia  |
| coptengoides Fowl. 86-307.....       | Perú   |
| curvipes Gorch. 87-30.....           | Panamá   |
| fusiformis Gorch. 00-367.....        | Paraguay   |
| gibbosa Fowl. 86-307.....            | Perú   |
| hondurana Gorch. 87-31.....          | México   |
| Br. Honduras                         |  |
| Guatemala                            |  |
| Nicaragua                            |  |
| Panamá                               |  |





|                                   |       |                                |
|-----------------------------------|-------|--------------------------------|
| <b>Loberus</b> —Continued.        |       |                                |
| cryptophagus Shp. 00-583          | ..... | Guatemala                      |
| curticollis Group. 19-119         | ..... | Brasil                         |
| deyrollei Rtrr. 75-78             | ..... | Chile                          |
| discipennis Rtrr. 75-76           | ..... | México                         |
|                                   |       | St. Vincent                    |
|                                   |       | Grenada                        |
| floralis Rtrr. 75-76              | ..... | Chile                          |
| foveolatus Rtrr. 75-75            | ..... | Brasil                         |
|                                   |       | Argentina                      |
| germaini Group. 19-124            | ..... | Chile                          |
| glabratus Group. 19-118           | ..... | Chile                          |
| guatemalensis Shp. 00-582         | ..... | México                         |
|                                   |       | Guatemala                      |
| humeralis Rtrr. 75-75             | ..... | México                         |
| v. laetus Shp. 00-585             | ..... | México                         |
| kirschi Rtrr. 75-79               | ..... | Perú                           |
| lateralis Shp. 00-584             | ..... | Guatemala                      |
| longulus Shp. 00-584              | ..... | Panamá                         |
| lucuosus Group. 19-121            | ..... | Chile                          |
| marginalis Shp. 00-585            | ..... | Guatemala                      |
| mutatus Group. 16-26              | ..... | Bahamas Is                     |
| insularis Csy. 00-83              | ..... | Cuba                           |
|                                   |       | Puerto Rico                    |
| pallidus Shp. 00-583              | ..... | México                         |
|                                   |       | Guatemala                      |
| piliger Rtrr. 75-74               | ..... | Brasil                         |
| puberulus Csy. 00-83              | ..... | México                         |
| sellatus Shp. 00-582              | ..... | México                         |
|                                   |       | Br. Honduras                   |
|                                   |       | Guatemala                      |
| sharpi Group. 16-26               | ..... | Panamá                         |
| brevicollis Shp. 00-584           | ..... |                                |
| simoni Group. 19-117              | ..... | Venezuela                      |
| stultus Group. 19-117             | ..... | Chile                          |
| suburalis Shp. 00-583             | ..... | México                         |
|                                   |       | Br. Honduras                   |
|                                   |       | Guatemala                      |
|                                   |       | Nicaragua                      |
| testaceus Rtrr. 75-77             | ..... | Hispaniola                     |
|                                   |       | Puerto Rico                    |
|                                   |       | <sup>12</sup> St. Thomas       |
|                                   |       | Guadeloupe                     |
|                                   |       | St. Vincent                    |
|                                   |       | <sup>13</sup> Bequia           |
|                                   |       | Grenada                        |
| tropicus Kirsch 73-150            | ..... | Perú                           |
| undulatus Rtrr. 75-77             | ..... | Argentina                      |
|                                   |       | Chile                          |
| vitraci Group. 02-767             | ..... | Guadeloupe                     |
| <b>Emboeryptus</b> Shp. 00-593    | ..... |                                |
| ovalis Shp. 00-593                | ..... | Guatemala                      |
| subovalis Group. 19-136           | ..... | Bolivia                        |
| <b>Coelocryptus</b> Shp. 00-593   | ..... |                                |
| cognatus Shp. 00-594              | ..... | Guatemala                      |
| discedens Shp. 00-595             | ..... | Guatemala                      |
| mexicanus Shp. 00-594             | ..... | México                         |
| pallens Shp. 00-594               | ..... | Guatemala                      |
| <b>Loberoschema</b> Rtrr. 96-160  | ..... |                                |
| aenea Germain 55-395              | ..... | Chile                          |
| antennata Group. 19-141           | ..... | Bolivia                        |
| bimaculata Rtrr. 96-160           | ..... | Chile                          |
| breviuscula Group. 19-138         | ..... | Bolivia                        |
| convexum Bruce 40-681             | ..... | <sup>10</sup> Is. J. Fernández |
| discoideus Bruce 40-682           | ..... | <sup>10</sup> Is. J. Fernández |
| trimaculata Group. 19-139         | ..... | Bolivia                        |
| <b>Toramus</b> Group. 16-26       | ..... |                                |
| <i>Toramus</i> LeC. 61-99         | ..... |                                |
| abjectus Shp. 00-591              | ..... | Panamá                         |
| acutus Rtrr. 75-86                | ..... | Cuba                           |
|                                   |       | U. S. A.                       |
| atomarius Shp. 00-589             | ..... | Guatemala                      |
|                                   |       | Nicaragua                      |
| bellus Group. 19-150              | ..... | West Indies                    |
| bifasciatus Kirsch 73-151         | ..... | Perú                           |
| chilensis Group. 19-147           | ..... | Chile                          |
| confertus Shp. 00-590             | ..... | Panamá                         |
| cruciatus Rtrr. 75-86             | ..... | México                         |
| debilis Shp. 00-588               | ..... | México                         |
|                                   |       | Guatemala                      |
| discoideus Shp. 00-590            | ..... | México                         |
|                                   |       | Guatemala                      |
| fuscicornis Champ. 13-89          | ..... | Panamá                         |
| gibbipennis Champ. 13-89          | ..... | México                         |
| heterocerus Shp. 00-592           | ..... | Panamá                         |
| infimus Group. 19-149             | ..... | Grenada                        |
| lateralis Shp. 00-588             | ..... | México                         |
| latipennis Shp. 00-591            | ..... | Guatemala                      |
| lentus Shp. 00-592                | ..... | México                         |
|                                   |       | Guatemala                      |
| niger Shp. 00-587                 | ..... | Panamá                         |
| picticornis Shp. 00-590           | ..... | Panamá                         |
| pictipennis Shp. 00-589           | ..... | México                         |
|                                   |       | Nicaragua                      |
| pubescens Shp. 00-588             | ..... | Panamá                         |
| tenuis Rtrr. 77-124               | ..... | Colombia                       |
| <b>Truquiella</b> Champ. 13-87    | ..... |                                |
| gibbifera Champ. 13-87            | ..... | México                         |
| <b>Oeholissa</b> Pasc. 63-85      | ..... |                                |
| laeta Pasc. 63-85                 | ..... | Guatemala                      |
|                                   |       | Brasil                         |
| <b>CRYPTOPHAGINAE</b>             |       |                                |
| <b>Pharaxonotha</b> Rtrr. 75-44   | ..... |                                |
| kirschi Rtrr. 75-44               | ..... | México                         |
| conradi Gorh. 98-249              | ..... | Guatemala                      |
|                                   |       | U. S. A.                       |
|                                   |       | Old World                      |
| <b>Pseudohenticus</b> Shp. 00-596 | ..... |                                |
| aenescens Group. 19-154           | ..... | Bolivia                        |
| aereus Group. 19-161              | ..... | Bolivia                        |
| brevicollis Group. 19-162         | ..... | Bolivia                        |
| brunneus Group. 76-164            | ..... | Bolivia                        |
| castaneus Group. 76-166           | ..... | Bolivia                        |
| falcidens Group. 76-156           | ..... | Bolivia                        |
| metallicus Group. 19-165          | ..... | Bolivia                        |
| parallelus Shp. 00-596            | ..... | Guatemala                      |
|                                   |       | Panamá                         |
| subparallelus Group. 19-167       | ..... | Bolivia                        |
| triphyloides Group. 19-159        | ..... | Bolivia                        |
| viridiaeneus Group. 19-158        | ..... | Bolivia                        |
| <b>Thallestus</b> Woll. 62-153    | ..... |                                |
| subfasciatus Rtrr. 77-185         | ..... | México                         |
| <b>Holosternus</b> Shp. 00-599    | ..... |                                |
| distans Shp. 00-600               | ..... | Guatemala                      |
| <b>Anepsicus</b> Shp. 00-600      | ..... |                                |
| brunneus Shp. 00-600              | ..... | México                         |
|                                   |       | Guatemala                      |
| <b>Euryeratus</b> Scott 26-52     | ..... |                                |
| cochabambae Scott 26-56           | ..... | Bolivia                        |
| laticaput Scott 26-55             | ..... | Bolivia                        |

<sup>10</sup> Chile.<sup>12</sup> Virgin Islands (W. I.).<sup>13</sup> Grenadines (W. I.).

*Cissocryptus* Shp. 00-601  
*insolitus* Shp. 00-601.....México  
*Trogocryptus* Shp. 00-602  
*longiusculus* Champ. 13-93.....México  
 Guatemala  
 Panamá  
*nigripes* Shp. 00-602.....Guatemala  
*senecionis* Champ. 13-93.....México  
*Othniocryptus* Shp. 00-598  
*variegatus* Shp. 00-598.....Panamá  
*Cleridopsis* Champ. 13-94  
*latimanus* Champ. 13-95.....Guatemala  
 Panamá  
*Chiliotis* Rtrr. 75-82  
*exilis* Grouv. 19-175.....Chile  
*formosa* Rtrr. 75-83.....Argentina  
 Chile  
*germaini* Grouv. 19-173.....Chile  
*gigas* Grouv. 19-172.....Patagonia  
*gracilis* Grouv. 19-176.....Chile  
*laticeps* Grouv. 19-178.....Chile  
*longicornis* Grouv. 19-170.....Chile  
*Stengita* Rtrr. 75-81  
*nodifera* Rtrr. 75-81.....Chile  
*Cryptosomatula* Bruce 40-683  
*longicornis* Bruce 40-683.....<sup>10</sup> Is. J. Fernández  
*Paramecosoma* Curt. 33-186  
*chilensis* Rtrr. 75-84.....Chile  
*Taphropiestes* Rtrr. 75-83  
*fusca* Rtrr. 75-83.....Chile  
*Hienoticus* Thoms. 66-67  
*brevis* Grouv. 11-97.....México  
*compactus* Shp. 00-597.....México  
 Guatemala  
*loberinus* Shp. 00-598.....Guatemala  
*mexicanus* Rtrr. 75-73.....México  
*monticola* Shp. 00-597.....Guatemala  
*Micrambina* Rtrr. 78-127  
*amitta* Rtrr. 78-127.....Colombia

*analis* Rtrr. 76-364.....Chile  
*basalis* Grouv. 19-180.....Chile  
*Cryptophagus* Hbst. 92-172  
*Mnionomus* Woll. 64-138 (Subg.)  
*acutangulus* Gyll. 28-285.....Cuba  
 U. S. A.  
 Old World  
*atomarioides* Grouv. 19-202.....Chile  
*diguetti* Grouv. 11-98.....México  
*germaini* Grouv. 05-129.....Chile  
*selkirki* Bruce 40-686.....<sup>10</sup> Is. J. Fernández  
*sinuatus* Grouv. 19-201.....Haiti  
*skottsbergi* Bruce 40-685.....<sup>10</sup> Is. J. Fernández  
*splendens* Bruce 40-688.....<sup>10</sup> Is. J. Fernández  
*sp.* (Sharp. 00-596).....Guatemala  
*Antherophagus* Latr. 29-507  
*flavidus* Rtrr. 75-73.....Brasil  
*ochraceus* Melsh. 44-115.....México  
 Guatemala  
 U. S. A.  
*v. subnitidus* Grouv. 11-100  
*ruficornis* Grouv. 19-183.....México

ATOMARIINAE

*Caenoscelis* Thoms. 63-266  
*optata* Shp. 00-603.....Guatemala  
*Atomaria* Steph. 30-46  
*Agathensis* Gozis 86-10  
*argentina* Brèthes 22-280.....Argentina  
*Araeoatenus* Brèthes 22-285  
*basalis* Brèthes 22-286.....Argentina

EPHISTEMINAE

*Ephistemus* Steph. 29-167  
*distans* Shp. 00-603.....Guatemala  
*Themephisus* Brèthes 22-284  
*nitidus* Brèthes 22-284.....Argentina

PHALACRIDAE

*Phalaeus* Payk. 00-438  
*acutangulus* Kirsch 73-138.....Perú  
*apicipennis* Brèthes 24-146.....Argentina  
*australis* Brèthes 22-269.....Argentina  
*brailiensis* Guill. 94-284.....Brasil  
*caseyi* Guill. 94-285.....Brasil  
*flavangulus* Chev. 63-599.....Cuba  
*flavicornis* Shp. 88-247.....Guatemala  
*germanus* Shp. 88-247.....Guatemala  
*lucidus* Shp. 88-248.....Guatemala  
*mexicanus* Hetsch. 30-9.....México  
*rufipes* Shp. 88-246  
*micans* Guill. 93-288.....Venezuela  
*misellus* Guill. 94-286.....Venezuela  
*obecurus* Shp. 88-247.....México  
 Trinidad  
*ovalis* LeC. 56-15.....Baja Calif.  
 México  
 Guatemala  
 U. S. A.  
*picipennis* Champ. 25-603.....Uruguay  
*politus* Melsh. 46-102.....<sup>4</sup> Il. de Pinos  
 U. S. A.  
*reticulosus* Csy. 16-44.....México  
*ruficornis* Boh. 58-37.....Argentina

*scutellaris* Shp. 88-247.....Guatemala  
*sericeus* Kirsch 73-139.....Perú  
*simoni* Guill. 93-287.....Venezuela  
*striatodiscus* Champ. 25-603.....Uruguay  
*subtropicus* Csy. 16-43.....México  
 U. S. A.  
*tarsalis* Guill. 94-285.....Colombia  
*tropicus* Kirsch 70-354.....Colombia  
*sp.* (Wolcott 36-225).....Puerto Rico  
*Euphalaerus* Champ. 25-608  
*crassipes* Champ. 25-609.....Brasil  
*Litochrus* Er. 45-108  
*globulus* Shp. 89-263.....Panamá  
*reversus* Shp. 89-263.....Guatemala  
*Merobrachys* Guill. 95-xxvi  
*moerens* Guill. 94-296.....Brasil  
*Heterolitus* Guill. 93-275  
*mexicanus* Guill. 94-298.....México  
*strigellus* Guill. 94-297.....Cuba  
*Ganyrus* Guill. 94-280  
*strigillatus* Guill. 94-299.....México  
*Eulitrus* Shp. 89-257  
*anisotomus* Shp. 89-258.....Br. Honduras  
*estriatus* Shp. 89-258.....Nicaragua  
 Panamá

<sup>4</sup> Panamá.

<sup>10</sup> Chile.

|                                   |       |  |
|-----------------------------------|-------|--|
| <b>Olibrus</b> Er. 45-108         |       |  |
| atomarius Shp. 88-252             | ..... | Panamá   |
| guatemalensis Shp. 88-248         | ..... | Guatemala<br>Panamá  |
| latipes Shp. 88-253               | ..... | Panamá   |
| mexicanus Shp. 88-249             | ..... | México<br>Br. Honduras<br>Guatemala                        |
| microsternus Shp. 88-252          | ..... | Panamá   |
| partitus Shp. 88-250              | ..... | Guatemala  |
| parvulus Boh. 58-38               | ..... | Perú   |
| porrectus Shp. 88-251             | ..... | México<br>Br. Honduras<br>Guatemala<br>Nicaragua<br>Panamá |
| postcalis Shp. 88-250             | ..... | México<br>Guatemala  |
| rubiginosus Shp. 88-249           | ..... | México<br>Guatemala  |
| submaculatus Shp. 88-251          | ..... | México<br>Br. Honduras<br>Guatemala<br>Nicaragua           |
| substrigosus Shp. 88-252          | ..... | Guatemala  |
| teapensis Shp. 88-249             | ..... | México   |
| versicolor Kirsch 73-139          | ..... | Perú   |
| vulgaris Shp. 88-248              | ..... | Guatemala  |
| <b>Pycinus</b> Guill. 93-289      |       |  |
| hemisphaericus Guill. 93-289      | ..... | Venezuela  |
| politus Guill. 93-289             | ..... | Venezuela  |
| subrotundatus Guill. 93-290       | ..... | Venezuela  |
| <b>Liophalaerus</b> Shp. 88-255   |       |  |
| bicolor Shp. 88-256               | ..... | Panamá   |
| rotundus Shp. 88-256              | ..... | Panamá   |
| <b>Litolibrus</b> Shp. 89-258     |       |  |
| angularis Champ. 25-614           | ..... | Brasil   |
| argus Champ. 25-610               | ..... | Brasil   |
| bipapillatus Champ. 25-612        | ..... | Brasil   |
| cinctus Shp. 89-259               | ..... | Panamá   |
| erythropterus Champ. 25-610       | ..... | Brasil   |
| fulgens Shp. 89-261               | ..... | Guatemala  |
| gibbus Champ. 25-614              | ..... | Brasil   |
| minor Shp. 89-262                 | ..... | Guatemala  |
| obesus Shp. 89-259                | ..... | Guatemala<br>Panamá  |
| obliqueguttatus Champ. 25-613     | ..... | Colombia<br>Brasil   |
| obliteratus Champ. 25-613         | ..... | Brasil   |
| ocellatus Champ. 25-611           | ..... | Brasil   |
| octoguttatus Champ. 25-612        | ..... | Brasil   |
| pantherinus Champ. 25-611         | ..... | Brasil   |
| posticatus Shp. 89-261            | ..... | Guatemala<br>Panamá  |
| princeps Schw. 78-361             | ..... | Cuba<br>U. S. A.   |
| quadratus Shp. 89-260             | ..... | Guatemala  |
| rufipennis Shp. 89-259            | ..... | Panamá   |
| signatus Shp. 89-260              | ..... | Panamá   |
| varians Shp. 89-260               | ..... | Guatemala<br>Panamá  |
| sp. (Sharp 89-262)                | ..... | México   |
| <b>Apallodes</b> Rtrtr. 73-98     |       |  |
| palpalis Rtrtr. 73-132            | ..... | Colombia   |
| <b>Acyломus</b> Shp. 88-256       |       |  |
| <i>Coelocoelus</i> Guill. 93-290  |       |  |
| aciculatus Shp. 88-257            | ..... | México<br>Br. Honduras<br>Nicaragua<br>Trinidad            |
| cubensis Csy. 16-76               | ..... | Cuba   |
| <i>cubiensis</i> L. & M. 14-199   |       |  |
| darwini Waterh. 77-78             | ..... | Is. Galápagos  |
| detractus Csy. 16-75              | ..... | Cuba   |
| fortis Champ. 25-617              | ..... | 7 I. Sto. Amaro  |
| insularis Guill. 94-304           | ..... | Martinique   |
| latisternus Guill. 94-303         | ..... | Hispaniola   |
| micaeus Csy. 16-81                | ..... | México   |
| quadrispinosus Csy. 16-75         | ..... | Cuba   |
| simoni Guill. 94-291              | ..... | Venezuela  |
| stilboides Guill. 94-305          | ..... | Brasil   |
| subhemisphaericus Guill. 94-303   | ..... | Brasil   |
| vicinus Guill. 94-304             | ..... | Brasil   |
| sp. (Sharp 89-257)                | ..... | Guatemala  |
| sp. (Sharp 89-257)                | ..... | Panamá   |
| <b>Radinus</b> Guill. 93-295      |       |  |
| latus Guill. 93-295               | ..... | Venezuela  |
| <b>Ochrodemus</b> Guill. 93-293   |       |  |
| brevitarsis Guill. 93-293         | ..... | Venezuela  |
| <b>Tinodemus</b> Guill. 94-282    |       |  |
| flaviceps Guill. 94-301           | ..... | Colombia   |
| oblongus Guill. 94-302            | ..... | Brasil   |
| onatus Guill. 94-301              | ..... | México   |
| <b>Xanthocomus</b> Guill. 93-291  |       |  |
| badius Guill. 93-292              | ..... | Venezuela  |
| floralis Guill. 94-306            | ..... | Cuba   |
| grouvellei Guill. 94-306          | ..... | Hispaniola   |
| rufescens Guill. 94-305           | ..... | Brasil   |
| rufus Guill. 93-293               | ..... | Venezuela  |
| striatus Guill. 93-291            | ..... | Venezuela  |
| vicinus Guill. 93-292             | ..... | Venezuela  |
| <b>Sphaeropsis</b> Guill. 93-295  |       |  |
| simoni Guill. 93-296              | ..... | Venezuela  |
| <b>Stilboides</b> Guill. 94-282   |       |  |
| grouvellei Guill. 94-307          | ..... | Cuba<br>Brasil   |
| sublineata Guill. 94-306          | ..... | Hispaniola   |
| <b>Ledorus</b> Guill. 95-xvii     |       |  |
| <i>Dolerus</i> Guill. 94-282      |       |  |
| limbatus Guill. 94-307            | ..... | Colombia   |
| <b>Stilbus</b> Seidl. 72-35       |       |  |
| <i>Eustilbus</i> Shp. 88-253      |       |  |
| aequalis Shp. 88-255              | ..... | Guatemala  |
| apicalis Melsb. 46-102            | ..... | México   |
| <i>consimilis</i> Marsh. 02-75    |       | U. S. A.   |
| distinctus Shp. 88-254            | ..... | Guatemala  |
| gossypii Brèthes 12-87            | ..... | Chaco<br>Argentina   |
| gracilis Shp. 88-254              | ..... | Br. Honduras<br>Guatemala                                  |
| mollis Shp. 88-254                | ..... | Guatemala  |
| obtusus LeC. 56-17                | ..... | Baja Calif.<br>U. S. A.                                    |
| placidus Shp. 88-255              | ..... | México   |
| semirufus Guill. 94-294           | ..... | Venezuela  |
| seriatus Guill. 94-309            | ..... | ?Brasil  |
| univestis Guill. 94-309           | ..... | Cuba   |
| <b>Litostilbus</b> Guill. 94-283  |       |  |
| <i>Litostilbus</i> L. & M. 14-409 |       |  |
| testaceus Fabr. 75-83             | ..... | 13 ?St. Thomas   |
| <b>Ochrolitus</b> Shp. 89-264     |       |  |
| optatus Shp. 89-264               | ..... | Costa Rica   |

? Brasil.

13 Virgin Islands (W. I.).

ORTHOPERIDAE

(*Corylophidae*)

AENIGMATICINAE

- Aenigmaticum* Matth. 88-104
- pilioides* Matth. 88-105.....Guatemala
- Ectinocephalus* Matth. 88-104
- tropicus* Matth. 88-106.....Guatemala
- Conodes* Matth. 88-104
- conicus* Matth. 88-108.....Guatemala

SACIINAE

- Sacium* LeC. 52-144
- Clypeaster* Latr. 29-162
- Parmulus* Har. 84-126
- alutaceum* Matth. 87-106.....South America
- atrum* Rtrr. 77-126.....México
- aureum* Matth. 99-45.....Brasil
- collare* Matth. 88-109.....México
- fenestratum* Rtrr. 78-193.....México
- .....Guatemala
- incertum* Matth. 88-109.....Panamá
- indefinitum* Matth. 99-43.....Brasil
- instabile* Matth. 94-336.....Cuba
- .....Grenada
- laticolle* Matth. 88-109.....Guatemala
- latifasciatum* Matth. 88-109.....México
- marginatum* Matth. 88-109.....Guatemala
- mexicanum* Matth. 88-109.....México
- oberthüri* Rtrr. 78-193.....México
- .....Guatemala
- pubescens* Matth. 99-44.....Venezuela
- similare* Rtrr. 78-193.....Argentina
- tropicum* Matth. 99-44.....México
- .....Venezuela

- Molamba* Csy. 00-71
- orbicularis* Brèthes 22-274.....Argentina
- Arthrolips* Woll. 54-475
- dimidiatus* Matth. 88-114.....Panamá
- hirsutus* Matth. 88-114.....Guatemala
- .....Nicaragua
- innotabilis* Matth. 94-336.....Grenada
- misellus* LeC. 52-145.....Guatemala
- .....U. S. A.
- niger* Matth. 88-114.....Panamá
- nitidus* Matth. 94-337.....Grenada
- ovatus* Matth. 88-114.....México
- posticus* Kirsch 76-132.....Perú
- semilunaris* Brèthes 22-271.....Argentina
- thoracicus* Kirsch 76-132.....Perú

SERICODERINAE

- Serieoderus* Steph. 29-188
- crassus* Matth. 87-108.....Chile
- lateralis* Gyll. 27-516.....[Cosmopolitan]
- flavidus* LeC. 52-143
- thoracicus* Steph. 29-188

- latus* Matth. 88-117.....Guatemala
- .....Old World
- minutus* Matth. 94-337.....St. Vincent
- .....Grenada
- tropicus* Kirsch 76-133.....Perú

CORYLOPHINAE

- Oligarthrum* Matth. 87-110
- waterhousei* Matth. 87-110.....Chile
- Corylophus* Steph. 32-405
- peruanus* Kirsch 76-133.....Perú
- Microom* Matth. 88-118
- ovoforme* Matth. 88-119.....Guatemala
- Lapadodes* Matth. 87-112
- chilensis* Matth. 85-160.....Chile
- Corylophodes* Matth. 85-160
- castaneus* Matth. 88-120.....Guatemala
- championi* Matth. 88-120.....Guatemala
- glabratus* Matth. 87-109.....Brasil
- insignis* Matth. 87-109.....Chile
- jansoni* Matth. 88-120.....Nicaragua
- nanus* Brèthes 22-272.....Argentina
- orbicularis* Matth. 88-120.....Br. Honduras
- pellucidus* Matth. 99-148.....Guadeloupe
- pusillus* Matth. 94-337.....St. Vincent
- .....Grenada
- torquatus* Matth. 88-120.....Guatemala
- Hoplicnemus* Matth. 99-124
- sallei* Matth. 99-163.....Guadeloupe

ORTHOPERIDINAE

- Rhyphobius* LeC. 52-142
- Glucosoma* Woll. 54-480
- Moronillus* DuVal 54-38
- brevicornis* Matth. 99-174.....Martinique
- .....St. Vincent
- dissimilis* Matth. 94-337.....St. Vincent
- .....Grenada
- guatemalensis* Matth. 88-125.....Guatemala
- punctum* Brèthes 22-272.....Argentina
- Orthoperus* Steph. 29-186
- Pithophilus* Heer 41-433
- Microsphaera* Redt. 45-122
- bahamicus* Csy. 00-67.....Bahamas Is.
- columbianus* Matth. 85-68.....Colombia
- minutissimus* Matth. 99-184.....Guadeloupe
- nigricans* Matth. 88-123.....Guatemala
- ovalis* Matth. 88-123.....México
- ovatus* Matth. 88-123.....Guatemala
- perpusillus* Matth. 88-123.....México
- .....Nicaragua
- .....St. Vincent
- .....Grenada
- platensis* Brèthes 22-273.....Argentina

BYTURIDAE

- Byturus* Latr. 96-69
- meridionalis* Grouv. 05-121.....Argentina



- Leptaleus**—Continued.
- camelus Pic 02-21.....Brasil  
 caracasensis Pic 14-20.....Venezuela  
 chevrolai Pic 15-3.....Colombia  
 clavicornis Champ. 90-225.....México  
     Br. Honduras  
     Guatemala  
 cubanensis Pic 17-8.....Cuba  
 geayi Pic 03-20.....Venezuela  
 gibbicollis Laf. 48-111.....Colombia  
     Bolivia  
 grossoanus Pic 31-10.....Brasil  
 piligibbosus Pic 17-8.....Fr. Guiana  
 plicaticeps Pic 15-2.....Bolivia  
 semibrunnescens Pic 13-317.....Brasil  
 semiplicatus Pic 15-2.....Guatemala  
 subfasciatus Pic 15-3.....Colombia  
 unituberculatus Pic 13-316.....Chaco
- Anthicus** Payk. 98-253
- Acanthinus* Laf. 48-106 (Subg.)  
*Baulius* Csy. 95-641 (Subg.)  
*Cyclodinus* M. & R. 66-77 (Subg.)  
*Ischyropalpus* Laf. 48-106 (Subg.)  
*Lappus* Csy. 95-641 (Subg.)  
*Omonadus* M. & R. 66-104 (Subg.)  
*Thicanus* Csy. 95-670  
*Vacusus* Csy. 95-641 (Subg.)
- adstrictus K-S. 14-221.....Perú  
 aequinoctialis Laf. 48-137.....México  
     Br. Honduras  
     Guatemala  
     Panamá  
     Colombia  
     Venezuela  
     Brasil  
     Argentina
- albifasciatus Pic 97-49.....South America  
     Argentina  
     ?Australia  
     Argentina  
 v. argentinus Pic 04-330.....Argentina  
 amazonicus Pic 06-58.....Brasil  
 amplipennis Pic 95-107.....Brasil  
 amphithorax Pic 95-108.....Brasil  
     Bolivia
- angusticollis Laf. 48-120.....South America  
 antennatus Pic 97-49.....Venezuela  
 anticefasciatus Pic 10-46.....Argentina  
 apicicornis Laf. 48-220.....South America  
     Argentina
- asphaltinus Champ. 90-233.....México  
     Guatemala
- aterrimus Champ. 90-232.....Guatemala  
 attenuatus K-S. 13-129.....Argentina  
 auricomus Heb. 38-254.....Brasil  
 bactrianus Champ. 90-234.....México  
     Guatemala
- baeri Pic 02-31.....Perú  
     Bolivia
- basimacula Champ. 90-241.....México  
 batesi Pic 14-36.....Colombia  
 bicallosus Pic 04-45.....Brasil  
 bicoloripes Pic 13-47.....Argentina  
 bimaculifer Pic 99-264.....Brasil  
     Argentina
- v. carlosi Pic 04-330.....Argentina  
 v. immaculifer Pic 08-85.....Brasil  
 v. latemaculifer Pic 14-80.....
- bogotensis Pic 07-134.....Colombia
- brasiliensis Pic 98-142.....Brasil  
 bruchi Pic 04-330.....Argentina  
 v. boliviensis Pic 09-255.....Bolivia  
 v. mendozae us Pic 14-80.....Argentina  
 californicus Laf. 48-128.....México  
     annectens LeC. 52-97.....U. S. A.  
 carbonarius Laf. 48-173.....Colombia  
 catamarcanus Pic 26-25.....Argentina  
 v. esteroensis Pic 29-100.....Argentina  
 cervinus Laf. 48-181.....México  
     bifasciatus Say 27-245.....U. S. A.  
     bizonatus Laf. 48-274.....  
     terminalis LeC. 50-230.....
- championi Pic 94-50.....Guatemala  
 cencolor Champ. 90-236.....
- chilensis Sol. 51-277.....Ecuador  
     Chile
- clavatus Heb. 38-255.....Brasil  
 compressicollis Pic 14-20.....Brasil  
 concinnus Laf. 48-115.....Br. Honduras  
     Nicaragua  
     Fr. Guiana  
     Brasil
- confinis LeC. 51-153.....México  
     U. S. A.
- corumbanus Pic 31-10.....Brasil  
 crassicornis Champ. 90-230.....Guatemala  
 crux F. & G. 60-3.....Chile  
 currax Champ. 90-246.....México  
 curtipennis Pic 08-85.....Brasil  
 curtisi Sol. 51-276.....Chile  
 v. latereductus Pic 13-317.....Chile  
 cuyabanus Pic 09-109.....Brasil  
 decerptus Pic 04-118.....Bolivia  
     deceptor Pic 09-255.....Argentina
- dilataticollis Champ. 90-241.....México  
     Guatemala
- dilatipes Champ. 90-231.....México  
 distincticeps Pic 04-493.....Perú  
 distinctus Pic 97-142.....México  
 dormei Pic 33-31.....Brasil  
 dromedarius Laf. 48-114.....México  
     Guatemala  
     Nicaragua  
     Venezuela
- dugesi Pic 01-90.....México  
 duplopunctatus Heb. 38-257.....Brasil  
 ebeninus Laf. 48-117.....Colombia  
 ephippium Laf. 48-163.....México  
     U. S. A.
- espiritensis Pic 03-56.....Brasil  
 exiguus Champ. 90-240.....Guatemala  
 externotatus Pic 13-317.....Chaco  
 festinus Champ. 90-236.....México  
 fiebrigi Pic 12-56.....Paraguay  
 finitimus Pic 04-45.....Brasil  
 flohri Pic 97-142.....México  
 floralis Linn. 58-420.....México  
     basalis Villa 38-63.....Colombia  
     basilaris Say 24-279.....Brasil  
     breviculus Phil. 64-353.....Argentina  
     formicarius Goeze 77-706.....Chile  
     formicoides Geoffr. 85-156.....Cuba  
     fuscus Marsh. 02-486.....Puerto Rico  
     pedicularius Schrank 81-284.....Guadeloupe  
     quisquilius Thoms. 64-380.....Grenada  
     semirufus F. & G. 60-3.....U. S. A.  
     Old World

|   |                 |
|---|-----------------|
| <i>Anthicus</i> —Continued.               |                 |
| <i>foederatus</i> Champ. 90-249.....      | Guatemala       |
| <i>foedus</i> Pic 04-492.....             | Perú            |
| <i>foveiventris</i> Champ. 90-230.....    | Guatemala       |
| <i>fryi</i> Heb. 38-258.....              | Brasil          |
| <i>fulvipes</i> Laf. 48-177.....          | México          |
|   | Guatemala       |
|   | Panamá          |
|   | ?Puerto Rico    |
|   | U. S. A.        |
| <i>fulvonotatus</i> Laf. 48-156.....      | Colombia        |
| <i>germaini</i> Pic 09-254.....           | Bolivia         |
| v. <i>bicruciatu</i> s Pic 09-254.....    | Bolivia         |
| <i>gounellei</i> Pic 01-41.....           | Brasil          |
|   | Argentina       |
| <i>goyasensis</i> Pic 04-44.....          | Brasil          |
| <i>grenadensis</i> Champ. 96-48.....      | Grenada         |
| <i>granadensis</i> Pic 11-51.....         |                 |
| <i>groulti</i> Pic 01-37.....             | Brasil          |
| <i>guatemalanus</i> Pic 13-11.....        | Guatemala       |
| <i>guyanensis</i> Pic 04-121.....         | Fr. Guiana      |
| v. <i>surinamensis</i> Pic 13-12.....     | Surinam         |
| <i>hemicyclus</i> Heb. 37-63.....         | Costa Rica      |
| <i>histrío</i> Laf. 48-141.....           | Colombia        |
| <i>holoxanthus</i> F. & G. 60-3.....      | Argentina       |
|   | Chile           |
| <i>horridus</i> LeC. 51-154.....          | México          |
|   | U. S. A.        |
| <i>impressus</i> Laf. 48-119.....         | Colombia        |
| <i>indistinctus</i> Pic 09-255.....       | Bolivia         |
| <i>infernus</i> Laf. 48-159.....          | México          |
| <i>inflattithorax</i> Pic 00-138.....     | Venezuela       |
| <i>interamnis</i> Laf. 48-145.....        | Central America |
|   | Brasil          |
| <i>invalidus</i> Laf. 48-136.....         | Guatemala       |
| <i>albicornis</i> Champ. 90-235.....      | Panamá          |
|   | Colombia        |
| <i>isthmicus</i> Champ. 90-237.....       | Panamá          |
| <i>jatahyensis</i> Pic 99-189.....        | Brasil          |
| <i>jenseni</i> K-S. 13-129.....           | Argentina       |
| <i>laticeps</i> Laf. 48-118.....          | Colombia        |
| <i>laticornis</i> Pic 96-42.....          | Brasil          |
| <i>lecontei</i> Champ. 90-246.....        | Guatemala       |
|   | U. S. A.        |
| <i>lesnei</i> Pic 99-30.....              | West Indies     |
| <i>lutescens</i> Champ. 90-244.....       | México          |
|   | Guatemala       |
| <i>luculentus</i> Csy. 95-691.....        | México          |
|   | U. S. A.        |
| <i>macrocephalus</i> Champ. 90-244.....   | México          |
| <i>maculifer</i> Pic 98-141.....          | Brasil          |
| <i>maculosus</i> F. & G. 60-3.....        | Chile           |
| <i>mapijarianus</i> Pic 09-117.....       | Bolivia         |
| v. <i>semirufescens</i> Pic 09-118.....   | Bolivia         |
| <i>melancholicus</i> Laf. 48-174.....     | México          |
|   | U. S. A.        |
| <i>melanurus</i> F. & G. 63-246.....      | Chile           |
| <i>mexicanus</i> Pic 94-22.....           | México          |
| <i>microcephalus</i> Pic 93-255.....      | Brasil          |
| <i>minasensis</i> Pic 04-44.....          | Brasil          |
| <i>minuscule</i> Champ. 90-247.....       | Guatemala       |
| <i>mrázi</i> Pic 28-74.....               | Brasil          |
| <i>myrmecophilus</i> Pic 27-25.....       | Argentina       |
| <i>nigrofemoratus</i> F. & G. 60-3.....   | Argentina       |
|   | Chile           |
| <i>nigrotibialis</i> Pic 14-39.....       | Argentina       |
| <i>nitidiceps</i> Pic 97-156.....         | Brasil          |
|   | México          |
|   | U. S. A.        |
|   | Brasil          |
|   | México          |
|   | Guatemala       |
|   | Brasil          |
|   | Argentina       |
|   | Argentina       |
|   | Argentina       |
|   | Guatemala       |
|   | Chile           |
|   | Brasil          |
|   | Argentina       |
|   | Argentina       |
|   | Argentina       |
|   | Guatemala       |
|   | Colombia        |
|   | Brasil          |
|   | Argentina       |
|   | México          |
|   | ?U. S. A.       |
|   | México          |
|   | Brasil          |
|   | Argentina       |
|   | México          |
|   | ?U. S. A.       |
|   | México          |
|   | Br. Honduras    |
|   | Guatemala       |
|   | Colombia        |
|   | Brasil          |
|   | Argentina       |
|   | México          |
|   | ?U. S. A.       |
|   | México          |
|   | Br. Honduras    |
|   | Guatemala       |
|   | Venezuela       |
|   | Brasil          |
|   | México          |
|   | U. S. A.        |
|   | Brasil          |
| <i>obscurus</i> Laf. 48-116.....          | México          |
|   | U. S. A.        |
| <i>occidentalis</i> Champ. 90-231.....    | México          |
|   | Guatemala       |
| <i>occipitalis</i> Heb. 38-259.....       | Brasil          |
| <i>opacicolis</i> Pic 95-80.....          | Brasil          |
| <i>pallidicolor</i> Pic 05-234.....       | Argentina       |
| <i>pallidioripes</i> Pic 17-10.....       | Brasil          |
| <i>parallelus</i> Sol. 51-278.....        | Chile           |
| <i>parvus</i> Pic 10-109.....             | Argentina       |
| v. <i>atratus</i> Pic 12-456.....         | Argentina       |
| v. <i>weiseri</i> Pic 26-25.....          | Argentina       |
| <i>patagonicus</i> Pic 02-50.....         | Argentina       |
| <i>pauxillus</i> Champ. 90-241.....       | Guatemala       |
| <i>perplexus</i> Laf. 48-142.....         | Colombia        |
| <i>peruvianus</i> Pic 02-31.....          | Perú            |
| <i>planicollis</i> F. & G. 60-3.....      | Chile           |
| <i>plaumanni</i> Heb. 38-256.....         | Brasil          |
| <i>postmaculatus</i> Pic 04-329.....      | Argentina       |
| <i>postobscurus</i> Pic 04-44.....        | Brasil          |
| <i>postsignatus</i> Pic 01-90.....        | Uruguay         |
|   | Argentina       |
| v. <i>innostatipennis</i> Pic 05-235..... | Argentina       |
| v. <i>vianai</i> Pic 38-78.....           | Argentina       |
| <i>proprius</i> Pic 04-492.....           | Perú            |
| <i>pulchellus</i> Champ. 90-229.....      | Panamá          |
| <i>punctatissimus</i> Champ. 90-227.....  | México          |
| <i>punctipennis</i> Champ. 90-233.....    | México          |
|   | Guatemala       |
|   | Nicaragua       |
|   | Venezuela       |
| <i>quadrilunulatus</i> Laf. 48-201.....   | México          |
|   | ?U. S. A.       |
| <i>quadriplagiatus</i> Laf. 48-143.....   | Panamá          |
|   | Colombia        |
| <i>quinquemaculatus</i> Laf. 48-115.....  | México          |
|   | Guatemala       |
|   | Panamá          |
|   | Brasil          |
| <i>regularis</i> Heb. 38-261.....         | Brasil          |
| <i>rigidus</i> Laf. 48-173.....           | Colombia        |
| <i>rugosus</i> Laf. 48-138.....           | Brasil          |
| <i>russoi</i> K-S. 29-95.....             | Hispaniola      |
| <i>sculptus</i> Pic 04-45.....            | Brasil          |
| <i>septemnotatus</i> Champ. 90-227.....   | México          |
|   | Guatemala       |
| <i>sericans</i> Er. 34-250.....           | Perú            |
|   | Brasil          |
| v. <i>trireductus</i> Pic 28-100.....     | Argentina       |
| <i>singularis</i> Pic 27-25.....          | Argentina       |
| <i>sipolisi</i> Pic 33-31.....            | Brasil          |
| <i>spinicollis</i> Laf. 48-138.....       | México          |
|   | Br. Honduras    |
|   | Guatemala       |
|   | Colombia        |
|   | Brasil          |
|   | Argentina       |
| <i>squamosus</i> Laf. 48-216.....         | México          |
|   | ?U. S. A.       |
| <i>striatopunctatus</i> Laf. 48-139.....  | México          |
|   | Br. Honduras    |
|   | Guatemala       |
|   | Venezuela       |
| v. <i>discolor</i> Pic 97-157.....        | Brasil          |
| <i>sturmi</i> Laf. 48-304.....            | México          |
| <i>elegans</i> Laf. 48-117.....           | U. S. A.        |
| <i>subdiversus</i> Pic 14-19.....         | Brasil          |



- Anthicus**—Continued.  
*subobscurus* Pic 01-37.....Brasil  
*subtilis* Laf. 48-135.....Colombia  
*sulcipennis* Champ. 96-46.....St. Vincent  
 Grenada  
*teapensis* Champ. 90-249.....México  
*temporalis* Heb. 38-260.....Brasil  
*tenax* Pic 02-24.....Brasil  
 v. *tenuiculus* Pic 02-24.....Brasil  
*tenuis* LeC. 51-153.....México  
 U. S. A.  
*testaceoguttatus* F. & G. 63-247.....Bolivia  
*tetrops* Champ. 90-247.....Guatemala  
*texasus* Laf. 48-301.....México  
 U. S. A.  
*trifasciatus* Fabr. 01-291.....<sup>13</sup> St. Thomas  
 Guadeloupe  
 St. Vincent  
<sup>13</sup> Mustique  
 Grenada  
 Fr. Guiana  
 v. *bistrinotatus* Pic 97-157.....Brasil  
*tucumanensis* Pic 01-41.....Bolivia  
 Argentina  
*tumidicollis* Champ. 90-234.....Panamá
- vagemaculatus* Heb. 38-257.....Brasil  
*varicornis* Champ. 90-239.....Guatemala  
 Nicaragua  
*venezuelensis* Pic 00-139.....Colombia  
 Venezuela  
*vicinus* Laf. 48-157.....México  
*fulvomicans* Qued. 86-122.....Guatemala  
*laetus* Laf. 48-157.....Panamá  
 Colombia  
 Argentina  
 Puerto Rico  
 v. *subbrunneipennis* Pic 33-30.....Argentina  
*vincolatus* Laf. 48-119.....Colombia
- Apotominus** F. & G. 63-283  
*nigrozonatus* F. & G. 63-284.....Chile  
**Anthicoxenus** F. & G. 60-2  
*lagenicollis* F. & G. 60-2.....Chile  
*nigropagiatus* F. & G. 60-2.....Chile  
*ovallei* Phil. 73-310.....Chile  
*paulseni* Fairm. 75-200.....Chile

## INCERTAE SEDIS

- Heterolobus** Phil. 64-354  
*aeneus* Phil. 64-354.....Chile

## LATHRIDIIDAE

## MEROPHYSIINI

- Coluocera** Mots. 38-177  
*ecitonis* Wasm. 90-302.....Brasil  
*maderae* Woll. 54-180.....Hispaniola  
*oculata* Belon 91-878.....Brasil  
 Old World  
**Evolocera** Shp. 02-628  
*championi* Shp. 02-628.....Guatemala  
 Honduras  
**Pseudevolocera** Champ. 13-113  
*atomarioides* Champ. 13-114.....Guatemala

## HOLOPARAMECINI

- Holoparamesus** Curt. 33-186  
*Blumenus* Belon 87-219 (Subg.)  
*Calyptobium* Aubé 43-241 (Subg.)  
*barretoii* Bruch 38-162.....Argentina  
*brasiliensis* Mots. 67-99.....Brasil  
*broseiformis* Shp. 02-627.....Guatemala  
*constrictus* Shp. 02-628.....México  
 Guatemala  
*dispar* Belon 85-241.....Venezuela  
 Brasil  
*kunzei* Aubé 43-245.....Hispaniola  
 Martinique  
 Brasil  
 U. S. A.  
 Old World  
*pumilus* Shp. 02-627.....México  
*ragusae* Rtrr. 75-309.....Chile  
 U. S. A.  
 Old World  
*singularis* Beck 17-14.....México  
 U. S. A.  
*depressus* Curt. 33-186.....Old World  
*difficilis* Villa 33-26.....Old World  
*longipennis* Mots. 67-100.....Old World
- populi* Mots. 67-99  
*villae* Aubé 43-243  
*villiger* Belon 87-219.....Brasil  
**Lycoperdinella** Champ. 13-114  
*subcaeca* Champ. 13-115.....Guatemala  
**Hypalathrinus** Rtrr. 77-181  
*planicollis* Rtrr. 77-181.....Brasil  
 Argentina  
 Chile  
**Pseudoparamesus** Brèthes 22-291  
*extraneus* Brèthes 22-292.....Argentina

## LATHRIDIINI

- Metophthalmus** Woll. 54-192  
*bicolor* Belon 95-85.....Chile  
*grouvellei* Belon 99-xxxvii.....México  
*hispidus* Belon 95-86.....Chile  
*plicatulus* Rtrr. 77-182.....Colombia  
**Lathridius** Hbst. 93-3  
*Stephostethus* LeC. 78-601  
*malouinensis* Champ. 18-174.....Falkland Is.  
*nodifer* Westw. 39-155.....Argentina  
 Old World  
**Coninomus** Thoms. 63-217  
*constrictus* Gyll. 27-138.....Guatemala  
 Panamá  
 U. S. A.  
 Old World  
 v. *tenuis* Belon 85-249.....Brasil  
 Chile  
 ?Tasmania  
*curtipennis* Pic 24-300.....<sup>10</sup> Is. J. Fernández  
*dimidiatus* Belon 85-247.....Bolivia  
*fortuitus* Belon 85-247.....Chile  
*dromedarius* Belon 83-ci.....Chile  
*grouvellei* Belon 95-479.....Bolivia  
 Argentina

<sup>10</sup> Chile.<sup>13</sup> Virgin Islands (W. I.).<sup>13</sup> Grenadines (W. I.).

- Coninomos**—Continued.  
*heteronotus* Belon 91-cxxxiv.....Chile  
*humeralis* Belon 85-246.....Chile  
*longiceps* Belon 89-221.....Venezuela  
*muticus* Shp. 02-631.....Panamá  
*setulosus* Belon 82-ci.....Brasil  
*simoni* Belon 89-222.....Venezuela  
*subfasciatus* Rtrr. 77-183.....Perú  
Chile  
10 Is J. Fernández  
*trifasciatus* Belon 95-479.....Bolivia
- Enicmus** Thoms. 59-93  
*Conithussa* Toms. 59-93 (Subg.)  
*brasilienis* Mannh. 44-91.....Brasil  
*guatemalensis* Shp. 02-632.....Guatemala  
*minutus* Linn. 67-675.....[Cosmopolitan]  
*reflexus* LeC. 55-304  
*pampicola* Brèthes 22-288.....Argentina
- Cartodere** Thoms. 59-93  
*crenicollis* Belon 85-250.....Chile  
*falliana* Shp. 02-633.....México  
Costa Rica  
*filum* Aubé 50-334.....México  
U. S. A.  
Old World  
*grouvellei* Belon 97-137.....Chile  
*laevithorax* Belon 95-98.....Chile  
*oeceticola* Brèthes 22-290.....Argentina  
*ruficollis* Marsh. 02-111.....Tropical America  
*pulicaria* Melsh. 44-115  
U. S. A.  
Old World  
*seminivea* Mots. 66-265.....Cuba
- Adistemia** Fall 99-113  
*bicarinata* Belon 97-137.....Chile  
*rileyi* Hntn. 41-180.....Perú  
*watsoni* Woll. 71-253.....México  
*bicostata* Rtrr. 77-183  
*godarti* Belon 79-301  
Honduras  
Venezuela  
Argentina  
Chile  
U. S. A.  
Old World
- Eufallia** Muttk. 00-161  
*Bolonia* Fall 99-113  
*unicostata* Belon 87-225.....México  
Puerto Rico  
U. S. A.
- Eufalloides** Hntn. 41-175  
*holmesi* Hntn. 41-177.....Perú
- CORTICARIINI**
- Corticaria** Marsh. 02-106  
*aethiops* Grouv. 14-55.....South America
- elongata* Gyll. 27-130.....Argentina  
U. S. A.  
Old World
- ferruginea* Marsh. 02-111.....Cuba  
U. S. A.  
Old World
- fulva* Comolli 37-39.....[Cosmopolitan]  
*humilis* Shp. 02-634.....Guatemala
- Melanophthalma** Mots. 66-269  
*Corticarina* Rtrr. 80-58 (Subg.)  
*Cortilena* Mots. 66-228 (Subg.)  
*amplipennis* Mots. 67-9.....Panamá  
*argentina* Brèthes 25-11.....Argentina  
*basicollis* Mots. 66-285.....Panamá  
*cavicornis* Mannh. 44-56.....Venezuela  
*angularis* LeC. 55-301  
*centralis* Shp. 02-635.....México  
Guatemala  
Panamá
- complanata* Mots. 66-277.....Brasil  
*distinguenda* Comolli 37-38.....Cuba  
*morsa* LeC. 55-302  
*platensis* Bruch 07-127  
*pusilla* Melsh. 44-116  
*rufula* LeC. 55-303  
*duplicata* Shp. 02-630.....Br. Honduras  
Nicaragua
- flavica* Mots. 66-290.....Cuba  
*fuscula* Gyll. 27-133.....Colombia  
Venezuela  
Bolivia  
Old World
- globifera* Mots. 67-91.....Panamá  
*inornata* Shp. 02-637.....México  
Guatemala  
Nicaragua
- nidicola* Grouv. 09-245.....México  
*pilosella* Mots. 66-276.....Colombia  
*placida* Shp. 02-637.....Guatemala  
*remota* Shp. 02-637.....Guatemala  
*russula* Mots. 66-286.....Panamá  
*serrula* Brèthes 22-295.....Argentina  
*signata* Belon 87-289.....Cuba  
*steinheili* Rtrr. 80-32.....Colombia  
*subfusca* Shp. 02-636.....México  
Guatemala  
Panamá
- subnitida* Mots. 67-93.....Panamá  
*transversalis* Gyll. 27-133.....Argentina  
Old World
- sp.* (Wolcott 36-225).....Puerto Rico
- Migneauxia** DuVal 59-248  
*orientalis* Rtrr. 77-139.....Colombia  
Old World

## Superfamily COCCINELLOIDEA

### ENDOMYCHIDAE

#### MYCETAEINAE

#### MYCETAEINI

- Symbiotes** Redt. 49-23  
*Eponomastus* Buys. 91-xcv  
*Microchondrus* Woll. 54-196  
*bonariensis* Steinh. 69-238.....Argentina

- Pareysma** Csiki 05-573  
*parvula* Gorb. 91-145.....Guatemala
- Trichopsephus** Arrow 20-78  
*niger* Arrow 20-79.....Br. Honduras  
*punctipennis* Gorb. 98-338.....Grenada  
*tenuicornis* Gorb. 91-146.....Guatemala  
Nicaragua  
Panamá

<sup>10</sup> Chile.

|  |                                  |
|--|----------------------------------|
| <i>Micropsephus</i> Gorb. 91-149                     | .....México                      |
| <i>mniphilinus</i> Gorb. 91-149                      | .....Guatemala                   |
| <i>Micropsephodes</i> Champ. 13-119                  | .....Guatemala                   |
| <i>serraticornis</i> Champ. 13-119                   | .....Guatemala                   |
| <i>Micropsephellus</i> Arrow 20-79                   | .....México                      |
| <i>hemisphaericus</i> Champ. 13-118                  | .....Guatemala                   |
| <i>nigripennis</i> Arrow 20-80                       | .....St. Vincent<br>.....Grenada |
| <i>Exysma</i> Gorb. 91-145                           | .....México                      |
| <i>laevigata</i> Gorb. 91-145                        | .....Panamá                      |
| <i>spherica</i> Arrow 20-77                          | .....Guatemala                   |
| <i>orbicularis</i> Gorb. 91-146<br>(not Gorb., 1887) |                                  |

## TROCHOIDEINAE

|                                  |  |
|----------------------------------|--|
| <i>Trochoideus</i> Westw. 33-673 |  |
| <i>Trochoides</i> Chap. 76-147   |  |
| <i>americanus</i> Buq. 40-174    | .....Costa Rica                              |
| <i>goudoti</i> Guér. 57-191      | .....Panamá<br>.....Colombia<br>.....Bolivia |
| <i>peruvianus</i> Kirsch 76-116  | .....Perú                                    |

## ENDOMYCHINAE

## AMPHICINI

|                                    |   |
|------------------------------------|---|
| <i>Amphix</i> Lap. 40-522          |   |
| <i>Corynomalus</i> Gerst. 57-215   |   |
| <i>apicalis</i> Gerst. 57-236      | .....Brasil   |
| <i>aurata</i> Bates 61-166         | .....Brasil   |
| <i>auronitens</i> Gorb. 89-116     | .....Nicaragua  |
| <i>bahiensis</i> Csiki 02-585      | .....Brasil   |
| <i>bolivienis</i> Pic 31-8         | .....Bolivia  |
| <i>castaneicolor</i> Gorb. 89-117  | .....Nicaragua  |
| <i>cincta</i> Fabr. 01-10          | .....Guatemala  |
| <i>cruciger</i> Latr. 11-213       | .....Costa Rica<br>.....Panamá<br>.....Colombia<br>.....Venezuela<br>* Trinidad<br>.....Fr. Guiana<br>.....Perú<br>.....Bolivia         |
| <i>a. bifasciata</i> Csiki 02-591  |   |
| <i>a. dilatata</i> Csiki 02-591    |   |
| <i>a. fenestrata</i> Csiki 02-591  |   |
| <i>a. reticulata</i> Csiki 02-591  |   |
| <i>a. suturata</i> Csiki 02-591    |   |
| <i>a. unicolor</i> Csiki 02-591    |   |
| <i>circumcincta</i> Bates 63-163   | .....Brasil   |
| <i>clavata</i> Csiki 02-586        | .....Perú   |
| <i>colon</i> Gorb. 74-440          | .....Fr. Guiana   |
| <i>v. cayennensis</i> Csiki 02-588 |   |
| <i>coriacea</i> Gorb. 74-441       | .....Brasil   |
| <i>dentata</i> Fabr. 01-7          | .....México   |
|                                    | .....Br. Honduras<br>.....Guatemala<br>.....Nicaragua<br>.....Costa Rica<br>.....Panamá<br>.....Colombia<br>.....Brasil<br>.....Bolivia |
| <i>a. mira</i> Csiki 02-592        |   |

|                                     |  |
|-------------------------------------|--|
| <i>v. multimaculata</i> Pic 31-7    | .....Colombia  |
| <i>discoidea</i> Fabr. 01-10        | .....Brasil  |
| <i>aequipennis</i> Gerst. 57-263    | .....Argentina   |
| <i>a. aurichalcea</i> Gerst. 57-236 | .....Brasil  |
| <i>diversipes</i> Pic 31-7          | .....Brasil  |
| <i>elegans</i> Csiki 02-582         | .....Colombia<br>.....Venezuela<br>.....Ecuador<br>.....Perú |
| <i>felix</i> Gorb. 75-14            | .....Ecuador<br>.....Perú                                    |
| <i>femoralis</i> Gerst. 57-235      | .....Panamá<br>.....Colombia                                 |
| <i>foveolata</i> Pic 31-6           | .....Fr. Guiana  |
| <i>gerstaeckeri</i> Bates 61-166    | .....Brasil  |
| <i>grandjeani</i> Pic 31-8          | .....Venezuela   |
| <i>humeralis</i> Bates 63-165       | .....Brasil  |
| <i>inhumeralis</i> Pic 31-8         | .....Brasil  |
| <i>laeta</i> Bates 61-165           | .....Brasil  |
| <i>laevigata</i> Gerst. 57-236      | .....Costa Rica<br>.....Panamá<br>.....Brasil                |
| <i>livida</i> Bates 61-167          | .....Brasil  |
| <i>marcapatae</i> Csiki 02-583      | .....Perú  |
| <i>marginata</i> Fabr. 98-101       | .....Fr. Guiana<br>.....Brasil                               |
| <i>limbata</i> Oliv. 08-1066        |  |
| <i>v. angulicollis</i> Bates 61-168 |  |
| <i>v. binotata</i> Lap. 40-522      | .....Fr. Guiana  |
| <i>v. ferruginea</i> Gerst. 57-236  | .....Brasil  |
| <i>maxima</i> Bates 61-161          | .....Brasil<br>.....Bolivia                                  |
| <i>nigripennis</i> Bates 61-169     | .....Brasil  |
| <i>obsti</i> Csiki 02-584           | .....Perú  |
| <i>paroeica</i> Csiki 02-586        | .....Perú  |
| <i>perforatus</i> Gerst. 57-238     | .....Fr. Guiana  |
| <i>peruviana</i> Csiki 02-585       | .....Perú  |
| <i>punctata</i> Csiki 02-583        | .....Perú  |
| <i>v. reducta</i> Pic 31-8          | .....Perú  |
| <i>quadrinaculata</i> Er. 48-579    | .....Guiana  |
| <i>quadrilagiata</i> Bates 61-167   | .....Guiana  |
| <i>robusta</i> Bates 63-164         | .....Brasil  |
| <i>rufipennis</i> Gerst. 57-235     | .....Nicaragua<br>.....Colombia                              |
| <i>rugosa</i> Bates 61-162          | .....Brasil<br>.....Bolivia                                  |
| <i>saturata</i> Gorb. 89-117        | .....Costa Rica<br>.....Panamá                               |
| <i>seriopaca</i> Pic 31-6           | .....Colombia  |
| <i>separanda</i> Kirsch 65-103      | .....Colombia  |
| <i>mauculicollis</i> Gorb. 75-14    | .....Perú  |
| <i>singularis</i> Pic 31-6          | .....Colombia  |
| <i>speciosa</i> Gerst. 57-236       | .....South America   |
| <i>subapicalis</i> Pic 31-7         | .....Fr. Guiana  |
| <i>subcordata</i> Gerst. 57-237     | .....Brasil  |
| <i>a. viridipennis</i> Guér. 57-264 | .....Brasil  |
| <i>taedifer</i> Gorb. 75-181        | .....Perú  |
| <i>tersata</i> Er. 47-181           | .....Perú  |
| <i>vestita</i> Voet 98-105          | .....Brasil  |
| <i>dejeani</i> Guér. 57-264         |  |
| <i>jamula</i> Voet 06-68            |  |
| <i>a. integer</i> Csiki 02-591      |  |
| <i>a. interrupta</i> Gerst. 57-237  | .....Fr. Guiana<br>.....Brasil                               |
| <i>a. olivieri</i> Csiki 02-591     |  |
| <i>cincta</i> Oliv. 08-1067         |  |
| <i>vexillaria</i> Gorb. 75-13       | .....Ecuador<br>.....Perú                                    |

## LYCOPERDININI

|                                  |              |
|----------------------------------|--------------|
| <i>Acinaces</i> Gerst. 58-177    | Uruguay      |
| <i>collaris</i> Gerst. 58-183    | Argentina    |
| <i>v. postfasciata</i> Pic 39-20 | Brasil       |
| <i>curta</i> Pic 38-16           | Brasil       |
| <i>lacerata</i> Gerst. 58-182    | Brasil       |
| <i>lacertosa</i> Pic 38-16       | Bolivia      |
| <i>a. juncta</i> Pic 38-16       | Brasil       |
| <i>lebasi</i> Gerst. 58-180      | Costa Rica   |
|                                  | Panamá       |
|                                  | Colombia     |
|                                  | Argentina    |
| <i>nigricollis</i> Gerst. 58-184 | Fr. Guiana   |
| <i>Phalantha</i> Gerst. 58-202   |              |
| <i>apicicornis</i> Pic 30-66     | Brasil       |
| <i>championi</i> Gorch. 89-119   | Costa Rica   |
|                                  | Panamá       |
| <i>elongata</i> Pic 28-1         | Argentina    |
| <i>v. interrupta</i> Pic 28-1    | Argentina    |
| <i>exsanguis</i> Gerst. 58-204   | Colombia     |
| <i>flavida</i> (Pic 30-66)       | ?            |
| <i>v. lunulata</i> Pic 30-66     | Venezuela    |
| <i>intricata</i> Gerst. 58-204   | México       |
|                                  | Br. Honduras |
|                                  | Guatemala    |
|                                  | Panamá       |
| <i>multinotata</i> Pic 28-16     | Costa Rica   |
| <i>picipennis</i> Gorch. 75-313  | Brasil       |
| <i>quadrifasciata</i> Pic 28-1   | Venezuela    |
| <i>variegata</i> Gorch. 73-43    | Brasil       |

## EPIPOCINI

|                                  |              |
|----------------------------------|--------------|
| <i>Epipocus</i> Germ. 43-86      |              |
| <i>bifidus</i> Gerst. 58-248     | Guatemala    |
|                                  | Honduras     |
|                                  | Nicaragua    |
|                                  | Costa Rica   |
| <i>binotatus</i> Gorch. 89-124   | México       |
| <i>bivittatus</i> Gerst. 58-243  | México       |
|                                  | Guatemala    |
|                                  | Costa Rica   |
|                                  | Panamá       |
|                                  | U. S. A.     |
| <i>cinctus</i> LeC. 52-358       | México       |
|                                  | U. S. A.     |
| <i>figuratus</i> Gerst. 58-247   | México       |
|                                  | Br. Honduras |
|                                  | Guatemala    |
| <i>fuliginosus</i> Guér. 57-266  | México       |
|                                  | Colombia     |
| <i>longicornis</i> Gerst. 58-255 | México       |
| <i>mollicornis</i> Gorch. 75-15  | México       |
| <i>brunneus</i> Gorch. 89-124    |              |
| <i>multilatus</i> Gerst. 58-249  | México       |
|                                  | Guatemala    |
|                                  | U. S. A.     |
| <i>parvus</i> Arrow 20-45        | México       |
| <i>politus</i> Guér. 57-265      | Colombia     |
| <i>punctipennis</i> Csy. 16-145  | México       |
| <i>rufitarsis</i> Chev. 35-123   | México       |
|                                  | Guatemala    |
|                                  | Honduras     |
|                                  | Costa Rica   |
| <i>sallaei</i> Gorch. 89-125     | México       |
| <i>simplicipes</i> Csy. 16-146   | México       |
| <i>subcostatus</i> Gorch. 89-123 | México       |

|                                      |              |
|--------------------------------------|--------------|
| <i>tibialis</i> Chev. 44-317         | México       |
|                                      | Br. Honduras |
|                                      | Guatemala    |
| <i>tommentosus</i> Guér. 57-266      | Brasil       |
| <i>tristis</i> Guér. 57-265          | Colombia     |
| <i>unicolor</i> Horn 70-96           | México       |
|                                      | U. S. A.     |
| <i>Anidrytus</i> Gerst. 58-256       |              |
| <i>amazonicus</i> Gorch. 73-46       | Brasil       |
|                                      | Paraguay     |
| <i>angustulus</i> Gerst. 58-269      | Colombia     |
| <i>bisignatus</i> Gerst. 58-268      |              |
| <i>atratus</i> Gerst. 58-273         | Panamá       |
|                                      | Brasil       |
|                                      | Bolivia      |
|                                      | Paraguay     |
| <i>bipunctatus</i> Gerst. 58-257     | Brasil       |
| <i>championi</i> Gorch. 90-132       | Panamá       |
| <i>concolor</i> Kirsch 76-112        | Perú         |
| <i>contractus</i> Gerst. 58-263      | Costa Rica   |
|                                      | Panamá       |
| <i>decoratus</i> Arrow 20-46         | Guatemala    |
| <i>depressus</i> Gorch. 89-128       |              |
| <i>depressus</i> Gorch. 75-17        | Brasil       |
| <i>dolosus</i> Gorch. 89-127         | Panamá       |
| <i>ephippium</i> Gerst. 58-264       | Panamá       |
| <i>fallaciosus</i> Gorch. 73-47      | Surinam      |
|                                      | Fr. Guiana   |
| <i>fuscus</i> Arrow 20-47            | Brasil       |
| <i>gerstaeckeri</i> Kirsch 76-112    | Perú         |
| <i>glaber</i> Kirsch 76-113          | Perú         |
| <i>guatemalae</i> Arrow 20-46        | Guatemala    |
| <i>helvolus</i> Gerst. 58-272        | Venezuela    |
| <i>hilaris</i> Gerst. 58-271         | Brasil       |
| <i>humeralis</i> Arrow 20-46         | Colombia     |
|                                      | Ecuador      |
|                                      | Perú         |
| <i>humilis</i> Gorch. 73-48          | Nicaragua    |
|                                      | Costa Rica   |
|                                      | Panamá       |
| <i>juvencus</i> Guér. 57-266         | Colombia     |
| <i>latus</i> Chev. 40-317            | Brasil       |
| <i>liquefactus</i> Gorch. 73-47      | Guatemala    |
|                                      | Costa Rica   |
|                                      | Panamá       |
|                                      | Colombia     |
|                                      | Fr. Guiana   |
|                                      | Perú         |
|                                      | Bolivia      |
| <i>lugubris</i> Gerst. 58-270        | Colombia     |
| <i>marginatus</i> Fabr. 01-504       | Fr. Guiana   |
| <i>cinctipennis</i> Guér. 57-267     | Brasil       |
| <i>nigricans</i> Guér. 57-265        | Brasil       |
| <i>nigropiceus</i> Gorch. 89-126     | Costa Rica   |
|                                      | Panamá       |
| <i>nitidularius</i> Gerst. 58-262    | México       |
| <i>ovatus</i> Gerst. 58-262          | Colombia     |
| <i>parallelus</i> Gerst. 58-266      | Brasil       |
| <i>pilosus</i> Arrow 20-47           | Brasil       |
| <i>plagiatus</i> Gerst. 58-259       | Fr. Guiana   |
| <i>quadripunctatus</i> Gorch. 86-159 | Brasil       |
| <i>spadiceus</i> Guér. 57-266        | Colombia     |
| <i>unicolor</i> Kirsch 76-111        | Perú         |
| <i>variegatus</i> Guér. 57-266       | Brasil       |
| <i>singularis</i> Gerst. 58-260      |              |
| sp. (Gorch. 98-337)                  | Grenada      |

- Eptopterus** Chevr. 44-380  
 bifasciatus Pic 31-9.....Venezuela  
 clara Gorch. 74-442.....Brasil  
 comptus Gorch. 90-130.....Nicaragua  
 cucullinus Gorch. 73-49.....Brasil  
 decempunctatus Gerst. 58-290.....Colombia  
 decoratus Kirsch 76-114.....Perú  
     Bolivia  
 dilectus Gorch. 75-16.....Ecuador  
 dives Gorch. 74-443.....Brasil  
 egnus Gorch. 86-160.....Brasil  
 ephippiger Gorch. 86-160.....Brasil  
 fallax Gerst. 58-287.....Brasil  
 fasciatus Fabr. 01-570.....Brasil  
 geminus Gerst. 58-279.....Colombia  
 geniculatus Pic 31-9.....Bolivia  
 histrio Gerst. 58-292.....Br. Guiana  
     Fr. Guiana  
 lineoguttatus Gorch. 86-161.....Brasil  
 ocellatus Oliv. 91-437.....Colombia  
     Fr. Guiana  
     Brasil  
     v. annulatus Guér. 57-268.....Brasil  
     v. differens Pic 31-10.....Bolivia  
     *differens* Pic 32-20  
     v. maculosus Gorch. 90-129.....México  
     *maculosus* Csiki 10-47.....Br. Honduras  
     Guatemala  
     Nicaragua  
     Panamá  
     Colombia  
 pantherinus Gorch. 90-131.....Panamá  
 partitus Gerst. 58-277.....México  
     Nicaragua  
     Costa Rica  
     U. S. A.  
 pictus Perty 32-111.....Brasil  
 quaesitus Gorch. 73-51.....Brasil  
 rubiginosus Gerst. 58-291.....Fr. Guiana  
     Brasil  
 ryei Gorch. 73-50.....Brasil  
 scalaris Gorch. 90-130.....Nicaragua  
     Panamá  
 signaticollis Gerst. 58-280.....Colombia  
     Venezuela  
 testudinarius Gorch. 73-48.....Colombia  
     Brasil  
 tigrinus Gerst. 58-278.....Brasil  
 undulatus Guér. 57-269.....Brasil  
     Bolivia  
     Argentina  
 vacuus Gerst. 58-283.....Fr. Guiana  
 variegatus Er. 47-184.....Perú  
 vernicatus Gerst. 58-285.....Brasil  
 vicinus Pic 31-9.....Bolivia
- STENOTARSINI**
- Ephebus** Gerst. 58-293  
 cardinalis Gerst. 58-294.....Colombia  
     Venezuela  
 chontalesianus Gorch. 90-132.....Guatemala  
     Nicaragua  
     Costa Rica  
     Panamá  
     Br. Guiana  
 convexiusculus Gerst. 58-296.....Brasil  
 hirtulus Gerst. 58-297.....Brasil  
 ignobilis Gorch. 75-17.....Fr. Guiana  
 piceus Gorch. 90-131.....Guatemala  
 pumilus Gerst. 58-297.....Colombia  
 terminatus Gerst. 58-295.....Colombia
- Stenotarsus** Perty 32-112  
     *Quirinus* Thoms. 57-157  
     *Systaecha* Gorch. 90-132  
 adumbratus Gorch. 73-63.....Costa Rica  
     Panamá  
     Colombia  
 amazonicus Pic 36-8.....Brasil  
 angustulus Gerst. 58-327.....Brasil  
 anisotomoides Gerst. 58-328.....Colombia  
 ardens Gerst. 58-305.....Brasil  
 argentinus Pic 22-9.....Argentina  
 atricollis Pic 36-9.....Brasil  
     Bolivia  
 attenuatus Achard 26-142.....Perú  
 aureolus Gerst. 58-314.....Brasil  
     Paraguay  
 auricomus Gorch. 73-63.....Venezuela  
 baeri Pic 22-9.....Perú  
 bicoloriceps Pic 24-87.....Brasil  
 boliviensis Pic 36-8.....Bolivia  
 brevicollis Perty 32-112.....Brasil  
 brunneus Gorch. 73-54.....Colombia  
 caracasensis Pic 36-9.....Venezuela  
 chitriquinus Arrow 20-51.....Panamá  
 circumdatus Gerst. 58-323.....México  
     v. tarsalis Gorch. 90-137.....México  
 clavicornis Pic 36-10.....Bolivia  
 claviger Gerst. 58-331.....Brasil  
 coccineus Gerst. 58-302.....Colombia  
 conspicuus Kirsch 76-114.....Perú  
 crassicornis Gerst. 58-309.....Brasil  
 cuprivestis Gorch. 90-139.....Panamá  
 cyanoptera Gorch. 90-133.....Panamá  
 discipennis Gorch. 90-136.....México  
     Guatemala  
     Costa Rica  
 distinguendus Arrow 20-51.....Guatemala  
 erytloides Gerst. 58-303.....Brasil  
 exiguus Gorch. 90-141.....Br. Honduras  
     Guatemala  
 flavago Gorch. 73-53.....Fr. Guiana  
 flavicornis Gorch. 73-52.....Brasil  
 globosus Guér. 57-270.....México  
     *cordatus* Gorch. 90-134.....Guatemala  
     Honduras  
     Panamá  
     Colombia  
     Br. Guiana  
     Perú  
     Bolivia  
 grandis Gorch. 73-52.....Colombia  
     Bolivia  
 guatemalae Arrow 20-51.....Guatemala  
 ictericus Gerst. 58-307.....Brasil  
 lanuginosus Achard 26-142.....Argentina  
 latemaculatus Pic 38-77.....Argentina  
 latipes Arrow 20-52.....México  
     Guatemala  
 lemnicatus Gorch. 90-139.....Guatemala  
     Costa Rica  
 longulus Gerst. 58-330.....Brasil  
     Paraguay  
     Argentina

## Stenotarsus—Continued.

|                               |              |                                     |              |
|-------------------------------|--------------|-------------------------------------|--------------|
| maculicollis Gerst. 58-333    | Brasil       | varicornis Kirsch 76-116            | Fr. Guiana   |
| malleri Pic 36-9              | Brasil       | ventricosus Gerst. 58-313           | Perú         |
| marginalis Arrow 20-50        | Guatemala    | vulpes Kirsch 76-115                | Fr. Guiana   |
| militaris Gerst. 58-325       | México       | <b>Rhymbus</b> Gerst. 58-347        | Perú         |
| minimus Pic 36-9              | Brasil       | <i>Bystus</i> Guér. 57-270          |              |
| minor Pic 36-8                | Bolivia      | apicalis Gerst. 58-349              | México       |
| minutissimus Pic 36-10        | Bolivia      |                                     | Guatemala    |
| minutus Gerst. 58-332         | Brasil       |                                     | Colombia     |
| mollis Gerst. 58-316          | Brasil       | bruchi Weise 06-231                 | Argentina    |
| nigricans Gorb. 90-135        | Guatemala    | coccinelloides Guér. 57-270         | Colombia     |
| nigricollis Gorb. 73-54       | Fr. Guiana   | decipiens Gorb. 75-21               | Brasil       |
| nigricornis Guér. 57-269      | Fr. Guiana   | drakei Weise 03-206                 | Paraguay     |
| oblongulus Gorb. 90-138       | Guatemala    | fibulatus Gorb. 90-144              | México       |
| obtusus Gerst. 58-310         | Guatemala    | globosus Gorb. 98-337               | Grenada      |
| <i>brevicollis</i> Er. 48-579 | Panamá       | hemisphaericus Gerst. 58-349        | México       |
|                               | Fr. Guiana   |                                     | Br. Honduras |
| orbicularis Gerst. 58-322     | Guatemala    |                                     | Guatemala    |
| ovalis Arrow 20-50            | Guatemala    |                                     | Costa Rica   |
| ovatus Gerst. 58-308          | Brasil       |                                     | Panamá       |
| panamanus Gorb. 90-138        | Panamá       | hirtulus Kirsch 76-132              | Perú         |
| pilatei Gorb. 73-63           | México       | limbatus Gorb. 73-63                | México       |
|                               | Br. Honduras | pallidulus Gerst. 58-351            | Br. Honduras |
|                               | Guatemala    |                                     | Brasil       |
|                               | Nicaragua    | <i>bruchi</i> Weise 06-231          | Panamá       |
|                               | Costa Rica   | <i>coccinelloides</i> Guér. 57-270  | Brasil       |
| planicollis Gerst. 58-329     | Brasil       | <i>decipiens</i> Gorb. 75-21        | Paraguay     |
| purpuratus Gerst. 58-318      | Colombia     | <i>drakei</i> Weise 03-206          | Argentina    |
| <i>macroceras</i> Gorb. 75-18 | Ecuador      | <i>fibulatus</i> Gorb. 90-144       | Argentina    |
| pusillus Gerst. 58-317        | Costa Rica   | <i>globosus</i> Gorb. 98-337        | Fr. Guiana   |
|                               | Fr. Guiana   | <i>hemisphaericus</i> Gerst. 58-349 | St. Vincent  |
| rotundus Arrow 20-52          | Guatemala    | <i>limbatus</i> Gorb. 73-63         | Panamá       |
|                               | Panamá       | <b>Dialexia</b> Gorb. 91-146        |              |
|                               | Colombia     | <i>setulosa</i> Gorb. 91-147        | Guatemala    |
| rubicundus Gerst. 58-321      | Brasil       | <b>Cremnoides</b> Gerst. 58-412     |              |
| rubiginosus Gerst. 58-304     | Brasil       | <i>Catapotia</i> Thoms. 60-13       |              |
| rubrocinctus Gerst. 58-324    | México       | <i>glaber</i> Gerst. 58-414         | Brasil       |
| ruficornis Gerst. 58-306      | Brasil       | <i>laevissima</i> Thoms. 60-14      | México       |
| rutilus Guér. 57-267          | Colombia     |                                     | Guatemala    |
| sallaei Gorb. 73-63           | México       |                                     | Nicaragua    |
|                               | Costa Rica   |                                     | Panamá       |
| scymnoides Gorb. 75-19        | Brasil       |                                     | Ecuador      |
| semifasciatus Pic 36-7        | Brasil       |                                     | Perú         |
| seniculus Gerst. 58-315       | Brasil       | pilifer Mader 36-26                 | Perú         |
| sericatus Gerst. 58-319       | Colombia     | schwabi Mader 36-25                 | Perú         |
| smithi Gorb. 90-140           | México       |                                     |              |
| subtilis Arrow 20-53          | Panamá       |                                     |              |
| testaceicornis Pic 36-8       | Perú         |                                     |              |
| thoracicus Gorb. 90-136       | México       |                                     |              |
| umbrosus Gerst. 58-320        | Colombia     |                                     |              |
| validicornis Gerst. 58-331    | Costa Rica   |                                     |              |

## ENDOMYCHINI

|                              |               |
|------------------------------|---------------|
| <b>Opetius</b> Muls. 51-73   |               |
| <i>fasciatus</i> Muls. 51-73 | South America |

## COCCINELLIDAE

|  |            |                                    |           |
|--|------------|------------------------------------|-----------|
| <b>EPIACHNINAE</b>                     |            |                                    |           |
| <b>Toxotoma</b> Weise 99-257           |            | <i>angustata</i> Muls. 50-720      | Colombia  |
| <i>anticola</i> Weise 99-257           | Perú       |                                    | Venezuela |
| <i>rugulosa</i> Weise 01-273           | Perú       |                                    | Bolivia   |
| <i>venusta</i> Er. 47-184              | Ecuador    | <i>approximata</i> Crotch 74-58    | Ecuador   |
| <i>opacula</i> Crotch 74-57            | Perú       | <i>archidonae</i> Crotch 74-56     | Ecuador   |
| <b>Epilachna</b> Redt. 43-7            |            |                                    | Bolivia   |
| <i>Dira</i> Muls. 50-849               |            | <i>aubéi</i> Muls. 50-810          | México    |
| <i>Soianophila</i> Weise 98-99 (Subg.) |            | <i>axillarlis</i> Muls. 50-707     | Colombia  |
| <i>abrupta</i> Gorb. 97-236            | Costa Rica |                                    | Venezuela |
|  | Panamá     | <i>bang-haasi</i> Weise 95-120     | Bolivia   |
|  | Argentina  | <i>basalis</i> Weise 98-265        | Perú      |
| <i>albovittata</i> Weise 06-228        | Argentina  | <i>batesi</i> Crotch 74-68         | Brasil    |
| <i>amazona</i> Weise 26-7              | Brasil     | a. <i>rufovittata</i> Crotch 74-68 |           |
| <i>amplexata</i> Muls. 50-856          | México     | <i>bisbilineata</i> Weise 26-2     | Perú      |
|  |            | <i>bis-triguttata</i> Muls. 50-719 | Perú      |

- Epilachna**—Continued.
- bituberculata* Waterh. 79-429.....Colombia  
*pustulifera* Gorb. 97-237.....Ecuador
- bizonata* Crotch 74-61.....Bolivia  
*boliviana* Weise 95-123.....Nicaragua  
*bonplandi* Muls. 50-721.....Colombia  
*quadriplagiata* Latr. 11-231.....Perú  
*a. acuminata* Muls. 53-240.....Colombia  
*a. bourcierii* Muls. 50-725.....México  
*a. caucaensis* Weise 26-5.....Br. Honduras  
*borealis* Fabr. 75-82.....Guatemala  
Honduras  
Nicaragua  
Costa Rica  
Panamá  
\* I. Taboga  
Colombia  
Venezuela  
Brasil  
Argentina  
Cuba  
U. S. A.
- a. aequinoxialis* Muls. 50-824.....Guatemala  
Costa Rica  
Colombia  
Argentina  
México  
Colombia
- a. distincta* Weise 90-21.....Colombia  
Colombia
- a. immaculicollis* Chev. 34-70.....México  
Colombia  
Brasil
- a. indiga* Muls. 50-828.....México  
*a. indiscreta* Muls. 55-235.....Colombia  
*a. particollis* Muls. 50-810.....?México  
*a. punctatissima* Weber 01-48.....México  
*a. tredecimnotata* Latr. 33-67.....Colombia
- buckleyi* Crotch 74-57.....Ecuador  
*cacica* Guér. 42-319.....Colombia  
Brasil  
Perú  
Bolivia  
Paraguay  
Argentina
- a. praecincta* Er. 47-183.....Perú  
*serva* Muls. 53-151.....Venezuela  
*cinctipennis* Crotch 74-60.....Venezuela  
*circumcincta* Muls. 50-847.....Brasil  
*circumducta* Muls. 50-854.....Brasil  
*clandestina* Muls. 50-848.....Venezuela  
Brasil
- clarki* Crotch 74-65.....Brasil  
*concentrica* Weise 26-8.....Brasil  
*concolor* Muls. 50-849.....Brasil  
*consularis* Muls. 50-712.....Colombia  
*contempta* Muls. 50-851.....Brasil  
*circumflua* Muls. 50-852.....Argentina  
*convergens* Crotch 74-57.....Ecuador  
Perú
- crotchi* Sicard 12-303.....Bolivia  
*v. pallida* Crotch 74-58.....  
*v. vittigera* Crotch 74-58.....
- cruciata* Muls. 50-708.....Colombia  
Venezuela
- defecta* Muls. 50-733.....México  
Guatemala  
Honduras  
Nicaragua  
Costa Rica  
Panamá  
Colombia  
Brasil  
México
- a. apicalis* Weise 95-124.....  
*a. defectissima* Weise 95-124.....  
*a. defectrix* Weise 95-124.....  
*a. fuscipes* Muls. 50-735.....
- discoldea* Er. 47-183.....Perú  
*discolor* Er. 47-184.....Perú  
*dives* Er. 47-184.....Perú  
Bolivia
- divisa* Weise 99-263.....Perú  
*dorsigera* Er. 47-184.....Perú  
*dubia* Crotch 74-59.....Ecuador  
*erichsoni* Crotch 74-58.....Panamá  
*eusema* Weise 06-193.....Argentina  
*extrema* Crotch 74-65.....Ecuador  
*fausta* Er. 46-184.....Ecuador  
*inconstans* Crotch 74-56.....Perú  
*a. bifasciata* Sicard 10-384.....
- fenestrata* Er. 47-183.....Colombia  
Perú
- flavofasciata* Lap. 40-524.....Colombia  
*humeralis* Latr. 11-229.....Venezuela  
*proteus* Guér. 42-319.....Brasil  
Perú  
Bolivia
- a. azurea* Lap. 40-524.....  
*a. blanda* Muls. 50-714.....  
*a. cincta* Weise 98-128.....  
*a. consularis* Muls. 50-714.....  
*a. equestris* Guér. 42-319.....  
*a. suturalis* Weise 93-96.....
- fryi* Crotch 74-61.....Ecuador  
*freyi* Kor. 31-62.....
- fuscopilosa* Weise 02-163.....Perú  
*gemina* Weise 99-259.....Colombia  
Perú
- geometrica* Weise 99-264.....Perú  
*gibbula* Weise 02-166.....Bolivia  
*gossypiata* Muls. 50-857.....Bolivia  
*graphis* Weise 06-228.....Bolivia  
*holmgreni* Weise 26-2.....Bolivia  
*honestia* Weise 99-262.....Perú  
*humboldtii* Muls. 50-724.....Bolivia  
*ignobilis* Weise 02-161.....Perú  
*imperlecta* Crotch 74-56.....Perú  
*inepta* Gorb. 98-245.....México  
*inseta* Weise 99-263.....Colombia  
*languida* Weise 99-258.....Ecuador  
Perú
- latimargo* Weise 26-5.....Colombia  
*lepida* Er. 47-184.....Colombia  
Perú  
*v. mendosa* Weise 99-259.....Brasil  
*lineatopunctata* Germ. 24-618.....Bolivia  
*lorata* Weise 95-121.....Bolivia  
*madida* Muls. 50-710.....Colombia  
*nigrofasciata* Muls. 53-233

|   |                         |
|---|-------------------------|
| <i>Epilachna</i> —Continued.            |                         |
| marginella Fabr. 87-53.....             | Colombia                |
| <i>albicincta</i> Germ. 24-619.....     | Venezuela               |
| <i>palliatu</i> Fabr. 03-32.....        | Fr. Guiana              |
|   | Brasil                  |
|   | Bolivia                 |
| mexicana Guér. 42-319.....              | México                  |
|   | U. S. A.                |
| <i>a. dealbata</i> Weise 95-124.....    |                         |
| <i>a. fulvitaris</i> Weise 95-124.....  |                         |
| miris Muls. 50-853.....                 | México                  |
|   | Guatemala               |
| mutabilis Crotch 74-60.....             | Ecuador                 |
| nigripes Weise 95-124.....              | Ecuador                 |
| nigrocincta Muls. 50-716.....           | México                  |
| nigrovittata Crotch 74-60.....          | Ecuador                 |
| nuclua Weise 02-161.....                | Perú                    |
| obscurella Muls. 50-809.....            | México                  |
| <i>tenebricosa</i> Muls. 50-809.....    |                         |
| obscurocincta Klug 29-10.....           | Brasil                  |
|   | Bolivia                 |
|   | Paraguay                |
| octoverrucata Muls. 50-718.....         | Colombia                |
| olivacea Muls. 50-808.....              | México                  |
|   | Guatemala               |
| opulenta Weise 02-163.....              | Perú                    |
| ostensa Weise 02-164.....               | Perú                    |
| pachiteensis Weise 26-3.....            | Perú                    |
| paenulata Germ. 24-618.....             | Brasil                  |
|   | Uruguay                 |
|   | Argentina               |
| <i>v. ustulata</i> Weise 98-236.....    | Brasil                  |
|   | Argentina               |
| parvicollis Csy. 99-168.....            | Bolivia                 |
| passiva Weise 99-261.....               | Colombia                |
| pastica Weise 02-165.....               | Perú                    |
| patricia Muls. 50-717.....              | <sup>13</sup> St. Croix |
|   | Bolivia                 |
|   | Argentina               |
| patula Muls. 50-796.....                | México                  |
| <i>a. nigripennis</i> Weise 95-124..... |                         |
| peltata Er. 47-183.....                 | Ecuador                 |
|   | Perú                    |
| perdubia Weise 26-4.....                | Bolivia                 |
| persimilis Crotch 74-56.....            | Perú                    |
| pernyi Crotch 74-67.....                | South America           |
| peruviana Crotch 74-57.....             | Perú                    |
| picescens Gorb. 97-238.....             | Panamá                  |
| pictipennis Crotch 74-60.....           | Colombia                |
| <i>a. cordula</i> Weise 98-235.....     | Colombia                |
| pilifera Weise 95-122.....              | Perú                    |
|   | Bolivia                 |
|   | Argentina               |
| placida Muls. 50-950.....               | Argentina               |
| plagiata Gorb. 97-238.....              | Costa Rica              |
|   | Panamá                  |
| polluta Muls. 50-870.....               | México                  |
| praecincta Er. 47-183.....              | Perú                    |
| propinqua Weise 98-266.....             | Perú                    |
| pruinosa Er. 47-184.....                | Perú                    |
| pulchra Weise 99-262.....               | Perú                    |
| punctatissima Weise 06-193.....         | Argentina               |
| <i>a. tetraspila</i> Weise 22-33.....   |                         |
| radiata Guér. 42-318.....               | Colombia                |
| riveti Sicard 10-384.....               | Ecuador                 |
| sanguinea Brèthes 25-6.....             | Brasil                  |
| scapularis Muls. 50-705.....            | Colombia                |
|   | Venezuela               |
| <i>a. stolata</i> Muls. 50-704.....     |                         |
| sellata Weise 95-123.....               | Colombia                |
|   | Brasil                  |
|   | Bolivia                 |
| sexlineata Weise 98-235.....            | Bolivia                 |
|   | Chaco                   |
| sexmaculata Kirsch 76-125.....          | Perú                    |
| simillima Crotch 74-63.....             | Colombia                |
| spretu Muls. 50-845.....                | Colombia                |
|   | Brasil                  |
| <i>a. illusa</i> Muls. 50-846.....      |                         |
| staudingeri Weise 02-162.....           | Perú                    |
| striola Weise 02-162.....               | Perú                    |
| subcincta Muls. 50-857.....             | Colombia                |
| tomentosa Muls. 50-858.....             | Fr. Guiana              |
| <i>pubiventris</i> Muls. 53-260.....    | Brasil                  |
| trisis Gorb. 97-239.....                | México                  |
| tumida Gorb. 97-237.....                | Costa Rica              |
| univittata Crotch 74-59.....            | Ecuador                 |
| vanpatteni Gorb. 98-244.....            | Guatemala               |
|   | Costa Rica              |
| variabilis Crotch 74-55.....            | Perú                    |
|   | Bolivia                 |
| varivestis Muls. 50-815.....            | México                  |
| <i>cervina</i> Muls. 50-817.....        | Guatemala               |
| <i>corrupta</i> Muls. 50-815.....       | Costa Rica              |
| <i>cuprea</i> Coq. 18-153.....          | Panamá                  |
| <i>difficilis</i> Muls. 50-818.....     | U. S. A.                |
| <i>genuina</i> Muls. 50-817.....        |                         |
| <i>juncta</i> Joh. 10-79.....           |                         |
| <i>maculiventris</i> bland 64-72.....   |                         |
| <i>modesta</i> Muls. 50-817.....        |                         |
| <i>murina</i> Muls. 50-814.....         |                         |
| <i>varipes</i> Muls. 50-812.....        |                         |
| velata Er. 47-183.....                  | Perú                    |
|   | Bolivia                 |
| velutina Oliv. 08-1039.....             | Guiana                  |
| vincta Crotch 74-63.....                | México                  |
|   | Br. Honduras            |
|   | Guatemala               |
|   | Costa Rica              |
| <i>a. calligrapta</i> Gorb. 97-240..... | Panamá                  |
| virgata Muls. 50-855.....               | Guatemala               |
|   | Panamá                  |
|   | Colombia                |
|   | Venezuela               |
| viridilineata Crotch 74-55.....         | Perú                    |
|   | Ecuador                 |
| viridinitens Crotch 74-55.....          | Perú                    |
| vittigera Weise 99-264.....             | Perú                    |
| V-pallidum Blanch. 43-214.....          | Perú                    |
|   | Bolivia                 |
| vulnerata Gorb. 98-243.....             | México                  |
| walteri Sicard 12-507.....              | Colombia                |
| weisci Sicard 12-129.....               | Bolivia                 |
| zonula Muls. 50-854.....                | Brasil                  |
| Mada Muls. 50-858.....                  |                         |
| <i>fraterna</i> Muls. 50-858.....       | Fr. Guiana              |
| <i>carmelitana</i> Muls. 53-258.....    |                         |
| <i>guinoni</i> Muls. 53-260.....        |                         |
| <i>a. sororia</i> Muls. 50-859.....     |                         |
| glaucina Muls. 50-860.....              | Brasil                  |
| porioides Weise 99-266.....             | Colombia                |
| rufiventris Muls. 50-859.....           | Brasil                  |
| <i>fairmairei</i> Muls. 50-859.....     |                         |

<sup>13</sup> Virgin Islands (W. I.).



## COCCINELLINAE

## COCCIDULINI

- Eremochilus* Weise 12-117  
*peregrinus* Weise 12-118.....Bolivia
- Coccidula* Gyll. 27-216  
*Cacicula* Steph. 31-397  
*Sirongyllus* Panz. 13-114  
(not Mull., 1780)  
*ferruginea* Gorb. 88-264.....México  
sp. (Gorham 99-265).....Argentina  
Chile
- Psorolyma* Sicard 22-358  
*maxillosa* Sicard 22-360.....Puerto Rico
- Botynella* Weise 91-286  
*quadripunctata* Weise 91-287.....Cuba  
*quinquepunctata* Weise 91-287.....Cuba
- Bura* Muls. 50-374  
*cuprea* Muls. 50-419.....Hispaniola
- Geodimmockius* Chpn. 30-489  
*explanatus* Chpn. 30-490.....Cuba
- Lindorus* Csy. 99-161  
*lophanthae* Blaisd. 92-51.....Chile
- Nothorhizobius* Brèthes 24-173  
*ruficollis* Brèthes 24-173.....Argentina
- Rhizobius* Steph. 31-396  
*Nundina* Dej. 36-462  
*unguicularis* Weise 22-39.....Argentina
- Neorhizolius* Crotch 74-300  
*fuegensis* Brèthes 25-16.....T. del Fuego  
*sanguinolentus* Germain 54-336.....Chile  
*chilensis* Crotch 74-300
- Auladoria* Brèthes 25-13  
*arrowi* Brèthes 25-15.....Brasil
- Dioria* Muls. 50-931  
*anomala* Crotch 74-296.....Brasil  
*setigera* Muls. 50-937.....Brasil  
*sordida* Muls. 50-937.....México  
Panamá  
Chile  
*zonata* Kirsch 76-127.....Perú
- Aulis* Muls. 50-931  
*Sidoris* Muls. 50-935 (Subg.)  
*circumcincta* Crotch 74-294.....Brasil  
*consanguinea* Muls. 50-935.....Colombia  
*guttata* Sicard 12-137.....Brasil  
*lineatosignata* Muls. 50-936.....Brasil  
*rufovittata* Muls. 53-263.....Brasil
- Hazasia* Weise 16-38  
*Hazis* Muls. 50-1001  
*menouxi* Muls. 50-1001.....Brasil
- NOVIINI
- Vedalia* Muls. 50-901  
*sieboldi* Muls. 50-905.....México
- Rodolia* Muls. 50-901  
*cardinalis* Muls. 50-906.....Puerto Rico  
U. S. A.  
Old World
- ORTALIINI
- Poria* Muls. 50-884  
*amazonica* Crotch 74-290.....Brasil  
*batesi* Crotch 74-290.....Brasil  
*caesia* Muls. 50-887.....Brasil  
*chiriouensis* Gorb. 94-207.....Panamá
- chrysmeloides* Muls. 50-888.....Brasil  
*chrysmelina* Weise 99-271
- circumflexa* Muls. 50-889.....Venezuela  
*collaris* Weise 95-130.....Colombia  
*coxalis* Muls. 50-887.....Costa Rica  
Venezuela  
Brasil
- cuprea* Gorb. 94-207.....Panamá  
*cyanea* Muls. 50-885.....Brasil  
*detrita* Gorb. 95-209.....Panamá  
*deyrollei* Crotch 74-290.....Brasil  
*haematomela* Crotch 74-289.....Brasil  
Perú
- haematura* Muls. 50-886.....Brasil  
a. *azurea* Muls. 50-886.....México
- marginithorax* Crotch 74-276.....México  
*picipes* Weise 95-129.....Brasil  
*rubens* Weise 99-271.....Perú  
*rubicunda* Gorb. 95-208.....Panamá  
*sallei* Crotch 74-289.....México  
Guatemala
- sanguinolenta* Gorb. 95-209.....Panamá  
*sanguinitarsis* Muls. 50-885.....Nicaragua  
Colombia  
Brasil
- stellaris* Gorb. 99-262.....Panamá  
*togata* Muls. 50-888.....Brasil  
*violacea* Weise 96-368.....Venezuela
- Eupalea* Muls. 50-884  
*boliviana* Weise 95-130.....Belivia  
*conglomerata* Crotch 74-291.....Brasil  
*formosa* Mulsant 50-890.....Colombia  
*freyi* Crotch 74-291.....Brasil  
*intermedia* Crotch 74-291.....Brasil  
*mniszewi* Crotch 74-290.....Colombia  
*peregrina* Weise 22-38.....Argentina  
*picta* Guér. 42-319.....México  
Guatemala  
Venezuela  
*suffriani* Muls. 50-891.....Brasil  
*venusta* Weise 99-271.....Perú
- Ortalista* Gorb. 97-224  
*germana* Gorb. 97-224.....Guatemala  
*immersa* Gorb. 97-225.....México  
Panamá
- obesa* Gorb. 97-224.....Panamá  
*pexa* Gorb. 97-225.....México  
Guatemala  
Nicaragua  
\* Is. Perlas  
Panamá
- rubida* Gorb. 97-224.....Panamá
- Zenoria* Muls. 50-893  
*circumclusa* Gorb. 99-262.....Panamá  
*delicatula* Weise 10-60.....Brasil  
*discoidalis* Kirsch 76-127.....Brasil  
*major* Crotch 74-278.....?  
*pilosula* Muls. 50-900.....Colombia  
*ratzeburgi* Muls. 50-898.....Brasil  
*revestita* Muls. 50-900.....Brasil  
a. *lineolata* Muls. 50-900.....
- rodoloides* Crotch 74-277.....Brasil  
*subcostalis* Muls. 50-899.....Colombia
- Pseudoladoria* Crotch 74-278  
*simulans* Crotch 74-278.....Brasil  
*peruviana* Kirsch 76-125.....Perú
- Cinachyra* Gorb. 99-263  
*picta* Gorb. 99-263.....México

|   |                           |
|---|---------------------------|
| <b>Prodilis</b> Muls. 50-893              |                           |
| <i>Ancaporia</i> Csy. 08-407 (Subg.)      |                           |
| <i>Neaporia</i> Gorb. 97-217              |                           |
| <i>amabilis</i> Gorb. 97-220              | Guatemala                 |
| <i>argentifrons</i> Gorb. 97-220          | México                    |
|   | Guatemala                 |
| <i>arrowi</i> Brèthes 25-207              | Brasil                    |
| <i>caerulea</i> Gorb. 97-219              | Panamá                    |
| <i>chiriquensis</i> Gorb. 97-222          | Panamá                    |
| <i>coelestis</i> Gorb. 97-223             | Panamá                    |
| <i>compta</i> Gorb. 97-222                | Panamá                    |
| <i>cribrata</i> Gorb. 97-219              | México                    |
| <i>cubrea</i> Gorb. 97-223                | Guatemala                 |
| <i>gorhami</i> Brèthes 25-208             | Brasil                    |
| <i>guatemalana</i> Gorb. 97-222           | México                    |
|   | Guatemala                 |
| <i>indagator</i> Gorb. 97-218             | Guatemala                 |
|   | Panamá                    |
| <i>maculata</i> Weise 02-175              | Perú                      |
| <i>metallica</i> Gorb. 97-219             | Panamá                    |
| <i>pallidifrons</i> Muls. 50-898          | Colombia                  |
| <i>plagioderina</i> Gorb. 97-218          | Panamá                    |
| <i>pubescens</i> Gorb. 97-221             | Panamá                    |
| <i>rugosa</i> Gorb. 97-221                | Panamá                    |
| <i>unipunctata</i> Gorb. 97-221           | Panamá                    |
| <i>viridescens</i> Gorb. 97-223           | Panamá                    |
| <b>Prodiloides</b> Weise 00-442           |                           |
| <i>bipunctata</i> Weise 22-36             | Paraguay                  |
| <b>SCYMNINI</b>                           |                           |
| <b>Stictospilus</b> Brèthes 24-153        |                           |
| <i>darwini</i> Brèthes 24-154             | Chile                     |
| <b>Stethorus</b> Weise 85-65              |                           |
| <i>ogloblini</i> Nunen. 37-182            | Argentina                 |
| <i>punctum</i> LeC. 52-141                | Puerto Rico               |
| <i>utilis</i> Horn 95-107                 | Cuba                      |
| <b>Clitostethus</b> Weise 85-65           |                           |
| <i>Clitostethus</i> Kor. 31-114           |                           |
| <i>dispar</i> Sicard 29-530               | Br. Guiana                |
| <b>Scymnus</b> Kugel. 94-545              |                           |
| <i>Anisoscymnus</i> Crotch 74-273         |                           |
| <i>Dionus</i> Muls 50-951 (Subg.)         |                           |
| <i>Nephopullus</i> Brèthes 24-167 (Subg.) |                           |
| <i>Scymnobius</i> Csy. 99-139 (Subg.)     |                           |
| <i>aeneipennis</i> Sicard 29-521          | <sup>6</sup> Trinidad     |
| <i>albicollis</i> Muls. 50-953            | South America             |
| <i>alipes</i> Muls. 50-998                | Colombia                  |
| <i>apicalis</i> Muls. 50-987              | México                    |
| <i>plorans</i> Muls. 53-282               | Guatemala                 |
|   | Colombia                  |
|   | Brasil                    |
| <i>apparitorius</i> Weise 22-39           | Argentina                 |
| a. <i>clienis</i> Weise 22-39             |                           |
| <i>argentinicus</i> Weise 06-230          | Argentina                 |
| <i>assentator</i> Brèthes 25-213          | Argentina                 |
| <i>atomus</i> Muls. 50-998                | México                    |
| <i>auritulus</i> Muls. 50-985             | México                    |
|   | Guatemala                 |
| <i>aztecus</i> Csy. 24-172                | México                    |
| <i>bahiensis</i> Kor. 31-155              | Brasil                    |
| <i>brasiliensis</i> Brèthes 24-162        |                           |
| <i>bicolor</i> Phil. 54-335               | Chile                     |
| <i>bicoloratus</i> Kor. 31-155            | Panamá                    |
| <i>bicolor</i> Sicard 28-299              |                           |
| <i>bijugus</i> Fall 09-162                | Baja Calif.               |
| <i>bilucernarius</i> Muls. 50-997         | México                    |
| <i>pictus</i> Gorb. 97-231                | <sup>4</sup> Is. Perlas   |
| <i>bisbinotatus</i> Gorb. 97-230          | Guatemala                 |
| <i>brasilicola</i> Brèthes 24-165         | Brasil                    |
| <i>brasiliensis</i> Weise 29-33           | Brasil                    |
| <i>morio</i> Muls. 30-954                 |                           |
| <i>bugabensis</i> Gorb. 97-228            | Panamá                    |
| <i>caeruleicollis</i> Champ. 13-124       | Panamá                    |
| <i>caseyi</i> Brèthes 24-170              | Brasil                    |
| <i>coloratus</i> Gorb. 97-231             | México                    |
|   | Guatemala                 |
|   | Panamá                    |
| <i>convexus</i> Nunen. 37-182             | Argentina                 |
| <i>corpuseculus</i> Gorb. 97-233          | México                    |
| <i>cribripennis</i> Champ. 13-123         | México                    |
| <i>curviger</i> Kirsch 76-128             | Perú                      |
| <i>cyanipennis</i> Muls. 50-952           | Antigua                   |
| <i>darwini</i> Brèthes 24-168             | Uruguay                   |
| <i>discimacula</i> Kirsch 76-129          | Perú                      |
| <i>distinctus</i> Csy. 24-176             | Cuba                      |
| <i>bruneri</i> Chpn. 30-494               |                           |
| <i>diversus</i> Gorb. 97-234              | Guatemala                 |
| <i>dubius</i> Weise 29-33                 | México                    |
| <i>ferrugineus</i> Gorb. 97-227           | Guatemala                 |
|   | <sup>4</sup> Is. Perlas   |
| <i>duplicatus</i> Csy. 24-173             | México                    |
| <i>ecuadoricus</i> Sicard 10-385          | Ecuador                   |
| <i>effusus</i> Brèthes 24-165             | Brasil                    |
| <i>electus</i> Brèthes 25-10              | Brasil                    |
| <i>errator</i> Brèthes 25-213             | Argentina                 |
| <i>floralis</i> Fabr. 92-260              | Puerto Rico               |
| <i>fonscolombi</i> Muls. 50-974           | Brasil                    |
| <i>fructuosus</i> Brèthes 25-209          | Brasil                    |
| <i>galapagoensis</i> Waterh. 45-41        | Is. Galápagos             |
| <i>genialis</i> Brèthes 24-166            | Brasil                    |
| <i>gilberti</i> Brèthes 24-168            | Chile                     |
| <i>gilvipes</i> Weise 29-34               | <sup>6</sup> Trinidad     |
| <i>gorhami</i> Weise 29-33                | México                    |
| <i>asperus</i> Gorb. 97-234               | Guatemala                 |
| <i>granum</i> Gorb. 97-233                | Guatemala                 |
| <i>grenadensis</i> Gorb. 98-342           | Grenada                   |
| <i>grumus</i> Gorb. 97-233                | Guatemala                 |
| <i>guadalupensis</i> Blais. 25-327        | <sup>1</sup> I. Guadalupe |
| <i>hians</i> Brèthes 24-171               | Brasil                    |
| <i>høgei</i> Gorb. 97-230                 | México                    |
| <i>horni</i> Gorb. 97-229                 | México                    |
|   | Guatemala                 |
|   | Panamá                    |
|   | U. S. A.                  |
| <i>inclytus</i> Muls. 53-277              | Brasil                    |
| <i>janeirensis</i> Brèthes 24-163         | México                    |
| <i>jansoni</i> Gorb. 97-229               | México                    |
|   | Nicaragua                 |
| <i>quadrinaculatus</i> Kirsch 76-131      | Perú                      |
| <i>labiatius</i> Kirsch 76-129            | Perú                      |
| <i>laboulbènei</i> Muls. 50-992           | Brasil                    |
| <i>limbaticollis</i> Muls. 50-988         | Brasil                    |
|   | Uruguay                   |
| <i>locuples</i> Brèthes 25-212            | Argentina                 |
| <i>loewi</i> Muls. 50-980                 | México                    |
|   | Guatemala                 |
|   | Puerto Rico               |
|   | Antigua                   |
|   | <sup>12</sup> Montserrat  |
|   | U. S. A.                  |
| <i>macula</i> Germain 54-335              | Chile                     |

<sup>1</sup> Baja California (México).<sup>4</sup> Panamá.<sup>6</sup> Venezuela.<sup>12</sup> West Indies.



## Zilus—Continued.

|                                   |             |
|-----------------------------------|-------------|
| <i>fulvipes</i> Muls. 50-958      | Fr. Guiana  |
| <i>gilvifrons</i> Chpn. 30-493    | Puerto Rico |
| <i>iris</i> Chpn. 30-491          | Cuba        |
| <i>splendidus</i> Chpn. 30-491    | Cuba        |
| <i>viridimicans</i> Sicard 22-357 | Jamaica     |

## CRANOPHORINI

## Cranoryseus Brêthes 23-455

|                                      |           |
|--------------------------------------|-----------|
| <i>flavomarginatus</i> Crotch 74-293 | Patagonia |
| <i>germaini</i> Crotch 74-292        | Chile     |
| <i>variegatus</i> Phil. 64-404       | Argentina |
| <i>chilensis</i> Crotch 74-292       | Chile     |
| <i>fairmairei</i> Crotch 74-292      |           |
| <i>varius</i> Crotch 74-293          |           |

## Orynipus Brêthes 24-158

|                                |                         |
|--------------------------------|-------------------------|
| <i>darwinii</i> Brêthes 24-158 | <sup>10</sup> I. Chiloe |
|--------------------------------|-------------------------|

## Oryseomus Muls. 50-939

|                                   |              |
|-----------------------------------|--------------|
| <i>deyrollei</i> Crotch 74-292    | Brasil       |
| <i>melzeri</i> Kor. 35-255        | Brasil       |
| <i>subterminatus</i> Muls. 50-939 | Br. Honduras |
|                                   | Guatemala    |
|                                   | Panamá       |
|                                   | Colombia     |
|                                   | Venezuela    |
| <i>variabilis</i> Kor. 34-35      | Chile        |

## HYPERASPINI

## Hinda Muls. 50-517

|  |            |
|--|------------|
| <i>buqueti</i> Muls. 50-542              | Brasil     |
| <i>decas</i> Weise 02-171                | Colombia   |
| <i>designata</i> Muls. 50-518            | Colombia   |
| <i>guttipennis</i> Weise 22-33           | Brasil     |
|  | Argentina  |
| <i>modesta</i> Weise 10-59               | Fr. Guiana |
|  | Brasil     |
|  | Bolivia    |
| <i>quinquedecimmaculata</i> Weise 95-127 | Colombia   |
| <i>regularis</i> Er. 47-183              | Perú       |

## Hyperaspis Redt. 43-8

*Clothera* Muls. 50-541 (Subg.)*Hyperaspisidius* Gorch. 94-203

(not Crotch, 1873)

|                                   |                         |
|-----------------------------------|-------------------------|
| <i>abendrothi</i> Kirsch 76-124   | Perú                    |
| <i>adelaida</i> Gorch. 94-201     | México                  |
|                                   | Guatemala               |
| <i>adhaerens</i> Muls. 50-575     | Venezuela               |
| <i>albicollis</i> Gorch. 94-201   | Panamá                  |
|                                   | <sup>4</sup> I. Taboga  |
|                                   | <sup>4</sup> Is. Perlas |
|                                   | Venezuela               |
| <i>albopunctata</i> Crotch 74-229 | Brasil                  |
| <i>aliciae</i> Crotch 74-215      | Brasil                  |
| <i>ambigua</i> Muls. 50-596       | Fr. Guiana              |
| <i>andicola</i> Kirsch 83-212     | Colombia                |
| <i>arcualis</i> Muls. 53-214      | South America           |
| <i>argentina</i> Weise 22-34      | Argentina               |
| <i>armandi</i> Muls. 50-617       | Brasil                  |
| <i>arrowsi</i> Brêthes 25-205     | Argentina               |
| <i>a. darwini</i> Brêthes 25-13   |                         |
| <i>balsasia</i> Csy. 24-166       | México                  |
| <i>bicruciatata</i> Muls. 50-664  | Panamá                  |
|                                   | Colombia                |
| <i>biguttata</i> Sicard 12-136    | Brasil                  |

|                             |            |
|-----------------------------|------------|
| <i>billoti</i> Muls. 50-619 | México     |
|                             | Guatemala  |
|                             | Nicaragua  |
|                             | Costa Rica |
|                             | Brasil     |
|                             | Argentina  |

|   |                              |
|---|------------------------------|
| <i>a. bourdini</i> Muls. 50-620         |                              |
| <i>a. groendali</i> Muls. 50-620        |                              |
| <i>a. parva</i> Muls. 50-620            |                              |
| <i>biquadrina</i> Brêthes 25-2          | Brasil                       |
| <i>bisquinquepustulata</i> Fabr. 01-384 | Brasil                       |
| <i>blandula</i> Weise 02-172            | Perú                         |
| <i>boliviana</i> Weise 10-52            | Bolivia                      |
| <i>bromelicola</i> Sicard 25-81         | Panamá                       |
| <i>brucki</i> Muls. 71-321              | Colombia                     |
| <i>calderana</i> Gorch. 94-199          | Panamá                       |
| <i>camelina</i> Crotch 74-217           | Brasil                       |
| <i>carolinae</i> Crotch 74-220          | Brasil                       |
| <i>pardalis</i> Kirsch 76-122           | Perú                         |
| <i>castelnaudi</i> Muls. 50-559         | Brasil                       |
| <i>ceciliae</i> Crotch 74-220           | Brasil                       |
| <i>centralis</i> Muls. 50-685           | México                       |
| <i>wickhami</i> Csy. 99-124             | Br. Honduras                 |
|   | Guatemala                    |
|   | Costa Rica                   |
|   | Panamá                       |
|   | <sup>4</sup> I. Taboga       |
|   | U. S. A.                     |
| <i>cercyonoides</i> Gorch. 94-191       | Panamá                       |
| <i>chiriquensis</i> Gorch. 94-193       | Panamá                       |
| <i>cingulata</i> Kor. 31-186            | Perú                         |
| <i>cincta</i> Kirsch 76-121             |                              |
| <i>circaea</i> Muls. 71-325             | Colombia                     |
| <i>cleida</i> Muls. 50-670              | Brasil                       |
| <i>C-nigrum</i> Muls. 50-649            | Brasil                       |
| <i>cognata</i> Muls. 50-545             | Brasil                       |
| <i>collaris</i> Muls. 50-627            | Colombia                     |
| <i>communalis</i> Brêthes 25-4          | Brasil                       |
| <i>compedita</i> Muls. 50-631           | México                       |
| <i>compta</i> Muls. 50-594              | Colombia                     |
| <i>conclusa</i> Weise 06-197            | Argentina                    |
| <i>connectens</i> Thunb. 08-157         | México                       |
| <i>lengi</i> Schaeff. 05-144            | Guatemala                    |
|   | Nicaragua                    |
|   | Jamaica                      |
|   | Puerto Rico                  |
|   | <sup>14</sup> St. Barthélemy |
|   | <sup>14</sup> St. Eustatius  |
|   | <sup>14</sup> St. Kitts      |
|   | U. S. A.                     |
| <i>cordifera</i> Weise 95-128           | Paraguay                     |
|   | Argentina                    |
| <i>coronata</i> Gorch. 24-194           | Panamá                       |
| <i>crucifera</i> Muls. 50-555           | Brasil                       |
| <i>decemsignata</i> Muls. 50-607        | Fr. Guiana                   |
| <i>punctum</i> Muls. 53-218             | Brasil                       |
| <i>decemverrucata</i> Muls. 50-603      | Colombia                     |
|   | Brasil                       |
| <i>a. consanguis</i> Muls. 50-605       |                              |
| <i>devillei</i> Muls. 50-560            | Brasil                       |
| <i>deyrollei</i> Crotch 74-229          | México                       |
|   | Br. Honduras                 |
|   | Brasil                       |
| <i>dilatata</i> Crotch 74-213           | Fr. Guiana                   |
|   | Brasil                       |
| <i>disjuncta</i> Csy. 24-168            | México                       |

<sup>4</sup> Panamá.<sup>10</sup> Chile.<sup>14</sup> Leeward Islands (W. I.).

## Hyperaspis—Continued.

- distinguenda Muls. 50-622.....Panamá  
Colombia  
Brasil
- diversa Gorb. 94-198.....Nicaragua  
Panamá
- donzeli Muls. 50-638.....Brasil
- durangoensis Csy. 24-167.....México
- ecoffeti Muls. 53-227.....Brasil
- quadrina Muls. 53-228.....Bolivia
- a. fraudulenta Kirsch 76-124.....
- egae Crotch 74-223.....Brasil
- elegantissima Brèthes 25-206.....Argentina
- emiliae Crotch 74-215.....Brasil
- emmae Crotch 74-215.....Brasil
- eupaleoides Crotch 74-224.....Brasil
- exclamationis Muls. 50-654.....Brasil  
Paraguay  
Argentina
- fasciata Fabr. 01-382.....South America
- ferruginiceps Weise 06-229.....Argentina
- festiva Muls. 50-659.....México
- Br. Honduras  
Panamá  
Colombia  
Brasil  
Bolivia  
Argentina  
West Indies  
Grenada  
U. S. A.
- a. apicalis Weise 85-167.....Hispaniola  
Puerto Rico
- a. cincticollis Muls. 50-553.....<sup>4</sup> Is. Perlas  
Colombia  
Grenada
- a. lemniscata Boh. 59-205.....
- fimbriolata Melsh. 47-180.....México
- rufomarginata Muls. 50-661.....U. S. A.
- flavida Muls. 71-324.....Colombia
- flavocalceata Muls. 50-648.....Brasil
- flavoguttata Muls. 50-651.....Brasil  
Chile
- a. appropinquata Muls. 50-653.....
- florifera Vogel 65-234.....Colombia
- funesta Germain 54-335.....Chile
- chilensis Crotch 74-231
- fuscomaculata Muls. 50-569.....Brasil
- gacognii Muls. 50-611.....Brasil  
Argentina
- a. illegitima Muls. 50-613.....
- galliardii Muls. 53-201.....Brasil
- gaynoni Muls. 50-615.....Brasil
- gemellata Muls. 71-324.....Colombia
- germaini Crotch 74-228.....Argentina  
Chile
- globula Csy. 99-124.....México
- glyphica Muls. 50-585.....Brasil
- gorhami Kor. 31-189.....México
- kunzei Gorb. 94-197
- gracilis Muls. 50-558.....Brasil
- graminicola Muls. 50-592.....Colombia
- graphica Weise 02-174.....Brasil
- gravabilis Brèthes 25-12.....Brasil
- guatemalensis Gorb. 94-200.....Guatemala
- guilloryi Muls. 50-1040.....Colombia  
Fr. Guiana
- hexastigma Muls. 50-556.....Brasil
- histrionica Muls. 50-629.....Colombia
- humerata Muls. 50-605.....Fr. Guiana
- hybridula Crotch 74-218.....Brasil
- iheringi Weise 10-57.....Brasil
- imperialis Csy. 08-415.....México
- incompleta Crotch 74-225.....Colombia
- ingrata Muls. 50-645.....Brasil
- insignis Crotch 74-226.....Brasil
- invertens Csy. 24-165.....México
- januarii Brèthes 24-161.....Brasil
- jocosa Muls. 50-632.....México  
Panamá  
Colombia  
Brasil  
Perú
- a. bisquatuorpustulata Muls. 50-634.....Colombia
- jucunda Muls. 50-608.....Colombia  
Fr. Guiana  
Brasil
- juniapuca Brèthes 25-5.....Brasil
- laeta Gorb. 99-262.....Panamá
- jocosa Gorb. 94-192  
(not Muls., 1850)
- languida Muls. 50-563.....Colombia
- laqueata Muls. 71-326.....Colombia
- lateralis Muls. 50-657.....México
- flammula Nunen. 11-72.....U. S. A.
- laevipennis Csy. 99-122
- pinguis Csy. 99-122
- laterinotata Brèthes 25-6.....Brasil
- levrati Muls. 50-613.....México
- metator Csy. 08-413.....U. S. A.
- limata Muls. 53-223.....Brasil
- limbifera Muls. 53-205.....Brasil
- lividipes Muls. 53-210.....South America
- longula Weise 22-35.....Argentina
- loricata Muls. 50-544.....Brasil  
Argentina
- lunulata Muls. 50-680.....México
- luteola Muls. 50-563.....Hispaniola  
Colombia
- maculosa Muls. 50-576.....?Colombia
- maisoni Muls. 71-326.....Colombia
- margaritae Crotch 74-219.....Colombia
- mariae Crotch 74-220.....Colombia
- marinarea Gorb. 94-202.....Panamá
- matronata Muls. 53-199.....Brasil
- melanura Muls. 50-562.....Colombia
- micilla Muls. 53-204.....Venezuela
- millierei Muls. 50-597.....Fr. Guiana
- mulstanti Kirsch 76-119.....Perú
- mundula Weise 22-34.....Argentina
- nigripennis Brèthes 25-4.....Brasil
- notata Muls. 50-550.....Brasil
- noticollis Muls. 50-558.....Costa Rica  
Panamá  
Colombia  
Brasil
- octopustulata Fabr. 01-383.....Fr. Guiana  
Brasil
- octupla Muls. 53-208.....Brasil
- onerata Muls. 50-552.....Colombia
- operaria Muls. 53-198.....Brasil

<sup>4</sup> Panamá.

## Hyperaspis—Continued.

|                                    |                 |
|------------------------------------|-----------------|
| ormanceayi Muls. 50-621            | Colombia        |
| ornaticollis Weise 02-173          | Venezuela       |
| osceryi Muls. 50-559               | Brasil          |
| ovatonotata Muls. 50-646           | Brasil          |
| pallax Muls. 50-574                | Venezuela       |
| panamensis Gorb. 94-200            | Panamá          |
| panosae Gorb. 94-198               | Guatemala       |
| pavida Muls. 50-641                | México          |
| a. recordata Muls. 50-679          | Brasil          |
| paupercula Gorb. 94-202            | Guatemala       |
| pectoralis Crotch. 74-225          | Brasil          |
| pedicata Muls. 71-323              | Colombia        |
| peregrina Muls. 50-691             | Brasil          |
| petropolitana Crotch 74-223        | Brasil          |
| ponderosa Muls. 71-322             | Colombia        |
| poortmaani Muls. 50-572            | Brasil          |
| v. bistrimaculata Sicard 12-510    | Brasil          |
| pretiosa Muls. 71-321              | Colombia        |
| proserpinae Muls. 71-323           | Perú            |
| psylloroides Crotch 74-218         | Brasil          |
| puella Muls. 71-327                | Chile           |
| quadrisingnata Muls. 50-543        | Fr. Guiana      |
| quinquenotata Muls. 50-548         | Brasil          |
| raynevali Muls. 53-213             | Fr. Guiana      |
| renifera Kirsch 76-122             | Perú            |
| retigera Muls. 50-583              | Brasil          |
| sagittata Crotch 74-225            | Colombia        |
| scapulata Muls. 53-209             | Brasil          |
| a. mercabilis Muls. 53-221         |                 |
| scenica Muls. 50-580               | Colombia        |
| schaufussi Vogel 65-235            | Colombia        |
| scutifera Muls. 50-565             | Venezuela       |
| secessionis Weise 06-196           | Brasil          |
| semicincta Weise 99-270            | Argentina       |
| a. humeralis Weise 99-270          | Perú            |
| a. limbata Weise 99-270            | Bolivia         |
| septenaria Muls. 71-324            | Colombia        |
| serval Muls. 50-633                | Fr. Guiana      |
| sexguttata Muls. 50-642            | Brasil          |
| sexnotata Brèthes 25-3             | Brasil          |
| sexverrucata Fabr. 01-383          | México          |
| medialis Csy. 99-123               | Guatemala       |
| nicaraguae Csy. 99-123             | Honduras        |
| nicaraguae Csy. 99-123             | Nicaragua       |
| panamae Csy. 99-123                | Costa Rica      |
| panamae Csy. 99-123                | Panamá          |
| panamae Csy. 99-123                | South America   |
| panamae Csy. 99-123                | U. S. A.        |
| silvani Crotch 74-214              | Brasil          |
| silvestrii Weise 09-205            | México          |
| sphaeridioides Muls. 50-665        | Chile           |
| cruciata Germain 54-336            |                 |
| spinalis Muls. 53-202              | Venezuela       |
| staudingeri Weise 01-284           | Perú            |
| subapicalis Crotch 74-229          | Brasil          |
| subparallela Muls. 71-326          | Colombia        |
| subsignata Crotch 74-226           | Brasil          |
| subsignata Crotch 74-226           | México          |
| subsignata Crotch 74-226           | Guatemala       |
| subsignata Crotch 74-226           | U. S. A.        |
| suturella Muls. 53-204             | Brasil          |
| suzannae Crotch 74-219             | Venezuela       |
| terminata Gorb. 94-202             | Guatemala       |
| tessulata Muls. 50-578             | Panamá          |
| tortuosus Muls. 50-567             | Colombia        |
| traiii Brèthes 25-10               | Brasil          |
| tredecimguttata Muls. 50-599       | Brasil          |
| tripida Muls. 50-590               | Colombia        |
| triacantha Muls. 50-546            | South America   |
| trilineata Muls. 50-667            | Fr. Guiana      |
| trilineata Muls. 50-667            | Puerto Rico     |
| trilineata Muls. 50-667            | Barbados        |
| trilineata Muls. 50-667            | Fr. Guiana      |
| trina Brèthes 25-3                 | Brasil          |
| trivialis Muls. 53-225             | Brasil          |
| trivittata Weise 02-172            | Brasil          |
| tropicalis Muls. 50-1038           | Brasil          |
| turbata Muls. 50-601               | Brasil          |
| turbata Muls. 50-601               | Argentina       |
| uncinata Muls. 53-206              | Brasil          |
| undulata Say 24-92                 | México          |
| elegans Muls. 50-658               | U. S. A.        |
| maculifera Melsh. 47-179           |                 |
| a. guttifera Weise 95-128          |                 |
| unipunctata Crotch 74-230          | Brasil          |
| ustulata Muls. 50-566              | Colombia        |
| ustulata Muls. 50-566              | Brasil          |
| a. dorsata Muls. 50-1038           |                 |
| vaticina Muls. 71-325              | Colombia        |
| venalis Muls. 71-322               | Colombia        |
| vetusta Weise 02-174               | Perú            |
| vexata Muls. 53-216                | ?Venezuela      |
| victoriae Crotch 74-223            | Fr. Guiana      |
| victoriae Crotch 74-223            | Brasil          |
| <b>Hyperaspidius Crotch 73-382</b> |                 |
| brevilinea Csy. 24-168             | México          |
| mexicanus Nunen. 34-19             | México          |
| trimaculatus Linn. 67-592          | México          |
| peruanus Licht. 96-67              | Central America |
| trilineatus Schall. 83-262         | South America   |
| trilineatus Schall. 83-262         | Perú            |
| vittiger LeC. 52-133               | U. S. A.        |
| vittiger LeC. 52-133               | México          |
| trimaculatus Crotch 73-873         | U. S. A.        |
| <b>Helesius Csy. 99-116</b>        |                 |
| caseyi Sicard 12-135               | Colombia        |
| <b>Diazonema Weise 26-34</b>       |                 |
| cavifrons Weise 03-208             | Costa Rica      |
| fallax Weise 26-13                 | Perú            |
| <b>Corystes Muls. 50-506</b>       |                 |
| hypocrita Muls. 50-507             | Nicaragua       |
| hypocrita Muls. 50-507             | Fr. Guiana      |
| hypocrita Muls. 50-507             | Brasil          |
| hypocrita Muls. 50-507             | Perú            |
| hypocrita Muls. 50-507             | Bolivia         |
| pubescens Weise 26-34              | Ecuador         |
| <b>Brachyacantha Chev. 49-704</b>  |                 |
| aperta Weise 03-208                | Costa Rica      |
| arizonica Schaff. 08-125           | México          |
| arizonica Schaff. 08-125           | U. S. A.        |
| arrowi Brèthes 25-9                | Surinam         |
| arrowi Brèthes 25-9                | Brasil          |
| australis Leng 11-292              | Surinam         |
| australis Leng 11-292              | Brasil          |
| aymardi Gorb. 94-187               | Paraguay        |
| aymardi Gorb. 94-187               | México          |
| a. pulchella Weise 04-360          |                 |
| bahiensis Brèthes 24-159           | Brasil          |

**Brachyacantha**—Continued.

- bilineata* Weise 02-170.....Bolivia  
*bistripustulata* Fabr. 01-383.....México  
*erythrocephala* Gorh. 94-188.....Br. Honduras  
     (not Fabr., 1787).....Guatemala  
     Honduras  
     Nicaragua  
     Costa Rica  
     Panamá  
     Colombia  
     Brasil  
     Perú  
     Jamaica  
     U. S. A.  
*v. guttata* Weise 85-231.....Colombia  
*a. obscura* Leng 11-290.....México  
*a. quichiana* Leng 11-290.....Br. Honduras  
*brethesi* Kor. 31-204.....Brasil  
*lengi* Brèthes 25-202  
*oruchi* Weise 06-196.....Argentina  
*buckleyi* Crotch 74-210.....Fr. Guiana  
     Ecuador  
*cachensis* Gorh. 94-190.....Costa Rica  
*conjuncta* Muls. 50-536.....México  
     Costa Rica  
*cryptocephalina* Gorh. 94-186.....México  
*decempustulata* Melsh. 47-179.....iCentral America  
     U. S. A.  
*dentipes* Fabr. 01-381.....México  
     U. S. A.  
*a. americana* Leng 11-302.....México  
     U. S. A.  
*duodecimguttata* Leng 11-289.....El Salvador  
*erythrura* Muls. 50-530.....México  
     Guatemala  
     Costa Rica  
     Venezuela  
*fenestrata* Gorh. 94-190.....México  
     Costa Rica  
     Panamá  
*lepida* Muls. 50-523.....México  
     Br. Honduras  
     Guatemala  
     Nicaragua  
     Costa Rica  
     U. S. A.  
*a. confluens* Weise 98-237.....  
*a. reducta* Leng 11-293.....Costa Rica  
*manni* Nunen. 12-150.....Brasil  
*mexicana* Leng 11-292.....México  
*octostigma* Muls. 50-539.....México  
     Guatemala  
     Panamá  
*propria* Kirsch 76-119.....Perú  
*pygidialis* Muls. 50-534.....México  
*sellata* Muls. 50-522.....Brasil  
*sicardi* Leng 11-289.....Paraguay  
*simillima* Brèthes 24-160.....Brasil  
*subfasciata* Muls. 50-527.....México  
     U. S. A.  
*trimaculata* Leng 11-289.....Paraguay  
*tucumanensis* Weise 10-58.....Argentina  
*ursina* Fabr. 87-61.....México  
     U. S. A.  
*westwoodi* Muls. 50-520.....México  
*bipartita* Muls. 50-521
- Tiphysa* Muls. 50-517  
*egae* Crotch 74-210.....Brasil  
*plumbea* Muls. 50-517.....Fr. Guiana  
**Thalassa** Muls. 50-506  
     *Menoscelis* Muls. 50-506 (Subg.)  
*flaviceps* Muls. 50-513.....Cuba  
*glauca* Muls. 50-510.....Guatemala  
     *reyi* Muls. 50-515.....Costa Rica  
     Brasil  
*montezumae* Muls. 50-512.....México  
     Guatemala  
     U. S. A.  
*pentaspilota* Chevr. 35-124.....México  
     *pentastigma* Muls. 50-512.....Guatemala  
     Cuba  
*saginata* Muls. 50-508.....Fr. Guiana  
     *a. insignis* Muls. 50-509.....  
*similaris* Muls. 50-514.....Colombia

## OENEINI

**Cryptognatha** Muls. 50-497*Oeneis* Muls. 50-497 (not Hübner, 1816)

- aethiops* Crotch 74-206.....Colombia  
*amabilis* Gorh. 99-261.....Brasil  
*amicta* Gorh. 99-259.....Panamá  
*annulata* Gorh. 99-259.....Panamá  
*appropinquans* Crotch 74-207.....Brasil  
*auriculata* Muls. 50-497.....México  
     Guatemala  
     Panamá  
     Colombia  
     Fr. Guiana  
*batesi* Crotch 74-206.....Brasil  
*bryanti* Brèthes 25-201.....Brasil  
*castanea* Gorh. 99-261.....Brasil  
*circumdata* Gorh. 94-182.....Guatemala  
*circumducta* Champ. 13-122.....Panamá  
*clarki* Crotch 74-207.....Brasil  
*erythrodera* Gorh. 99-260.....Panamá  
*fenestrata* Champ. 13-121.....Panamá  
*flaviceps* Crotch 74-207.....México  
     Br. Honduras  
     Panamá  
     Brasil  
*fryi* Crotch 74-207.....Brasil  
*gemellata* Muls. 50-498.....?México  
     Fr. Guiana  
*melanodera* Gorh. 99-260.....Guatemala  
*melanura* Gorh. 98-341.....Grenada  
*nigrans* Muls. 50-500.....Brasil  
*nitidella* Brèthes 25-7.....Brasil  
*nodiceps* Marsh. 12-321.....<sup>6</sup>Trinidad  
     Br. Guiana  
     Fiji  
*obscura* Muls. 50-500.....Brasil  
*ocularis* Gorh. 99-260.....Guatemala  
*pectoralis* Gorh. 99-261.....Guatemala  
*pubibunda* Muls. 50-499.....Brasil  
*reedi* Crotch 74-207.....Brasil  
*rufoterminata* Champ. 13-120.....Panamá  
*signata* Kor. 36-299.....Paraguay  
     Argentina  
*simillima* Sicard 29-519.....<sup>6</sup>Trinidad  
*subaequalis* Champ. 13-123.....Guatemala  
*terminata* Gorh. 99-260.....Panamá

<sup>6</sup> Venezuela.

|                                 |        |
|---------------------------------|--------|
| <i>Cryptognatha</i> —Continued. |        |
| tumidiventris Champ. 13-122     | Panamá |
| violacea Champ. 13-121          | México |
| weisei Brèthes 25-8             | Brasil |
| yolandi Crotch 74-206           | Brasi  |

## SERANGIINI

|                                 |                                     |
|---------------------------------|-------------------------------------|
| <i>Delphastus</i> Cey. 99-111   |                                     |
| <i>Liöscymnus</i> Champ. 13-125 |                                     |
| argenticinus Nunen 37-183       | Argentina                           |
| collaris Chpn. 40-266           | Panamá                              |
| nebulosus Chpn. 40-264          | Puerto Rico                         |
| diversipes Champ. 13-126        | México<br>Br. Honduras<br>Guatemala |
| <i>Catana</i> Chpn. 40-266      |                                     |
| clauseni Chpn. 40-267           | ?Bahamas Is.<br>Cuba<br>Malaya      |

|                                   |                      |
|-----------------------------------|----------------------|
| <i>Pseudomilia</i> Brèthes 24-156 |                      |
| arrowi Brèthes 24-157             | Chile                |
| <i>Microweisia</i> Ckll. 03-38    |                      |
| ovata Nunen. 34-20                | Br. Guiana<br>Brasil |

## PENTILIINI

|                              |                                     |
|------------------------------|-------------------------------------|
| <i>Pentilia</i> Muls. 50-502 |                                     |
| castanea Muls. 50-1036       | ?México<br>South America            |
| cincta Kirsch 76-118         | Perú                                |
| convexa Gorh. 94-181         | Panamá                              |
| discors Gorh. 94-181         | Guatemala                           |
| dispar Kirsch 76-117         | Perú                                |
| egena Muls. 50-502           | Panamá<br>Brasil<br>Guadeloupe      |
| <i>minutus</i> Kr. 73-195    |                                     |
| insidiosa Muls. 50-503       | Colombia<br>Venezuela<br>Fr. Guiana |
| minuta Kirsch 76-118         | Perú                                |
| nigella Weise 12-116         | México                              |
| specularis Kirsch 76-117     | Perú                                |
| sp. (Wolcott 36-233)         | Puerto Rico                         |

## EXOLECTRINI

|                              |                     |
|------------------------------|---------------------|
| <i>Chnoodes</i> Chev. 49-612 |                     |
| abendrothi Kirsch 76-126     | Perú                |
| arrowi Brèthes 25-7          | Brasil              |
| bipunctata Gorh. 95-216      | México              |
| brasiliensis Kor. 35-254     | Brasil              |
| centralis Sicard 12-511      | Fr. Guiana          |
| chaudoiri Muls. 50-911       | Brasil              |
| cinctipennis Gorh. 95-216    | Guatemala<br>Panamá |
| clarki Crotch 74-287         | Brasil              |
| decipiens Gorh. 95-216       | Panamá              |
| dorsalis Kirsch 76-126       | Perú                |
| gouellei Sicard 12-304       | Brasil<br>Bolivia   |
| gravata Muls. 50-912         | Brasil              |
| nigra Weise 95-131           | Paraguay            |
| nigripes Sicard 12-306       | Bolivia             |
| pentagona Crotch 74-287      | Brasil              |
| pseudosanguinea Brèthes 25-7 | Brasil              |

|                                   |  |
|-----------------------------------|--|
| sanguinipes Crotch 74-288         | México<br>Guatemala<br>?South America                                    |
| tarsalis Weise 06-197             | Brasil   |
| terminalis Muls. 50-913           | México   |
| <i>rubripes</i> Muls. 50-923      | Br. Honduras<br>Guatemala<br>Panamá<br>† I. Taboga<br>Colombia<br>Brasil |
| a. byssina Muls. 50-913           |  |
| a. fastidiosa Muls. 50-924        |  |
| trivia Muls. 53-260               | Brasil   |
| <i>Dapolia</i> Muls. 50-1042      |  |
| ahena Muls. 50-915                | Colombia<br>Brasil   |
| corallina Muls. 50-909            | Colombia<br>Brasil   |
| cordifera Muls. 50-909            | Brasil   |
| deglandi Muls. 50-914             | Colombia   |
| <i>dimidiatipes</i> Muls. 50-915  | Brasil   |
| <i>haemorrhoidis</i> Muls. 53-261 | Chile  |
| <i>innocua</i> Muls. 50-914       |  |
| a. dubitata Muls. 50-914          |  |
| a. fulvicauda Muls. 50-914        |  |
| fallax Muls. 50-914               | Brasil   |
| <i>wachanru</i> Muls. 50-806      |  |
| haematina Muls. 50-908            | Colombia   |
| lesnei Sicard 12-306              | Bolivia  |
| ouberula Muls. 50-908             | Brasil   |
| <i>Siola</i> Muls. 50-931         |  |
| boillaei Muls. 50-931             | Colombia   |
| garnieri Muls. 50-932             | Colombia   |
| <i>Exoplectra</i> Chev. 44-545    |  |
| aena Fabr. 01-376                 | Fr. Guiana   |
| <i>intestinalis</i> Muls. 50-917  | Brasil   |
| amazonica Crotch 74-286           | Brasil   |
| angularis Muls. 50-926            | Fr. Guiana   |
| angustifrons Weise 95-131         | Brasil   |
| batesi Crotch 74-284              | Brasil   |
| bernardinensis Brèthes 25-8       | Paraguay   |
| brasiliensis Nunen. 12-151        | Brasil   |
| bruchi Weise 22-37                | Argentina  |
| calcarata Germ. 24-610            | Brasil   |
| <i>virescens</i> Muls. 50-920     |  |
| coccinea Fabr. 01-357             | Colombia<br>Fr. Guiana<br>Brasil   |
| a. armipes Muls. 50-924           |  |
| consentanea Muls. 50-922          | Colombia   |
| cruentipes Gorh. 95-215           | Guatemala  |
| drakei Weise 95-130               | Paraguay   |
| dubia Crotch 74-284               | Brasil   |
| fryi Crotch 74-285                | Fr. Guiana   |
| fucosa Muls. 50-918               | Brasil   |
| <i>metallescens</i> Muls. 50-918  |  |
| <i>metallica</i> Muls. 50-918     |  |
| fulgurata Berg 74-292             | Argentina  |
| fuebris Weise 95-131              | Paraguay<br>Argentina  |
| gorhami Sicard 12-137             | México   |
| heydeni Muls. 50-924              | Brasil   |
| impotens Muls. 50-922             | Brasil   |
| irregularis Crotch 74-286         | Brasil   |

† Panamá.



**Exoplectra**—Continued.  
*luteicornis* Muls. 50-919.....Brasil  
*companyoi* Muls. 50-919  
*vettarti* Muls. 50-920  
*miniata* Germ. 24-617.....?México  
 Brasil  
*ruberrima* Er. 47-185.....Perú  
*rubricunda* Muls. 50-925.....Fr. Guiana  
*santerciniae* Crotch 74-286.....Brasil  
*stevensi* Muls. 50-921.....México  
 Guatemala  
*subaenescens* Gorb. 95-214.....México  
*tibialis* Muls. 50-917.....México  
**Coeliaria** Muls. 50-1042  
*erythrogastrer* Muls. 50-916.....Brasil

**AZYINI**

**Azya** Muls. 50-928  
*ardosiaca* Muls. 53-262.....Guadeloupe  
*luteipes* Muls. 50-928.....México  
*orbigerana* Muls. 50-930.....Br. Honduras  
*scutata* Muls. 50-929.....Guatemala  
 Honduras  
 Nicaragua  
 Costa Rica  
 Panamá  
 Colombia  
 Venezuela  
 Fr. Guiana  
 Brasil  
*nana* Marshall 12-321.....Brasil  
*nigrina* Weise 06-198.....Brasil  
*pontbrianti* Muls. 50-929.....México  
 Argentina  
 Fr. Guiana  
 Brasil  
 Uruguay  
 Chile  
*pusilla* Weise 22-37.....Argentina  
*trinitatis* Marshall 12-320.....<sup>6</sup> Trinidad  
 Br. Guiana  
 Fiji

**Ladoria** Muls. 50-928  
*delphinae* Gorb. 95-213.....México  
*desarmata* Muls. 50-928.....México  
 Panamá  
 Brasil  
*discomaculata* Crotch 74-280.....Brasil  
 Paraguay  
*rudepunctata* Crotch 74-280.....Brasil  
 Paraguay

**CHILOCORINI**

**Chilocorus** Leach 15-116  
*cacti* Linn. 67-584.....México  
 Br. Honduras  
 Guatemala  
 Nicaragua  
 Costa Rica  
 South America  
 Cuba  
*stigma* Say 35-202.....México  
*bivulnerus* Muls. 50-460.....U. S. A.  
*fraternus* LeC. 57-70  
**Curinus** Muls. 50-472  
*coeruleus* Muls. 50-472.....México

*eversmanni* Muls. 50-474.....Guatemala  
*pallidilabris* Muls. 50-473.....Brasil  
*peleus* Muls. 53-191.....Chile  
*ruizi* Brèthes 24-40.....Brasil  
*zonatus* Muls. 50-475.....Cuba  
 Chile  
**Egius** Muls. 50-452  
*platycephalus* Muls. 50-464.....Brasil  
**Axion** Muls. 50-477  
*plagiatum* Oliv. 08-1044.....Cuba  
 México  
 U.S.A.  
**Exochomus** Redt. 43-11  
*adelae* Crotch 74-194.....Colombia  
*apicatus* Gorb. 94-179.....Panamá  
*bimaculosus* Muls. 50-488.....Fr. Guiana  
 Brasil  
 Argentina  
 a. *cinctipennis* Muls. 50-490.....  
 a. *gaubili* Muls. 50-491.....  
*bisbinotatus* Gorb. 94-179.....México  
 Br. Honduras  
 Guatemala  
*bistillatus* Weise 95-126.....Colombia  
*bouvieri* Sicard 12-304.....Bolivia  
*championi* Gorb. 94-177.....Panamá  
*cinctivestis* Muls. 53-193.....Brasil  
*cubensis* Dimmock 06-322.....Cuba  
*dallasi* Crotch 74-194.....Brasil  
*decempunctatus* Weise 93-94.....Ecuador  
*decoloratus* Muls. 53-196.....Brasil  
*guttatus* Weise 10-48.....Bolivia  
*hexasticta* Crotch 74-195.....Perú  
*hübneri* Weise 99-269.....Brasil  
*ixtlensis* Csy. 24-161.....México  
*jamaicensis* Sicard 22-351.....Jamaica  
*jourdani* Muls. 53-195.....Brasil  
*marginipennis* LeC. 24-173.....México  
*deflectens* Csy. 08-410.....U. S. A.  
*praetextatus* Melsh. 47-180  
 v. *californicus* Csy. 99-107.....México  
*desertorum* Csy. 99-107.....U. S. A.  
*childreni* Muls. 50-1035  
*constrictatus* Muls. 50-492  
*guexi* LeC. 52-132  
*orbiculus* Weise 93-95.....Perú  
*personatus* Weise 95-126.....Bolivia  
*ritchiei* Sicard 22-352.....Jamaica  
*sallaei* Gorb. 94-180.....México  
*scapularis* Gorb. 94-178.....México  
 México  
 Nicaragua  
*subcoeruleus* Weise 85-231.....Colombia  
*tricoloratus* Gorb. 94-178.....Nicaragua  
*townsendi* Csy. 08-411.....México  
*sp.* (Martorell 39-200).....Venezuela  
**Cladis** Muls. 50-1033  
*Clanis* Muls. 50-479  
 (not Hübner, 1819)  
*nitidula* Fabr. 92-286.....Cuba  
*uva* Muls. 50-479.....Guadeloupe  
 Dominica  
 Martinique  
 St. Lucia  
 a. *botrus* Muls. 50-480.....

<sup>6</sup> Venezuela.

**Brumus** Muls. 50-465

högei Gorh. 94-180.....México  
U. S. A.

## SYNONYCHINI

**Mononeda** Crotch 74-169

marginata Linn. 67-579.....Brasil

**Neda** Muls. 50-229

aequatoriana Muls. 53-170.....Venezuela

Ecuador

amandi Muls. 50-286.....Colombia

cardinalis Er. 47-182.....Perú

jordanii Muls. 50-293.....Colombia

Venezuela

v. fasciata Weise 98-231.....

v. maculigera Weise 98-231.....

marginalis Muls. 50-277.....México

Guatemala

Costa Rica

a. flavens Muls. 53-169.....

murrilloi Chpn. 41-108.....Colombia

norrisii Guér. 42-320.....Colombia

Venezuela

Ecuador

a. bremeri Muls. 50-289.....

a. chevroli Guér. 42-321.....

a. duodecimmaculata Weise 98-233.....

a. emiliae Muls. 66-205.....

a. fasciolata Muls. 50-290.....

a. finitima Muls. 50-290.....

a. illuda Muls. 53-172.....

a. lunulata Weise 98-233.....

a. perfida Muls. 50-291.....

a. sexmaculata Weise 98-233.....

a. simplex Weise 98-232.....

ochracea Muls. 50-279.....Colombia

ostrina Er. 47-182.....?México

oestrina Kor. 32-281.....Colombia

peruviana Muls. 50-281.....Brasil

Perú

Bolivia

a. boliviana Weise 98-232.....

v. orbignyi Weise 50-280.....

patula Er. 47-182.....Perú

Chile

a. andicola Muls. 50-291.....

a. subdola Muls. 50-290.....

**Cycloneda** Crotch 71-6

*Daulis* Muls. 50-295

amabilis Muls. 50-304.....Colombia

antillensis Crotch 74-166.....Trinidad

arcana Weise 98-126.....Colombia

a. connexa Weise 98-126.....

bioculata Kor. 38-264.....Brasil

bistillata Weise 98-125.....Colombia

bistrisignata Muls. 50-330.....Brasil

boliviana Weise 02-170.....Bolivia

callispilota Guér. 42-320.....?México

Colombia

Brasil

v. biocellata Weise 22-33.....Argentina

conjugata Muls. 50-313.....Brasil

Paraguay

conspicillata Muls. 50-333.....Fr. Guiana

Brasil

Perú

corallina Weise 98-125.....Brasil

costaricae Chpn. 41-107.....Costa Rica

darestei Muls. 66-228.....Brasil

decemguttata Weise 98-126.....Colombia

de launeyi F. & S. 89-483.....Guadeloupe

Grenada

devestita Muls. 50-299.....Colombia

*viridula* Muls. 50-318.....Brasil

dilychnis Muls. 50-306.....Fr. Guiana

ebenina Muls. 66-222.....Perú

electra Gorh. 92-175.....Guatemala

erythroptera Muls. 50-319.....Argentina

a. proserpinae Muls. 66-223.....

fryi Crotch 74-167.....Ecuador

Perú

a. nigricollis Sicard 12-304.....

galbanata Weise 02-169.....Bolivia

graphiptera Muls. 50-309.....Colombia

hondurasica Cay. 99-92.....Honduras

lorata Muls. 50-338.....Brasil

maeander Muls. 50-335.....?México

Fr. Guiana

Brasil

melanocera Muls. 50-333.....Colombia

metallica Crotch 74-164.....Brasil

pallidula Muls. 50-329.....México

Guatemala

Colombia

Venezuela

Fr. Guiana

Brasil

a. deflorata Muls. 50-330.....

a. gutticollis Muls. 50-332.....

pomacea Weise 03-207.....Costa Rica

puncticollis Muls. 50-320.....Fr. Guiana

v. livida Weise 06-195.....Argentina

pusilla Weise 06-229.....Argentina

rectusa Weise 02-168.....Perú

retrospiciens Crotch 74-163.....México

Br. Honduras

Guatemala

rubida Muls. 50-340.....Br. Honduras

Guatemala

Panamá

Colombia

Fr. Guiana

Brasil

a. vigilans Muls. 50-340.....

sallei Muls. 50-303.....Costa Rica

Panamá

Colombia

Venezuela

West Indies

sanguinea Linn. 63-10.....México

*immaculata* Fabr. 92-267.....Br. Honduras

*polonica* Hampe 50-357.....Guatemala

*steini* Muls. 66-222.....Nicaragua

Costa Rica

Panamá

Venezuela

Argentina

Chile

Bahamas Is.

Cuba

<sup>13</sup> I. de Pinos

Jamaica

<sup>6</sup> Venezuela.

<sup>13</sup> West Indies.

**Cycloneda**—Continued.  
*sanguinea*—Continued.

Hispaniola  
 Puerto Rico  
     <sup>14</sup> Antigua  
 Guadeloupe  
     Barbados  
     St. Vincent  
     <sup>15</sup> Bequia  
     <sup>18</sup> Union  
     Grenada  
     U. S. A.  
 a. limbifer Csy. 99-92.....Cuba  
 separata Muls. 50-298.....Colombia  
     Venezuela  
 tredecimsignata Muls. 50-311.....Brasil  
 vigintiduonotata Muls. 50-307.....Fr. Guiana  
     Brasil

**Spiloneda** Csy. 08-405  
 gilardiini Muls. 66-214.....México  
     ?Colombia

**Olla** Csy. 99-84  
 abdominalis Say 24-95.....México  
     sayi Crotch 74-30.....Guatemala  
     semilunaris Johans. 10-122.....Nicaragua  
     U. S. A.  
 a. chalapensis Weise 95-125.....México  
 a. minuta Csy. 08-406.....  
 a. plagiata Csy. 99-94.....  
     fenestralis Csy. 99-95.....  
 gorhami Csy. 08-405.....México  
 oculata Fabr. 92-287.....México  
     binotata Say 26-302.....<sup>11</sup> I. de Pinos  
     U. S. A.

**Procula** Muls. 50-374  
 cubensis Chpn. 41-167.....Cuba  
 douei Muls. 50-417.....Jamaica  
     bacchata Muls. 66-83.....  
 ferruginea Oliv. 08-991.....Haiti  
     R. Dominicana  
     Puerto Rico

COCCINELLINI

**Coleomegilla** Timb. 20-96  
     Megilla Muls. 50-5  
 innotata Muls. 50-24.....Puerto Rico  
 maculata Deg. 75-392.....México  
     bisexpunctata Latr. 33-37.....Guatemala  
     decemmaculata Fabr. 81-98.....Costa Rica  
     limensis Phil. 54-173.....Colombia  
     oblonga Oliv. 91-61.....Venezuela  
     <sup>6</sup> Trinidad  
     Br. Guiana  
     Surinam  
     Fr. Guiana  
     Brasil  
     Perú  
     Argentina  
     Chile  
     Cuba  
 Guadeloupe  
 Martinique  
 St. Vincent  
 U. S. A.

quadrifasciata Schönh. 08-178.....Brasil  
     quinquefasciata Sturm 26-82.....Chile  
     a. octodecimpustulata Muls. 50-26.....Argentina  
     a. thoracica Weise 26-34.....

**Paranaemia** Csy. 99-75  
 vittigera Mannh. 43-312.....México  
     U. S. A.

**Eumegilla** Crotch 74-91  
 conterminata Muls. 66-17.....Brasil  
 variolosa Muls. 66-19.....South America

**Eriopis** Muls. 50-5  
 connexa Germ. 24-621.....Colombia  
     Venezuela  
     Brasil  
     Ecuador  
     Perú  
     Bolivia  
     Argentina  
     Patagonia

v. cruciata Brèthes 24-150.....  
 a. eschscholtzei Muls. 50-1009.....  
 v. fernandeziana Germain 55-407.....  
 a. heliophila Muls. 53-137.....  
 a. latepicta Fairn. 90-153.....Patagonia  
 a. libera Weise 10-44.....Perú  
 a. magellanica Phil. 64-402.....<sup>10</sup> Estr. Magallanes  
     T. del Fuego  
 a. marginicollis Weise 98-2.....Chile  
 v. nigra Brèthes 24-150.....Patagonia  
 v. porteri Brèthes 24-149.....  
 a. sedecimpustulata Latr. 33-26.....  
 opposita Guér. 42-321.....Chile  
     <sup>10</sup> Is. J. Fernández

**Naemia** Muls. 50-30  
 seriata Melsh. 47-177.....México  
     Colombia  
     U. S. A.

a. litigiosa Muls. 50-31.....  
**Hippodamia** Muls. 46-30  
 convergens Guér. 42-321.....Baja Calif.  
     México  
     Guatemala  
     Honduras  
     Costa Rica  
     Puerto Rico  
     U. S. A.  
     Old World

koebeli Timb. 42-39.....México  
**Stenadalia** Weise 26-9  
 nordenskiöldi Weise 26-9.....Argentina

**Mulsantina** Weise 06-34  
     Cless Muls. 50-162  
     Pseudocleis Csy. 08-406  
 concolor Crotch 74-142.....México  
 cyathigera Gorb. 91-158.....Guatemala  
 labyrinthica Sicard 29-517.....Haiti  
 lynx Muls. 50-210.....México  
     a. mirifica Muls. 50-209.....México  
 picta Rand. 31-51.....México  
     U. S. A.  
     s. nubilata Csy. 24-158.....México

**Adalia** Muls. 50-36  
     Arrowella Brèthes 24-147  
 bipunctata Linn. 58-364.....Chile  
     U. S. A.  
     Old World

<sup>6</sup> Venezuela

<sup>10</sup> Chile.

<sup>11</sup> West Indies.

<sup>14</sup> Leeward Islands (W. I.).

<sup>18</sup> Grenadines (W. I.).



- Pelina** Muls. 50-229  
 borrei Crotch 74-126.....Brasil  
 geometrica Weise 01-282.....Bolivia  
 lebasii Muls. 50-271.....Colombia
- PSYLLOBORINI**
- Oxytella** Weise 02-167  
 longula Weise 02-168.....Perú  
 subcordata Weise 02-167.....Brasil
- Psyllobora** Chevr. 36-458  
 approximata Crotch 74-138.....?Brasil  
 bakewelli Muls. 66-132.....Brasil  
 bowringi Crotch 74-136.....Fr. Guiana  
 configurans Muls. 66-129.....Bolivia  
 confluens Fabr. 01-373.....México  
     Guatemala  
     Colombia  
     Venezuela  
     Fr. Guiana  
     Brasil  
 consita Muls. 66-132.....Brasil  
 consobrina Weise 22-33.....Paraguay  
 conspurcata Boh. 59-203.....?Brasil  
     conglutinans Muls. 66-134.....U. S. A.  
 cosnardi Muls. 50-169.....Brasil  
     v. rufosignata Muls. 50-189.....Brasil  
 costae Muls. 53-153.....South America  
 decipiens Muls. 50-177.....México  
     Colombia  
     Brasil  
 distinguenda Crotch 74-136.....Brasil  
 divisa Fabr. 01-382.....Surinam  
     Brasil  
     a. fuscomaculata Germ. 24-620.....  
 drakei Weise 93-96.....Bolivia  
 egae Crotch 74-140.....Brasil  
 foliacea Muls. 66-144.....Brasil  
 germari Muls. 50-202.....Panamá  
     Brasil  
 graphica Muls. 50-195.....Brasil  
 hathawayi Costa L. 37-10.....Brasil  
 hybrida Muls. 50-198.....Brasil  
 intricata Muls. 50-194.....Colombia  
 kirschi Muls. 66-140.....Colombia  
 lacteola Crotch 74-138.....Brasil  
 lata Muls. 50-170.....Colombia  
     a. dissimilis Muls. 50-171.....Colombia  
 lenta Muls. 50-178.....Colombia  
 liliputiana Muls. 66-139.....Colombia  
 lineola Fabr. 92-283.....Jamaica  
     *fabricii* Crotch 74-17.....Puerto Rico  
     <sup>13</sup> J. of Caves  
     Guadeloupe  
     Martinique  
 luctuosa Muls. 50-179.....México  
     Guatemala  
     Colombia  
     a. tardigrada Muls. 66-135.....  
 lutescens Crotch 74-138.....Guatemala  
 marshalli Crotch 74-170.....Fr. Guiana  
 meticulosa Muls. 66-135.....Brasil  
 moquerysi Muls. 50-201.....Brasil  
 nana Muls. 50-181.....Cuba  
     Jamaica  
     Hispaniola
- nigrovittata Crotch 74-142.....Puerto Rico  
 pavida Weise 06-195.....<sup>13</sup> St. Thomas  
 peruana Weise 02-166.....Jamaica  
     Argentina  
 picta Germ. 54-335.....Perú  
     Argentina  
     Chile  
     *bicongregata* Boh. 59-203  
     *femorialis* Germ. 87-790  
     a. feralis Muls. 66-138.....Argentina  
 picturata Muls. 66-141.....Brasil  
 punctella Muls. 50-175.....St. Vincent  
     <sup>15</sup> Bequia  
     <sup>15</sup> Mustique  
     Grenada  
     <sup>6</sup> Trinidad  
 roei Muls. 50-187.....México  
     Guatemala  
 subsimilis Muls. 66-132.....Brasil  
 vigintimaculata Say 24-96.....México  
     Br. Honduras  
     Guatemala  
     Nicaragua  
     Panamá  
     U. S. A.
- Italyzia** Muls. 46-141  
 championi Gorb. 92-165.....Panamá  
 emaciata Gorb. 92-164.....Panamá  
 epistictica Gorb. 92-164.....Guatemala  
     Panamá
- Mieroneda** Crotch 71-6  
 perrisi Muls. 50-283.....Colombia  
 sicheli Muls. 66-204.....Venezuela
- Neohalyzia** Crotch 71-4  
*Harmoniaspis* Csy. 08-404  
 perroudi Muls. 50-163.....México  
     Guatemala  
     Panamá  
     Colombia
- Egleis** Muls. 50-132  
 adjuncta Muls. 50-156.....México  
     Colombia  
 constellata Muls. 50-155.....Brasil  
 fischeri Muls. 50-152.....Brasil  
 perflida Muls. 66-130.....Colombia
- Vodella** Muls. 53-149  
 impressa Muls. 53-150.....Fr. Guiana
- Seladia** Muls. 53-157  
*Selasia* Muls. 50-216  
 (not Lap., 1836)  
 alboguttata Gorb. 94-205.....Guatemala  
 augustiniana Muls. 66-155.....México  
 beltiana Gorb. 94-205.....Nicaragua  
 bicincta Muls. 50-218.....Brasil  
     Argentina  
     a. albofasciata Muls. 50-219.....  
     a. erato Muls. 66-158.....  
     a. eugeniae Muls. 66-158.....  
     a. fastuosa Muls. 66-15.....  
 maculicollis Muls. 50-217.....Brasil  
 nigricollis Muls. 50-217.....México  
     a. visceralis Muls. 66-155.....México  
 rubripennis Muls. 50-218.....Brasil
- Pristonema** Er. 47-182  
*Macaria* Muls. 50-220  
*Micaria* Muls. 66-159

<sup>6</sup> Venezuela.<sup>12</sup> West Indies.<sup>13</sup> Virgin Islands (W. I.).<sup>15</sup> Grenadines (W. I.).

## Pristonema—Continued.

|                                  |                                  |
|----------------------------------|----------------------------------|
| coccinea Er. 47-182.....         | Perú                             |
| diluta Muls. 50-225.....         | Fr. Guiana<br>Brasil<br>Colombia |
| erotyloides Guér. 42-321.....    | Colombia                         |
| humeralis Weise 06-64.....       | Brasil                           |
| josephinae Crotch 74-306.....    | Brasil                           |
| lasaussayeii Muls. 66-162.....   | Brasil                           |
| a. biguttulata Muls. 66-163..... | Fr. Guiana                       |
| künkeli Muls. 66-163.....        |                                  |
| meridionalis Weise 02-170.....   | Paraguay                         |
| personata Weise 93-94.....       | Colombia                         |
| rosea Muls. 50-221.....          | Colombia                         |
| schaumi Muls. 50-224.....        | Brasil                           |
| endomycha Muls. 53-157.....      |                                  |
| serraticornis Muls. 50-223.....  | Brasil                           |
| sigillata Muls. 50-226.....      | Fr. Guiana                       |
| tricolor Kor. 38-41.....         | Colombia                         |

|                             |            |
|-----------------------------|------------|
| Discotoma Muls. 50-215..... | Fr. Guiana |
| ornata Muls. 50-216.....    | Brasil     |

Euseladia Crotch 74-303  
waterhousei Crotch 74-304.....South America

## INCERTAE SEDIS

|                                    |           |
|------------------------------------|-----------|
| Coccinella                         |           |
| bicolor Klug 29-15.....            | Surinam   |
| duodecimmaculata Klug 29-14.....   | Cuba      |
| funebri Phil. 87-174.....          | Chile     |
| hemisphaerica Weber 01-49.....     | America   |
| marginata Klug 29-10.....          | Brasil    |
| novemsignata Hbst. 93-268.....     | Surinam   |
| octodecimpustulata Klug 29-10..... | Brasil    |
| peruana Licht. 96-67.....          | Perú      |
| schlugae Gistel 31-306.....        | Brasil    |
| Hippodamia                         |           |
| nigrodorsata Fairm. 83-505.....    | Patagonia |

## EROTYLIDAE

## EROTYLINI

|                                     |  |
|-------------------------------------|--|
| Thonius Lac. 42-252                 |  |
| buckleyi Crotch 76-106.....         | Ecuador  |
| flavipennis Guér. 46-309.....       | Colombia   |
| flexuososignatus Crotch 76-106..... | Colombia   |
| maculatus Guér. 46-308.....         | Colombia   |
| nebrionides Crotch 76-106.....      | Colombia   |
| pavoninus Lac. 42-253.....          | Colombia   |
| substriatus Crotch 76-106.....      | Colombia   |
| unicolor Guér. 46-309.....          | Colombia   |
| Euphanistes Lac. 42-255             |  |
| hydrophiloides Lac. 42-256.....     | Colombia   |
| Cyclomorphus Hope 41-114            |  |
| aencomaculatus Crotch 76-110.....   | Colombia   |
| alienus Crotch 76-106.....          | Colombia   |
| apicicornis Crotch 76-110.....      | Colombia   |
| beauvoisi Lac. 42-259.....          | Colombia   |
| bihamatus Lac. 42-414.....          | Colombia   |
| bisbimaculatus Lac. 42-265.....     | Colombia   |
| bonplandi Lac. 42-263.....          | Colombia   |
| chrysolinus Lac. 42-191.....        | Colombia   |
| coccinellinus Crotch 76-110.....    | Colombia   |
| extricatus Crotch 76-109.....       | Colombia   |
| gibbosus Crotch 76-110.....         | Colombia   |
| glabratus Waterh. 77-428.....       | Colombia   |
| globosus Guér. 41-120.....          | Colombia   |
| humboldti Lac. 42-263.....          | Colombia   |
| infaustus Lac. 42-265.....          |  |
| inflatus Lac. 42-262.....           | Colombia   |
| iphicoides Crotch 76-109.....       | Ecuador  |
| laeviusculus Crotch 76-107.....     | Venezuela  |
| maeander Lac. 42-260.....           | Colombia   |
| octopunctatus Er. 47-179.....       | Perú   |
| pertainax Lac. 42-336.....          | Colombia   |
| quadrilopiacus Lac. 42-264.....     | Colombia   |
| sicardi Kuhnt 10-248.....           | Perú   |
| sordidus Gorb. 08-254.....          | México   |
| subocellatus Crotch 76-109.....     | Colombia   |
| tumidus Lac. 42-261.....            | Colombia   |
| variegatus Kirsch 65-98.....        | Colombia   |
| Scaphengis Gorb. 88-82              |  |
| picipes Gorb. 88-82.....            | México   |
| Coccimorphus Hope 41-114            |  |
| Strongylosomus Crotch 76-487        |  |
| alutaceus Er. 47-179.....           | Perú   |
| capitatus Lac. 42-270.....          | Brasil   |
| carmineus Lac. 42-269.....          | Brasil   |
| coccinelloides Dup. 24-33.....      | Brasil   |
| cribripennis Achard 26-143.....     | Argentina  |
| dichrous Lac. 42-274.....           | ?Guatemala<br>Costa Rica<br>Panamá<br>Colombia<br>Venezuela<br>Ecuador |
| emys Lac. 42-518.....               | México<br>Guatemalá  |
| foveicollis Lac. 42-275.....        | Brasil   |
| frenatus Guér. 41-120.....          | Nicaragua<br>Colombia  |
| melanopus Lac. 42-269.....          | Brasil   |
| nigripes Lac. 42-268.....           | Brasil   |
| peruvianus Crotch 76-112.....       | Perú   |
| rotundatus Lac. 42-270.....         | Fr. Guiana   |
| rugosus Lac. 42-276.....            | Fr. Guiana<br>Argentina  |
| unicolor Oliv. 06-281.....          | Fr. Guiana   |
| brevicornis Dup. 24-36.....         | Brasil<br>Argentina  |
| Plastococcus Gorb. 89-255           |  |
| apicalis Gorb. 89-256.....          | Panamá   |
| atricinctus Gorb. 89-255.....       | Panamá   |
| Aegithus Fabr. 01-9                 |  |
| abruptus Csy. 16-170.....           | México   |
| andreae Lac. 42-282.....            | Colombia<br>Brasil   |
| v. sexmaculatus Kirsch 65-99.....   | Colombia   |
| armitagei Gorb. 89-619.....         | Brasil   |
| assimilis Crotch 76-119.....        | Brasil   |
| bartletti Gorb. 89-619.....         | Perú   |
| bicolor Kirsch 65-99.....           | Colombia   |
| binarius Csy. 16-169.....           | México   |
| bolivianus Schenk. 19-80.....       | Bolivia  |
| bourcierii Guér. 55-610.....        | Ecuador  |
| brunnipennis Lac. 42-285.....       | Brasil<br>Chaco<br>Argentina   |
| bulla Lac. 42-289.....              | Fr. Guiana   |
| burmeisteri Lac. 42-281.....        | Brasil<br>Bolivia  |

- Aegithus**—Continued.
- cardinalis* Chev. 34-88.....México  
Guatemala
- v. minor* Gorb. 88-86.....México
- chalybaeus* Dup. 24-33.....Brasil  
Argentina
- cinctipennis* Dup. 24-33.....Brasil
- circumfusus* Kuhn 08-627.....Perú
- clathratus* Schenk. 19-79.....Brasil
- clavicornis* Linn. 58-370.....México  
    *surinamensis* Linn. 63-10    Br. Honduras  
Guatemala  
Nicaragua  
Costa Rica  
Panamá  
Colombia  
Surinam  
Fr. Guiana
- Brasil  
Ecuador  
Perú  
Chaco  
Argentina  
Dominica  
Grenada
- collaris* Kuhn 08-627.....South America
- cordatus* Crotch 76-117.....Brasil
- cribrosus* Lac. 42-293.....Brasil  
Ecuador
- cyanipennis* Guér. 41-120.....Brasil  
Ecuador
- v. consularis* Guér. 55-610.....Perú
- v. viridis* Brèthes 20-48.....Perú
- decoloratus* Kuhn 10-249.....Colombia
- dichrous* Crotch 76-119.....Brasil
- discoideus* Gorb. 88-88.....Costa Rica
- dubius* Gorb. 88-90.....Panamá
- duplicatus* Gorb. 88-89.....Guatemala  
Nicaragua
- geminatus* Lac. 42-287.....Brasil
- globulus* Achard 26-144.....Ecuador
- grammicus* Gorb. 88-91.....Guatemala
- hemisphaericus* Lac. 42-289.....Brasil
- högei* Gorb. 88-89.....México
- inflatus* Crotch 76-117.....Perú
- jansoni* Crotch 73-146.....Nicaragua
- lateritius* Lac. 42-293.....Fr. Guiana
- leachi* Lac. 42-287.....Colombia
- lebasii* Lac. 42-285.....Costa Rica  
Panamá
- cassideus* Lac. 42-295    Colombia
- lineatus* Guér. 42-308.....Colombia  
Brasil
- v. thoracicus* Kuhn 08-628.....Colombia
- lineola* Lac. 42-294.....Colombia
- luridus* Kuhn 08-627.....Colombia
- luteus* Er. 47-179.....Perú
- maculicollis* Dup. 24-34.....Brasil
- melaspis* Gorb. 88-85.....México  
Guatemala  
Nicaragua
- meridionalis* Crotch 73-146.....Br. Honduras  
Nicaragua  
Costa Rica  
Panamá
- mesosternalis* Kuhn 08-626.....Colombia
- monochrous* Lac. 42-294.....Fr. Guiana
- negrocinctus* Er. 47-179.....Perú
- ornaticollis* Lac. 42-292.....Colombia
- pallidus* Kuhn 08-626.....Brasil
- pictus* Schenk. 19-80.....Panamá
- politissimus* Crotch 76-117.....Ecuador
- politus* Gorb. 88-86.....Nicaragua  
Costa Rica  
Panamá
- punctatissimus* Fab. 75-123.....Surinam
- centumpunctatus* Hbst. 84-45
- quadrinotatus* Chev. 34-89.....México  
Br. Honduras  
Guatemala  
Nicaragua
- v. clathratus* Lac. 42-282
- rhombifer* Csy. 16-169.....Honduras
- rubriventris* Kuhn 08-626.....Brasil
- rufipennis* Chev. 34-87.....México  
Br. Honduras  
Guatemala
- sanguinans* Dohrn 80-152.....Brasil
- satellitius* Lac. 42-295.....Colombia  
Perú
- scurra* Lac. 42-288.....Brasil
- separandus* Crotch 42-114.....Ecuador
- stillatus* Gorb. 88-91.....México  
Br. Honduras
- striatellus* Crotch 76-119.....Ecuador
- strigicollis* Gorb. 99-90.....Panamá
- sutarella* Lac. 42-290.....Colombia
- torquatus* Lac. 42-291.....Fr. Guiana
- trilineatus* Kuhn 08-626.....México
- truncatus* Crotch 76-116.....Ecuador
- uva* Lac. 42-290.....México  
Nicaragua  
Costa Rica  
Panamá  
Colombia  
Ecuador
- v. abdominalis* Kuhn 08-627.....Costa Rica
- v. brunneus* Kuhn 08-628.....Costa Rica
- varicollis* Lac. 42-291.....Guatemala  
Panamá  
Colombia
- walkenaeri* Lac. 42-280.....Brasil
- Brachysphaenus** Lac. 42-296
- Aeronotus* Lac. 42-332 (Subg.)
- Aegithomorphus* Lac. 42-374 (Subg.)
- Barytopus* Lac. 42-379 (Subg.)
- Brachymerus* Lac. 42-405 (Subg.)
- Habrodactylus* Lac. 42-311 (Subg.)
- Iphiclus* Lac. 42-337 (Subg.)
- Megaprotus* Lac. 42-297 (Subg.)
- Morphoides* Hope 41-111 (Subg.)
- Oogaster* Lac. 42-377 (Subg.)
- Sacomorphus* Crotch 76-137 (Subg.)
- Sternolobus* Guér. 41-118 (Subg.)
- abdominalis* Oliv. 91-433.....Brasil  
Argentina
- adamsi* Lac. 42-366.....Panamá  
Colombia  
Brasil
- adustus* Dup. 24-27.....Brasil
- agathinus* Guér. 41-154.....Brasil
- amabilis* Lac. 42-305.....Brasil  
Panamá
- amazonus* Crotch 76-140.....Brasil
- amictus* Er. 47-178.....Perú

## Brachysphaenus—Continued.

|  |               |
|--|---------------|
| <i>andicola</i> Kirsch 76-104.....           | Perú          |
| <i>annularis</i> Lap. 40-520.....            | México        |
| <i>circumdatus</i> Guér. 41-119.....         | Colombia      |
| <i>annulatus</i> Germ. 24-613.....           | Brasil        |
| <i>antennalis</i> Lac. 42-410.....           | Fr. Guiana    |
| <i>arculifer</i> Kirsch 83-211.....          | Ecuador       |
| <i>argus</i> Kuhn 10-257.....                | Brasil        |
| <i>atricaudatus</i> Kuhn 10-256.....         | Ecuador       |
| <i>bajulus</i> Lac. 42-413.....              | Brasil        |
| <i>basalis</i> Crotch 76-134.....            | Brasil        |
| <i>basinotatus</i> Crotch 76-128.....        | Brasil        |
| <i>batesi</i> Gorh. 89-617.....              | South America |
| <i>bellulus</i> Lac. 42-404.....             | Fr. Guiana    |
| <i>bicinctus</i> Oliv. 07-472.....           | Brasil        |
| <i>bicolor</i> Lac. 42-368.....              | Brasil        |
| <i>bilineatus</i> Dup. 24-42.....            | Brasil        |
|  | Uruguay       |
|  | Argentina     |
| <i>bimaculatus</i> Fab. 75-820.....          | Brasil        |
| <i>biplagiatus</i> Guér. 41-119.....         | Brasil        |
| <i>bisigillatus</i> Lac. 42-365.....         | Colombia      |
| <i>bisignatus</i> Guér. 41-115.....          | Colombia      |
| <i>bisquadripunctatus</i> Kuhn 10-263.....   | Brasil        |
| <i>bisquinquepunctatus</i> Lac. 42-318.....  | Fr. Guiana    |
| <i>bisurfoliatus</i> Gorh. 89-616.....       | Perú          |
| <i>bistriplunatus</i> Lac. 42-314.....       | Fr. Guiana    |
| <i>bizonatus</i> Crotch 76-126.....          | Brasil        |
| <i>bremei</i> Guér. 41-117.....              | Bolivia       |
| <i>brevicollis</i> Gorh. 88-95.....          | Panamá        |
| <i>brongiarti</i> Lac. 42-397.....           | Colombia      |
|  | Argentina     |
| v. <i>fasciatopunctatus</i> Lac. 42-396..... |               |
| <i>brunneostriolatus</i> Kuhn 10-265.....    | Brasil        |
| <i>catillifer</i> Gorh. 88-93.....           | Brasil        |
|  | Nicaragua     |
|  | Costa Rica    |
| v. <i>zonula</i> Crotch 73-147.....          | Nicaragua     |
| <i>centromaculatus</i> Lac. 42-329.....      | Fr. Guiana    |
| <i>cerasinus</i> Lac. 42-400.....            | Brasil        |
| <i>cereus</i> Gorh. 88-94.....               | Panamá        |
| <i>chelonarius</i> Lac. 42-343.....          | Brasil        |
| <i>cinctellus</i> Lac. 42-300.....           | Fr. Guiana    |
|  | Brasil        |
| <i>cingulatus</i> Lac. 42-341.....           | Brasil        |
| <i>circulus</i> Lac. 42-307.....             | Fr. Guiana    |
|  | Perú          |
| <i>claropictus</i> Kuhn 10-260.....          | Paraguay      |
| <i>clarosignatus</i> Kuhn 10-258.....        | Fr. Guiana    |
| <i>clavicornis</i> Oliv. 91-435.....         | Brasil        |
| <i>lacordairei</i> Crotch 76-139.....        |               |
| <i>surinamensis</i> Schönh. 08-328.....      |               |
| <i>coadunatus</i> Lac. 42-303.....           | Fr. Guiana    |
|  | Brasil        |
| <i>colombii</i> Guér. 46-311.....            | Colombia      |
| <i>columbiae</i> Crotch 76-140.....          | Colombia      |
| <i>concolor</i> Lac. 42-328.....             | Fr. Guiana    |
| <i>conformis</i> Lac. 42-353.....            | Brasil        |
| <i>congener</i> Lac. 42-308.....             | Brasil        |
| <i>conspersus</i> Dup. 24-28.....            | Brasil        |
| <i>conspicillatus</i> Gorh. 88-95.....       | Costa Rica    |
| <i>cordiger</i> Crotch 76-131.....           | Brasil        |
| <i>decemnotatus</i> Dup. 24-16.....          | Brasil        |
| v. <i>rufonotatus</i> Crotch 76-136.....     |               |
| <i>decemplagiatus</i> Kuhn 10-264.....       | Brasil        |
| <i>decempunctatus</i> Dup. 24-38.....        | Brasil        |
|  | Argentina     |
| <i>decoloratus</i> Crotch 76-126.....        | Brasil        |
| <i>decussatus</i> Lac. 42-298.....           | Colombia      |
| <i>deficiens</i> Crotch 76-129.....          | Brasil        |
| <i>deletus</i> Lac. 42-408.....              | Fr. Guiana    |
| <i>delineatus</i> Lac. 42-306.....           | Panamá        |
|  | Colombia      |
|  | Fr. Guiana    |
|  | Brasil        |
| <i>detritus</i> Lac. 42-314.....             | Colombia      |
| <i>nebulosus</i> Guér. 41-118.....           |               |
| <i>dilectus</i> Gorh. 88-93.....             | Panamá        |
|  | Perú          |
| <i>discus</i> Lac. 42-327.....               | Fr. Guiana    |
| <i>dispilatus</i> Lac. 42-334.....           | Colombia      |
| <i>distinctus</i> Dup. 24-44.....            | Fr. Guiana    |
| <i>dorsalis</i> Oliv. 91-436.....            | Fr. Guiana    |
| <i>dorsomaculatus</i> Lac. 42-375.....       | Brasil        |
| <i>dorsonotatus</i> Lac. 42-370.....         | Brasil        |
| v. <i>haematopterus</i> Lac. 42-371.....     |               |
| <i>duodecimpustulatus</i> Lac. 42-371.....   | Fr. Guiana    |
|  | Brasil        |
| <i>duplicatus</i> Lac. 42-299.....           | Colombia      |
| v. <i>mediatus</i> Lac. 42-308.....          |               |
| <i>eburneus</i> Crotch 76-143.....           | Brasil        |
| <i>ecuadorensis</i> Crotch 76-133.....       | Ecuador       |
| <i>egensis</i> Gorh. 89-615.....             | South America |
| <i>ellipticus</i> Kuhn 10-255.....           | Venezuela     |
| <i>ephippium</i> Dup. 24-39.....             | Brasil        |
|  | Argentina     |
| <i>epigraphus</i> Crotch 76-124.....         | Brasil        |
| <i>epipleuralis</i> Crotch 76-141.....       | Brasil        |
|  | Perú          |
| <i>erichsoni</i> Lac. 42-390.....            | Colombia      |
| <i>erotyloides</i> Crotch 76-139.....        | Brasil        |
| v. <i>interruptus</i> Kuhn 08-632.....       | Perú          |
| <i>erythrocephalus</i> Oliv. 07-475.....     | ?             |
| <i>exiguenotatus</i> Gorh. 88-95.....        | Nicaragua     |
|  | Panamá        |
| <i>eximius</i> Lac. 42-393.....              | Brasil        |
| <i>fasciatus</i> Oliv. 91-433.....           | Brasil        |
| <i>trifasciatus</i> Oliv. 07-473.....        | Argentina     |
| <i>fasciellus</i> Crotch 76-121.....         | Brasil        |
| <i>fasciunculus</i> Crotch 76-121.....       | Brasil        |
| <i>festivus</i> Lac. 42-332.....             | México        |
| <i>flavofasciatus</i> Dup. 24-14.....        | Brasil        |
|  | Argentina     |
| v. <i>apicalis</i> Kuhn 08-633.....          | Brasil        |
|  | Argentina     |
| <i>flavosignatus</i> Dup. 24-28.....         | Brasil        |
| <i>flavovittatus</i> Dup. 24-30.....         | Brasil        |
|  | Argentina     |
| <i>flexuosus</i> Lac. 42-400.....            | Brasil        |
| <i>fragmentatus</i> Gorh. 88-99.....         | Guatemala     |
| <i>friedeli</i> Mader 38-16.....             | Perú          |
| <i>fulvipennis</i> Er. 47-179.....           | Perú          |
| <i>fulviventris</i> Gorh. 88-97.....         | Guatemala     |
| <i>fuscipes</i> Lac. 42-410.....             | Brasil        |
| <i>fuscomaculatus</i> Dup. 24-28.....        | Brasil        |
| <i>geometra</i> Lac. 42-381.....             | Colombia      |
|  | Fr. Guiana    |
|  | Brasil        |
| <i>glyptoderus</i> Lac. 42-361.....          | Colombia      |
|  | Ecuador       |
|  | Perú          |
| <i>grammicus</i> Er. 47-179.....             | Perú          |
| <i>guttatus</i> Dup. 24-23.....              | Brasil        |
| <i>guttiger</i> Kuhn 10-261.....             | Perú          |
| <i>haematites</i> Lac. 42-326.....           | Fr. Guiana    |



## Brachysphaenus—Continued.

|                                  |       |               |                                |       |               |
|----------------------------------|-------|---------------|--------------------------------|-------|---------------|
| haematocephalus Lac. 42-361      | ..... | Panamá        | v. decoloratus Crotch 76-126   | ..... | Brasil        |
|                                  |       | Colombia      | nitidulus Oliv. 07-479         | ..... | Fr. Guiana    |
|                                  |       | Argentina     | nubilus Lac. 42-310            | ..... | Fr. Guiana    |
| haematomelas Lac. 42-320         | ..... | Bolivia       | nuculus Gorb. 88-94            | ..... | México        |
| hebraicus Lac. 42-403            | ..... | Fr. Guiana    | obliquatus Kuhnt 10-262        | ..... | Perú          |
| hexastictus Crotch 76-144        | ..... | Brasil        | obliqueguttatus Crotch 76-129  | ..... | Brasil        |
| v. discretus Crotch 76-144       | ..... |               | oblitus Lac. 42-325            | ..... | México        |
| hoffmanni Lac. 42-323            | ..... | Brasil        | oblongonotatus Lac. 42-315     | ..... | Colombia      |
| hybridus Lac. 42-319             | ..... | Brasil        |                                |       | Brasil        |
| ictericus Lac. 42-327            | ..... | Fr. Guiana    | oblongosignatus Guér. 41-311   | ..... | Colombia      |
| immaculatus Lac. 42-369          | ..... | Brasil        | obsoletesignatus Crotch 76-144 | ..... | Brasil        |
|                                  |       | Perú          | ocellatus Kuhnt 10-262         | ..... | Brasil        |
| incas Gorb. 89-617               | ..... | South America | octodecimguttatus Lac. 42-351  | ..... | Brasil        |
| intercedens Schenk 19-82         | ..... | Perú          | octoguttatus Oliv. 07-484      | ..... | Fr. Guiana    |
| intersectus Dup. 24-20           | ..... | Brasil        | v. oculatus Dup. 24-37         | ..... |               |
| jejunus Gorb. 88-97              | ..... | México        | octolinearis Kuhnt 10-257      | ..... | Perú          |
| kirschi Kuhnt 10-263             | ..... | Brasil        | octopunctatus Kirsch 76-103    | ..... | Perú          |
| <i>ocipunctatus</i> Kuhnt 10-263 | ..... |               | odyneroides Crotch 76-142      | ..... | Brasil        |
| klugi Lac. 42-362                | ..... | Brasil        | ornatus Kuhnt 09-30            | ..... | Brasil        |
|                                  |       | Chaco         |                                |       | Argentina     |
|                                  |       | Argentina     | orphanulus Lac. 42-307         | ..... | Fr. Guiana    |
|                                  |       | Chile         | pallidipennis Gorb. 88-96      | ..... | Panamá        |
| kourouensis Lac. 42-325          | ..... | Fr. Guiana    | palmatus Lac. 42-347           | ..... | Colombia      |
| krafti Mader 35-271              | ..... | South America | pantherinus Kuhnt 09-31        | ..... | Brasil        |
| laceratus Mader 38-14            | ..... | Colombia      | parallelus Kuhnt 09-30         | ..... | Perú          |
| laetus Crotch 76-123             | ..... | Brasil        | pardalinus Lac. 42-355         | ..... | Brasil        |
| laevipennis Kuhnt 10-256         | ..... | Fr. Guiana    | patruelis Kuhnt 10-259         | ..... | Brasil        |
| lateripunctatus Crotch 76-141    | ..... | Brasil        | peraffinis Crotch 76-126       | ..... | Brasil        |
|                                  |       | Ecuador       | perlepidus Lac. 42-299         | ..... | Fr. Guiana    |
| limbatus Oliv. 91-437            | ..... | Fr. Guiana    | perspicillatus Lac. 42-312     | ..... | Colombia      |
| lineellus Dup. 24-29             | ..... | Brasil        | perversus Gorb. 89-618         | ..... | South America |
| v. amabilis Guér. 41-154         | ..... |               | pictus Dup. 24-19              | ..... | Brasil        |
| lucuosus Kuhnt 10-260            | ..... | Brasil        | pithecius Lac. 42-309          | ..... | Fr. Guiana    |
| lugens Lac. 42-384               | ..... | Colombia      | planipennis Kuhnt 09-29        | ..... | Surinam       |
| luscus Er. 47-178                | ..... | Perú          | porcellana Lac. 42-300         | ..... | Fr. Guiana    |
| luteoniger Crotch 76-122         | ..... | Ecuador       | procerus Er. 47-178            | ..... | Perú          |
| luteopictus Crotch 76-125        | ..... | Brasil        | proximus Guér. 42-311          | ..... | Colombia      |
| luteozonatus Crotch 76-142       | ..... | Brasil        | pulcher Gorb. 88-93            | ..... | Panamá        |
| maculicollis Kuhnt 10-254        | ..... | Brasil        | puncticollis Kirsch 76-104     | ..... | Perú          |
| manicatus Lac. 42-312            | ..... | Colombia      | punctiger Lac. 42-328          | ..... | Fr. Guiana    |
| marginatus Oliv. 91-437          | ..... | Guadeloupe    | pyrrhocephalus Er. 47-178      | ..... | Perú          |
| <i>guadeloupensis</i> Fab. 92-16 | ..... | Dominica      | quadrifasciatus Kirsch 65-98   | ..... | Colombia      |
| <i>suturalis</i> Lac. 42-378     | ..... |               | quadrimaculatus Dup. 24-29     | ..... | Brasil        |
| masculinus Crotch 76-123         | ..... | Brasil        | quadrisignatus Dup. 24-42      | ..... | Brasil        |
| melanopus Gorb. 88-99            | ..... | Panamá        |                                |       | Argentina     |
| melanostictus Crotch 76-129      | ..... | Ecuador       | quinquefasciatus Lac. 42-396   | ..... | Colombia      |
| meleagris Lac. 42-320            | ..... | Fr. Guiana    |                                |       | Brasil        |
| mendax Lac. 42-321               | ..... | Brasil        | v. anisozonius Crotch 76-142   | ..... | Brasil        |
| <i>litigiosus</i> Lac. 42-322    | ..... |               |                                |       | Ecuador       |
| moniliferus Guér. 41-155         | ..... | Fr. Guiana    | v. basicinctus Crotch 76-142   | ..... | Brasil        |
| multiguttatus Gorb. 88-100       | ..... | México        | v. orthozonius Crotch 76-142   | ..... | Ecuador       |
|                                  |       | Guatemala     | ramosus Oliv. 07-480           | ..... | Fr. Guiana    |
| mundus Schenk. 19-82             | ..... | Bolivia       |                                |       | Brasil        |
| musicalis Lac. 42-388            | ..... | Colombia      | v. apicinctus Crotch 76-145    | ..... | Ecuador       |
| mutabilis Gorb. 89-618           | ..... | South America | v. carmineus Crotch 76-145     | ..... | Ecuador       |
| nebulosus Guér. 41-155           | ..... | Bolivia       | v. dilaceratus Lac. 42-402     | ..... | Colombia      |
|                                  |       | Argentina     | regularis Er. 48-579           | ..... | Guiana        |
| a. nigricollis Mader 35-293      | ..... | South America | rubidus Dup. 24-30             | ..... | Brasil        |
| a. nigripes Mader 35-293         | ..... | South America | rubripennis Lac. 42-372        | ..... | Brasil        |
| neophyta Lac. 42-415             | ..... | Fr. Guiana    | rufescens Lac. 42-319          | ..... | Fr. Guiana    |
| nigripennis Demay 38-24          | ..... | Br. Guiana    | ruficeps Guér. 41-118          | ..... | Colombia      |
| nigriventris Crotch 76-140       | ..... | Ecuador       |                                |       | Perú          |
| nigromaculatus Kuhnt 09-27       | ..... | México        |                                |       | Bolivia       |
| nigropictus Lac. 72-387          | ..... | Nicaragua     |                                |       | Argentina     |
|                                  |       | Colombia      | a. immaculipennis Mader 35-294 | ..... | South America |
|                                  |       | Venezuela     | rufifrons Lac. 42-409          | ..... | Colombia      |

## Brachysphaenus—Continued.

|  |   |  |                          |
|--|---|--|--------------------------|
| salamandra Er. 47-178.....                 | Perú  | erythropterus Lac. 42-480.....         | Fr. Guiana<br>Brasil     |
| scutellaris Gorb. 88-98.....               | Argentina<br>Guatemala<br>Nicaragua<br>Costa Rica | Dichomorpha Kuhn 09-32                 |                          |
| scutulatus Kuhn 10-264.....                | Brasil  | fulva Kuhn 09-33.....                  | Colombia                 |
| sedecimguttatus Oliv. 91-436.....          | Venezuela   | Erotylus Fab. 75-123                   |                          |
| <i>thoracicus</i> Voet 98-pl. 33           | Guiana<br>Brasil                                  | aegrotus Lac. 42-420.....              | Brasil<br>Argentina      |
| sedecimmaculatus Buq. 40-173.....          | Panamá<br>Colombia<br>Brasil<br>Perú              | <i>v. dryas</i> Lac. 42-424.....       | Brasil                   |
| <i>v. concentratus</i> Crotch 76-134.....  |   | aequatoris Kirsch 83-211.....          | Ecuador                  |
| <i>v. discedens</i> Kuhn 10-261.....       | South America                                     | <i>alicus</i> Lac. 42-438.....         | Fr. Guiana               |
| sedecimpunctatus Lac. 42-309.....          | Fr. Guiana  | bellopectus Kuhn 10-266.....           | Argentina                |
| sedecimpustulatus Lac. 42-349.....         | Fr. Guiana  | bifasciatus Crotch 76-156.....         | Ecuador                  |
| sexpunctatus Dup. 24-39.....               | Brasil  | buckleyi Crotch 76-151.....            | Ecuador                  |
| sexsigillatus Lac. 42-390.....             | Brasil  | <i>v. catenatus</i> Kuhn 08-85.....    |                          |
| signaticollis Kuhn 10-254.....             | Brasil  | buqueti Lac. 42-445.....               | Brasil<br>Argentina      |
| signatus Dup. 24-35.....                   | Brasil  | cassidoides Crotch 76-157.....         | Brasil                   |
| simplex Lac. 42-372.....                   | Brasil<br>Perú                                    | chevolati Lac. 42-421.....             | Brasil                   |
| spadiceus Lac. 42-409.....                 | Fr. Guiana  | cingulatus Crotch 76-154.....          | Brasil                   |
| spectabilis Lac. 42-392.....               | Panamá<br>Colombia                                | clarosignatus Kuhn 08-72.....          | Brasil                   |
| spilotus Gorb. 88-111.....                 | Panamá  | connectens Crotch 76-155.....          | Brasil<br>Argentina      |
| stramineus Lac. 42-415.....                | Fr. Guiana  | contractus Kuhn 08-86.....             | Bolivia                  |
| striatipennis Gorb. 88-95.....             | Panamá  | cornaliae Guér. 55-611.....            | Ecuador                  |
| subsanguineus Crotch 76-145.....           | Brasil  | crucifer Kuhn 08-85.....               | Brasil                   |
| <i>v. disjunctus</i> Crotch 76-145.....    | Brasil  | decipiens Crotch 76-160.....           | Ecuador                  |
| subsignatus Lac. 42-329.....               | Fr. Guiana  | <i>v. peruvianus</i> Kuhn 08-100.....  | Perú                     |
| sulphurifer Lac. 42-324.....               | Brasil  | dichromostigma Guér. 41-115.....       | Bolivia<br>Argentina     |
| tabidus Er. 47-179.....                    | Perú  | dilaceratus Kirsch 76-106.....         | Perú                     |
| tenuenictus Lac. 42-340.....               | Brasil  | ecuadoricus Crotch 76-154.....         | Ecuador                  |
| tetrastictus Crotch 76-129.....            | Brasil  | elegans Kuhn 08-71.....                | Brasil                   |
| thoracicus Kirsch 76-103.....              | Perú  | elongatulus Crotch 76-157.....         | ?                        |
| tibialis Dup. 24-26.....                   | Brasil<br>Argentina                               | flavangulus Crotch 76-159.....         | Brasil                   |
| tricinctus Dup. 24-13.....                 | Fr. Guiana  | flavopunctatus Kuhn 08-78.....         | Perú                     |
| <i>v. rectesignatus</i> Crotch 76-125..... |   | flavotaeniatus Kuhn 08-75.....         | Brasil                   |
| tripartitus Lac. 42-386.....               | Colombia  | foveatus Kuhn 08-95.....               | Surinam<br>South America |
| ucayalensis Gorb. 89-615.....              | South America                                     | fulvofasciatus Kuhn 08-88.....         | Brasil                   |
| unifasciatus Fab. 98-101.....?             |   | geminatus Crotch 76-158.....           | Brasil                   |
| varians Lac. 42-344.....                   | Brasil  | gemmatus Fab. 92-38.....               | Fr. Guiana               |
| <i>M-nigrum</i> Lac. 42-346                |   | ghilianii Guér. 55-611.....            | Ecuador                  |
| venezuelae Crotch 76-143.....              | Venezuela   | giganteus Linn. 58-368.....            | Surinam<br>Fr. Guiana    |
| ventralis Lac. 42-399.....                 | Brasil  | glaber Kuhn 08-93.....                 | Ecuador                  |
| vetula Lac. 42-316.....                    | Fr. Guiana  | guerini Demay 38-23.....               | Bolivia                  |
| vigintipunctatus Oliv. 91-436.....         | Brasil  | helopioides Dup. 24-11.....            | Brasil                   |
| westwoodi Guér. 41-117.....                | Bolivia   | <i>v. conjungens</i> Kuhn 08-93.....   |                          |
| zonula Crotch 73-147.....                  | Ecuador   | <i>v. lacordairei</i> Lac. 42-446..... |                          |
| Cytorea Lap. 40-224                        |   | herpestes Lac. 42-445.....             | Colombia                 |
| <i>Brachymerus</i> Lac. 42-406             |   | hexagrammus Lac. 42-430.....           | Perú                     |
| <i>Typoccephalus</i> Hope 41-113           |   | <i>loratus</i> Er. 47-176              | Bolivia                  |
| <i>cruciata</i> Lac. 42-407.....           | Colombia<br>Fr. Guiana                            | <i>v. tenuenictus</i> Kuhn 08-76.....  | Perú                     |
| <i>dimidiata</i> Oliv. 91-435.....         | Colombia  | hieroglyphicus Crotch 76-156.....      | Venezuela                |
| <i>bicolor</i> Lap. 40-224.....            | Fr. Guiana  | <i>v. columbianus</i> Kuhn 08-91.....  | Colombia                 |
| <i>interpunctata</i> Crotch 76-148.....    | Venezuela   | histrionis Fab. 87-91.....             | Brasil                   |
| <i>tricolor</i> Kuhn 10-266.....           | Brasil  | <i>histrionicus</i> Dup. 24-8.....     | Brasil                   |
| <i>vespoides</i> Crotch 76-148.....        | Brasil  | imitans Kirsch 76-105.....             | Perú                     |
| Sphenoxus Lac. 42-376                      |   | imperfectus Crotch 76-157.....         | Ecuador                  |
| <i>germari</i> Lac. 42-376.....            | Colombia  | incertus Lac. 42-435.....              | Fr. Guiana<br>Perú       |
| Eurycardius Lac. 42-479                    |   | incomparabilis Perty 34-110.....       | Brasil                   |
| <i>concolor</i> Crotch 76-148.....         | Brasil  | intermedius Crotch 76-155.....         | Colombia                 |
|  |   | involutus Kuhn 08-91.....              | Honduras                 |
|  |   | jaspideus Er. 47-176.....              | Perú<br>Argentina        |
|  |   | <i>v. brasilianus</i> Kuhn 08-96.....  | Brasil                   |

*Erotylus*—Continued.

|                                       |            |
|---------------------------------------|------------|
| <i>v. minor</i> Kuhn 08-95            | Perú       |
| <i>latreillei</i> Lac. 42-461         | Bolivia    |
| <i>leopardus</i> Lac. 42-442          | México     |
|                                       | Guatemala  |
|                                       | Nicaragua  |
|                                       | Costa Rica |
| <i>v. confluens</i> Crotch 76-155     |            |
| <i>luteotaeniatus</i> Kuhn 08-76      | Brasil     |
| <i>maculiventris</i> Lac. 42-444      | Colombia   |
|                                       | Brasil     |
|                                       | Ecuador    |
|                                       | Perú       |
| <i>marginoguttatus</i> Crotch 76-150  | Brasil     |
| <i>v. integer</i> Kuhn 08-83          | Perú       |
|                                       | Bolivia    |
| <i>marginemaculatus</i> Crotch 76-151 | Ecuador    |
| <i>marshami</i> Lac. 42-425           | Fr. Guiana |
| <i>melanostictus</i> Crotch 76-157    | Brasil     |
| <i>microguttatus</i> Kuhn 08-96       | Brasil     |
| <i>mirabilis</i> Kuhn 08-72           | Brasil     |
| <i>multiguttatus</i> Lac. 42-441      | Bolivia    |
|                                       | Paraguay   |
| <i>nautae</i> Crotch 76-152           | Perú       |
| <i>nicaraguae</i> Crotch 73-148       | Nicaragua  |
| <i>nigrociuctus</i> Kuhn 08-87        | Perú       |
| <i>nigronotatus</i> Gorb. 88-102      | Panamá     |
| <i>nigrotibialis</i> Crotch 76-159    | Brasil     |
| <i>olivieri</i> Lac. 42-463           | Perú       |
|                                       | Bolivia    |
| <i>onagga</i> Lac. 42-427             | Costa Rica |
|                                       | Colombia   |
| <i>v. quinquefasciatus</i> Kuhn 08-91 |            |
| <i>papulosus</i> Lac. 42-436          | Fr. Guiana |
| <i>parcepunctatus</i> Crotch 76-159   | Ecuador    |
|                                       | Perú       |
| <i>pardalis</i> Er. 48-578            | Guiana     |
| <i>parvus</i> Kuhn 08-74              | Perú       |
| <i>permutatus</i> Kuhn 08-70          | Brasil     |
|                                       | Argentina  |
| <i>peruvianus</i> Crotch 76-151       | Perú       |
| <i>picturatus</i> Crotch 76-153       | Ecuador    |
| <i>placitus</i> Kirsch 76-108         | Perú       |
| <i>pretiosus</i> Perty 34-111         | Venezuela  |
|                                       | Guiana     |
|                                       | Brasil     |
|                                       | Argentina  |
| <i>v. impunctatus</i> Kuhn 08-90      | Brasil     |
| <i>v. infasciatus</i> Kuhn 10-268     | Argentina  |
| <i>propinquus</i> Kuhn 08-77          | Brasil     |
| <i>pustulatus</i> Dup. 24-10          | Fr. Guiana |
|                                       | Argentina  |
| <i>reichei</i> Guér. 41-117           | Bolivia    |
| <i>rudepunctatus</i> Crotch 76-151    | Brasil     |
| <i>rufipes</i> Crotch 76-159          | Colombia   |
| <i>sanguinans</i> Kuhn 08-88          | Brasil     |
| <i>sanguineiceps</i> Kuhn 08-75       | Brasil     |
| <i>scaphidomorphus</i> Crotch 76-156  | Brasil     |
| <i>scenicus</i> Er. 47-176            | Perú       |
| <i>schenklingi</i> Kuhn 08-84         | Brasil     |
| <i>scutellatus</i> Kuhn 08-97         | Colombia   |
| <i>sexfasciatus</i> Fabl 92-36        | Brasil     |
| <i>singularis</i> Kirsch 76-107       | Perú       |
| <i>spectrum</i> Thoms. 56-476         | Brasil     |
| <i>aterrimus</i> Kirsch 76-107        | Perú       |
| <i>staudingeri</i> Mader 35-241       | Perú       |
| <i>subreticulatus</i> Guér. 41-115    | Brasil     |
|                                       | Perú       |
|                                       | Bolivia    |
| <i>taeniatus</i> Latr. 33-9           | Colombia   |
| <i>fulgurator</i> Lac. 42-427         |            |
| <i>tectiformis</i> Kuhn 10-268        | Brasil     |
| <i>terminalis</i> Kuhn 08-99          | Brasil     |
| <i>toxophorus</i> Lac. 42-432         | Brasil     |
|                                       | Bolivia    |
| <i>v. toxographus</i> Er. 47-176      | Perú       |
| <i>tripartitus</i> Kuhn 08-90         | Brasil     |
| <i>unifasciatus</i> Lac. 42-433       | Colombia   |
| <i>theodori</i> Crotch 65-159         |            |
| <i>ustulatus</i> Er. 47-176           | Perú       |
| <i>varians</i> Crotch 76-154          | Brasil     |
|                                       | Ecuador    |
|                                       | Perú       |
|                                       | Bolivia    |
| <i>variegatus</i> Fab. 81-157         | Fr. Guiana |
| <i>pustulatus</i> Hbst. 99-364        |            |
| <i>sanguinolentus</i> Voet 98-40      |            |
| <i>varius</i> Linn. 93-1727           |            |
| <i>variomaculatus</i> Kuhn 08-77      | Bolivia    |
| <i>com letus</i> Kuhn 08-78           |            |
| <i>niger</i> Kuhn 08-77               |            |
| <i>paucipunctatus</i> Kuhn 08-77      |            |
| <i>vittiger</i> Kuhn 08-78            |            |
| <i>vinculatus</i> Lac. 42-426         | Colombia   |
| <i>voeti</i> Lac. 42-429              | Perú       |
|                                       | Bolivia    |
| <i>ziczac</i> Tasch. 70-196           | Colombia   |
| <i>Cypherotylus</i> Crotch 73-148     |            |
| <i>aeneoniger</i> Crotch 76-163       | Ecuador    |
| <i>alutaceus</i> Gorb. 88-107         | México     |
| <i>annulatus</i> Lac. 42-456          | Brasil     |
| <i>v. neglectus</i> Kuhn 08-227       | Venezuela  |
| <i>annulipes</i> Guér. 41-115         | Bolivia    |
|                                       | Argentina  |
| <i>v. nigricollis</i> Kuhn 08-228     |            |
| <i>anthracinus</i> Gorb. 88-104       | Perú       |
| <i>apiatus</i> Lac. 42-462            | Brasil     |
|                                       | Argentina  |
| <i>v. foraminosus</i> Lac. 42-463     |            |
| <i>apicalis</i> Crotch 76-164         | Colombia   |
| <i>armillatus</i> Er. 47-176          | Perú       |
| <i>asperus</i> Gorb. 88-108           | México     |
| <i>boisduvali</i> Crotch 73-358       | U. S. A.   |
| <i>ater</i> Kirsch 76-109             | Perú       |
| <i>badeni</i> Dohrn 83-103            | Brasil     |
|                                       | Perú       |
|                                       | Chile      |
| <i>banghaasi</i> Mader 35-242         | Guatemala  |
| <i>boisduvali</i> Chevr. 34-90        | México     |
|                                       | Guatemala  |
| <i>camelus</i> Guér. 41-116           | Brasil     |
|                                       | Bolivia    |
| <i>costaricensis</i> Gorb. 88-105     | Costa Rica |
| <i>debauvei</i> Demay 38-23           | Panamá     |
|                                       | Colombia   |
|                                       | Venezuela  |
|                                       | Fr. Guiana |
|                                       | Brasil     |
|                                       | Bolivia    |
| <i>dromedarius</i> Lac. 42-455        | Nicaragua  |
| <i>gibbosus</i> Oliv. 07-469          | Fr. Guiana |

|   |  |
|---|--|
| <b>Cypherotylus</b> —Continued.         |  |
| <i>elevatus</i> Fab. 01-4               | Panamá<br>Colombia<br>Fr. Guiana<br>Argentina              |
| <i>fenestratus</i> Gorh. 88-107         | México   |
| <i>gaumeri</i> Gorh. 88-106             | México   |
| <i>gibbosus</i> Linn. 63-10             | Nicaragua  |
| <i>tigrinus</i> Voet 06-62              | Panamá<br>Surinam<br>Fr. Guiana<br>Perú                    |
| <i>goryi</i> Guér. 41-116               | Colombia   |
| <i>gracilis</i> Kuhn 08-228             | Perú   |
| <i>guatemalae</i> Crotch 76-164         | Guatemala  |
| <i>hopfneri</i> Mader 35-243            | Guatemala  |
| <i>impressopunctatus</i> Crotch 73-148  | Nicaragua<br>Panamá  |
| <i>impunctatus</i> Crotch 76-161        | Brasil   |
| <i>intercedens</i> Kuhn 08-228          | Panamá<br>Colombia   |
| <i>irroratus</i> Kuhn 08-229            | Perú   |
| <i>jaquieri</i> Lac. 42-451             | Fr. Guiana   |
| <i>maximus</i> Crotch 76-161            | Brasil   |
| <i>miliaris</i> Lac. 42-458             | Colombia<br>Brasil<br>Bolivia                              |
| <i>patellatus</i> Gorh. 88-104          | Perú   |
| <i>seriatus</i> Kuhn 08-229             | Bolivia<br>Argentina                                       |
| <i>v. nigroterminalis</i> Kuhn 08-229   |  |
| <i>sphaclatus</i> Fab. 01-4             | Brasil<br>Perú<br>Argentina                                |
| <i>sticticus</i> Er. 47-176             | Perú   |
| <i>stillatus</i> Kirsch 65-100          | Colombia<br>Perú   |
| <i>variolosus</i> Crotch 76-164         | Ecuador  |
| <i>vicinus</i> Guér. 41-116             | México   |
| <i>melanostigma</i> Lac. 42-466         | Guatemala<br>Nicaragua                                     |
| <i>v. jansoni</i> Crotch 73-149         | Nicaragua  |
| <i>zebu</i> Kirsch 76-108               | Perú   |
| sp. (Gorham 88-108)                     | Br. Honduras   |
| <b>Micrerotylus</b> Crotch 76-165       |  |
| <i>dubitabilis</i> Crotch 76-165        | Brasil<br>Argentina  |
| <i>v. quinquepunctatus</i> Kuhn 08-238  |  |
| <i>funerellus</i> Crotch 76-165         | Colombia   |
| <i>gronovii</i> Hbst. 83-52             | Fr. Guiana   |
| <i>alternans</i> Oliv. 91-434           |  |
| <i>funerbris</i> Panz. 98-38            |  |
| <i>hesitans</i> Crotch 76-165           | Ecuador<br>Perú  |
| <i>heterogrammus</i> Lac. 42-382        | Bolivia  |
| <i>lunulatus</i> Oliv. 91-435           | Nicaragua<br>Panamá<br>Colombia<br>Fr. Guiana<br>Perú      |
| <i>v. lugubris</i> Lac. 42-383          | Colombia   |
| <i>tricolor</i> Kuhn 08-237             | Perú   |
| <b>Zonarius</b> Hope 41-111             |  |
| <i>Allototus</i> Hope 41-112            |  |
| <i>buckleyi</i> Crotch 76-169           | Ecuador  |
| <i>cacicus</i> Lac. 42-474              | México<br>Guatemala  |
| <i>cinctus</i> Hbst. 99-372             | Fr. Guiana   |
| <i>discoideus</i> Oliv. 07-482          | Brasil   |
| <i>convexusculus</i> Crotch 76-168      | Brasil   |
| <i>v. sanguinicollis</i> Kuhn 10-251    | Brasil   |
| <i>convexus</i> Crotch 76-168           | Brasil   |
| <i>duodecimmaculatus</i> Kuhn 10-251    | Brasil   |
| <i>erythrogonus</i> Crotch 76-167       | Brasil   |
| <i>fractus</i> Crotch 76-168            | Colombia   |
| <i>hybridus</i> Er. 47-177              | Ecuador<br>Perú  |
| <i>indicus</i> Hbst. 83-52              | Surinam  |
| <i>bifasciatus</i> Hbst. 99-370         |  |
| <i>v. xanthomelas</i> Lac. 42-469       |  |
| <i>jansoni</i> Crotch 73-149            | Nicaragua<br>Costa Rica<br>Panamá                          |
| <i>limbatus</i> Kuhn 10-249             | Colombia<br>Venezuela                                      |
| <i>melanoderes</i> Kuhn 10-250          | Chile  |
| <i>militaris</i> Germ. 24-611           | Brasil   |
| <i>decemmaculatus</i> Dup. 24-17        | Argentina  |
| <i>nigrotaeniatus</i> Lac. 42-477       | Colombia   |
| <i>nigrotibialis</i> Demay 38-24        | Bolivia  |
| <i>peregrinus</i> Lac. 42-476           | Brasil   |
| <i>rugipunctatus</i> Crotch 76-168      | Ecuador  |
| <i>trizonatus</i> Germ. 24-611          | Brasil   |
| <i>zebra</i> Fab. 87-92                 | México   |
| <i>v. guatemalae</i> Crotch 76-167      | Br. Honduras<br>Guatemala<br>Colombia<br>Trinidad          |
| <i>v. quadrifasciatus</i> Crotch 76-167 | Fr. Guiana<br>Ecuador<br>Guatemala                         |
| <b>Scaphidomorphus</b> Hope 41-111      |  |
| <i>bosci</i> Guér. 41-117               | Panamá<br>Colombia<br>Surinam<br>Brasil<br>Ecuador<br>Perú |
| <i>quinquepunctatus</i> Fab. 75-123     | Fr. Guiana   |
| <i>pentastictus</i> Harold 75-185       | Chaco<br>Argentina   |
| <b>Prepopharus</b> Er. 47-177           |  |
| <i>barytopoides</i> Crotch 76-173       | Brasil   |
| <i>bitaeniatus</i> Lac. 42-486          | Perú<br>Bolivia  |
| <i>chamaeleo</i> Lac. 42-489            | Colombia<br>Bolivia  |
| <i>diffinis</i> Er. 47-178              | Perú   |
| <i>disputabilis</i> Crotch 76-172       | Brasil   |
| <i>duplicatus</i> Crotch 76-173         | Brasil   |
| <i>duponcheli</i> Chev. 34-91           | México<br>Guatemala<br>Costa Rica<br>Panamá                |
| <i>herbsti</i> Lac. 42-486              | Brasil<br>Bolivia<br>Argentina                             |
| <i>v. crabronoides</i> Lac. 42-487      | Brasil   |
| <i>v. extingens</i> (Bruch 15-381)      | Chaco  |
| <i>impluviatus</i> Lac. 42-485          | Colombia<br>Perú   |
| <i>maculiflorus</i> Crotch 76-172       | Brasil   |

**Prepopharus**—Continued.

|  |              |
|--|--------------|
| notatus Oliv. 91-435.....                  | Guiana       |
| <i>tessellatus</i> Panz. 98-40.....        | Brasil       |
|  | Bolivia      |
| obliteratus Er. 47-178.....                | Perú         |
| opalizans Lac. 42-493.....                 | Fr. Guiana   |
| partitus Crotch 76-172.....                | Colombia     |
|  | Ecuador      |
| pustuliforus Crotch 76-172.....            | Brasil       |
| undatus Fab. 01-8.....                     | Colombia     |
|  | Fr. Guiana   |
|  | Brasil       |
| v. <i>atroflavus</i> Crotch 76-171.....    | Fr. Guiana   |
|  | Perú         |
| v. <i>basisignatus</i> Crotch 76-171.....  | Venezuela    |
| v. <i>deficiens</i> Crotch 76-171.....     | Fr. Guiana   |
| v. <i>inchoatus</i> Crotch 76-171.....     | Fr. Guiana   |
| v. <i>interruptus</i> Crotch 76-171.....   | Fr. Guiana   |
| v. <i>polyscriptus</i> Kuhnt 10-270.....   | Fr. Guiana   |
| v. <i>praeustus</i> Dup. 24-26.....        | Fr. Guiana   |
| v. <i>thoracicus</i> Crotch 76-171.....    | Fr. Guiana   |
| v. <i>zigsena</i> Lac. 42-492.....         | Colombia     |
| varicollis Crotch 76-173.....              | Brasil       |
| xanthomelas Crotch 73-150.....             | Nicaragua    |
|  | Costa Rica   |
| <b>Perithonius</b> Crotch 76-173.....      |              |
| <i>misolampoides</i> Lac. 42-257.....      | Colombia     |
| <b>Rhynchothonius</b> Crotch 76-174.....   |              |
| <i>albidoguttatus</i> Crotch 76-174.....   | Brasil       |
| <b>Priotelus</b> Hope 41-112.....          |              |
| <i>apiatus</i> Chevr. 35-122.....          | México       |
|  | Br. Honduras |
|  | Guatemala    |
|  | Nicaragua    |
|  | Costa Rica   |
|  | Panamá       |
|  | Colombia     |
| <i>calceatus</i> Lac. 42-496.....          | Fr. Guiana   |
| <i>debilis</i> Crotch 76-176.....          | Brasil       |
| <i>dejeani</i> Lac. 42-501.....            | Fr. Guiana   |
| <i>detrahens</i> Crotch 76-176.....        | Brasil       |
|  | Ecuador      |
| <i>difficilis</i> Crotch 76-177.....       | Colombia     |
| <i>equestris</i> Lac. 42-495.....          | Fr. Guiana   |
| v. <i>amazonicus</i> Crotch 76-177.....    | Brasil       |
| <i>femoralis</i> Kirsch 65-102.....        | Colombia     |
|  | Venezuela    |
| <i>habrodactyloides</i> Crotch 76-178..... | Brasil       |
| <i>ignobilis</i> Kirsch 65-102.....        | Colombia     |
| <i>irroratus</i> Lac. 42-331.....          | Fr. Guiana   |
| <i>jucundus</i> Lac. 42-497.....           | Fr. Guiana   |
| <i>limbatus</i> Crotch 76-177.....         | Ecuador      |
| <i>lineatulus</i> Crotch 76-179.....       | Brasil       |
| <i>lividus</i> Lac. 42-496.....            | Brasil       |
| <i>macasensis</i> Crotch 76-175.....       | Ecuador      |
| <i>minor</i> Crotch 76-178.....            | Brasil       |
| <i>nitidior</i> Crotch 76-178.....         | Brasil       |
| <i>obsoletus</i> Crotch 76-176.....        | Brasil       |
| <i>octomaculatus</i> Oliv. 91-436.....     | Fr. Guiana   |
| <i>serripennis</i> Guér. 41-119.....       |              |
| <i>orphanus</i> Crotch 76-175.....         | Brasil       |
| <i>ovatus</i> Crotch 76-178.....           | Brasil       |
| <i>rugithorax</i> Crotch 76-179.....       | Brasil       |
| <i>sexmaculatus</i> Crotch 76-175.....     | Brasil       |
| <i>spinolae</i> Guér. 46-312.....          | Colombia     |
| <i>stellio</i> Er. 47-177.....             | Perú         |

|   |                |
|---|----------------|
| <i>tigrinipennis</i> Lac. 42-499.....         | Colombia       |
|   | Venezuela      |
| <i>transversofasciatus</i> Crotch 76-175..... | Colombia       |
| <i>truncatus</i> Lac. 42-499.....             | Fr. Guiana     |
| <i>zebra</i> Kuhnt 10-269.....                | ?South America |
| <b>Tapinotarsus</b> Kirsch 65-100.....        |                |
| <i>brachymeroides</i> Crotch 76-180.....      | Brasil         |
| <i>kirschi</i> Crotch 76-180.....             | Brasil         |
| <i>maculatus</i> Kirsch 65-101.....           | Colombia       |
| v. <i>octomaculatus</i> Kuhnt 10-270.....     | Colombia       |
| <i>multinotatus</i> Lac. 42-330.....          | Fr. Guiana     |
| <b>Baies</b> Hope 41-113.....                 |                |
| <i>immaculicollis</i> Crotch 76-180.....      | Brasil         |
| <i>nigropicta</i> Crotch 76-181.....          | Venezuela      |
| <i>scutellaris</i> Lac. 42-504.....           | Venezuela      |
| v. <i>ambigua</i> Lac. 42-505.....            |                |
| <i>tripunctata</i> Dup. 24-36.....            | Fr. Guiana     |
| <b>Phricobacis</b> Crotch 76-181.....         |                |
| <i>ardua</i> Er. 47-177.....                  | Brasil         |
|   | Perú           |
| v. <i>hepatica</i> Kirsch 76-110.....         | Perú           |
| <i>batesi</i> Crotch 76-182.....              | Brasil         |
| <i>hopei</i> Guér. 41-115.....                | Bolivia        |
| <i>marginata</i> Guér. 41-119.....            | Bolivia        |
| <i>navicularis</i> Lac. 42-512.....           | Fr. Guiana     |
| <i>pulchra</i> Crotch 76-182.....             | Brasil         |
| <i>ratzeburgi</i> Lac. 42-449.....            | Brasil         |
| <i>rufo limbata</i> Crotch 76-182.....        | Brasil         |
| <b>Homoetelus</b> Lac. 42-506.....            |                |
| <i>Omoiotelus</i> Hope 41-112.....            |                |
| <i>acuminatus</i> Gorb. 91-56.....            | Ecuador        |
| <i>albidipennis</i> Crotch 76-186.....        | Ecuador        |
| <i>apicicornis</i> Guér. 42-312.....          | Colombia       |
| <i>emarginatus</i> Kirsch 65-103.....         |                |
| <i>confusus</i> Crotch 73-150.....            | Br. Honduras   |
|   | Guatemala      |
|   | Nicaragua      |
|   | Costa Rica     |
|   | Panamá         |
| <i>crociacollis</i> Lac. 42-514.....          | Colombia       |
| <i>distinguentus</i> Crotch 76-184.....       | Brasil         |
| <i>d'orbigny</i> Guér. 41-119.....            | Brasil         |
|   | Colombia       |
|   | Perú           |
|   | Chaco          |
|   | Argentina      |
| <i>duponcheli</i> Lac. 42-507.....            | Brasil         |
| <i>gemellatus</i> Lac. 42-513.....            | Guatemala      |
|   | Costa Rica     |
|   | Panamá         |
|   | Colombia       |
| <i>hepaticus</i> Crotch 76-184.....           | Ecuador        |
| <i>jansoni</i> Crotch 73-150.....             | Nicaragua      |
|   | Panamá         |
| <i>mexicanus</i> Crotch 76-185.....           | México         |
|   | Guatemala      |
|   | Panamá         |
| <i>octomaculatus</i> Crotch 76-184.....       | Perú           |
| <i>orbignyianus</i> Lac. 42-510.....          | Brasil         |
|   | Bolivia        |
| <i>pallidus</i> Oliv. 91-436.....             | Fr. Guiana     |
| <i>lineatocollis</i> Dup. 24-43.....          |                |
| <i>peruvianus</i> Kirsch 76-110.....          | Perú           |
| <i>prioteloides</i> Crotch 76-185.....        | Brasil         |
| <i>rugosus</i> Crotch 76-185.....             | Brasil         |
| <i>signaticollis</i> Dup. 24-35.....          | Brasil         |

## Homoeotelus—Continued.

|                                   |           |
|-----------------------------------|-----------|
| spinifer Thoms. 57-310            | Brasil    |
| terminalis Er. 47-177             | Perú      |
| testaceus Fab. 75-822             | Colombia  |
| <i>immaculatus</i> Oliv. 99-428   | Brasil    |
| <i>lugubris</i> Linn. 90-1727     | Perú      |
| umbonatus Lac. 42-508             | Colombia  |
| <i>trimaculatus</i> Kirsch 65-102 |           |
| vitiosus Crotch 76-184            | Brasil    |
| Brachylon Gorb. 99-256            |           |
| breve Gorb. 99-256                | México    |
|                                   | Nicaragua |

## TRIPLACINI

## Paelaphacus Perch. 35-6

|                                   |              |
|-----------------------------------|--------------|
| amazonicus Crotch 76-45           | Brasil       |
| approximatus Crotch 76-46         | Brasil       |
| atricollis Kuhn 10-226            | Argentina    |
| concinus Kuhn 10-227              | Guatemala    |
| confusus Crotch 76-44             | Brasil       |
| conspersus Kirsch 83-211          | Panamá       |
|                                   | Colombia     |
|                                   | Ecuador      |
| contaminatus Er. 47-180           | Perú         |
| curvipes Guér. 41-157             | México       |
| <i>gracilipes</i> Lac. 42-82      | Nicaragua    |
|                                   | Panamá       |
|                                   | Colombia     |
|                                   | Brasil       |
|                                   | Bolivia      |
| v. <i>distortus</i> Crotch 73-142 | México       |
|                                   | Nicaragua    |
| dentatus Germ. 24-615             | Brasil       |
| ducalis Crotch 76-43              | Colombia     |
| giganteus Germ. 24-615            | Fr. Guiana   |
| <i>cayennensis</i> Lap. 40-15     | Surinam      |
| gorhami Kuhn 09-59                | Panamá       |
| <i>conspersus</i> Gorb. 87-35     |              |
| maculatus Guér. 41-158            | Bolivia      |
| maendrinus Lac. 42-86             | Colombia     |
|                                   | Ecuador      |
| mysticus Gorb. 83-84              | Perú         |
| nicaraguae Crotch 73-142          | Nicaragua    |
|                                   | Panamá       |
| nigropictus Crotch 76-44          | Brasil       |
| nigropunctatus Perch. 35-6        | Brasil       |
|                                   | Ecuador      |
|                                   | Bolivia      |
|                                   | Argentina    |
| poecilosomus Lac. 42-77           | Panamá       |
| <i>hopei</i> Guér. 42-309         | Colombia     |
|                                   | Ecuador      |
| procerus Kuhn 10-226              | Argentina    |
| punctostriatus Crotch 76-44       | Brasil       |
| puncticollis Guér. 41-158         | México       |
|                                   | Br. Honduras |
|                                   | Guatemala    |
|                                   | Nicaragua    |
|                                   | Panamá       |
|                                   | Fr. Guiana   |
|                                   | Brasil       |
|                                   | Perú         |
|                                   | Argentina    |
| quinquenotatus Lac. 42-78         | Fr. Guiana   |
| rubricatus Hbst. 99-pl. 137       | Fr. Guiana   |
| <i>catenulatus</i> Oliv. 07-489   | Brasil       |
|                                   | Ecuador      |
|                                   | Perú         |

|                                    |              |
|------------------------------------|--------------|
| semiclatratus Lac. 42-88           | México       |
|                                    | Br. Honduras |
|                                    | Guatemala    |
| signatus Guér. 41-158              | Nicaragua    |
| <i>signatipennis</i> Lac. 42-84    | Panamá       |
|                                    | Colombia     |
|                                    | Fr. Guiana   |
|                                    | Brasil       |
|                                    | Ecuador      |
|                                    | Perú         |
|                                    | Bolivia      |
|                                    | Argentina    |
| sparsus Lac. 42-80                 | Brasil       |
| transversalis Lac. 42-77           | Fr. Guiana   |
| trifasciatus Lac. 42-83            | Fr. Guiana   |
| vitticollis Crotch 73-142          | Nicaragua    |
|                                    | Panamá       |
|                                    | Colombia     |
| Megischyrus Crotch 73-143          |              |
| angustatus Lac. 42-96              | Colombia     |
| bartletti Gorb. 83-85              | Perú         |
| bellicosus Lac. 42-98              | Brasil       |
| bogotae Crotch 76-48               | Colombia     |
| brasilensis Lac. 42-91             | Brasil       |
|                                    | Argentina    |
| v. <i>oblongus</i> Dup. 24-40      |              |
| catenatus Crotch 76-48             | Brasil       |
|                                    | Ecuador      |
|                                    | Perú         |
| catenulatus Lac. 42-97             | Bolivia      |
| chevolati Crotch 76-47             | Brasil       |
| circumscripatus Dup. 24-41         | Brasil       |
| columbianus Lac. 42-95             | Colombia     |
|                                    | Perú         |
| connexus Crotch 76-47              | Colombia     |
|                                    | Ecuador      |
| decempunctatus Guér. 41-154        | Bolivia      |
| discipennis Lac. 42-101            | México       |
|                                    | Nicaragua    |
|                                    | Panamá       |
| elongatus Gorb. 83-85              | Perú         |
| guatemalae Crotch 76-48            | Br. Honduras |
|                                    | Guatemala    |
| jurinei Lac. 42-94                 | Perú         |
|                                    | Bolivia      |
| knochii Lac. 42-100                | Bolivia      |
| laetus Schenk. 19-85               | Perú         |
| lineatus Lac. 42-104               | Brasil       |
| <i>grammistes</i> Lac. 42-105      |              |
| mesomelas Crotch 76-47             | Ecuador      |
| mexicanus Lac. 42-93               | México       |
| v. <i>consanguineus</i> Lac. 42-94 |              |
| nicaraguae Crotch 73-143           | Nicaragua    |
|                                    | Panamá       |
| v. <i>panamae</i> Schenk. 19-85    | ?Panamá      |
| octostriatus Kuhn 10-227           | Brasil       |
| pictipennis Schenk. 19-84          | Venezuela    |
| planior Kirsch 76-99               | Perú         |
| sanguinolentus Lac. 42-97          | México       |
|                                    | Br. Honduras |
|                                    | Nicaragua    |
| scaphinotus Lac. 42-96             | Colombia     |
| semipunctatus Germ. 24-612         | Brasil       |
| <i>baleatus</i> Dup. 24-40         |              |
| semitinctus Er. 47-180             | Perú         |
| sicarius Lac. 42-101               | Colombia     |
| <i>perizonatus</i> Lac. 42-103     | ?Brasil      |

**Megischyrus**—Continued.

|  |   |
|--|---|
| undatus Oliv. 91-434.....                  | Fr. Guiana  |
| <i>oblongus</i> Dup. 24-40.....            |   |
| zonalis Lac. 42-102.....                   | Br. Honduras  |
| <i>lineolatus</i> Crotch 76-49.....        | Guatemala<br>Brasil<br>Perú<br>Bolivia<br>Argentina |
| <i>v. immarginatus</i> Schenk. 19-86.....  |   |
| <b>Ischyrus</b> Lac. 42-89.....            |   |
| angularis Lac. 42-126.....                 | Colombia  |
| auriculatus Lac. 42-123.....               | Fr. Guiana  |
| <i>bahiae</i> Crotch 76-52.....            | Brasil  |
| <i>bogotae</i> Crotch 76-54.....           | Guatemala<br>Colombia                               |
| <i>boucardi</i> Crotch 76-53.....          | Brasil  |
| <i>chacojae</i> Gorch. 87-43.....          | Guatemala   |
| <i>collatinus</i> Crotch 76-57.....        | Nicaragua<br>Colombia                               |
| <i>conductus</i> Kuhn 10-229.....          | Brasil  |
| <i>consimilis</i> Crotch 76-53.....        | Brasil  |
| <i>distingendus</i> Lac. 42-111.....       | México  |
| <i>duponti</i> Lac. 42-110.....            | Colombia  |
| <i>elegantulus</i> Lac. 42-121.....        | Nicaragua<br>Colombia                               |
| <i>ephippiatus</i> Gorch. 87-43.....       | Panamá  |
| <i>episcaphulinus</i> Gorch. 87-44.....    | Guatemala   |
| <i>femoralis</i> Chevr. 41-63.....         | México  |
| <i>flavitaris</i> Lac. 42-130.....         | Cuba  |
| <i>fraternus</i> Lac. 42-124.....          | Colombia  |
| <i>frontalis</i> Lac. 42-127.....          | México<br>Panamá<br>Colombia                        |
| <i>v. agnatus</i> Crotch 76-50.....        |   |
| <i>fulvitaris</i> Lac. 42-129.....         | Hispaniola  |
| <i>grammicus</i> Gorch. 83-86.....         | Perú  |
| <i>graphicus</i> Lac. 42-125.....          | México<br>Nicaragua<br>St. Vincent                  |
| <i>gratiosus</i> Guér. 46-310.....         | Colombia  |
| <i>impressopunctatus</i> Crotch 76-50..... | Colombia  |
| <i>incertus</i> Lac. 42-118.....           | Colombia<br>Fr. Guiana                              |
| <i>insolens</i> Crotch 76-53.....          | México  |
| <i>interruptus</i> Dup. 24-19.....         | Brasil  |
| <i>laetus</i> Lac. 42-122.....             | Brasil  |
| <i>lineatus</i> Kuhn 10-228.....           | Brasil  |
| <i>macularis</i> Lac. 42-128.....          | Colombia  |
| <i>modestus</i> Oliv. 07-483.....          | Hispaniola  |
| <i>nigrolineatus</i> Crotch 76-56.....     | ?   |
| <i>nitidior</i> Crotch 76-54.....          | Brasil  |
| <i>nobilis</i> Crotch 76-53.....           | Brasil  |
| <i>palliatius</i> Lac. 42-113.....         | Colombia<br>Brasil                                  |
| <i>patruelis</i> Lac. 42-124.....          | Brasil  |
| <i>peruvianus</i> Gorch. 83-85.....        | Perú  |
| <i>pictus</i> Gorch. 87-42.....            | Guatemala   |
| <i>proximus</i> Lac. 42-113.....           | México<br>Guatemala<br>Nicaragua<br>Costa Rica      |
| <i>puncticollis</i> Gorch. 87-44.....      | México  |
| <i>quadrupunctatus</i> Oliv. 91-437.....   | Guatemala   |
| <i>quinquepunctatus</i> Gorch. 87-43.....  | U. S. A.<br>Panamá                                  |

|  |                               |
|--|-------------------------------|
| <i>scriptus</i> Oliv. 07-484.....        | Fr. Guiana                    |
| <i>affinis</i> Dup. 24-18.....           | Brasil                        |
| <i>v. maculiventris</i> Lac. 42-120..... |                               |
| <i>scutellaris</i> Gorch. 87-41.....     | Panamá                        |
| <i>septemsignatus</i> Gorch. 87-41.....  | México<br>Guatemala           |
| <i>sheppardi</i> Crotch 76-52.....       | Brasil                        |
| <i>similior</i> Crotch 76-56.....        | ?                             |
| <i>subcylindricus</i> Lac. 42-117.....   | Colombia<br>Fr. Guiana        |
| <i>tetragrammus</i> Kuhn 10-230.....     | Argentina                     |
| <i>tetraspilotus</i> Guér. 46-310.....   | Colombia                      |
| <i>tetrastictus</i> Gorch. 87-41.....    | Panamá                        |
| <i>tripunctatus</i> Crotch 73-144.....   | Nicaragua<br>Hispaniola       |
| <i>undulatus</i> Gorch. 87-42.....       | Panamá                        |
| <i>variabilis</i> Dup. 24-17.....        | Brasil<br>Argentina           |
| <i>velatus</i> Lac 42-115.....           | Colombia<br>Venezuela         |
| <i>vespertilio</i> Lac. 42-112.....      | México<br>Colombia            |
| <i>vittatus</i> Crotch 76-51.....        | Brasil                        |
| <b>Oocyonus</b> Hope 41-113.....         |                               |
| <i>Epytus</i> Crotch 76-57.....          |                               |
| <i>brunnipes</i> Kuhn 10-231.....        | Cuba                          |
| <i>tarsalis</i> Lac. 42-106.....         | Cuba                          |
| <i>tarsatus</i> Lac. 42-196.....         | Hispaniola<br>?Colombia       |
| <i>violaceus</i> Sturm 26-82.....        | Cuba                          |
| <i>cyaneus</i> Dup. 24-31.....           |                               |
| <b>Callischyrus</b> Crotch 76-58.....    |                               |
| <i>amoenus</i> Guér. 41-155.....         | México<br>Costa Rica          |
| <i>apicatus</i> Kuhn 10-231.....         | Ecuador                       |
| <i>candeei</i> Crotch 76-58.....         | Guatemala                     |
| <i>cyanopterus</i> Er. 47-180.....       | México<br>Colombia<br>Ecuador |
| <i>peru</i> .....                        | Perú                          |
| <i>hieroglyphicus</i> Dup. 24-17.....    | Brasil<br>Argentina           |
| <i>insignis</i> Lap. 40-520.....         | Colombia                      |
| <i>blandus</i> Er. 47-180.....           | Venezuela                     |
| <i>elegans</i> Guér. 41-118.....         | Ecuador<br>Perú               |
| <i>melanogaster</i> Guér. 46-310.....    | Colombia                      |
| <i>melanopus</i> Guér. 41-118.....       | Colombia                      |
| <i>venustus</i> Lac. 42-109.....         | México<br>Colombia            |
| <b>Myeotretus</b> Lac. 42-132.....       |                               |
| <i>adalioides</i> Crotch 76-72.....      | Perú                          |
| <i>aegrotus</i> Gorch. 88-60.....        | Costa Rica                    |
| <i>aestuans</i> Lac. 42-170.....         | Brasil                        |
| <i>alternans</i> Gorch. 88-57.....       | Panamá                        |
| <i>ambulator</i> Lac. 42-175.....        | Fr. Guiana                    |
| <i>apicalis</i> Lac. 42-181.....         | Colombia<br>Perú              |
| <i>arcuatus</i> Lac. 42-158.....         | Fr. Guiana                    |
| <i>argus</i> Lac. 42-161.....            | Fr. Guiana                    |
| <i>atricaudatus</i> Gorch. 88-66.....    | Panamá                        |
| <i>badius</i> Gorch. 88-70.....          | Guatemala                     |
| <i>balteatus</i> Crotch 76-69.....       | Brasil                        |
| <i>basalis</i> Crotch 76-62.....         | Brasil                        |
| <i>bicolor</i> Tasch. 70-198.....        | Colombia                      |
| <i>bicoloratus</i> Kuhn 11-48.....       | Perú                          |
| <i>bicolor</i> Kirsch 76-101.....        |                               |

## Mycotretus—Continued.

|                               |                 |
|-------------------------------|-----------------|
| bipunctatus Gorb. 88-58       | Panamá          |
| biseptemguttatus Crotch 76-65 | Fr. Guiana      |
| bistrigatus Lac. 42-188       | México          |
| brasilianus Crotch 76-66      | Brasil          |
| brevis Gorb. 88-67            | Panamá          |
| bruchii (Bruch 15-384)        | Argentina       |
| centralis Arrow 09-196        | Central America |
| cercyonoides Gorb. 88-67      | Panamá          |
| chilensis Crotch 88-78        | Chile           |
| chontalesi Crotch 73-145      | Nicaragua       |
| cinctellus Guér. 41-153       | Colombia        |
|                               | Brasil          |
|                               | Bolivia         |
|                               | Argentina       |
| cinctiger Crotch 76-62        | Brasil          |
| clitelliger Lac. 42-149       | Colombia        |
| coccidulinus Gorb. 88-63      | Br. Honduras    |
|                               | Guatemala       |
| coccinelloides Tasch. 70-198  | Colombia        |
| coccineus Lac. 42-239         | Brasil          |
| coelestinus Lac. 42-170       | Colombia        |
| cognatus Lac. 42-145          | Brasil          |
| consanguineus Gorb. 88-61     | Guatemala       |
|                               | Panamá          |
| consociatus Kuhn 10-244       | Colombia        |
| corallipennis Crotch 76-72    | Colombia        |
|                               | Venezuela       |
| cordiger Crotch 76-79         | Brasil          |
| coronatus Dup. 24-21          | Brasil          |
| cribratus Gorb. 88-64         | Guatemala       |
|                               | Panamá          |
| cruciger Crotch 76-76         | ?               |
| crudus Gorb. 88-63            | México          |
| cruentus Gorb. 88-59          | Guatemala       |
| cyanopterus Lac. 42-179       | Colombia        |
| decoratus Dup. 24-21          | Brasil          |
| decorus Crotch 76-66          | Brasil          |
| derasofasciatus Kuhn 10-237   | Perú            |
| deyrollei Crotch 42-75        | Brasil          |
| dichrous Kirsch 76-100        | Perú            |
| difficilis Lac. 42-136        | Brasil          |
| dimidiatus Tasch. 70-198      | Colombia        |
| discipennis Kuhn 10-240       | Brasil          |
| v. conductus Kuhn 10-240      | Brasil          |
| discoidalis Tasch. 70-199     | Colombia        |
| dispar Tasch. 70-197          | Colombia        |
|                               | Perú            |
| distigma Lac. 42-190          | Colombia        |
| distinguendus Arrow 09-196    | Central America |
| dorsofasciatus Lac. 42-173    | Brasil          |
| dorsonotatus Lac. 42-151      | Fr. Guiana      |
|                               | Brasil          |
| dubius Lac. 42-141            | Brasil          |
| durius Lac. 42-161            | Fr. Guiana      |
|                               | Brasil          |
| dytiscoides Lac. 42-184       | México          |
| egae Crotch 76-66             | Brasil          |
| elegans Gorb. 88-55           | Guatemala       |
| episcaphoides Crotch 76-80    | Brasil          |
| episcopalis Lac. 42-152       | Fr. Guiana      |
| epopterus Gorb. 88-69         | México          |
| erraticus Gorb. 88-254        | México          |
| expressus Kuhn 10-237         | Brasil          |
| fallax Guér. 41-155           | Brasil          |
| fasciolatus Lac. 42-150       | México          |
|                               | Guatemala       |
|                               | Panamá          |
| fascipennis Kuhn 10-244       | Surinam         |
| flavomarginatus Lac. 42-157   | Brasil          |
| floriger Lac. 42-185          | Fr. Guiana      |
| fulviceps Crotch 76-71        | Brasil          |
| fulvilabris Crotch 76-71      | Brasil          |
| fuscitarsis Lac. 42-180       | México          |
|                               | Guatemala       |
|                               | Costa Rica      |
|                               | Panamá          |
| geminus Gorb. 88-50           | Panamá          |
| gemmula Lac. 42-181           | Colombia        |
| gentilis Lac. 42-182          | Perú            |
| v. pulicarius Lac. 42-182     |                 |
| graniformis Lac. 42-152       | Fr. Guiana      |
| graphoderus Lac. 42-144       | Brasil          |
|                               | Argentina       |
| v. strigipennis Kuhn 10-244   | Brasil          |
| v. thoracicus Kuhn 10-244     | Brasil          |
| guatemalae Crotch 76-65       | Guatemala       |
| haemapterus Gorb. 88-68       | Panamá          |
|                               | Brasil          |
| haematicus Gorb. 88-61        | Costa Rica      |
| hepaticus Lac. 42-190         | Colombia        |
| hilaris Lac. 42-171           | Brasil          |
| hirudo Gorb. 88-59            | Guatemala       |
| humeralis Germ. 24-614        | Brasil          |
| humilis Lac. 42-189           | Fr. Guiana      |
| illustris Crotch 76-64        | México          |
| incarnatus Gorb. 88-62        | México          |
|                               | Guatemala       |
|                               | Nicaragua       |
|                               | Panamá          |
| intermedius Lac. 42-135       | Brasil          |
| interstictus Gorb. 88-50      | Nicaragua       |
| interstitialis Kuhn 10-239    | Panamá          |
| jocosus Lac. 42-173           | Brasil          |
| laccophilinus Gorb. 88-57     | Panamá          |
| laceratus Lac. 42-176         | Fr. Guiana      |
| laeiventris Crotch 76-78      | México          |
| lepidus Lac. 42-178           | Fr. Guiana      |
|                               | Ecuador         |
| leprosus Lac. 42-160          | Fr. Guiana      |
| lesueuri Chev. 35-175         | México          |
|                               | Br. Honduras    |
|                               | Guatemala       |
| limbatus Lac. 42-223          | Brasil          |
| lissomoides Crotch 76-79      | Brasil          |
| luteipes Lac. 42-189          | México          |
|                               | Guatemala       |
| luteolus Gorb. 88-58          | Panamá          |
| maculatus Oliv. 91-436        | Nicaragua       |
| figuratus Lac. 42-159         | Panamá          |
|                               | Colombia        |
|                               | Surinam         |
|                               | Fr. Guiana      |
|                               | Brasil          |
| magnus Lac. 42-184            | Brasil          |
| marginicollis Lac. 42-159     | Brasil          |
| melanophthalmus Dup. 24-36    | Brasil          |
| melanopterus Lac. 42-162      | Colombia        |
| v. xanthosomus Lac. 42-162    |                 |
| melanothus Gorb. 88-66        | Panamá          |
| miniatus Lac. 42-183          | México          |
|                               | Guatemala       |
| minutus Dup. 24-25            | Brasil          |
| quadrimus Lac. 42-155         |                 |
| misellus Lac. 42-183          | Colombia        |
|                               | Fr. Guiana      |



**Mycotretus**—Continued.

|                         |               |              |
|-------------------------|---------------|--------------|
| multimaculatus          | Tasch. 70-197 | Colombia     |
| mutabilis               | Crotch 76-62  | Brasil       |
| mycetophagoides         | Crotch 76-81  | Brasil       |
| v. erythrocerus         | Crotch 76-81  | Brasil       |
| mycetophiloides         | Crotch 76-82  | Brasil       |
| v. careus               | Crotch 76-82  |              |
| nigricollis             | Gorh. 88-70   | México       |
| nigripes                | Gorh. 88-64   | Guatemala    |
| nigropunctatus          | Dup. 24-22    | Costa Rica   |
| <i>puncticollis</i>     | Dup. 24-25    | Brasil       |
|                         |               | Argentina    |
| nigroterminatus         | Lac. 42-180   | Colombia     |
| nigrovittis             | Lac. 42-157   | Fr. Guiana   |
| nitescens               | Crotch 76-69  | México       |
|                         |               | Guatemala    |
|                         |               | Panamá       |
|                         |               | Brasil       |
| normalis                | Gorh. 88-51   | México       |
| noterinus               | Gorh. 88-65   | Panamá       |
| nubifer                 | Csy. 16-158   | Guatemala    |
| nugator                 | Lac. 42-174   | Fr. Guiana   |
| occidulinus             | Gorh. 88-63   | Br. Honduras |
|                         |               | Guatemala    |
| ocellatus               | Germ. 24-613  | Brasil       |
| <i>duodecimguttatus</i> | Dup. 24-24    | Perú         |
| v. consociatus          | Kuhnt 10-238  | Colombia     |
| opalescens              | Crotch 76-68  | Brasil       |
| oppositipunctum         | Gorh. 88-69   | Guatemala    |
| ornatus                 | Dup. 24-20    | Guatemala    |
|                         |               | Panamá       |
|                         |               | Colombia     |
|                         |               | Brasil       |
| v. godarti              | Lac. 42-146   | Colombia     |
| v. maculosus            | Dup. 24-23    | Venezuela    |
|                         |               | Brasil       |
| v. melanostictus        | Lac. 42-139   | Colombia     |
| v. posticus             | Lac. 42-147   |              |
| v. terminalis           | Lac. 42-134   | Brasil       |
| pallidior               | Crotch 76-52  | México       |
| <i>nigrotinctus</i>     | Crotch 76-68  | Guatemala    |
|                         |               | Nicaragua    |
| palmiphilus             | Lac. 42-165   | Brasil       |
| panamanus               | Gorh. 88-54   | Panamá       |
| parallelus              | Crotch 76-77  | Brasil       |
| partialis               | Mader 40-12   | Colombia     |
| partitus                | Lac. 42-176   | Colombia     |
| pebasensis              | Crotch 76-63  | ?Brasil      |
|                         |               | ?Perú        |
| pecari                  | Lac. 42-167   | Nicaragua    |
|                         |               | Panamá       |
|                         |               | Colombia     |
| pelliciens              | Kirsch 76-100 | Perú         |
| peruae                  | Crotch 76-70  | Perú         |
| pictopiceus             | Gorh. 88-56   | Panamá       |
| planus                  | Gorh. 88-66   | Panamá       |
| polyophthalmus          | Lac. 42-163   | Venezuela    |
|                         |               | Fr. Guiana   |
| psittacus               | Lac. 42-167   | México       |
|                         |               | ?Brasil      |
| psylloroides            | Crotch 76-67  | Brasil       |
| pulchellus              | Lac. 42-177   | Brasil       |
| puncticeps              | Kirsch 65-97  | Colombia     |
| pusillus                | Lac. 42-188   | Fr. Guiana   |
| pygmaeus                | Lac. 42-156   | México       |
|                         |               | Br. Honduras |
|                         |               | Nicaragua    |

|                       |               |              |
|-----------------------|---------------|--------------|
|                       |               | Panamá       |
|                       |               | Colombia     |
|                       |               | Fr. Guiana   |
|                       |               | Brasil       |
|                       |               | Argentina    |
| quadripunctatus       | Crotch 76-74  | Perú         |
| quadristriolatus      | Kuhnt 10-242  | Perú         |
| quattuordecimguttatus | Lac. 42-163   | Colombia     |
|                       |               | Brasil       |
| v. conjunctus         | Crotch 76-64  |              |
| rastratus             | Crotch 76-69  | Brasil       |
| reticulatus           | Crotch 76-67  | Brasil       |
| rhodosomus            | Lac. 42-166   | Brasil       |
| rubidus               | Gorh. 88-62   | Guatemala    |
| rufilabris            | Lac. 42-222   | Brasil       |
| rufipennis            | Gorh. 88-69   | México       |
| sallaei               | Crotch 76-76  | México       |
| sandicatus            | Gorh. 88-54   | Guatemala    |
| sanguineus            | Dup. 24-25    | Colombia     |
|                       |               | Brasil       |
| sanguinosus           | Crotch 76-82  | Costa Rica   |
|                       |               | Panamá       |
|                       |               | Colombia     |
| sannio                | Lac. 42-169   | Brasil       |
| savignyi              | Lac. 42-156   | México       |
|                       |               | Nicaragua    |
|                       |               | Costa Rica   |
|                       |               | Panamá       |
|                       |               | Colombia     |
| scalaris              | Lac. 42-168   | Colombia     |
| scitulus              | Lac. 42-154   | México       |
|                       |               | Guatemala    |
|                       |               | Costa Rica   |
|                       |               | Colombia     |
|                       |               | Brasil       |
| sedecimguttatus       | Guér. 42-310  | Colombia     |
| seminiger             | Harold 76-174 | Brasil       |
| <i>dimidiatus</i>     | Crotch 76-68  |              |
| separandus            | Crotch 76-66  | Brasil       |
| sericeoantens         | Crotch 76-69  | Brasil       |
| v. monticola          | Crotch 76-69  | Ecuador      |
| sexlineatus           | Kuhnt 10-241  | Brasil       |
| sexoculatus           | Lac. 42-165   | Colombia     |
| sexpunctatus          | Gorh. 88-50   | Panamá       |
| signatellus           | Crotch 76-67  | Brasil       |
| v. imperfectus        | Crotch 76-67  | Brasil       |
| singularis            | Lac. 42-148   | Colombia     |
| sobrinus              | Guér. 41-154  | México       |
|                       |               | Brasil       |
| v. distinguendus      | Arrow 09-196  | México       |
| v. silaceus           | Lac. 42-54    | Brasil       |
| spadiceus             | Gorh. 88-53   | Br. Honduras |
|                       |               | Nicaragua    |
|                       |               | Panamá       |
|                       |               | Colombia     |
| sticticollis          | Lac. 42-174   | Fr. Guiana   |
| stillatus             | Kuhnt 10-239  | Venezuela    |
| stramineus            | Gorh. 88-58   | Panamá       |
| succinctus            | Crotch 76-76  | Colombia     |
| suturalis             | Kirsch 76-99  | Perú         |
| ternotatus            | Gorh. 88-51   | México       |
| tesserarius           | Lac. 42-191   | Colombia     |
| thoracicus            | Kuhnt 10-242  | Perú         |
| tibialis              | Gorh. 88-56   | Nicaragua    |
| tigratus              | Lac. 42-150   | Colombia     |
| v. nigrocinctus       | Lac. 42-151   |              |

|                                     |   |
|-------------------------------------|---|
| <b>Mycotretus</b> —Continued.       |   |
| <i>tigrinus</i> Oliv. 91-437        | Surinam   |
| <i>conspersus</i> Germ. 24-614      | Fr. Guiana  |
| <i>leopardus</i> Gorch. 88-49       | Brasil<br>Perú  |
| <i>v. centralis</i> Arrow 09-196    | México  |
| <i>tigrinus</i> Gorch. 88-48        | Guatemala   |
| <i>v. pardalis</i> Crotch 76-75     | Brasil<br>Ecuador<br>Perú                                 |
| <i>trabeatus</i> Lac. 42-148        | Colombia  |
| <i>tricolor</i> Crotch 76-68        | Brasil  |
| <i>unguicularis</i> (Bruch 15-384)  | Chaco<br>Argentina  |
| <i>unicolor</i> Fvl. 60-326         | Fr. Guiana  |
| <i>vilis</i> Lac. 42-175            | Fr. Guiana  |
| <i>virgatus</i> Kuhn 10-243         | Brasil  |
| <i>vittatus</i> Gorch. 88-57        | México<br>Guatemala                                       |
| <i>xanthomelas</i> Crotch 76-82     | Brasil  |
| <i>zizcae</i> Kuhn 10-241           | Colombia  |
| <b>Mycomystes</b> Gorch. 88-71      |   |
| <i>ferruginea</i> Gorch. 88-71      | México  |
| <i>sachi</i> Mader 38-19            | Brasil  |
| <b>Paratritoma</b> Gorch. 88-71     |   |
| <i>atricaudata</i> Kuhn 10-246      | Venezuela   |
| <i>bruchi</i> Kuhn 10-245           | Chaco<br>Argentina<br>Guatemala                           |
| <i>caduca</i> Gorch. 88-73          | Guatemala   |
| <i>dimidiata</i> Gorch. 88-72       | México  |
| <i>divisa</i> Gorch. 88-72          | México<br>Guatemala<br>Panamá                             |
| <i>melanoderes</i> Kuhn 10-245      | Colombia  |
| <i>triplacoides</i> Crotch 76-71    | Brasil  |
| <i>vivida</i> Gorch. 88-73          | Guatemala   |
| <b>Tritoma</b> Fab. 75-570          |   |
| <i>dorsalis</i> Gorch. 88-56        | Panamá  |
| <i>sellata</i> Kuhn 10-247          | ?Cuba<br>U. S. A.   |
| <b>Haematochiton</b> Gorch. 88-81   |   |
| <i>elateroides</i> Gorch. 88-81     | México  |
| <b>Scaeothea</b> Gorch. 88-82       |   |
| <i>carbonarius</i> Gorch. 88-82     | México  |
| <b>Triplax</b> Hbst. 93-146         |   |
| <i>championi</i> Gorch. 88-78       | México<br>Guatemala                                       |
| <i>cruentipennis</i> Lac. 42-205    | Brasil  |
| <i>högei</i> Gorch. 88-78           | México  |
| <i>mesomelas</i> Gorch. 88-79       | México<br>Br. Honduras<br>Guatemala<br>Panamá             |
| <i>rediviva</i> Gorch. 88-79        | Guatemala   |
| <i>valdiviana</i> Phil. 64-401      | Chile   |
| <b>Mycophthorus</b> Lac. 42-193     |   |
| <i>melanocerus</i> Lac. 42-193      | Fr. Guiana  |
| <i>pauperculus</i> Lac. 42-194      | Br. Honduras<br>Guatemala<br>Panamá<br>Colombia<br>Brasil |
| <i>peruvianus</i> Kirsch 76-101     | Perú  |
| <i>vernix</i> Csy. 16-159           | Panamá  |
| <b>Pseudolybas</b> Gorch. 88-74     |   |
| <i>glabra</i> Gorch. 88-74          | Panamá  |
| <i>verniciata</i> Gorch. 88-75      | Panamá  |
| <b>Lybas</b> Lac. 42-228            |   |
| <i>anisotomoides</i> Gorch. 88-76   | Panamá  |
| <i>atripennis</i> Er. 47-180        | México<br>Perú  |
| <i>axillaris</i> Lac. 42-236        | Fr. Guiana  |
| <i>bicolor</i> Guér. 41-153         | Colombia<br>Venezuela<br>Brasil<br>Ecuador<br>Bolivia     |
| <i>calida</i> Lac. 42-233           | Colombia  |
| <i>carbuncula</i> Lac. 42-238       | Fr. Guiana<br>Brasil<br>México<br>Guatemala<br>Panamá     |
| <i>chlamyphora</i> Lac. 42-234      | Colombia  |
| <i>corallina</i> Lac. 42-239        | Fr. Guiana  |
| <i>cruentissima</i> Csy. 16-170     | Guatemala   |
| <i>dorsalis</i> Gorch. 83-86        | Perú  |
| <i>faba</i> Lac. 42-234             | Colombia  |
| <i>ferruginea</i> Oliv. 07-482      | Fr. Guiana  |
| <i>granata</i> Lac. 42-231          | México  |
| <i>humeralis</i> Kuhn 10-248        | Fr. Guiana  |
| <i>interpunctata</i> Gorch. 88-76   | México  |
| <i>mycetophila</i> Lac. 42-237      | Fr. Guiana  |
| <i>normalis</i> Lac. 42-235         | Fr. Guiana<br>Brasil                                      |
| <i>pulcaria</i> Lac. 42-238         | Fr. Guiana  |
| <i>rufina</i> Lac. 42-232           | Fr. Guiana  |
| <i>seminula</i> Lac. 42-237         | Fr. Guiana  |
| <i>signaticollis</i> (Bruch 15-384) | Argentina   |
| <i>thoracica</i> Oliv. 07-486       | Fr. Guiana<br>Brasil                                      |
| <b>Lybanodes</b> Gorch. 88-77       |   |
| <i>castanea</i> Gorch. 88-77        | Nicaragua   |
| <b>Mycolybas</b> Crotch 76-97       |   |
| <i>coccineipennis</i> Mots. 58-117  | Central America   |
| <i>cruentata</i> Kirsch 65-97       | Colombia  |
| <i>egae</i> Crotch 76-98            | Brasil  |
| <i>lucida</i> Lac. 42-232           | Brasil<br>Argentina                                       |
| <i>melanocoryna</i> Lac. 42-233     | Brasil  |
| <i>sanguinosa</i> Mots. 58-116      | Colombia  |
| <b>Neoxestus</b> Crotch 76-100      |   |
| <i>chilensis</i> Crotch 76-100      | Chile   |

## DACNINI

|                                     |                                |
|-------------------------------------|--------------------------------|
| <b>Megalodaene</b> Crotch 73-352    |                                |
| <i>audouini</i> Lac. 42-66          | México                         |
| <i>a. unifasciata</i> Schenk. 19-93 | México                         |
| <i>batesi</i> Crotch 76-40          | Brasil                         |
| <i>fasciata</i> Fab. 77-213         | México                         |
| <i>bifasciata</i> Oliv. 91-433      | U. S. A.                       |
| <i>quadriguttata</i> Oliv. 91-434   | Nicaragua                      |
| <i>heros</i> Guér. 41-159           | Fr. Guiana                     |
| <i>signata</i> Lap. 40-15           | Brasil<br>Bolivia<br>Argentina |
| <i>v. brasiliensis</i> Lac. 42-72   | Brasil                         |
| <i>v. multifida</i> Lac. 42-72      | Brasil                         |
| <i>tortuosa</i> Lac. 42-69          | México<br>Colombia             |

## DIPHYLLINI

**Diplocoelus** Guér. 36-196

- Marginus* LeC. 62-105  
*consobrinus* Grouv. 05-127.....Argentina  
*costulatus* Chevr. 63-615.....Cuba

- similis* Grouv. 98-44.....Grenada  
*turbinatus* Grouv. 05-127.....Argentina  
*villosus* Grouv. 05-127.....Paraguay  
 Argentina  
**Cryptophilus** Rtrr. 74-381  
*frater* Grouv. 98-43.....Grenada

## Superfamily COLYDIOIDEA

## MYCETOPHAGIDAE

*(Tritomidae)*

## MYCETOPHAGINI

**Triphyllus** Latr. 29-98

- perfectus* Shp. 02-638.....México  
 Guatemala

**Litargus** Er. 46-405

- Alitargus* Csy. 00-136 (Subg.)  
*Litargellus* Csy. 00-136 (Subg.)  
*Paralitargus* Csy. 00-136 (Subg.)  
*Tilargus* Csy. 00-135 (Subg.)  
*arcuatus* Er. 47-94.....Perú  
*balteatus* LeC. 56-14.....Baja Calif.  
 México  
 Guatemala  
 Nicaragua  
 Panamá  
 Cuba  
 Puerto Rico  
<sup>14</sup> Montserrat  
 U. S. A.  
 Old World

- v. disjunctus* Shp. 02-639.....México  
 Br. Honduras  
 Guatemala

- complicatus* Shp. 02-641.....Guatemala  
 Panamá

- debilis* Shp. 02-640.....México  
 Guatemala

- granulatus* Shp. 02-641.....Guatemala

- guadalupensis* Grouv. 08-63.....Guadeloupe

- moerens* Shp. 02-639.....Guatemala  
 Panamá

- nitidus* Brèthes 22-282.....Argentina

- quadrifasciatus* Kirsch 73-151.....Perú

- tetraspilatus* LeC. 56-14.....México  
 Guatemala  
 Nicaragua  
 Panamá  
 Argentina

**Catopius** Shp. 02-641

- irregularis* Shp. 02-642.....México  
 Guatemala

**Mycetophagus** Hellw. 92-394

- chilensis* Phil. 64-376.....Chile

- v. sublineatus* Pic 24-379.....<sup>10</sup> Is. J. Fernández

- frater* Grouv. 06-310.....<sup>10</sup> Is. J. Fernández  
 Argentina

- fraternus* Grouv. 11-315.....Argentina

**Typhaea** Steph. 30-58

- semirufa* Chevr. 63-614.....Cuba

- Puerto Rico

- stercorea* Linn. 58-357.....[Cosmopolitan]

- crenata* Melsh. 46-114.....Baja Calif.

- fumata* Linn. 67-564.....México

- gibbata* Melsh. 53-45.....Guatemala

- testacea* Fabr. 92-233.....Puerto Rico

- tomentosa* Steph. 30-71.....Guadeloupe

- variabilis* Hbst. 92-41.....St. Vincent  
 Grenada

- U. S. A.  
 Old World

**Berginus** Er. 46-405

- bahamicus* Csy. 00-129.....Bahamas Is.  
 Cuba

- nigricolor* Champ. 13-117.....Guatemala  
 Nicaragua  
 Panamá

- pumilus* LeC. 63-72.....<sup>1</sup> I. Sta. Margarita  
 Baja Calif.  
 U. S. A.

- punctatolineatus* Grouv. 02-465.....Martinique

- vitraci* Grouv. 02-769.....Guadeloupe

## ESARCINI

**Pseudesarca** Champ. 13-115

- villosus* Champ. 13-115.....Panamá

## COLYDIIIDAE

## COLYDIINAE

## COLYDIINI

**Colydium** Fabr. 92-459

- acuticolle* Rtrr. 78-116.....Venezuela

- bicarinipenne* Hntn. 36-51.....Argentina

- brevicornis* Rtrr. 78-116.....West Indies  
 ?Colombia

- championi* Shp. 94-467.....Guatemala

- chiriquense* Shp. 94-466.....Panamá

- clavigerum* Shp. 94-468.....México

- clypeale* Hntn. 36-52.....Bolivia

- corpulentum* Rtrr. 78-115.....?Central America

- ferrugineum* Rtrr. 78-116.....Brasil

- godmani* Shp. 94-465.....México  
 Guatemala

- guatemalenum* Shp. 94-466.....Guatemala

- latum* Hntn. 36-49.....Costa Rica

- longicolle* Rtrr. 78-116.....Venezuela  
 Argentina

- mexicanum* Rtrr. 78-115.....México

<sup>1</sup> Baja California (México).<sup>10</sup> Chile.<sup>14</sup> Leeward Islands (W. I.)

**Colydium**—Continued.

|                                       |                           |
|---------------------------------------|---------------------------|
| <i>pascoei</i> Rtrtr. 77-23           | Colombia                  |
| <i>puncticolle</i> Shp. 94-467        | México                    |
| <i>pusillum</i> Shp. 94-468           | Br. Honduras<br>Panamá    |
| <i>unistriatum</i> Rtrtr. 78-115      | Guiana                    |
| <b>Eulachus</b> Er. 45-275            |                           |
| <i>costatus</i> Thoms. 55-pl. 20      | West Indies<br>Fr. Guiana |
| <i>quinquecarinatus</i> Chevr. 63-609 | Cuba                      |
| <i>semifuliginosus</i> Chevr. 63-108  | Cuba<br>Puerto Rico       |

**Aulonium** Er. 45-275

|                                |   |
|--------------------------------|---|
| <i>angustatum</i> Pasc. 63-86  | Brasil  |
| <i>belti</i> Shp. 94-469       | Nicaragua   |
| <i>bidentatum</i> Fabr. 01-556 | México<br>Br. Honduras<br>Guatemala<br>Nicaragua<br>Costa Rica<br>Panamá<br>Brasil<br>Cuba<br>Puerto Rico<br>Guadeloupe |
| <i>cylindricum</i> Hntn. 36-55 | Costa Rica  |
| <i>egens</i> Pasc. 63-88       | Brasil  |
| <i>frontale</i> Shp. 94-469    | México<br>Guatemala   |
| <i>hebes</i> Pasc. 63-87       | Brasil  |
| <i>ignotum</i> Pasc. 63-87     | Brasil  |
| <i>insigne</i> Rtrtr. 77-336   | Colombia  |
| <i>oblitum</i> Pasc. 63-87     | Brasil<br>Argentina   |
| <i>praepositum</i> Pasc. 63-87 | Brasil  |
| <i>sublaeve</i> Pasc. 63-87    | Brasil  |
| <i>tubulum</i> Shp. 94-469     | México<br>Guatemala<br>Costa Rica<br>Panamá   |

**Pseudaulonium** Rtrtr. 77-334

|                                  |                  |
|----------------------------------|------------------|
| <i>discolor</i> Champ. 13-74     | Panamá<br>Brasil |
| <i>ferrugineum</i> Rtrtr. 77-336 | Brasil           |
| <i>nitidum</i> Champ 13-75       | Guatemala        |
| <i>regale</i> Rtrtr. 77-335      | Colombia         |

**Anarmostes** Pasc. 63-80

|                                  |                           |
|----------------------------------|---------------------------|
| <i>arguta</i> Shp. 94-471        | Nicaragua                 |
| <i>bicolor</i> Pasc. 63-89       | Brasil                    |
| <i>carinata</i> Kirsch 65-46     | Colombia                  |
| <i>costicollis</i> Rtrtr. 77-342 | Colombia                  |
| <i>laticollis</i> Pasc. 63-89    | Brasil                    |
| <i>sculptilis</i> Pasc. 60-110   | Brasil                    |
| <b>Endestes</b> Pasc. 63-80      |                           |
| <i>incilis</i> Pasc. 63-92       | Brasil                    |
| <i>sculpturata</i> Shp. 94-472   | Br. Honduras<br>Guatemala |
| <i>sulcicollis</i> Rtrtr. 77-337 | Brasil                    |

**AGLENINI****Aglenus** Er. 45-275

|                               |                       |
|-------------------------------|-----------------------|
| <i>brunneus</i> Gyll. 13-711  | Chile                 |
| <i>obsoletus</i> Shuck. 39-27 | U. S. A.<br>Old World |

**Cryptozoön** Schauf. 82-47

|                                   |             |
|-----------------------------------|-------------|
| <i>civile</i> Schauf. 82-47       | Puerto Rico |
| <i>nitidicollis</i> Schauf. 82-47 | Puerto Rico |

**SYNCHITINI****Synchita** Hellw. 92-401

|                                       |  |
|---------------------------------------|--|
| <i>Ditoma</i> Rtrtr. 82-124           |  |
| <i>Endeiotoma</i> Shp. 94-450 (Subg.) |  |
| <i>dubia</i> Hntn. 36-58              | Panamá   |
| <i>laticollis</i> LeC. 63-66          | Cuba<br>4 Montserrat<br>Guadeloupe<br>St. Vincent<br>Grenada<br>U. S. A. |
| <i>mexicana</i> Shp. 94-450           | México   |
| <i>mimetes</i> Shp. 94-449            | Br. Honduras   |
| <i>panamensis</i> Shp. 94-450         | Panamá   |
| <i>striatopunctata</i> Guér. 44-190   | Brasil<br>Argentina  |
| <b>Asynchita</b> Shp. 94-448          |  |
| <i>granosa</i> Shp. 94-449            | Panamá   |
| <i>granulata</i> Say 27-266           | Cuba<br>Hispaniola<br>Puerto Rico<br>Guadeloupe                          |
| <i>rugulosa</i> Guér. 44-189          | West Indies<br>Cuba  |

**Bitoma** Hbst. 93-25

|                                       |  |
|---------------------------------------|--|
| <i>Ditoma</i> Ill. 07-320             |  |
| <i>Eulachus</i> LeC. 63-68            |  |
| <i>Xuthia</i> Pasc. 63-122            |  |
| <i>bifasciata</i> Shp. (Bruch 15-324) | Argentina  |
| <i>brevipes</i> Shp. 94-462           | México<br>Panamá   |
| <i>carinata</i> LeC. 63-68            | Cuba<br>Hispaniola   |
| <i>centralis</i> Shp. 94-459          | Guatemala<br>Panamá  |
| <i>discolor</i> Schaeff. 07-137       | Cuba<br>U. S. A.   |
| <i>exarata</i> Pasc. 63-9             | México<br>Guatemala<br>Brasil<br>Hispaniola                            |
| <i>gounellei</i> Grouv. 96-185        | Brasil   |
| <i>gracilis</i> Shp. 94-460           | México<br>Guatemala<br>U. S. A.  |
| <i>intermedia</i> Hntn. 35-202        | México   |
| <i>jejuna</i> Pasc. 60-102            | México<br>Br. Honduras<br>Guatemala<br>Colombia<br>Brasil<br>Argentina |
| <i>longior</i> Grouv. 08-49           | Guadeloupe   |
| <i>ornata</i> LeC. 58-63              | México<br>U. S. A.   |
| <i>palmarum</i> Bondar 40-852         | Brasil   |
| <i>parvula</i> Hntn. 36-63            | Guatemala  |
| <i>pascoei</i> Shp. 94-461            | México   |
| <i>pauxilla</i> Pasc. 63-81           | Brasil   |
| <i>quadricollis</i> Horn 85-140       | Guadeloupe<br>St. Vincent<br>U. S. A.                                  |
| <i>socialis</i> Pasc. 63-81           | Br. Honduras<br>Guatemala<br>Brasil                                    |

4 Leeward Islands (W. I.).

- Bitoma**—Continued.  
*subfasciata* Shp. 94-459.....México  
Guatemala  
Panamá  
*sublata* Hntn. 36-64.....Panamá  
*sulcata* LeC. 58-63.....Baja Calif.  
México  
U. S. A.  
*trifasciata* Moritz (L. & M. 14-414).....Puerto Rico  
*undata* Guér. 44-194.....Cuba  
Puerto Rico
- Sparactus** Er. 45-256  
*flexuosus* Sol. 51-241.....Chile
- Lasconotus** Er. 45-258  
*Illestus* Pasc. 63-33  
*Lado* Wank. 67-249  
*Othismopteryx* Sahlb. 71-44  
*apicalis* Grouv. 98-377.....Bolivia  
*arrowsi* Hntn. 35-205.....México  
*atomus* Grouv. 08-49.....Guadeloupe  
*boliviensis* Hntn. 35-204.....Bolivia  
*apicalis* Grouv. 98-377  
(not Casey, 1890)  
*chilensis* Grouv. 98-378.....Chile  
*ciliatus* Shp. 94-463.....México  
Panamá  
*elegans* Shp. 94-463.....Guatemala  
*funestus* Shp. 94-464.....Guatemala  
*germaini* Grouv. 98-376.....Bolivia  
*mexicanus* Kraus 12-27.....México  
*sulcatus* Grouv. 98-377.....Bolivia  
*sulcifer* Shp. 94-464.....Guatemala  
*terrenus* Pasc. 63-33.....México  
*v. tristis* Shp. 94-462.....México  
Guatemala
- Chrysopogonius** Hntn. 35-207  
*coronatus* Hntn. 35-208.....México
- Lobogestoria** Rtrtr. 78-31  
*Aditoma* Csy. 97-630  
*gibbicollis* Rtrtr. 78-32.....Cuba  
*bifida* Csy. 97-630.....Puerto Rico  
U. S. A.
- Phormesa** Pasc. 63-31  
*maculosa* Rtrtr. 75-57.....Colombia
- Anisopaulax** Rtrtr. 77-324  
*brucki* Rtrtr. 77-324.....México
- Colydodes** Mots. 55-13  
*Distaphyla* Pasc. 60-104  
*batesi* Pasc. 63-83.....Brasil  
*bostrychoides* Grouv. 02-759.....Guadeloupe  
*gibbiceps* Shp. 94-447.....México  
*?gibbiceps* Mots. 55-13.....Guatemala  
Panamá  
*immsi* Hntn. 35-228.....Honduras  
*mamillarisc* Pasc. 60-104.....Brasil  
*sparsa* Hntn. 35-231.....Panamá  
*speculifer* Pasc. 63-84.....Brasil
- Phloeodalis** Er. 45-257  
*erichsoni* Rtrtr. 77-133.....México  
*rauca* Pasc. 63-82.....Brasil  
*reitteri* Grouv. 06-123.....Fr. Guiana
- Labrotichus** Shp. 94-446  
*aberrans* Shp. 94-447.....México  
Guatemala  
*verrucatus* Hntn. 35-206.....México
- Eucicones** Shp. 94-452  
*gounellei* Grouv. 96-186.....Brasil  
*perfecta* Shp. 94-453.....Guatemala  
*uniformis* Hntn. 36-66.....Panamá
- Hystricones** Shp. 94-453  
*armata* Shp. 94-453.....México  
Guatemala  
Panamá
- Microsicus** Shp. 94-456  
*minimus* Grouv. 98-37.....Guadeloupe  
Grenada  
*parvulus* Guér. 29-189.....Guatemala  
*seiosus* Shp. 94-456.....U. S. A.
- Aneumesa** Shp. 94-455  
*atomaria* Shp. 94-455.....Panamá  
*costata* Shp. 94-456.....Guatemala
- Catolaemus** Shp. 94-457  
*exilis* Grouv. 98-38.....St. Vincent  
Grenada  
*minutus* Shp. 94-457.....Guatemala  
*multimaculatus* Grouv. 02-759.....Guadeloupe
- Acolobicus** Shp. 94-452  
*Disaphrus* Shp. 94-454  
*championi* Shp. 94-454.....Guatemala  
*lineaticollis* Horn 78-564.....Cuba  
U. S. A.  
*obscurus* Shp. 94-452.....Guatemala  
Panamá  
Brasil
- Phloeonemus** Er. 45-258  
*adhaerens* Shp. 94-451.....Guatemala  
*haroldi* Rtrtr. 78-114.....Cuba  
*integer* Rtrtr. 77-331.....?Colombia  
*interruptus* Rtrtr. 77-330.....México  
Brasil
- Neotrichus** Shp. 85-60  
*bicolor* Grouv. 96-195.....Brasil  
*gadalupensis* Grouv. 02-758.....Guadeloupe  
*insularis* Grouv. 98-38.....St. Vincent  
Grenada  
*nevermanni* Hntn. 36-60.....Costa Rica  
*tuberculatus* Chevr. 63-607.....Cuba  
Puerto Rico
- Ithris** Pasc. 63-123  
*perplexa* Grouv. 12-293.....Guadeloupe
- Endophloeus** Er. 45-256  
*porteri* Brèthes 25-200.....Chile  
*sharpi* Rtrtr. 77-323.....Chile
- Opistirus** Kirsch 65-45  
*sexsectus* Kirsch 65-45.....Colombia
- Ulonotus** Er. 45-255  
*brasiliensis* Grouv. 96-184.....Brasil
- Namunaria** Rtrtr. 82-114  
*Coxelus* Horn 78-561  
*mexicana* Hntn. 35-210.....México
- Zanctea** Pasc. 63-79  
*testudinea* Pasc. 62-81.....Brasil

## RHAGODERINI

- Rhagodera** Er. 45-255  
*laticeps* Blais. 25-326.....<sup>1</sup> I. San Benito  
México  
*tuberculata* Mannh. 43-300.....U. S. A.

<sup>1</sup> Baja California (México).

## ORTHO CERINI

- Pseudocorticus* Hntn. 35-212  
*blairi* Hntn. 35-212.....México

## RHOPALOCERINI

- Pharax* Pasc. 60-113  
*laticollis* Pasc. 60-114.....Brasi

## COXELINI

*(Tarphinae)*

- Coxelus* Latr. 29-31  
*sylvaticus* Phil. 64-405.....Chile  
*sp.* (Pic 24-377).....<sup>10</sup> Is. J. Fernández
- Cacotarphus* Shp. 94-473  
*compressus* Shp. 94-473.....Guatemala
- Paryphus* Er. 45-256  
*crassus* Grouv. 92-101.....Colombia  
*erichsoni* Grouv. 92-99.....Colombia  
*obesus* Grouv. 92-101.....Colombia  
*serratus* Grouv. 92-100.....Colombia

## PYCNOMERINI

- Pycnomerus* Er. 42-214  
*antennalis* Hntn. 36-70.....Costa Rica  
*biimpressus* Rtrr. 77-355.....Puerto Rico  
 Brasil  
 Argentina
- breviceps* Shp. 94-474.....México  
 Guatemala  
 Panamá
- doellei* Brèthes 21-70.....Argentina  
*exaratus* Chevr. 63-610.....Cuba  
 Puerto Rico  
 Guadeloupe  
 St. Vincent  
 Grenada  
 Brasil
- germanus* Shp. 94-475.....Guatemala  
*insularis* Grouv. 98-380.....Chile  
<sup>10</sup> Is. J. Fernández
- longior* Grouv. 12-294.....Guadeloupe  
*nevermanni* Hntn. 36-73.....Costa Rica  
*sexualis* Hntn. 36-71.....Costa Rica  
*stenosoma* Champ. 13-76.....Guatemala  
*truquii* Pasc. 63-39.....México  
 Guatemala
- Pentheliopa* Pasc. 60-111  
*Endectus* LeC. 61-91  
*aequicollis* Rtrr. 78-123.....Puerto Rico  
 Guadeloupe
- armata* Er. (L. & M. 14-413).....Cuba  
*corpulenta* Rtrr. 77-351.....?Central America  
*infirma* Grouv. 02-464.....Martinique  
*infirma* L. & M. 14-413.....Brasil
- porosa* Pasc. 60-112.....Brasil  
*puncticollis* Rtrr. 77-352.....Colombia  
*robusta* Rtrr. 77-350.....Colombia  
*simplex* Rtrr. 78-124.....Colombia  
*truquii* Pasc. 63-39.....México  
*sp.* (L. & M. 14-413).....St. Vincent

## NEMATIDIINI

- Nematidium* Er. 45-275  
*cylindricum* Fabr. 01-557.....Cuba  
*mustela* Pasc. 63-34.....Colombia  
*tenuissimum* Rtrr. 76-17.....Brasil
- filarium* Shp. 94-479.....Guatemala  
 Panamá  
 ?Grenada  
 U. S. A.
- filiforme* LeC. 63-68.....México  
*fryanum* Shp. 94-478.....México  
*pascoei* Arrow 09-193.....Brasil  
*filiforme* Pasc. 63-92.....Brasil
- viverra* Shp. 94-479.....Guatemala

## ACROPINI

- Acropia* Burm. 40-pl. 25  
*aspera* Pasc. 60-106.....Brasil  
*championi* Shp. 94-476.....Guatemala  
*denticulata* Hntn. 36-77.....Panamá  
*discoidea* Rtrr. 77-333.....Colombia  
*fryi* Pasc. 60-105.....Brasil  
*incensa* Pasc. 60-106.....Brasil  
*recta* Shp. 94-476.....Panamá  
*serrata* Shp. 94-476.....Panamá  
*steinheili* Rtrr. 77-332.....Colombia  
*tristis* Rtrr. 77-333.....Colombia  
*tuberculifera* Burm. 40-pl. 25.....Colombia
- Ethelema* Pasc. 60-107  
*costaricensis* Neverm. 30-110.....Costa Rica  
*decorata* Shp. 94-477.....Panamá  
*luctuosa* Pasc. 60-107.....Brasil  
 Argentina
- sobrina* Shp. 94-477.....México  
*gracilis* Arrow 09-194.....Guatemala  
 Panamá  
<sup>4</sup> Is. Perlas
- sp.* (Wolcott 36-225).....Puerto Rico
- Lemmis* Pasc. 60-106  
*Lemmis* G. & H. 68-856
- caelata* Pasc. 60-107.....Brasil  
*denticulata* Grouv. 98-39.....St. Vincent  
 Grenada
- lherminieri* Grouv. 02-760.....Guadeloupe  
*nigrogrisea* Grouv. 14-49.....South America  
*tuberosa* Grouv. 96-187.....Brasil

## CERYLONINAE

## DERETAPHRINI

*(Teredini)*

- Phreatus* Pasc. 63-90  
*immsi* Hntn. 36-79.....Costa Rica  
*rigidus* Pasc. 63-90.....Brasil
- Sosylus* Er. 45-287  
*Pleuridium* LeC. 61-284
- affinis* Shp. 94-481.....Br. Honduras  
 Guatemala
- annectens* Shp. 94-484.....Panamá  
*castaneus* Pasc. 63-94.....Guadeloupe  
 Brasil
- chapini* Hntn. 36-82.....Panamá

<sup>4</sup> Panamá.<sup>10</sup> Chile.

## Sosylus—Continued.

|                                 |       |                  |
|---------------------------------|-------|------------------|
| chontalensis Shp. 94-484        | ..... | Nicaragua        |
| costipennis DuVal 56-103        | ..... | Cuba             |
|                                 |       | Grenada          |
| crassus Pasc. 63-94             | ..... | Brasil           |
| cursorius Pasc. 63-94           | ..... | México           |
| <i>simplex</i> Shp. 94-481      | ..... | Br. Honduras     |
|                                 |       | Guatemala        |
|                                 |       | Brasil           |
| dentiger Horn 78-582            | ..... | Baja Calif.      |
|                                 |       | ?Hispaniola      |
| duplicatus Pasc. 63-94          | ..... | México           |
| <i>centralis</i> Shp. 94-482    | ..... | Guatemala        |
|                                 |       | Panamá           |
|                                 |       | Brasil           |
| exilis Pasc. 63-94              | ..... | Brasil           |
| exutus Pasc. 63-94              | ..... | Brasil           |
| infans Shp. 94-482              | ..... | México           |
|                                 |       | Guatemala        |
| latusinus Hntn 36-87            | ..... | Costa Rica       |
| lineolatus Rtrr. 77-343         | ..... | ?Central America |
| mexicanus Shp. 94-483           | ..... | México           |
| nevermanni Hntn. 36-84          | ..... | Costa Rica       |
| rufipes Fabr. 01-556            | ..... | Brasil           |
| salvini Shp. 94-484             | ..... | Panamá           |
| signatus Hntn. 36-89            | ..... | México           |
| squirei Pasc. 63-94             | ..... | Brasil           |
|                                 |       | Argentina        |
| strigicollis Shp. 94-481        | ..... | Panamá           |
| strigosus Shp. 94-483           | ..... | Panamá           |
| sulcatus Pasc. 60-109           | ..... | Brasil           |
| sulcicollis Hntn. 36-92         | ..... | Br. Guiana       |
| terebrens Pasc. 63-94           | ..... | Brasil           |
| terminalis Shp. 94-480          | ..... | Guatemala        |
|                                 |       | Nicaragua        |
|                                 |       | Panamá           |
| trilineatus Rtrr. 77-344        | ..... | Colombia         |
| <b>Serrotibia</b> Rtrr. 77-339  |       |                  |
| <i>Paralindria</i> Olliff 83-37 |       |                  |
| bicolor Rtrr. 77-341            | ..... | ?Guadeloupe      |
| <i>bipartita</i> Olliff 83-37   |       | Colombia         |
| cucujiformis Rtrr. 77-340       | ..... | Colombia         |
| unicolor Rtrr. 77-341           | ..... | Perú             |

## BOTHRIDERINI

**Bothrideres** Er. 45-287

|                               |       |             |
|-------------------------------|-------|-------------|
| dentata Chevr. 63-609         | ..... | Cuba        |
|                               |       | St. Vincent |
| depressa Shp. 95-589          | ..... | Guatemala   |
| dufaui Group. 08-51           | ..... | Guadeloupe  |
| excavaticollis Hntn. 36-96    | ..... | México      |
| lata Pasc. 60-109             | ..... | Brasil      |
| parvula Shp. 95-489           | ..... | Guatemala   |
| plana Chevr. 63-610           | ..... | Cuba        |
|                               |       | Guadeloupe  |
| setiger Shp. 94-488           | ..... | Guatemala   |
| simplex Shp. 95-489           | ..... | Brasil      |
| solitaria Shp. 95-490         | ..... | Guatemala   |
| subvittata Shp. 95-490        | ..... | Guatemala   |
| <b>Prolyctus</b> Zimm. 69-254 |       |             |
| <i>Machlotes</i> Horn 78-585  |       |             |
| (not Pascoe, 1863)            |       |             |
| angulosus Rtrr. 78-122        | ..... | Venezuela   |
| annectens Shp. 94-486         | ..... | Panamá      |
| costipennis Rtrr. 77-345      | ..... | Colombia    |

|                                  |       |               |
|----------------------------------|-------|---------------|
| dorsalis Rtrr. 77-346            | ..... | México        |
|                                  |       | Guatemala     |
| haagi Rtrr. 77-346               | ..... | Argentina     |
| iridescens Group. 16-249         | ..... | Argentina     |
| sculpticollis Shp. 94-485        | ..... | México        |
|                                  |       | Br. Honduras  |
|                                  |       | Guatemala     |
| signatus Shp. 94-486             | ..... | Guatemala     |
|                                  |       | Nicaragua     |
| <b>Lithophorus</b> Shp. 94-487   |       |               |
| <i>Lithophrus</i> L. & M. 14-414 |       |               |
| fryi Group. 98-379               | ..... | Ecuador       |
| gemmatus Rtrr. 77-347            | ..... | R. Dominicana |
| gemmifer Shp. 94-487             | ..... | México        |
| ornatus Arrow 09-194             | ..... | México        |
| <i>succineus</i> Shp. 94-488     |       | Guatemala     |
| succineus Pasc. 60-108           | ..... | Hispaniola    |
|                                  |       | Brasil        |
| tuberosus Group. 16-251          | ..... | Argentina     |
| <b>Taphrideres</b> Shp. 95-490   |       |               |
| alternans Shp. 95-491            | ..... | Guatemala     |
| chevrolati Group. 08-50          | ..... | Guadeloupe    |
|                                  |       | Martinique    |

## CERYLONINI

|                                 |       |                          |
|---------------------------------|-------|--------------------------|
| <b>Metaerylon</b> Group. 06-110 |       |                          |
| dufaui Group. 12-296            | ..... | Guadeloupe               |
| <b>Cerylon</b> Latr. 02-228     |       |                          |
| <i>Cerylon</i> Wolc. 36-225     |       |                          |
| amaroides Chevr. 63-610         | ..... | Cuba                     |
|                                 |       | Grenada                  |
| argentinum Brèthes 22-275       | ..... | Argentina                |
| curtipes Shp. 95-491            | ..... | México                   |
|                                 |       | Guatemala                |
| humile Pasc. 63-99              | ..... | Brasil                   |
| laterale Group. 05-125          | ..... | Argentina                |
| patens Group. 16-254            | ..... | Argentina                |
| wagneri Group. 16-253           | ..... | Argentina                |
| <b>Cautemos</b> Shp. 85-82      |       |                          |
| infimus Group. 08-52            | ..... | Guadeloupe               |
| <b>Glyptolopus</b> Er. 45-292   |       |                          |
| histeroides Pasc. 60-116        | ..... | Brasil                   |
| <b>Philothermus</b> Aubé 43-93  |       |                          |
| cerylonicus Shp. 95-493         | ..... | México                   |
| cerylonoides Rtrr. 76-301       | ..... | Brasil                   |
| ellipticus Rtrr. 76-302         | ..... | Brasil                   |
| gibbulus Rtrr. 76-303           | ..... | México                   |
| guadalupensis Group. 02-761     | ..... | Guadeloupe               |
| latus Rtrr. 77-355              | ..... | Colombia                 |
| major Group. 98-380             | ..... | Chile                    |
| marginatus Shp. 95-493          | ..... | México                   |
|                                 |       | Guatemala                |
| montanus Group. 98-380          | ..... | Chile                    |
| parmulus Chevr. 63-600          | ..... | Cuba                     |
| politulus Shp. 95-492           | ..... | Guatemala                |
| puberulus Schw. 78-361          | ..... | México                   |
|                                 |       | Guatemala                |
|                                 |       | Panamá                   |
|                                 |       | Puerto Rico              |
|                                 |       | <sup>14</sup> Montserrat |
|                                 |       | Guadeloupe               |
|                                 |       | St. Vincent              |
|                                 |       | Grenada                  |
|                                 |       | U. S. A.                 |
| subovalis Hntn. 35-214          | ..... | México                   |

<sup>14</sup> Leeward Islands (W. I.),

|                                  |                   |
|----------------------------------|-------------------|
| <i>Tyrtaeus</i> Champ. 13-76     |                   |
| <i>cribripennis</i> Champ. 13-77 | Panamá            |
| <i>rufus</i> Champ. 13-17        | Guatemala<br>Cuba |

## MURMIDIINAE

## MURMIDIINI

|                                   |                               |
|-----------------------------------|-------------------------------|
| <i>Murmidius</i> Leach 22-41      |                               |
| <i>chapini</i> Hntn. 35-274       | Guatemala                     |
| <i>estriatus</i> Champ. 13-83     | México                        |
| <i>globosus</i> Hntn. 35-274      | Chile                         |
| <i>irregularis</i> Rtrr. 77-165   | México<br>Guatemala<br>Panamá |
| <i>rectistriatus</i> Lewis 88-243 | México                        |
| <i>Botrodus</i> Csy. 90-319       |                               |
| <i>dufaii</i> Grouv. 12-297       | Guadeloupe                    |

## LAPETHINI

|                                   |  |
|-----------------------------------|--|
| <i>Lapethus</i> Csy. 90-317       |  |
| <i>Brachylon</i> Gorb. 98-256     |  |
| <i>Lytopenus</i> Shp. 95-494      |  |
| <i>brasilianus</i> Champ. 13-78   | Brasil   |
| <i>brevis</i> Gorb. 99-257        | México<br>Guatemala<br>Nicaragua                           |
| <i>compactus</i> Shp. 95-495      | Guatemala  |
| <i>crassus</i> Rtrr. 76-302       | Brasil<br>Bolivia<br>Madagascar                            |
| <i>cubanus</i> Hntn. 36-186       | Cuba   |
| <i>curtulus</i> Champ. 13-80      | México<br>Guatemala  |
| <i>discretus</i> Csy. 90-318      | Guatemala<br>Panamá<br>Argentina<br>Guadeloupe<br>U. S. A. |
| <i>ferrugineus</i> H. & A. 34-248 | México   |
| <i>insularis</i> Grouv. 98-40     | St. Vincent<br>Grenada                                     |
| <i>laevipennis</i> Champ. 13-80   | México<br>Guatemala<br>Panamá                              |

|                                 |           |
|---------------------------------|-----------|
| <i>lateralis</i> Hntn. 36-187   | Brasil    |
| <i>sharpi</i> Champ. 13-78      | México    |
| <i>discretus</i> Shp. 95-494    | Guatemala |
| (not Casey, 1890)               |           |
| <i>substriatus</i> Champ. 13-79 | México    |
| <i>sulcimargo</i> Champ. 13-80  | Nicaragua |
| <i>tibialis</i> Champ. 13-80    | Nicaragua |

## MYCHOCERINI

|                              |           |
|------------------------------|-----------|
| <i>Mychocerus</i> Er. 45-292 |           |
| <i>gibbulus</i> Rtrr. 76-302 | México    |
| <i>pilifer</i> Lewis 88-244  | Guatemala |
| <i>simonis</i> Grouv. 92-102 | Venezuela |

## EUXESTINAE

|                                |                      |
|--------------------------------|----------------------|
| <i>Euxestus</i> Woll. 58-411   |                      |
| <i>Hypodaene</i> LeC. 75-170   |                      |
| <i>erithacus</i> Chev. 63-599  | México               |
| <i>acaciae</i> Fvl. 94-162     | Guatemala            |
| <i>basa</i> is Arrow 26-260    | Surinam              |
| <i>minor</i> Shp. 85-145       | Cuba                 |
| <i>oblongus</i> Mots. 59-106   | Hispaniola           |
| <i>parki</i> Arrow 00-96       | Puerto Rico          |
| <i>piciceps</i> L. & M. 14-412 | Guadeloupe           |
| <i>picipes</i> Gorb. 98-336    | Grenada<br>Old World |

## INCERTAE SEDIS

|                                |                                   |
|--------------------------------|-----------------------------------|
| <i>Ocholissa</i> Pasc. 63-80   |                                   |
| <i>laeta</i> Pasc. 63-85       | Guatemala<br>Brasil<br>Guadeloupe |
| <i>Ireuytha</i> Pasc. 63-80    |                                   |
| <i>sosyloides</i> Pasc. 63-85  | Brasil                            |
| <i>Anepiscus</i> Shp. 00-600   |                                   |
| <i>brunneus</i> Shp. 00-600    | México<br>Guatemala               |
| <i>Stvlulus</i> Schauf. 82-46  |                                   |
| <i>nasutus</i> Schauf. 82-46   | <sup>13</sup> St. Thomas          |
| <i>Derolathrus</i> Shp. 08-430 |                                   |
| <i>sharpi</i> Grouv. 12-310    | Guadeloupe                        |

## DISCOLOMIDAE

|                                    |                           |
|------------------------------------|---------------------------|
| <i>Aphanocephalus</i> Woll. 73-278 |                           |
| <i>impunctus</i> Matth. 87-114     | Brasil                    |
| <i>Fallia</i> Shp. 02-629          |                           |
| <i>minor</i> Shp. 02-630           | Br. Honduras<br>Guatemala |
| <i>punctulata</i> Shp. 02-631      | Guatemala<br>Panamá       |
| <i>synthetica</i> Shp. 02-31       | Panamá                    |
| <i>Coccidophilus</i> Brèthes 05-76 |                           |
| <i>citricola</i> Brèthes 05-76     | Argentina                 |
| <i>Discoloma</i> Er. 45-242        |                           |
| <i>Thyreaosoma</i> Chev. 63-602    |                           |
| <i>casideum</i> Rtrr. 73-8         | México                    |
| <i>circulare</i> Chev. 63-603      | Cuba                      |
| <i>erichsoni</i> Rtrr. 77-176      | Cuba                      |
| <i>parvulum</i> Pasc. 63-99        |                           |

|                                |  |
|--------------------------------|--|
| <i>fryi</i> Pasc. 60-115       | Brasil   |
| <i>humeralis</i> Shp. 99-497   | Guatemala  |
| <i>orbiculare</i> Pasc. 63-98  | Brasil   |
| <i>paulum</i> Pasc. 63-98      | Brasil<br>Argentina                              |
| <i>pygmaeum</i> Neverm. 30-112 | Costa Rica                                       |
| <i>sharpi</i> Csiki 10-28      | Panamá   |
| <i>circulare</i> Shp. 99-497   |  |
| <i>vestitum</i> Pasc. 63-99    | México<br>Br. Honduras<br>Guatemala<br>Nicaragua |
| <i>Holophygus</i> Shp. 99-497  |  |
| <i>celatus</i> Shp. 99-498     | Panamá   |
| <i>setosus</i> John 40-71/75   | Bolivia  |

<sup>13</sup> Virgin Islands (W. I.).



## Superfamily MORDELLOIDEA

## MORDELLIDAE

## MORDELLINI

|                                      |       |               |
|--------------------------------------|-------|---------------|
| <i>Cothurus</i> Champ. 91-259        | ..... | México        |
| <i>iridescens</i> Champ. 91-259      | ..... | México        |
| <b>Tomoxia</b> Costa 54-8            |       |               |
| <i>albonotata</i> Ray 36-144         | ..... | México        |
| <i>albosuturalis</i> Pic 24-23       | ..... | Brasil        |
| <i>auratonotata</i> Ray 36-145       | ..... | Brasil        |
| <i>binotata</i> Ray 39-276           | ..... | Panamá        |
| <i>brevipennis</i> Ray 39-275        | ..... | Panamá        |
| <i>contracta</i> Champ. 91-261       | ..... | Panamá        |
| <i>fielbrigi</i> Ray 39-274          | ..... | Paraguay      |
| <i>fulviceps</i> Champ. 91-262       | ..... | México        |
|                                      |       | Nicaragua     |
|                                      |       | Costa Rica    |
|                                      |       | Panamá        |
| <i>horni</i> Ray 36-148              | ..... | Brasil        |
|                                      |       | Paraguay      |
| <i>innotata</i> Pic 24-23            | ..... | Brasil        |
| <i>interrupta</i> Champ. 91-262      | ..... | México        |
|                                      |       | Panamá        |
| <i>latenotata</i> Pic 24-23          | ..... | Brasil        |
| <i>laticollis</i> Pic 36-128         | ..... | Brasil        |
| <i>lineaticollis</i> Pic 33-8        | ..... | Brasil        |
| <i>multilineata</i> Pic 36-1         | ..... | Brasil        |
| <i>muriniceps</i> Chevr. 83-cii      | ..... | Colombia      |
| <i>psotai</i> Ray 36-147             | ..... | Paraguay      |
| <i>quadrinotata</i> Ray 36-144       | ..... | Brasil        |
| <i>rubroabdominalis</i> Ray 36-145   | ..... | Paraguay      |
| <i>serricornis</i> Ray 39-277        | ..... | ¶ Tobago      |
| <i>spinifer</i> Champ. 91-261        | ..... | México        |
|                                      |       | Guatemala     |
|                                      |       | Nicaragua     |
|                                      |       | Costa Rica    |
|                                      |       | Panamá        |
|                                      |       | Perú          |
| <i>subsuturalis</i> Pic 36-298       | ..... | Brasil        |
| <i>trilineata</i> Ray 36-146         | ..... | Brasil        |
| <i>trimaculata</i> Ray 36-143        | ..... | Brasil        |
| <b>Glipa</b> LeC. 57-17              |       |               |
| <i>balabacana</i> Pic 17-12          | ..... | Brasil        |
| <i>gounellei</i> Pic 17-12           | ..... | Brasil        |
| <i>hieroglyphica</i> Schw. 78-372    | ..... | Panamá        |
| <i>hilaris</i> Smith 82-80           | ..... | ¶ 1. Taboga   |
|                                      |       | R. Dominicana |
|                                      |       | U. S. A.      |
| <i>hilaris</i> Say 35-190            | ..... | México        |
|                                      |       | Nicaragua     |
|                                      |       | U. S. A.      |
| <i>nigrosignata</i> Chevr. 82-ciii   | ..... | Brasil        |
| <i>quadrifasciata</i> Chevr. 82-ciii | ..... | Brasil        |
| <i>quinquefasciata</i> Pic 33-8      | ..... | Brasil        |
| <i>subsinuata</i> Pic 17-12          | ..... | Fr. Guiana    |
| <b>Mordella</b> Linn. 58-420         |       |               |
| <i>Sphalera</i> LeC. 59-17           |       |               |
| <i>abbreviata</i> Sol. 51-272        | ..... | Chile         |
| <i>acuticauda</i> Champ. 91-280      | ..... | México        |
|                                      |       | Guatemala     |
|                                      |       | Panamá        |
| <i>aeruginosa</i> Champ. 91-273      | ..... | México        |
| <i>albiventris</i> Mäkl. 75-567      | ..... | Brasil        |
| <i>albodispersa</i> Pic 33-9         | ..... | Brasil        |
| v. <i>bisbijuncta</i> Pic 36-4       | ..... | Brasil        |
| <i>albuguttata</i> Sol. 51-269       | ..... | Chile         |
| <i>albomaculata</i> Lucas 57-144     | ..... | Brasil        |
| <i>albonotata</i> Mäkl. 75-566       | ..... | Brasil        |
| <i>albopieta</i> Champ. 91-278       | ..... | México        |
| <i>amoena</i> Mäkl. 75-580           | ..... | Brasil        |
| <i>analís</i> Champ. 91-281          | ..... | Panamá        |
| <i>andina</i> F. & G. 63-256         | ..... | Chile         |
| <i>anticeclunulata</i> Pic 36-112    | ..... | Argentina     |
| <i>apicalis</i> Pic 29-22            | ..... | Brasil        |
| v. <i>diamantinensis</i> Pic 36-21   | ..... | Brasil        |
| v. <i>inapicalis</i> Pic 36-21       | ..... | Brasil        |
| v. <i>jatayensis</i> Pic 29-22       | ..... | Brasil        |
| v. <i>latebasalis</i> Pic 36-22      | ..... | Brasil        |
| <i>apicicornis</i> Champ. 91-299     | ..... | Panamá        |
| <i>arcuata</i> Champ. 91-277         | ..... | México        |
|                                      |       | Guatemala     |
| <i>argenteosuturalis</i> Pic 36-111  | ..... | Brasil        |
| <i>argentionotata</i> Pic 36-21      | ..... | México        |
| <i>argentipunctata</i> Curt. 45-471  | ..... | Brasil        |
|                                      |       | Chile         |
| <i>astuta</i> Champ. 91-279          | ..... | México        |
|                                      |       | Guatemala     |
| <i>atricolor</i> Champ. 91-290       | ..... | México        |
| <i>atripes</i> Pic 36-2              | ..... | Brasil        |
| <i>aureofasciata</i> Pic 17-13       | ..... | Brasil        |
| <i>aurolineata</i> Ray 36-217        | ..... | Brasil        |
| <i>auropubescens</i> Ray 36-215      | ..... | Brasil        |
| <i>auroviolacea</i> Ray 36-150       | ..... | Chile         |
| <i>badiipennis</i> Champ. 91-286     | ..... | Guatemala     |
| <i>baeri</i> Pic 36-113              | ..... | México        |
| <i>basifulva</i> Qued. 86-125        | ..... | Puerto Rico   |
| <i>bicolor</i> F. & G. 63-253        | ..... | Argentina     |
|                                      |       | Chile         |
| <i>bicoloriceps</i> Pic 36-21        | ..... | Brasil        |
| <i>bicoloriventris</i> Pic 36-20     | ..... | Brasil        |
| <i>bifasciata</i> Fabr. 01-124       | ..... | South America |
| <i>biformis</i> Champ. 91-295        | ..... | México        |
|                                      |       | Br. Honduras  |
|                                      |       | Guatemala     |
| <i>biquadrinotata</i> Pic 36-4       | ..... | Fr. Guiana    |
| <i>bisrimaculata</i> Pic 36-1        | ..... | Brasil        |
| <i>bivittata</i> Ray 30-163          | ..... | Venezuela     |
| <i>blanchardi</i> Sol. 51-272        | ..... | Chile         |
| <i>brasiliiana</i> Mäkl. 75-569      | ..... | Brasil        |
| <i>bruchi</i> Pic 30-44              | ..... | Argentina     |
| <i>caracaensis</i> Pic 29-21         | ..... | Brasil        |
| <i>castaneipennis</i> F. & G. 63-257 | ..... | Chile         |
| <i>cata</i> Champ. 91-293            | ..... | México        |
| <i>chevolati</i> Champ. 91-283       | ..... | México        |
|                                      |       | Guatemala     |
| <i>cingulata</i> Champ. 91-294       | ..... | Panamá        |
|                                      |       | ¶ Trinidad    |
| <i>clavicornis</i> Kby. 18-424       | ..... | México        |
| <i>lunata</i> Sturm 26-71            | ..... | Br. Honduras  |
|                                      |       | Guatemala     |
|                                      |       | Nicaragua     |
|                                      |       | Panamá        |
|                                      |       | Brasil        |
|                                      |       | Argentina     |

¶ Panamá.

¶ Venezuela.

## Mordella—Continued.

|  |               |
|--|---------------|
| <i>v. imperator</i> Lap. 40-265.....     | Brasil        |
| <i>conradi</i> Pic. 36-3.....            | Guatemala     |
| <i>consobrina</i> Mäkl. 75-576.....      | Brasil        |
| <i>crassipes</i> Champ. 91-285.....      | Panamá        |
| <i>curtipennis</i> Pic 36-3.....         | Brasil        |
| <i>decorata</i> Mäkl. 75-580.....        | Brasil        |
| <i>dilatatornis</i> Champ. 91-274.....   | Panamá        |
| <i>dimidiata</i> Champ. 91-284.....      | México        |
|  | Guatemala     |
|  | Nicaragua     |
|  | Panamá        |
| <i>divergens</i> Ray 39-279.....         | Haici         |
| <i>diversinotata</i> Ray 36-148.....     | Paraguay      |
| <i>enerosa</i> Pic 36-113.....           | Argentina     |
| <i>erythrocephala</i> Champ. 91-296..... | Guatemala     |
| <i>erythrura</i> F. & G. 63-253.....     | Chile         |
| <i>exigua</i> Boh. 58-109.....           | Brasil        |
| <i>fenestrata</i> Champ. 91-304.....     | † 1. Taboga   |
| <i>flavifrons</i> Champ. 91-297.....     | Guatemala     |
| <i>flavofasciata</i> Champ. 91-287.....  | México        |
|  | Guatemala     |
| <i>flavolineata</i> Champ. 91-287.....   | México        |
|  | Guatemala     |
| <i>flavonotata</i> Champ. 91-288.....    | México        |
| <i>flavopunctata</i> Lap. 33-34.....     | Brasil        |
| <i>flexuosa</i> F. & G. 63-256.....      | Chile         |
| <i>fluctuosa</i> Champ. 91-280.....      | Panamá        |
| <i>fruhstorferi</i> Pic 36-2.....        | Brasil        |
| <i>fuliginosa</i> Mäkl. 75-568.....      | Brasil        |
| <i>fulvonotata</i> Mäkl. 75-578.....     | Brasil        |
| <i>fulvopilosa</i> Pic 36-112.....       | Brasil        |
| <i>fulvosignata</i> F. & G. 63-254.....  | Chile         |
| <i>fumosa</i> F. & G. 63-251.....        | Chile         |
| <i>gounellei</i> Pic 24-23.....          | South America |
| <i>v. latejuncta</i> Pic 24-88.....      | Brasil        |
| <i>goyasensis</i> Pic 29-22.....         | Brasil        |
| <i>griseosuturalis</i> Pic 36-4.....     | Brasil        |
| <i>guyanensis</i> Pic 29-20.....         | Fr. Guiana    |
| <i>haemorrhoidalis</i> Fabr. 01-124..... | South America |
| <i>haitiensis</i> Ray 39-282.....        | Haiti         |
| <i>hamata</i> Fabr. 01-124.....          | South America |
| <i>heros</i> Dalm. 23-57.....            | Brasil        |
| <i>hieroglyphica</i> F. & G. 63-255..... | Chile         |
| <i>holosericea</i> Sol. 51-272.....      | Chile         |
| <i>ignosciosa</i> Pic 36-113.....        | Argentina     |
| <i>innotatopyga</i> Pic 36-2.....        | Paraguay      |
| <i>krausei</i> Phil. 64-355.....         | Chile         |
| <i>laterufescens</i> Pic 36-214.....     | Brasil        |
| <i>latesignata</i> Pic 36-113.....       | Argentina     |
| <i>latithorax</i> Ray 39-280.....        | Panamá        |
| <i>lemoulti</i> Pic 36-3.....            | Fr. Guiana    |
| <i>leucocephala</i> Qued. 86-124.....    | Puerto Rico   |
| <i>leucogramma</i> Champ. 91-293.....    | Guatemala     |
| <i>leucographa</i> Champ. 93-462.....    | Guatemala     |
| <i>leucosticta</i> Champ. 91-279.....    | Nicaragua     |
| (not Germ., 1848)                        | Panamá        |
| <i>leucostigma</i> F. & G. 63-255.....   | Chile         |
| <i>lineatipyga</i> Champ. 91-289.....    | Panamá        |
| <i>lineatonotata</i> Ray 36-215.....     | Brasil        |
| <i>longehumeralis</i> Pic 36-2.....      | Brasil        |
| <i>luctuosa</i> Sol. 51-269.....         | Argentina     |
| <i>bimaculata</i> Blanch. 53-189.....    | Chile         |
| <i>luteodispersa</i> Pic 36-4.....       | Fr. Guiana    |
| <i>luteoguttata</i> Blanch. 43-199.....  | Bolivia       |
| <i>luteosuturalis</i> Pic 36-2.....      | Brasil        |
| <i>maculipennis</i> Ray 36-216.....      | Brasil        |
| <i>major</i> Pic 36-21.....              | Brasil        |
| <i>malleri</i> Pic 36-3.....             | Brasil        |
| <i>marmorata</i> Fabr. 01-125.....       | South America |
| <i>maroniensis</i> Pic 24-23.....        | South America |
| <i>mediolineata</i> Pic 36-4.....        | Brasil        |
| <i>melaena</i> Germ. 24-169.....         | México        |
|  | Br. Honduras  |
|  | Guatemala     |
|  | Nicaragua     |
|  | Panamá        |
|  | Venezuela     |
|  | U. S. A.      |
| <i>melanocephala</i> F. & G. 63-253..... | Chile         |
| <i>mendesensis</i> Pic 36-4.....         | México        |
| <i>metallica</i> Champ. 91-273.....      | México        |
| <i>mexicana</i> Champ. 91-292.....       | México        |
| <i>militaris</i> Ray 39-283.....         | Argentina     |
| <i>multiatronotata</i> Pic 17-13.....    | Brasil        |
| <i>nana</i> F. & G. 63-254.....          | Chile         |
| <i>nigra</i> F. & G. 63-252.....         | Argentina     |
|  | Chile         |
| <i>nigromaculata</i> Champ. 91-289.....  | México        |
| <i>octolineata</i> Champ. 91-281.....    | México        |
|  | Guatemala     |
| <i>octonotata</i> Pic 36-215.....        | Brasil        |
| <i>v. diversa</i> Pic 36-215.....        | Brasil        |
| <i>ogloblini</i> Pic 30-30.....          | Argentina     |
| <i>panamensis</i> Champ. 91-301.....     | Panamá        |
| <i>pauli</i> Pic 24-23.....              | South America |
| <i>v. holtzei</i> Pic 36-3.....          | Paraguay      |
| <i>pauper</i> Mäkl. 75-576.....          | Brasil        |
| <i>picta</i> Chevr. 29-130.....          | México        |
|  | Guatemala     |
|  | Nicaragua     |
|  | Panamá        |
|  | Fr. Guiana    |
| <i>plaumanni</i> Pic 36-4.....           | Brasil        |
| <i>pleurosticta</i> Lucas 59-144.....    | Brasil        |
| <i>pretiosa</i> Champ. 91-302.....       | México        |
| <i>proxima</i> Sol. 51-271.....          | Chile         |
| <i>pulchripennis</i> Pic 36-215.....     | ?             |
| <i>punctulata</i> Mäkl. 75-577.....      | Brasil        |
| <i>pustulosa</i> Champ. 91-291.....      | Nicaragua     |
|  | Panamá        |
| <i>quadripustulata</i> Mäkl. 75-579..... | Brasil        |
| <i>quadrisingata</i> Chevr. 34-55.....   | México        |
|  | Br. Honduras  |
|  | Guatemala     |
|  | Nicaragua     |
|  | Costa Rica    |
|  | Panamá        |
| <i>reductesignata</i> Pic 36-133.....    | Argentina     |
| <i>reitteri</i> Pic 36-2.....            | Brasil        |
| <i>reynoldsi</i> Ray 30-162.....         | Venezuela     |
| <i>robusta</i> Pic 36-21.....            | Fr. Guiana    |
| <i>ruficauda</i> Mäkl. 75-574.....       | Brasil        |
| <i>ruficeps</i> Boh. 58-109.....         | Brasil        |
|  | Argentina     |
| <i>rufipennis</i> Sol. 51-273.....       | Chile         |
| <i>rufoaxillaris</i> F. & G. 60-1.....   | Chile         |
| <i>rufomaculata</i> Champ. 91-285.....   | México        |
| <i>rufopectoralis</i> Pic 36-2.....      | Brasil        |
| <i>rufopyga</i> Pic 36-112.....          | Argentina     |
| <i>rufovittata</i> Champ. 91-286.....    | México        |
| <i>rutilicollis</i> Champ. 91-296.....   | Guatemala     |

|   |                        |
|---|------------------------|
| <b>Mordella</b> —Continued.               |                        |
| schapleri Pic 36-4.....                   | Argentina              |
| scita Mäkl. 75-573.....                   | Brasil                 |
| scripta F. & G. 63-254.....               | Chile                  |
| scutellaris Fabr. 01-123.....             | México                 |
| <i>atrata</i> Melsh. 46-313.....          | Guatemala              |
| <i>stimulea</i> Mäkl. 75-569.....         | Nicaragua              |
|   | Costa Rica             |
|   | Panamá                 |
|   | Brasil                 |
|   | Cuba                   |
|   | Puerto Rico            |
| sellata Champ. 91-277.....                | México                 |
| septemnotata Champ. 91-292.....           | México                 |
| seriata Champ. 91-298.....                | México                 |
|   | Panamá                 |
| sexguttata Champ. 96-48.....              | St. Vincent            |
|   | Grenada                |
| sexnotata Champ. 91-283.....              | Panamá                 |
|   | Venezuela              |
| <i>v. bimaculaticollis</i> Pic 36-20..... | Brasil                 |
| signata Champ. 91-276.....                | México                 |
|   | Nicaragua              |
| <i>sororcula</i> Berg 89-124.....         | Chaco                  |
|   | Argentina              |
| sticticoptera Champ. 91-300.....          | México                 |
|   | Guatemala              |
|   | Panamá                 |
| subapicalis Pic 36-22.....                | Brasil                 |
| subauratonotata Pic 24-23.....            | South America          |
| subdola Champ. 91-282.....                | México                 |
| subfasciata Mäkl. 75-572.....             | Brasil                 |
| submaculata Ray 36-149.....               | Brasil                 |
| subnotata Mäkl. 75-570.....               | Brasil                 |
| subobliquefasciata Pic 36-1.....          | Fr. Guiana             |
| summermanae Ray 39-283.....               | R. Dominicana          |
| suturalis F. & G. 63-251.....             | Chile                  |
| tachyporiformis Curt. 45-471.....         | Brasil                 |
| T-album Champ. 91-301.....                | Guatemala              |
| tantilla Champ. 91-303.....               | Guatemala              |
| teapensis Champ. 91-297.....              | México                 |
| tenella Mäkl. 75-572.....                 | Brasil                 |
| tenuipes Champ. 91-303.....               | Panamá                 |
| testaceipes Pic 36-3.....                 | Brasil                 |
| testaceohumeralis Pic 36-3.....           | Brasil                 |
| <i>v. inhumeralis</i> Pic 36-3.....       | Venezuela              |
| tetrapilota Champ. 91-278.....            | México                 |
| thoracica Sol. 51-274.....                | Chile                  |
| tijucaensis Pic 36-215.....               | Brasil                 |
| triangulifer Champ. 91-274.....           | México                 |
| trifasciata Pic 36-2.....                 | Brasil                 |
| tripartita Champ. 91-276.....             | México                 |
| triticula Mäkl. 75-575.....               | Brasil                 |
| unilineata Pic 36-112.....                | Brasil                 |
| univittata Champ. 91-290.....             | México                 |
|   | Panamá                 |
| varicornis Champ. 91-300.....             | Panamá                 |
| variesignata Pic 36-111.....              | Brasil                 |
| verdensis Pic 36-1.....                   | Brasil                 |
| vesconis Sol. 51-273.....                 | Chile                  |
| <i>mutabilis</i> F. & G. 63-250.....      |                        |
| <i>v. solieri</i> Csiki 15-26.....        | Chile                  |
| <i>fasciata</i> Sol. 51-271.....          |                        |
| vidua Sol. 51-270.....                    | Argentina              |
|   | Chile                  |
| violacescens Phil. 64-355.....            | Chile                  |
| viridis Pic 30-21.....                    | Brasil                 |
| vittaticollis Pic 36-112.....             | Brasil                 |
| weiseri Pic 30-44.....                    | Argentina              |
| xanthogastra F. & G. 63-253.....          | Chile                  |
| xanthosticta Champ. 91-299.....           | Panamá                 |
| <b>Mordelloides</b> Ray 39-277            |                        |
| <i>acuticauda</i> Ray 39-278.....         | México                 |
| Reynoldsiella Ray 30-164.....             |                        |
| <i>parallela</i> Ray 30-164.....          | Venezuela              |
| Paramordella Pic 36-1.....                |                        |
| <i>brevesetosa</i> Pic 36-1.....          | Brasil                 |
| Glipodes LeC. 62-47.....                  |                        |
| <i>helva</i> LeC. 62-48.....              | México                 |
|   | Panamá                 |
|   | U. S. A.               |
| sericans Melsh. 46-312.....               | México                 |
|   | Br. Honduras           |
|   | Guatemala              |
|   | Panamá                 |
|   | U. S. A.               |
| <i>tertia</i> Ray 36-218.....             | Brasil                 |
| Conalia M. & R. 58-313.....               |                        |
| <i>ebenia</i> Champ. 91-306.....          | México                 |
| <i>fulvoplagiata</i> Champ. 96-50.....    | Br. Honduras           |
|   | Guatemala              |
|   | Honduras               |
|   | Nicaragua              |
|   | Panamá                 |
|   | <sup>4</sup> I. Taboga |
|   | Venezuela              |
|   | <sup>6</sup> Trinidad  |
|   | Paraguay               |
|   | Argentina              |
|   | R. Dominicana          |
|   | St. Vincent            |
|   | <sup>11</sup> Mustique |
|   | Grenada                |
| Calyce Champ. 91-307.....                 |                        |
| <i>cardinalis</i> Blair 22-221.....       | Brasil                 |
| <i>fulva</i> Champ. 91-307.....           | Costa Rica             |
|   | Panamá                 |
| <i>maculata</i> Pic 11-191.....           | <sup>12</sup> Trinidad |
|   | ?Brasil                |
| Calycina Blair 22-250.....                |                        |
| <i>Calycella</i> Blair 22-222.....        |                        |
| (not Allman, 1864)                        |                        |
| <i>palpalis</i> Blair 22-223.....         | Brasil                 |
| <b>Mordellistena</b> Costa 54-16          |                        |
| <i>aequinoctialis</i> Champ. 91-311.....  | Guatemala              |
|   | Panamá                 |
| <i>amabilis</i> Mäkl. 75-581.....         | Brasil                 |
| <i>amphicometa</i> Mäkl. 75-591.....      | Brasil                 |
| <i>angustiformis</i> Ray 37-290.....      | Puerto Rico            |
| <i>annulipyga</i> Champ. 91-345.....      | México                 |
| <i>annuliventris</i> Qued. 86-126.....    | Puerto Rico            |
| <i>atripennis</i> Champ. 91-327.....      | México                 |
| <i>azteca</i> Champ. 91-334.....          | México                 |
| <i>baeri</i> Pic 29-26.....               | Perú                   |
| <i>barberi</i> Ray 37-395.....            | Puerto Rico            |
| <i>basimacula</i> Champ. 91-341.....      | Guatemala              |
| <i>basithorax</i> Pic 29-25.....          | Argentina              |
| <i>beata</i> Champ. 91-347.....           | México                 |
| <i>bella</i> Kirsch 66-207.....           | Colombia               |
| <i>beyrodti</i> Lenger 22-581.....        | ?Colombia              |
| <i>a. nigra</i> Temp. 26-163.....         | Brasil                 |
| <i>bicarinata</i> Champ. 91-314.....      | Panamá                 |

<sup>4</sup> Panamá.

<sup>6</sup> Venezuela.

<sup>12</sup> Virgin Islands (W. I.).

<sup>11</sup> Grenadines (W. I.).

## Mordellistena—Continued.

|                                  |                          |                                    |                           |
|----------------------------------|--------------------------|------------------------------------|---------------------------|
| bicinctella LeC. 62-48.....      | México                   | gibbula Mäkl. 75-584.....          | Brasil                    |
|                                  | Guatemala                | gracilicornis Champ. 91-318.....   | Guatemala                 |
|                                  | U. S. A.                 | graciliformis Ray 39-302.....      | Cuba                      |
| bifurcata Mäkl. 75-590.....      | Brasil                   | guttifer Champ. 91-323.....        | México                    |
| bivittata Mäkl. 75-594.....      | Brasil                   | hexastigma Champ. 91-321.....      | Panamá                    |
| boseni Ray 39-306.....           | México                   | hondurensis Ray 39-288.....        | México                    |
| brevis Kirsch 73-413.....        | Perú                     |                                    | Honduras                  |
| brunneipilis Champ. 91-332.....  | Guatemala                | humeralis Ray 37-393.....          | Puerto Rico               |
| callens Champ. 91-315.....       | México                   | imbecilla Mäkl. 75-593.....        | Brasil                    |
|                                  | Guatemala                | incana Champ. 91-328.....          | México                    |
|                                  | Honduras                 | indifferens Pic 29-25.....         | Argentina                 |
|                                  | Nicaragua                | instabilis Champ. 91-324.....      | México                    |
|                                  | Panamá                   |                                    | Guatemala                 |
|                                  | Venezuela                |                                    | Panamá                    |
|                                  | Trinidad                 |                                    | Venezuela                 |
| candelabra Ray 39-297.....       | Panamá                   | isabellina Champ. 91-340.....      | Guatemala                 |
| carinata Ray 30-167.....         | Venezuela                | isthmica Champ. 91-315.....        | Panamá                    |
| castaneicolor Champ. 91-313..... | México                   | laticollis Champ. 91-331.....      | Guatemala                 |
|                                  | Panamá                   | laticornis Ray 39-304.....         | Honduras                  |
|                                  | Venezuela                | latipalpis Ray 39-303.....         | Br. Honduras              |
| cattleyana Champ. 13-56.....     | Colombia                 |                                    | Guatemala                 |
|                                  | Venezuela                | leai Ray 37-396.....               | Puerto Rico               |
|                                  | Brasil                   | lemouli Pic 29-23.....             | Brasil                    |
| championi Ray 30-166.....        | Venezuela                | lineata Ray 37-395.....            | Puerto Rico               |
| chapini Ray 37-240.....          | Venezuela                | lineatocollis Champ. 91-311.....   | Guatemala                 |
| chiapensis Ray 39-309.....       | México                   | loasae Germain 55-?.....           | Chile                     |
| cincta Champ. 91-337.....        | Guatemala                | lucidovirga Ray 37-398.....        | Puerto Rico               |
| cinereonotata Champ. 91-329..... | Panamá                   | luteifrons Champ. 91-330.....      | México                    |
| cognata Mäkl. 75-585.....        | Brasil                   | luteola Champ. 91-340.....         | México                    |
| crassipalpis Champ. 91-324.....  | México                   |                                    | Guatemala                 |
| crassipyga Champ. 91-317.....    | México                   |                                    | Panamá                    |
| crux Champ. 91-346.....          | México                   |                                    | Venezuela                 |
|                                  | Guatemala                | luteolineata Pic 29-24.....        | Fr. Guiana                |
| curvicauda Kirsch 73-414.....    | Perú                     | marginicollis Mäkl. 75-590.....    | Brasil                    |
| curvimana Champ. 91-344.....     | Guatemala                | metcalfi Ray 36-219.....           | Surinam                   |
| dampfii Ray 39-296.....          | Panamá                   | mexicana Csiki 15-23.....          | México                    |
| danforthi Ray 37-392.....        | Puerto Rico              | nigerrima Champ. 91-345.....       |                           |
| debilis Champ. 91-333.....       | México                   | minutissima Champ. 91-348.....     | Guatemala                 |
|                                  | Guatemala                | misella Mäkl. 75-586.....          | Brasil                    |
| decora Ray 39-300.....           | México                   | mrazi Pic 24-87.....               | Brasil                    |
| diagonalis Kirsch 73-413.....    | Perú                     | murina Champ. 91-332.....          | México                    |
| diluta Champ. 91-338.....        | Guatemala                |                                    | Guatemala                 |
| discicollis Champ. 91-327.....   | Guatemala                | mutabilis Champ. 91-339.....       | México                    |
| dispersa Champ. 91-336.....      | México                   |                                    | Guatemala                 |
| distorta Champ. 91-343.....      | Nicaragua                |                                    | Panamá                    |
| dolobrata Kirsch 73-415.....     | Perú                     | nigricans Melsh. 40-313.....       | Venezuela                 |
| elongata F. & G. 63-257.....     | Chile                    |                                    | <sup>12</sup> I. de Pinos |
| emarginata Ray 39-295.....       | Honduras                 |                                    | U. S. A.                  |
| ephippiata Champ. 91-310.....    | Guatemala                | nigriceps Champ. 91-328.....       | México                    |
| ephippium Ray 37-398.....        | Puerto Rico              | nigripilis Champ. 91-331.....      | México                    |
| epidendrana Ray 37-239.....      | Hispaniola               | nigrobimaculata Pic 24-23.....     | Brasil                    |
| exclamationis Pic 24-24.....     | Brasil                   | nigrosignata Mäkl. 75-588.....     | Brasil                    |
| fasciculata Champ. 91-349.....   | México                   | notabilis Mäkl. 75-587.....        | Brasil                    |
| ferruginea Fabr. 01-124.....     | Puerto Rico              | occidentalis Champ. 91-341.....    | México                    |
|                                  | <sup>13</sup> St. Thomas | oculata Champ. 91-341.....         | México                    |
|                                  | U. S. A.                 | opalescenticeps Champ. 91-319..... | Guatemala                 |
| festiva Champ. 91-350.....       | México                   | orizabensis Mäkl. 75-589.....      | México                    |
| filicornis Champ. 91-342.....    | Guatemala                | ornatipennis Ray 39-301.....       | Panamá                    |
| flavicornis Champ. 91-342.....   | Guatemala                |                                    | <sup>6</sup> Trinidad     |
|                                  | Panamá                   | pallida Champ. 96-50.....          | <sup>14</sup> Antigua     |
| flavocollaris Ray 39-307.....    | México                   |                                    | Guadeloupe                |
| forticornis Champ. 91-317.....   | México                   | palpalis Champ. 91-348.....        | St. Vincent               |
| funerea Champ. 91-343.....       | México                   |                                    | México                    |
|                                  | Guatemala                |                                    | Guatemala                 |
| fuscodorsalis Pic 36-218.....    | Paraguay                 |                                    | Nicaragua                 |
|                                  |                          |                                    | Panamá                    |

<sup>6</sup> Venezuela.<sup>12</sup> West Indies.<sup>13</sup> Virgin Islands (W. I.).<sup>14</sup> Leeward Islands (W. I.).

**Mordellistena**—Continued.

|  |             |
|--|-------------|
| <i>parallela</i> Ray 30-169.....         | Venezuela   |
| <i>perexigua</i> Champ. 91-347.....      | Guatemala   |
| <i>pictipennis</i> Champ. 91-322.....    | Panamá      |
| <i>pilosus</i> Champ. 91-325.....        | México      |
|  | Guatemala   |
| <i>pilosula</i> Mäkl. 75-583.....        | Brasil      |
| <i>prescutellaris</i> Pic 29-24.....     | ?           |
| <i>v. diamantiensis</i> Pic 25-29.....   | Brasil      |
| <i>puberula</i> Mäkl. 75-584.....        | Brasil      |
| <i>pulicaria</i> Champ. 91-349.....      | Guatemala   |
| <i>quadrifasciata</i> Champ. 91-337..... | México      |
| <i>rhenolepis</i> Ray 39-286.....        | Guatemala   |
| <i>rubida</i> Er. 47-123.....            | Perú        |
| <i>rubricollis</i> Champ. 91-334.....    | México      |
|  | Guatemala   |
|  | Venezuela   |
| <i>rufonotata</i> Champ. 91-318.....     | México      |
| <i>rufopyga</i> Champ. 91-335.....       | Guatemala   |
| <i>rusticula</i> Mäkl. 75-593.....       | Brasil      |
| <i>sanguinicollis</i> Champ. 91-320..... | Panamá      |
| <i>santiagona</i> Pic 29-24.....         | Argentina   |
| <i>v. esterosa</i> Pic 29-24.....        | Argentina   |
| <i>schwarzii</i> Ray 39-289.....         | Panamá      |
| <i>semilutea</i> Ray 30-170.....         | Venezuela   |
| <i>semirufa</i> Mäkl. 75-582.....        | Brasil      |
| <i>sepia</i> Ray 39-305.....             | Honduras    |
| <i>sexluteonotata</i> Pic 29-23.....     | Brasil      |
| <i>sexmaculata</i> Champ. 91-316.....    | México      |
|  | Guatemala   |
| <i>signaticollis</i> Qued. 85-125.....   | Puerto Rico |
| <i>simplex</i> Mäkl. 75-592.....         | Brasil      |
| <i>sonorensis</i> Ray 39-299.....        | México      |
| <i>sparsa</i> Champ. 91-335.....         | México      |
| <i>subaenea</i> Champ. 91-329.....       | Guatemala   |
| <i>subdiscoidalis</i> Pic 24-24.....     | Brasil      |
| <i>subunifasciata</i> Pic 24-24.....     | Brasil      |
| <i>tabascana</i> Champ. 91-330.....      | México      |
| <i>tenuipalpis</i> Champ. 91-462.....    | México      |
| <i>longipalpis</i> Champ. 91-326         |             |
| (not Emery, 1891)                        |             |
| <i>tenuis</i> Fairm. 92-98.....          | Venezuela   |
| <i>tessellata</i> Champ. 91-336.....     | México      |
|  | Guatemala   |
| <i>texana</i> Smith 82-89.....           | México      |
|  | U. S. A.    |
| <i>tiara</i> Ray 36-127.....             | México      |
|  | U. S. A.    |
| <i>trilinea</i> Champ. 91-320.....       | Panamá      |
| <i>umbrosa</i> Champ. 91-332.....        | México      |
|  |             |
| <i>vafer</i> Champ. 91-314.....          | Panamá      |
| <i>valens</i> Champ. 91-312.....         | Panamá      |
| <i>varietas</i> Ray 37-391.....          | Puerto Rico |
| <i>venezuelensis</i> Ray 30-168.....     | Venezuela   |
| <i>venusta</i> Champ. 91-322.....        | Panamá      |
| <i>veraepacis</i> Champ. 91-313.....     | Guatemala   |
| <i>vicina</i> Champ. 91-327.....         | México      |
| <i>wagneri</i> Pic 29-25.....            | Argentina   |
| <i>xanthopyga</i> Champ. 91-344.....     | México      |
|  | Panamá      |
| <i>Y-nigrum</i> Ray 37-397.....          | Puerto Rico |

## ANASPIDINI

|   |             |
|---|-------------|
| <i>Dielidia</i> LeC. 62-43.....         |             |
| <i>mexicana</i> Ray 39-311.....         | México      |
| <i>undata</i> Champ. 90-250.....        | México      |
|   | Guatemala   |
| <i>Naucles</i> Champ. 91-257.....       |             |
| <i>affinis</i> Champ. 91-258.....       | Panamá      |
| <i>basalis</i> Champ. 91-258.....       | México      |
|   | Guatemala   |
| <i>fasciata</i> Ray 39-312.....         | Puerto Rico |
| <i>quercus</i> Champ. 91-258.....       | México      |
| <i>tibialis</i> Champ. 91-257.....      | Guatemala   |
| <i>Pentaria</i> Muls. 56-391.....       |             |
| <i>Anthobates</i> LeC. 50-231           |             |
| (not Gistel, 1847)                      |             |
| <i>Anthobatala</i> Strand 29-23         |             |
| <i>angustata</i> Champ. 90-252.....     | Nicaragua   |
| <i>bicineta</i> Champ. 90-252.....      | México      |
| <i>brevicornis</i> Champ. 90-252.....   | Guatemala   |
| <i>bruchii</i> Pic 27-18.....           | Argentina   |
| <i>brunneipennis</i> Champ. 90-253..... | México      |
| <i>caescens</i> Champ. 90-252.....      | México      |
| <i>decolor</i> Champ. 90-256.....       | México      |
| <i>flavipes</i> Champ. 90-252.....      | México      |
| <i>multipilis</i> Ray 39-303.....       | Cuba        |
| <i>quadriguttata</i> Champ. 90-252..... | México      |
|   | Guatemala   |
|   | Panamá      |
| <i>tresignata</i> Champ. 90-254.....    | México      |
| <i>unifasciata</i> Champ. 90-252.....   | Guatemala   |
| <i>sp.</i> (Wolcott 36-208).....        | Puerto Rico |
| <i>Anaspis</i> Geoffr. 62-315.....      |             |
| <i>atrata</i> Champ. 91-259.....        | México      |
| <i>atra</i> LeC. 51-157.....            | U. S. A.    |
| (not Fab., 1792)                        |             |
| <i>disconotata</i> Pic 28-51.....       | Argentina   |

## Superfamily MELOOIDEA

## RHIPIPHORIDAE

## PELECOTOMINAE

|  |               |
|--|---------------|
| <i>Setosicornia</i> Pic 11-117.....      |               |
| <i>argentina</i> Pic 11-118.....         | Argentina     |
| <i>Pelecotoxoides</i> Fisch. 09-293..... |               |
| <i>angustior</i> Pic 24-20.....          | South America |
| <i>argentina</i> Pic 23-16.....          | Argentina     |
| <i>v. uniformis</i> Pic 24-20.....       | South America |
| <i>v. wagneri</i> Pic 24-20.....         | South America |
| <i>armitagei</i> Pic 24-20.....          | South America |
| <i>bahiensis</i> Pic 24-20.....          | South America |
|  |               |
| <i>fioculata</i> Shuck. 38-512.....      | Brasil        |
| <i>bistriata</i> Gerst. 55-6.....        | Perú          |
| <i>bogotensis</i> Pic 24-20.....         | South America |
| <i>boliuensis</i> Pic 24-20.....         | South America |
| <i>brevescutata</i> Pic 24-20.....       | South America |
| <i>brevicornis</i> Pic 10-20.....        | Argentina     |
| <i>donckieri</i> Pic 24-20.....          | South America |
| <i>fischeri</i> Shuck. 38-511.....       | Brasil        |
| <i>gounellei</i> Pic 10-30.....          | Brasil        |
| <i>griseovittata</i> Pic 26-16.....      | Argentina     |
| <i>impressipennis</i> Pic 24-20.....     | South America |

## Pelecotoxomoides—Continued.

- v. ruficolor* Pic 24-20.....South America  
*v. semirufa* Pic 24-20.....South America  
*latelineata* Pic 13-94.....Argentina  
*latreillei* L. & S. 25-32.....Brasil  
*lemoulti* Pic 10-20.....Guiana  
*longesulcata* Pic 24-22.....South America  
*luteopubens* Pic 10-29.....Brasil  
*v. albosparsa* Pic 24-20.....South America  
*maculata* Lap. 40-263.....Brasil  
*v. helva* Perty 30-68.....Brasil  
*maculipennis* Lucas 59-143.....Brasil  
*nigrolateralis* Pic 24-22.....South America  
*v. fulvonotata* Pic 24-22.....Brasil  
*pallipes* Gerst. 55-6.....Brasil  
Argentina  
*signaticollis* Gerst. 55-3.....Brasil  
*succincta* Germ. 24-168.....Brasil  
*v. albomaculata* Pic 24-22.....South America  
*v. gigantea* Lap. 40-263.....Brasil  
*v. griseonotata* Pic 24-22.....South America  
*v. innotata* Pic 24-22.....South America  
*v. leachi* Latr. 17-135.....Brasil  
*v. ruficollis* Pic 24-22.....South America  
*v. strigata* Lap. 40-263.....Brasil  
*sulcata* Pic 10-29.....Brasil  
*sulcicollis* Gerst. 55-4.....Brasil  
*vittata* Gerst. 55-5.....Brasil  
**Trigonodera** Dej. 34-217  
*Caspyria* Fairm. 01-194  
*Pelecotoxoides* Lap. 40-263  
*Pelecotoxoides* Champ. 91-350  
*bivittata* Champ. 91-351.....México  
*lineata* Champ. 91-351.....México  
*nebulosa* Champ. 91-351.....Panamá  
4 I. Taboga  
Colombia  
*nubila* Gerst. 55-4.....México  
Nicaragua  
Panamá  
Perú  
**EVANIOCERINAE**  
**Ancholaemus** Gerst. 55-10  
*acuminatus* Fairm. 04-155.....Brasil  
*attenuatus* Pic 09-34.....Brasil  
*lyciformis* Gerst. 55-10.....Brasil  
**RHIPIPHORINAE**  
**Macrosiagon** Hentz 30-462  
*Emenadia* Lap. 40-261  
*acuminatum* Gerst. 55-20.....Brasil  
*affine* Gerst. 55-21.....Brasil  
*argentinum* Fairm. 92-252.....Argentina  
*attenuatum* Gerst. 55-29.....Brasil  
*baeri* Pic 06-175.....Argentina  
*basale* Gerst. 55-21.....Cuba  
Puerto Rico  
Brasil  
*basicolle* Fairm. 92-98.....Venezuela  
*bifoveatum* Horn 75-121.....México  
Guatemala  
Nicaragua  
U. S. A.  
*biguttulum* Gemm. 70-123.....Brasil  
*biguttatum* Gerst. 55-22.....Brasil  
*biolleyi* Pic 06-56.....Costa Rica  
*bipunctatum* Fabr. 01-120.....[Old World]  
*tripunctatum* (Zool. Rec. 14-157)  
*v. conradti* Pic 13-18.....Guatemala  
*bisbinotatum* Pic 09-30.....Brasil  
*brasiliense* Pic 06-176.....Brasil  
*carinipenne* Champ. 91-355.....México  
*cordigerum* Gerst. 55-30.....Brasil  
*cruentum* Germ. 24-168.....México  
Cuba  
U. S. A.  
*discicollis* Gerst. 55-32.....México  
Brasil  
*v. melanopteron* Chevr. 77-ix.....Puerto Rico  
*v. mutilatum* Gerst. 55-33.....Puerto Rico  
Colombia  
*v. quadrimaculatum* Gerst. 55-33.....Cuba  
*vitraci* F. & S. 89-432.....Puerto Rico  
Guadeloupe  
*dispar* Gerst. 55-32.....Brasil  
*excavatiptenne* Pic 26-16.....Argentina  
*excavatum* Champ. 91-354.....México  
*fenestratum* Gerst. 55-26.....Brasil  
*flavipenne* LeC. 66-153.....México  
*abdominale* LeC. 66-154.....U. S. A.  
*gayi* Gerst. 55-27.....Chile  
*rufipenne* Sol. 51-275  
*homonymus*, new name.....Argentina  
*argentinum* Pic 23-16  
*limbatum* Fabr. 92-112.....México  
Guatemala  
Costa Rica  
Panamá  
Argentina  
U. S. A.  
*v. angustissimum* Pic 06-175.....Brasil  
Argentina  
*luteonotatum* Pic 13-18.....Guatemala  
*minasense* Pic 13-18.....Brasil  
*multinotatum* Pic 06-175.....Brasil  
*nigronotatum* Pic 10-86.....Argentina  
*v. bruchi* Pic 27-15.....Argentina  
*octomaculatum* Gerst. 55-22.....Guatemala  
*bicolor* Say 23-275 (not Oliv.).....Fr. Guiana  
*diffuens* Dej. 36-240.....Brasil  
*puncticeps* LeC. 58-20.....Argentina  
*sayi* LeC. 58-21.....Guadeloupe  
St. Vincent  
U. S. A.  
*pectinatum* Fabr. 75-263.....México  
*ambiguum* Melsh. 46-317.....Guatemala  
*dubium* Melsh. 46-317.....U. S. A.  
*fasciatum* Melsh. 46-317  
*nigrum* Melsh. 46-317  
*sexmaculatum* Fabr. 75-263  
*varicolor* Gerst. 55-25  
*pectorale* Pic 23-15.....Chile  
*rubrocaecum* Fabr. 87-218.....Fr. Guiana  
*rubropictum* Perty 30-66.....Panamá  
Brasil  
*semilimbatum* Pic 27-16.....Argentina  
*sordidum* Gerst. 55-28.....Guatemala  
Brasil  
*v. major* Qued. 86-128.....Cuba  
Puerto Rico  
*spinipenne* Gerst. 55-20.....Brasil

- Maerosiagon**—Continued.  
*spinosum* Fabr. 98-126.....West Indies  
 Brasil  
 Argentina  
*tarsatum* Fabr. 01-120.....South America  
 U. S. A.  
 Argentina  
*testaceicorne* Pic 12-69.....Argentina  
*trisinatum* Gerst. 55-30.....Brasil  
*tucumanense* Pic 09-147.....Argentina  
*variabile* Gerst. 55-31.....Brasil  
*vittatum* Er. 47-123.....Perú  
 v. *bahiensis* Pic 13-18.....Brasil  
 v. *biinterruptus* Pic 13-18.....Paraguay  
 v. *lateluteum* Pic 39-250.....Argentina  
*vittula* Gerst. 55-28.....Brasil
- Ripiphorus** Bosc. 91-327  
*Dorthisia* Say 23-274  
*Myodites* Latr. 19-302
- brevipes* Rivnay 29-46.....México  
*bruchii* Pic 26-17.....Argentina  
 v. *diversipes* Pic 26-17.....Argentina
- flaviventris* Champ. 91-361.....Guatemala  
*hyalinus* Champ. 91-363.....México  
*laevicollis* Champ. 91-360.....México  
*niger* Waterh. 75-396.....México  
 Guatemala  
*rex* Champ. 91-360.....México  
*rugosus* Waterh. 75-369.....Colombia  
*sancti-vincentis* Champ. 96-51.....St. Vincent  
*simplex* Champ. 91-363.....México  
 Guatemala  
 U. S. A.  
*tuberculatus* Champ. 91-362.....México  
*valdivianus* Phil. 61-742.....Chile  
*chilensis* F. & G. 63-258

## RHIPIDIINAE

- Rhipidius** Thunb. 06-5  
 sp. (Heller, 18-128).....Colombia
- Aporrhapis** Pasc. 87-18  
*flexilis* Pasc. 87-18.....Brasil

## MELOIDAE

## NEMOGNATHINAE

## ZONITINI

- Zonitis** Fabr. 75-126  
*Nemognatha* Ill. 07-333
- atra* Dugès 89-113.....México  
*beauregardii* Pic 10-36.....Brasil  
*atra* Beaur. 90-465
- bilineatithorax* Pic 14-4.....Guatemala  
*brevicollis* Champ. 92-376.....México  
*claveri* Pic 14-5.....Colombia  
*chrysomeloides* Linn. 63-396.....México  
*coeruleipennis* Perty 30-67.....Guatemala  
*abdominalis* Lucas 59-148.....Surinam  
*bicolor* Lucas 59-148.....Fr. Guiana  
*lucasi* Har. 79-124.....Brasil  
*versicolor* Chevr. 34-60.....Perú  
 Argentina
- cuzoensis* Brèthes 26-44.....Perú  
*dilatipes* Pic 16-6.....Brasil  
*elegans* Klug 25-437.....Brasil  
 v. *pulcherrima* Pic 10-130.....Brasil  
 v. *superba* Pic 10-131.....Perú  
*ephippiata* Champ. 92-377.....México  
 Guatemala  
 Panamá
- flava* Dugès 89-107.....México  
 Guatemala  
 Costa Rica
- flavicollis* Dugès 81-147.....México  
*flohri* Dugès 89-110.....México  
*foveifrons* Champ. 92-376.....México  
*fulviventris* Beaur. 90-466.....Fr. Guiana  
*gibbifrons* Guér. 29-136.....Perú  
*gounellei* Pic 10-115.....Brasil  
*immaculata* Say 17-22.....México  
 U. S. A.
- impressicollis* Beaur. 90-467.....Brasil  
*impressithorax* Pic 27-28.....Argentina
- infelix* F. & G. 63-262.....Chile  
*septemguttata* Sol. 51-pl. 2
- insularis* Blais. 25-325.....<sup>1</sup> I. Cedros  
*lateritia* Champ. 92-385.....Nicaragua  
*lurida* LeC. 53-345.....México  
*decipiens* LeC. 53-347.....U. S. A.  
*rufa* Dugès 89-111
- lutea* LeC. 53-346.....México  
*pallens* LeC. 53-346.....U. S. A.  
*megalops* Champ. 92-386.....Guatemala  
*nigromaculata* Dugès 89-111.....México  
*nigronotata* Pic 14-4.....Argentina  
*nigrotarsata* F. & G. 61-6.....Argentina  
*lutea* Phil. 61-?.....Chile  
 v. *invittata* Pic 28-100.....Argentina  
 v. *weiseri* Pic 28-100.....Argentina  
*bilunulata* Borch. 30-97
- occupata*, new name.....Cuba  
*atripennis* Sturm 26-72  
 (not Say, 1824).....Brasil
- pallidicollis* Beaur. 90-468.....Perú  
*peruviana* Beaur. 90-468.....Perú  
*piezata* Fabr. 94-104.....México  
*texana* LeC. 53-347.....U. S. A.  
*vittata* Fabr. 01-24
- ploribunda* Wellm. 10-25.....México  
*atra* Dugès 81-146
- rufa* LeC. 54-85.....México  
*rubra* Dugès 70-166
- rufoscutellaris* Pic 10-115.....Brasil  
 v. *subparallela* Pic 27-29.....Brasil  
*sanguinicollis* Champ. 92-384.....México  
 Guatemala  
 Nicaragua  
 Panamá
- scutellaroides* Wellm. 10-26.....México  
*nigripes* Champ. 92-377.....Guatemala
- strigata* Wellm. 10-26.....Grenada  
*linata* Champ. 96-53

<sup>1</sup> Baja California (México).

## Zonitis—Continued.

|                                     |             |
|-------------------------------------|-------------|
| subcincta Lucas 59-147.....         | Brasil      |
| surinamensis Pic 10-131.....        | Surinam     |
| tarasca Dugès 89-112.....           | México      |
|                                     | Guatemala   |
|                                     | Nicaragua   |
|                                     | Panamá      |
|                                     | Colombia    |
| tenebrosa Champ. 92-383.....        | México      |
| testaceiceps Pic 16-7.....          | Cuba        |
| violacea Beur. 90-468.....          | Brasil      |
| xanthochroa Wellm. 10-26.....       | México      |
| <i>fulva</i> Dugès 89-111.....      | Guatemala   |
| zonitoides Dugès 77-47.....         | México      |
|                                     | Guatemala   |
| sp. (Wolcott 36-208).....           | Puerto Rico |
| <b>Gnathium</b> Kby. 18-42          |             |
| francilloni Kby. 18-426.....        | ?México     |
| <i>flavicolle</i> LeC. 58-23.....   | U. S. A.    |
| minimum Say 24-306.....             | México      |
| <i>walckenaeri</i> Lap. 40-281..... | U. S. A.    |
| nitidum Horn 70-95.....             | México      |
|                                     | U. S. A.    |

## Zonitolytta Pic 27-29

|                               |           |
|-------------------------------|-----------|
| robusta Pic 27-29.....        | Argentina |
| <i>bicolor</i> Brèthes 10-208 |           |

## HORNIINI

## Leonidia Ckll. 00-11

|                                 |         |
|---------------------------------|---------|
| <i>Leonia</i> Dugès 89-211..... |         |
| mexicana Dugès 89-211.....      | México  |
| rileyi Dugès 89-211.....        | México  |
| sp. (Denier 35-151).....        | Ecuador |

## HORIINI

## Cissites Latr. 04-154

|                                     |             |
|-------------------------------------|-------------|
| <i>Horia</i> Fabr. 92-87.....       |             |
| auriculata Champ. 92-372.....       | México      |
| <i>maculata</i> Dugès 69-103.....   | Guatemala   |
|                                     | Puerto Rico |
|                                     | U. S. A.    |
| maculata Swed. 87-199.....          | México      |
| <i>auriculata</i> Dugès 69-103..... | Guatemala   |
|                                     | Nicaragua   |
|                                     | Costa Rica  |
|                                     | Panamá      |
|                                     | Colombia    |
|                                     | Venezuela   |
|                                     | Trinidad    |
|                                     | Fr. Guiana  |
|                                     | Brasil      |
|                                     | Ecuador     |
|                                     | Perú        |
|                                     | Argentina   |
|                                     | Chile       |
|                                     | Hispaniola  |
|                                     | Guadeloupe  |
|                                     | Dominica    |
|                                     | Barbados    |
| v. apicalis Perty 92-372.....       | Brasil      |
|                                     | Perú        |
| v. championi Pic 29-81.....         | Colombia    |
| v. intermedia Betrem 32-88.....     | Colombia    |
|                                     | Argentina   |

MELOINAE  
EPICAUTINI

|                                       |              |
|---------------------------------------|--------------|
| <b>Epicauta</b> Redt. 45-133          |              |
| <i>Isopentra</i> Muls. 58-106.....    |              |
| <i>Apterospasta</i> LeC. 62-272.....  |              |
| <i>Macrobasis</i> LeC. 62-272.....    |              |
| adpersa Klug 25-434.....              | Uruguay      |
| <i>conspersa</i> Curt. 45-472.....    | Argentina    |
| aemula Fisch. 27-20.....              | Brasil       |
| albicincta Haag 80-23.....            | Venezuela    |
| albida Say 24-305.....                | México       |
| <i>luteicornis</i> LeC. 54-84.....    | U. S. A.     |
| albolineata Dugès 77-64.....          | México       |
| <i>duplicata</i> Csy. 91-172.....     | Br. Honduras |
|                                       | Guatemala    |
|                                       | Nicaragua    |
|                                       | U. S. A.     |
| albomarginata Mäkl. 75-625.....       | Bolivia      |
| <i>denieri</i> Pic 33-26.....         |              |
| v. limbaticollis Pic 24-2.....        | Perú         |
| annulicornis Chev. 77-ix.....         | Puerto Rico  |
| <i>delauneyi</i> F. & S. 89-433.....  | Guadeloupe   |
|                                       | Dominica     |
| anthracina Er. 48-566.....            | Guiana       |
| apicalis Dugès 89-90.....             | México       |
| assimilis Haag 80-26.....             | Brasil       |
| aterrima Klug 25-432.....             | Brasil       |
|                                       | Argentina    |
| atomaria Germ. 21-154.....            | Brasil       |
| <i>germari</i> Fisch. 28-22.....      | Argentina    |
| <i>punctata</i> Germ. 24-173.....     |              |
| atricolor Champ. 92-419.....          | México       |
| atropilis Champ. 92-410.....          | México       |
| auricomans Champ. 92-424.....         | México       |
| avellanea Denier 34-273.....          | Argentina    |
| aymara Denier 35-152.....             | Perú         |
| basalis Dugès 81-144.....             | México       |
| basimacula Haag 80-48.....            | México       |
| <i>rufescens</i> Dugès 81-142.....    |              |
| beckeri Dugès 89-113.....             | México       |
| bella Mäkl. 75-631.....               | Bolivia      |
| <i>exclamationis</i> Berg 89-120..... | Argentina    |
| bimaculosa Kirsch 86-336.....         | Colombia     |
| borchmanni Denier 35-153.....         | Argentina    |
| borgmeieri Denier 35-153.....         | Brasil       |
| borrei Dugès 81-145.....              | México       |
| <i>fumea</i> Champ. 99-178.....       | ?U. S. A.    |
| <i>fumosa</i> Haag 80-40.....         |              |
| bosqi Denier 35-153.....              | Argentina    |
| breyeri Denier 34-272.....            | Argentina    |
| bruchi Borch. 30-93.....              | Argentina    |
| brunneipennis Haag 80-28.....         | Uruguay      |
|                                       | Argentina    |
| candidata Champ. 92-426.....          | México       |
| carmelita Haag 80-46.....             | México       |
|                                       | Nicaragua    |
|                                       | Panamá       |
|                                       | Colombia     |
|                                       | Venezuela    |
| caustica Rojas 57-441.....            | Venezuela    |
| <i>capitata</i> Wellm. 10-23.....     |              |
| <i>philaemata</i> Borch. 17-80.....   |              |
| cavernosa Courb. 55-1006.....         | Brasil       |
| <i>nigropunctata</i> Burm. 81-20..... | Uruguay      |
|                                       | Argentina    |

<sup>6</sup> Venezuela



## Epicauta—Continued.

|  |            |                                      |             |
|--|------------|--------------------------------------|-------------|
| centralis Burm. 81-25.....               | Argentina  | griseonigra Fairm. 73-534.....       | Uruguay     |
| v. ochraceocincta Pic 16-9.....          | Argentina  | v. riojana Fairm. 92-252.....        | Argentina   |
| cervina Mäkl. 75-628.....                | Brasil     | haroldi Haag 80-44.....              | Costa Rica  |
| cinctipennis Chev. 34-59.....            | México     | hieroglyphica Haag 80-26.....        | Colombia    |
| cinerea Forst. 71-62.....                | México     |                                      | Brasil      |
| <i>clematides</i> Woodh. 00-213.....     | Guatemala  | horni Champ. 94-412.....             | México      |
| <i>fmbrata</i> Thunb. 91-109.....        | Nicaragua  | <i>cinerea</i> Dugès 69-60.....      |             |
| <i>marginata</i> Fabr. 75-260.....       | U. S. A.   | <i>vicina</i> Dugès 81-147.....      |             |
| <i>cinereiventris</i> Champ. 92-411..... | Guatemala  | humeralis Dugès 89-58.....           | México      |
| clericalis Berg 81-308.....              | Argentina  | hypoleuca Klug 25-433.....           | Brasil      |
| <i>brevibasalis</i> Pic 33-26.....       |            | inconstans Fisch. 27-17.....         | Brasil      |
| v. discolineata Pic 33-26.....           | Argentina  | intermedia Haag 80-56.....           | Colombia    |
| compressicollis Champ. 92-427.....       | México     | jimenezi Dugès 89-73.....            | México      |
| corvina LeC. 58-21.....                  | México     | kraussi Haag 80-25.....              | Brasil      |
| <i>nigerrima</i> Dugès 70-162.....       | U. S. A.   | v. purpureiceps Berg 89-123.....     | Argentina   |
| costipennis Borch. 30-93.....            | Argentina  | laevicollis M. kl. 75-629.....       | Brasil      |
| croceicincta Dugès 81-143.....           | México     | langei Borch. 30-95.....             | Argentina   |
| cupreola Dugès 69-112.....               | México     | languida Horn 95-252.....            | Baja Calif. |
|  | U. S. A.   | latitarsis Haag 80-53.....           | Perú        |
| curticollis Borch. 30-92.....            | Paraguay   | lemniscata Fabr. 01-279.....         | México      |
| curvicornis Haag 80-43.....              | México     | <i>dugesi</i> Beaur. 89-ccxiii.....  | U. S. A.    |
| <i>antennalis</i> Dugès 81-148.....      |            | <i>cittata</i> Dugès 86-582.....     |             |
| <i>fauresi</i> Haag 80-44.....           |            | leoni Dugès 89-74.....               | México      |
| <i>obesa</i> H. & M. 66-117.....         |            | leopardina Haag 80-30.....           | Argentina   |
| digamma Burm. 81-24.....                 | Argentina  | leucocoma Champ. 92-425.....         | México      |
| dilatipennis Pic 16-8.....               | Argentina  | lizeri Denier 34-271.....            | Argentina   |
| disparilis Champ. 92-398.....            | México     | longicollis LeC. 53-341.....         | México      |
| distorta Champ. 92-396.....              | México     | <i>sublineata</i> LeC. 53-447.....   | U. S. A.    |
|  | Nicaragua  | luctifera Fairm. 73-534.....         | Uruguay     |
| diversicornis Haag 80-42.....            | México     | <i>leucoloma</i> Burm. 81-22.....    | Argentina   |
| <i>flavens</i> Dugès 89-58.....          |            | lugubris Haag 80-24.....             | Brasil      |
| v. candezei Haag 80-43.....              | Guatemala  |                                      | Argentina   |
|  | Costa Rica | maculata Say 24-298.....             | México      |
| v. pallida Haag 80-42.....               | México     |                                      | Guatemala   |
| dohrni Haag 80-45.....                   | Panamá     | v. conspersa LeC. 53-340.....        | México      |
| <i>bogotensis</i> Pic 16-9.....          | Colombia   | <i>punctuata</i> Dugès 70-161.....   |             |
| emarginata Champ. 92-425.....            | México     | v. media Dugès 89-82.....            | México      |
| evanescens Champ. 92-412.....            | Guatemala  | megacephala Champ. 92-402.....       | México      |
| excavata Klug 25-440.....                | Brasil     | melanota Mäkl. 75-624.....           | Colombia    |
| <i>sulcifrons</i> Chev. 29-135.....      |            | minutepunctata Borch. 30-94.....     | Argentina   |
| <i>virgata</i> Klug 25-441.....          |            | missionum Berg 81-306.....           | Argentina   |
| ferruginea Say 24-298.....               | México     | v. luteolineata Pic 33-25.....       | Argentina   |
| <i>santorii</i> Haag 80-56.....          | U. S. A.   | modesta Haag 80-53.....              | México      |
| flagellaria Er. 48-566.....              | Guiana     | monachica Berg 83-68.....            | Bolivia     |
| flavogrisea Haag 80-31.....              | Argentina  |                                      | Argentina   |
| forticornis Haag 80-41.....              | México     | montei Denier 35-157.....            | Brasil      |
| fourcadei Den. 40-179.....               | Argentina  |                                      | Uruguay     |
| franciscana Den. 35-155.....             | Uruguay    | nattereri Haag 80-24.....            | Brasil      |
|  | Argentina  | neglecta Haag 80-54.....             | México      |
| fuliginosa Oliv. 95-14.....              | Colombia   | <i>mixta</i> Dugès 86-582.....       |             |
| fulvicornis Burm. 81-29.....             | Argentina  | nigra Dugès 70-161.....              | México      |
| <i>testaceicornis</i> Pic 16-8.....      |            | <i>funebis</i> Horn 73-102.....      | U. S. A.    |
| fulvipes Klug 25-433.....                | Brasil     | <i>melanochroa</i> Wellm. 10-24..... |             |
| fumosa Germ. 24-173.....                 | Brasil     | nigrans Mäkl. 75-629.....            | Perú        |
| funesta Chev. 34-58.....                 | México     | nigripes Borch. 30-92.....           | Argentina   |
| geniculata Haag 80-28.....               | Brasil     | nigropilosa Mayd. 34-332.....        | México      |
|  | Argentina  | nigropunctata Blanch. 43-200.....    | Bolivia     |
| grammica Fisch. 27-19.....               | Nicaragua  | <i>caevnosa</i> Burm. 81-28.....     | Argentina   |
| <i>fielis</i> Brèthes 25-14.....         | Costa Rica | niveolineata Haag 80-46.....         | México      |
|  | Panamá     | obesa Chev. 34-81.....               | México      |
|  | Colombia   | <i>grisea</i> Dugès 69-128.....      |             |
|  | Venezuela  | <i>mus</i> Haag 80-55.....           |             |
|  | Brasil     | obscuricornis Chev. 77-x.....        | Puerto Rico |
|  | Argentina  | ocellata Dugès 69-160.....           | México      |

|                                      |               |
|--------------------------------------|---------------|
| Epicauta—Continued.                  |               |
| ochrea LeC. 53-342                   | México        |
| <i>protarialis</i> Dugès 77-63       | U. S. A.      |
| ochropus Haag 80-28                  | Brasil        |
| pacifica Mayd. 34-330                | México        |
| pardalis LeC. 66-157                 | México        |
|                                      | U. S. A.      |
| pennsylvanica Deg. 75-16             | México        |
| <i>atrata</i> Fabr. 75-260           | U. S. A.      |
| <i>coracina</i> Ill. 04-171          |               |
| <i>morio</i> LeC. 53-447             |               |
| <i>nigra</i> Woodh. 00-213           |               |
| <i>potosina</i> Dugès 89-89          |               |
| philaemata Klug 25-434               | Venezuela     |
| <i>capitata</i> Lap. 40-275          | Brasil        |
|                                      | Argentina     |
|                                      | Argentina     |
| pilma Molina 88-?                    | Argentina     |
| <i>caligata</i> Beaur. 90-505        | Chile         |
| <i>erythroscelis</i> Berg 84-270     |               |
| <i>femoralis</i> Er. 34-251          |               |
| v. <i>annulipes</i> Pic 16-8         | Chile         |
| v. <i>porteri</i> Pic 19-?           | Chile         |
| <i>platycera</i> Fairm. 76-386       | Chile         |
| <i>pluvialis</i> Borch. 30-95        | Argentina     |
| <i>pullata</i> Berg 89-121           | Argentina     |
| <i>punctum</i> Dugès 69-pl. 2        | México        |
| <i>purpurea</i> Horn 85-108          | México        |
| <i>purpureipennis</i> Champ. 99-186  | U. S. A.      |
| <i>rubriceps</i> Blanch. 45-200      | Guiana        |
| <i>strigata</i> Gyll. 17-18          | Brasil        |
|                                      | Bolivia       |
| <i>rubella</i> Denier 40-182         | Paraguay      |
|                                      | Argentina     |
| <i>rufipedes</i> Dugès 70-163        | México        |
| <i>subvittata</i> Haag 80-47         | Guatemala     |
| <i>vittula</i> Beaur. 89-ccxiii      | Nicaragua     |
| v. <i>cinctella</i> Dugès 77-59      |               |
| <i>rufipennis</i> Chevr. 34-80       | México        |
| <i>luridipennis</i> Dej. 36-274      | Guatemala     |
| <i>ochraceipennis</i> Dugès 70-164   |               |
| <i>ochreipennis</i> Dugès 77-57      |               |
| <i>rutilifrons</i> Borch. 30-92      | Argentina     |
| <i>segmenta</i> Say 24-303           | México        |
| <i>cinctithorax</i> Dugès 89-56      | U. S. A.      |
| <i>segmentata</i> LeC. 53-342        |               |
| <i>valida</i> LeC. 58-39             |               |
| <i>semivittata</i> Fairm. 75-200     | Uruguay       |
| <i>hemigramma</i> Mäkl. 75-632       | Argentina     |
| <i>virgata</i> Burm. 81-25           | Chile         |
| <i>singularicornis</i> Pic 19-?      | Argentina     |
|                                      | Chile         |
| <i>singularis</i> Champ. 92-427      | México        |
| <i>stigmata</i> Dugès 69-159         | México        |
| <i>intermedia</i> Dugès 89-68        |               |
| <i>nigritarsis</i> Dugès 77-48       |               |
| <i>subatra</i> Dugès 89-72           | México        |
| <i>major</i> Pic 24-2                | Guatemala     |
|                                      | Nicaragua     |
| <i>subrubra</i> Dugès 86-582         | México        |
| <i>subvittata</i> Er. 48-556         | Guiana        |
| <i>sulcicollis</i> Mäkl. 75-624      | Brasil        |
| <i>suturalis</i> Germ. 21-155        | Brasil        |
|                                      | Paraguay      |
|                                      | Argentina     |
| <i>talpa</i> Haag 80-32              | Brasil        |
|                                      | Argentina     |
| <i>tenuicornis</i> Champ. 92-400     | México        |
|                                      |               |
| <i>tenuilineata</i> Horn 94-436      | Baja Calif.   |
|                                      | México        |
| <i>terminata</i> Dugès 69-157        | México        |
| <i>tripartita</i> Champ. 92-421      | México        |
| <i>tristis</i> Mäkl. 75-630          | Bolivia       |
|                                      | Argentina     |
| <i>unicalarata</i> Champ. 92-412     | México        |
| <i>unilineata</i> Champ. 92-415      | Guatemala     |
| <i>vicina</i> Haag 80-27             | Brasil        |
| <i>vitticollis</i> Haag 80-52        | México        |
| <i>canoï</i> Dugès 89-86             | Br. Honduras  |
|                                      | Guatemala     |
|                                      | Nicaragua     |
| <i>voeti</i> Schönh. 06-24           | South America |
| <i>vittata</i> Panz. 98-118          |               |
| <i>flavostrigata</i> Voet 06-20      |               |
| <i>wagneri</i> Pic 16-10             | Argentina     |
| <i>xanthocephala</i> Klug 25-434     | Brasil        |
| <i>xanthomeros</i> Fisch. 27-19      | Brasil        |
| <i>boliviana</i> Pic 16-8            | Bolivia       |
|                                      | Argentina     |
| <i>yungana</i> Denier 35-160         | Bolivia       |
| <i>zebra</i> Dohrn 76-?              | Argentina     |
| <i>alborivittata</i> Haag 80-29      |               |
| <i>somnolenta</i> Beaur. 89-ccxiii   |               |
| Anomalonychus Sayl. 40-46            |               |
| <i>Anomalonyx</i> Denier 35-161      |               |
| (not Weise, 1903)                    |               |
| <i>fumosus</i> Germ. 24-173          | Brasil        |
|                                      | Argentina     |
| Gnathospasta Horn 75-154             |               |
| <i>labialis</i> Dugès 81-145         | México        |
| Causima Dej. 36-248                  |               |
| <i>vidua</i> Klug 25-437             | Brasil        |
|                                      | Paraguay      |
|                                      | Uruguay       |
|                                      | Argentina     |
| v. <i>courboni</i> Guér. 55-590      |               |
| <i>coracina</i> Burm. 81-27          |               |
| <i>vidua</i> Courb. 55-1005          |               |
| Henous Hald. 52-377                  |               |
| <i>Nomaspis</i> LeC. 66-156          |               |
| <i>cardui</i> Dugès 69-102           | México        |
| <i>confertus</i> Say 24-281          | México        |
| <i>techanus</i> Hald. 52-377         | U. S. A.      |
|                                      |               |
| LYTTINI                              |               |
| Pyrota Dej. 36-246                   |               |
| <i>akhurstiana</i> Horn 91-44        | México        |
|                                      | U. S. A.      |
| <i>bilineata</i> Horn 85-115         | México        |
|                                      | U. S. A.      |
| <i>centenaria</i> B. & T. 10-234     | Argentina     |
| <i>decorata</i> Haag 80-51           | México        |
|                                      | Guatemala     |
|                                      | Nicaragua     |
|                                      | Costa Rica    |
|                                      | Panamá        |
| v. <i>semicinctipennis</i> Pic 16-10 | Guatemala     |
| <i>diadema</i> Klug 25-436           | Brasil        |
| <i>latemaculata</i> Pic 24-31        | Argentina     |
| v. <i>schneideri</i> Pic 16-10       | Brasil        |
| v. <i>decemnotata</i> Pic 16-11      | Brasil        |
| <i>dispar</i> Germ. 24-171           | Brasil        |
|                                      | Uruguay       |
|                                      | Argentina     |

- Pyrota**—Continued.
- divrigata* V. & P. 67-15.....México
- maculata* Berg 83-68.....South America
- virgata* Schaeff. 05-138
- nigroviittata* Haag 80-51
- v. adolphi* Pic 16-10.....México
- v. clavipalpis* Haag 80-50.....México
- herculeana* Germ. 24-172.....Brasil
- insulata* LeC. 58-22.....México
- U. S. A.
- mendesensis* Pic 16-10.....Brasil
- modesta* Borch. 27-125.....Brasil
- mülleri* Borch 27-124.....Brasil
- mylabrina* Chev. 34-53.....México
- U. S. A.
- nobilis* Haag 80-48.....México
- palpalis* Champ. 92-462.....México
- terminata* Champ. 92-429
- postica* LeC. 66-159.....México
- lacordairei* Berg 81-303.....U. S. A.
- maculata* Lac. 59-pl. 60
- mylabrina* LeC. 53-337
- plagiata* Haag 80-49
- vittigera* Burm. 81-22
- punctata* Csy. 91-173.....México
- U. S. A.
- quadrinervata* H. & M. 66-17.....México
- quadrinervata* Dugès 86-582
- reichenbachi* Kirsch 66-208.....Colombia
- Bolivia
- Argentina
- v. brunneoreducta* Pic 16-9.....Ecuador
- rugulipennis* Champ. 92-431.....México
- sanguinithorax* Haag 80-34.....Colombia
- colombiana* Pic 16-9.....Perú
- luciani* Brèthes 18-360.....Argentina
- riofanensis* Pic 16-9
- testaceithorax* Pic 24-31
- signata* Klug 25-435.....Brasil
- tenuicoetata* Dugès 77-60.....México
- dubitabilis* Horn 85-113
- rufipennis* Crotch 74-114
- vittigera* LeC. 58-22.....U. S. A.
- v. hirticollis* Champ. 92-455.....México
- v. mariarum* Champ. 92-435.....<sup>2</sup> Is. Tres Marias
- trochanterica* Horn 94-439.....Baja Calif
- viridipennis* Burm. 65-131.....Argentina
- steinheili* Haag 80-32
- vittigera* Blanch. 43-20 0.....Brasil
- Bolivia
- Paraguay
- Argentina
- Argentina
- wagneri* Denier 34-69.....Argentina
- Lytta** Fabr. 75-260
- Cantharis* Geoffr. 62-339
- Picella* Denier 34-?
- Tetraolytta* Pic 19-3
- abbreviata* Klug 25-439.....Brasil
- adonis* Pic 15-9.....Brasil
- anceps* Fisch. 27-21.....Brasil
- atrovirens* Dugès 86-582.....México
- bifasciata* Dugès 69-106.....México
- octomaculata* Peñal. 66-225
- v. fasciolata* Jim. 66-253.....México
- v. alemani* Dugès 89-109.....México
- biguttata* LeC. 53-332.....[U. S. A.]
- v. bivirgata* Dugès 77-140.....México
- alfredi* Dugès 89-98
- bilineatipennis* Pic 27-28.....Paraguay
- binotatithorax* Pic 27-28.....Argentina
- seminigra* Borch. 30-97
- bipuncticollis* Haag 80-36.....México
- bruchi* Pic 27-28.....México
- Argentina
- cardinalis* Chev. 33-13.....México
- fulvipennis* LeC. 53-331.....U. S. A.
- catamarcensis* Brèthes 18-361.....Argentina
- colon* Burm. 81-33.....Argentina
- corallifera* Haag 80-35.....México
- cyaneescens* Haag 80-38.....México
- minor* Champ. 92-?
- monilicornis* Dugès 89-97
- dimidiata* Fisch. 27-8.....Brasil
- mülleri* Borch. 27-?
- ebenina* Dugès 77-66.....México
- erebea* Champ. 92-442.....México
- erythrothorax* M. & H. 67-1.....México
- eucera* Chev. 34-56.....México
- spectabilis* Lap. 40-273.....Guatemala
- Costa Rica
- Panamá
- Colombia
- U. S. A.
- fissiceps* Haag 80-21.....Brasil
- adonis* Pic 15-9
- inflaticeps* Beur. 89-ccxii
- gerardi* Pic 19-3.....Brasil
- griseopubescens* Denier 35-163.....Argentina
- humilis* Haag 80-39.....Panamá
- intricata* Champ. 92-441.....México
- koltzei* Haag 80-38.....México
- monilicornis* Dugès 81-142.....Panamá
- margarita* Fall 01-296.....Baja Calif.
- melana* LeC. 58-76.....México
- U. S. A.
- michoacanae* Champ. 92-447.....México
- mutilata* Horn 75-155.....México
- U. S. A.
- nigropicta* Denier 33-87.....Argentina
- nitidicollis* LeC. 51-160.....Baja Calif.
- U. S. A.
- peninsularis* Horn 01-296.....Baja Calif.
- philippii* Reed 73-268.....Chile
- frontalis* Fairm. 73-534
- plumbea* Haag 80-38.....México
- proteus* Haag 80-37.....México
- bipartita* Dugès 89-106
- sobrina* Dugès 81-143
- puberula* LeC. 66-162.....México
- variabilis* Horn 85-107.....U. S. A.
- quadrilineata* Haag 79-292.....Brasil
- Argentina
- quadrinervata* Chev. 34-79.....México
- Guatemala
- Costa Rica
- Colombia
- U. S. A.
- sanguinea* Haag 80-35.....México
- sanguineoguttata* Haag 80-35.....Guatemala
- submetallica* Pic 16-10
- scitula* Champ. 92-446.....México
- signaticollis* Champ. 92-446.....México

<sup>2</sup> México.

|  |                                 |
|--|---------------------------------|
| <i>Lytta</i> —Continued.                 |                                 |
| <i>stygica</i> LeC. 51-161.....          | ?México<br>U. S. A.             |
| <i>suavissima</i> Wellm. 10-24.....      | México                          |
| <i>gentilis</i> Horn 83-311.....         | U. S. A.                        |
| <i>subviolacea</i> Champ. 92-445.....    | México                          |
| <i>augusti</i> Haag 80-38.....           |                                 |
| <i>variabilis</i> Dugès 69-111.....      | México                          |
| <i>vulnerata</i> LeC. 51-159.....        | Baja Calif.                     |
| <i>angulicollis</i> Dugès 89-105.....    | U. S. A.                        |
| <i>xanthomeros</i> Fisch. 27-19.....     | Brasil                          |
| <b>Wagneronota</b> Denier 35-170         |                                 |
| <i>Wagneria</i> Denier 33-90.....        |                                 |
| <i>aratae</i> Berg 82-66.....            | Argentina                       |
| <b>Spastica</b> Lac. 59-679              |                                 |
| <i>Gnathium</i> Chev. 29-136.....        |                                 |
| <i>abdominalis</i> Klug 25-444.....      | Brasil                          |
| <i>anceps</i> Fisch. 27-21.....          | Brasil                          |
| <i>aurita</i> Klug 25-444.....           | Brasil                          |
| <i>bicolor</i> Pic 96-?.....             | Brasil                          |
| <i>bilineata</i> Pic 15-15.....          | Brasil                          |
| <i>brasilienis</i> Pic 15-14.....        | Brasil                          |
| <i>corallicollis</i> Haag 79-519.....    | Brasil                          |
| <i>discoidalis</i> Pic 15-14.....        | Brasil                          |
| <i>femoralis</i> Klug 25-435.....        | Brasil                          |
| <i>flavicollis</i> Chev. 29-136.....     | Brasil                          |
| <i>glandulosa</i> Er. 48-556.....        | Guiana                          |
| <i>globicollis</i> Haag 79-515.....      | Brasil                          |
| <i>inconstans</i> F. & G. 63-265.....    | Chile                           |
| <i>indeterminata</i> Wellm. 10-24.....   |                                 |
| <i>v. chilensis</i> Haag 79-514.....     | Chile                           |
| <i>limbata</i> Klug 25-443.....          | Brasil                          |
| <i>lineata</i> Pic 15-13.....            | Brasil                          |
| <i>maculicollis</i> Klug 25-445.....     | Brasil                          |
| <i>marginalis</i> Haag 79-518.....       | Brasil                          |
| <i>pulchra</i> Pic 15-15.....            | Brasil                          |
| <i>rufolineata</i> Pic 16-12.....        | Brasil                          |
| <i>scutellaris</i> Klug 25-442.....      | Brasil                          |
| <i>sphaerodera</i> Burm. 81-34.....      | Argentina                       |
| <i>sphaeroclera</i> Bruch 15-406.....    |                                 |
| <i>suturalis</i> Klug 25-443.....        | Brasil                          |
| <i>klugi</i> Fisch. 27-23.....           |                                 |
| <i>tenuicincta</i> Pic 16-12.....        | Brasil                          |
| <i>tristis</i> Borch. 30-96.....         | Brasil                          |
| <i>variabilis</i> Haag 79-514.....       | Brasil                          |
| <i>wagneri</i> Pic 15-15.....            | Argentina                       |
| <i>zonata</i> Klug 25-444.....           | Brasil                          |
| <i>v. diversipennis</i> Pic 16-?.....    | Brasil                          |
| <i>v. subcincta</i> Lucas 59-147.....    |                                 |
| <b>Tetraonyx</b> Latr. 05-204            |                                 |
| <i>Jodema</i> Pasc. 62-57.....           |                                 |
| <i>albomaculata</i> Haag 79-258.....     | Brasil                          |
| <i>albomarginata</i> Haag 79-304.....    | Brasil                          |
| <i>angulicollis</i> Haag 79-270.....     | ? México                        |
| <i>anthracina</i> Haag 79-257.....       | Brasil                          |
| <i>atricolor</i> Pic 15-11.....          | Perú                            |
| <i>atripennis</i> Klug 25-447.....       | Brasil                          |
| <i>maculicollis</i> Haag 79-301.....     |                                 |
| <i>atriventris</i> Pic 16-4.....         | Colombia                        |
| <i>badeni</i> Haag 79-271.....           | Venezuela<br>Ecuador            |
| <i>batesi</i> Haag 79-267.....           | México<br>Guatemala             |
| <i>bicolor</i> Serv. 25-596.....         | Nicaragua                       |
| <i>ventralis</i> Chev. 29-135.....       | Brasil                          |
| <i>bicoloriceps</i> Pic 30-20.....       | Colombia                        |
| <i>bilineata</i> Haag 79-311.....        | Brasil                          |
| <i>bipartita</i> Haag 79-267.....        | México<br>Nicaragua             |
| <i>bipunctata</i> Serv. 25-596.....      | Fr. Guiana<br>Brasil            |
| <i>v. niger</i> Haag 79-262.....         | Fr. Guiana                      |
| <i>v. trinotata</i> Klug 25-450.....     | Fr. Guiana                      |
| <i>borrei</i> Haag 79-263.....           | Brasil                          |
| <i>v. ocellaris</i> Haag 79-263.....     | Brasil                          |
| <i>v. ornata</i> Haag 79-263.....        | Brasil                          |
| <i>brevenotata</i> Pic 30-21.....        | Costa Rica                      |
| <i>brevis</i> Klug 25-448.....           | Colombia                        |
| <i>vittata</i> Haag 79-310.....          | Brasil<br>Paraguay<br>Argentina |
| <i>v. lineatopilosa</i> Haag 79-311..... | Guiana<br>Brasil<br>Argentina   |
| <i>v. bisbilineatus</i> Pic 30-21.....   | Paraguay                        |
| <i>v. pallidicolor</i> Pic 30-21.....    | Paraguay                        |
| <i>brucki</i> Haag 79-288.....           | Brasil                          |
| <i>brunnescens</i> Haag 79-268.....      | Brasil                          |
| <i>baeri</i> Pic 15-11.....              | Argentina                       |
| <i>v. minor</i> Haag 79-268.....         | Brasil                          |
| <i>chevrolati</i> Haag 79-296.....       | Bolivia                         |
| <i>chrysomelina</i> Klug 25-446.....     | Brasil                          |
| <i>chrysurops</i> Fisch. 27-12.....      | Brasil                          |
| <i>circumscripita</i> Haag 79-305.....   | Brasil                          |
| <i>clythroides</i> Haag 79-290.....      | Brasil<br>Argentina             |
| <i>v. subfasciata</i> Pic 19-2.....      | Brasil                          |
| <i>collaris</i> Serv. 25-569.....        | Brasil                          |
| <i>crassa</i> Klug 25-451.....           | Brasil                          |
| <i>croceicollis</i> Haag 79-266.....     | Brasil                          |
| <i>cyanipennis</i> Haag 79-298.....      | Colombia                        |
| <i>decipiens</i> Haag 79-269.....        | México                          |
| <i>decorata</i> Kirsch 66-208.....       | Colombia                        |
| <i>depressa</i> Klug 35-445.....         | Brasil                          |
| <i>deyrollei</i> Haag 79-295.....        | ?                               |
| <i>diluta</i> Haag 79-309.....           | Venezuela<br>Brasil             |
| <i>distincticollis</i> Pic 16-4.....     | Argentina                       |
| <i>dohrni</i> Haag 79-290.....           | Brasil                          |
| <i>v. remota</i> Pic 19-2.....           | Brasil                          |
| <i>v. trimaculata</i> Pic 16-4.....      | Brasil                          |
| <i>flavicollis</i> Klug 25-446.....      | Brasil                          |
| <i>olfersi</i> Fisch. 27-22.....         |                                 |
| <i>femoratus</i> Lap. 40-277.....        |                                 |
| <i>flavipennis</i> Guér. 43-22.....      | Colombia                        |
| <i>frontalis</i> Chev. 33-14.....        | México<br>Guatemala<br>U. S. A. |
| <i>v. femoralis</i> Dugès 69-104.....    | México<br>U. S. A.              |
| <i>fulva</i> LeC. 53-344.....            | México<br>U. S. A.              |
| <i>nigritarsis</i> Sturm 43-175.....     |                                 |
| <i>rufa</i> Dugès 69-105.....            |                                 |
| <i>griseipennis</i> Pic 15-12.....       | Brasil                          |
| <i>haroldi</i> Haag 79-265.....          | Brasil                          |
| <i>humeralis</i> Haag 79-291.....        | Brasil                          |
| <i>incarinata</i> Pic 15-12.....         | Brasil                          |
| <i>innociceps</i> Pic 15-13.....         | Brasil                          |
| <i>intermedius</i> Haag 79-266.....      | Brasil                          |
| <i>kirschi</i> Haag 79-295.....          | Argentina                       |
| <i>kraussf</i> Haag 79-262.....          | Brasil                          |
| <i>lampyroides</i> Burm. 81-33.....      | Argentina                       |
| <i>laticollis</i> Klug 25-447.....       | Brasil                          |

**Tetraonyx**—Continued.

|  |                          |
|--|--------------------------|
| lemoulti Pic 15-14.....                  | Fr. Guiana               |
| limbata Lap. 40-277.....                 | Perú                     |
| <i>cincta</i> Curt. 45-473.....          | Chile                    |
| <i>circumseptus</i> F. & G. 60-1.....    |                          |
| lineola Klug 25-448.....                 | Brasil                   |
| lugubris Haag 79-259.....                | Brasil                   |
|  | Argentina                |
| maculata Lap. 40-277.....                | México                   |
|  | Guatemala                |
|  | Nicaragua                |
|  | Brasil                   |
| <i>v. innotatipennis</i> Pic 15-13.....  | Venezuela                |
| marseuli Haag 79-309.....                | Bolivia                  |
| maudhuii Pic 19-2.....                   | Brasil                   |
| minor Haag 79-305.....                   | Brasil                   |
| mniszehi Haag 79-273.....                | Colombia                 |
| moritzi Haag 79-304.....                 | Venezuela                |
| multinotata Pic 15-10.....               | Brasil                   |
| mylabrina Klug 25-450.....               | Brasil                   |
| nana Haag 79-300.....                    | Brasil                   |
| nigerrima Pic 15-13.....                 | Brasil                   |
| nigriceps Haag 79-303.....               | Brasil                   |
| nigricornis Klug 25-449.....             | Colombia                 |
| <i>atricornis</i> Wellm. 10-23.....      | Brasil                   |
| <i>v. atripes</i> Pic 16-4.....          | Perú                     |
| nigrifrons Haag 79-298.....              | Perú                     |
| octomaculata Latr. 05-237.....           | México                   |
| pallida Haag 79-294.....                 | Brasil                   |
| panamensis Pic 15-10.....                | Panamá                   |
| parallelus Klug 25-445.....              | Brasil                   |
| pectoralis Haag 79-257.....              | Nicaragua                |
| <i>metallicus</i> Pic 15-9.....          | Colombia                 |
| peruvianus Pic 30-20.....                | Perú                     |
|  | Bolivia                  |
| quadrimaculata Fabr. 92-50.....          | Cuba                     |
| <i>ruficollis</i> Oliv. 95-14.....       | Puerto Rico              |
|  | <sup>13</sup> St. Thomas |
|  | <sup>12</sup> Montserrat |
|  | Guadeloupe               |
|  | St. Vincent              |
|  | Grenada                  |
|  | U. S. A.                 |
| <i>v. bimaculata</i> Klug 25-448.....    | México                   |
| <i>cubensis</i> Chevr. 58-210.....       | Brasil                   |
|  | Argentina                |
|  | Cuba                     |
| <i>v. cruciata</i> Lap. 40-277.....      | Hispaniola               |
| <i>v. cubaeola</i> DuVal 57-161.....     | Cuba                     |
| <i>v. maculaticeps</i> Pic 19-2.....     | Brasil                   |
| quadrinotata Haag 79-308.....            | Colombia                 |
| rogenhoferi Haag 79-271.....             | Brasil                   |
| ruficollis Lap. 40-277.....              | Brasil                   |
| sallaei Haag 79-299.....                 | México                   |
| scutellaris Haag 79-303.....             | Brasil                   |
| septemguttata Curt. 45-472.....          | Chile                    |
| <i>v. disjunctus</i> Pic 16-?.....       | Argentina                |
| <i>v. propinquus</i> Burm. 81-31.....    | Argentina                |
| <i>argentinus</i> Pis 15-14.....         |                          |
| sexguttata Oliv. 95-11.....              | México                   |
| <i>atrata</i> Fabr. 01-83.....           | Guatemala                |
| <i>ochraceoguttata</i> Dugès 81-140..... | Honduras                 |
| <i>protus</i> Haag 79-260.....           | Nicaragua                |
|  | Panamá                   |
|  | Surinam                  |
|  | Brasil                   |

|   |             |
|---|-------------|
| <i>v. biguttata</i> Haag 79-260.....      | México      |
|   | Honduras    |
|   | Nicaragua   |
|   | Panamá      |
| <i>v. biundulata</i> Pic 30-21.....       | Panamá      |
| <i>v. centromaculata</i> Haag 79-260..... |             |
| <i>v. championi</i> Pic 15-?.....         | Guatemala   |
| <i>haagi</i> Borch. 17-114.....           |             |
| <i>v. humboldti</i> Haag 79-260.....      | México      |
|   | Surinam     |
|   | Brasil      |
| <i>v. rufomarginatus</i> Pic 15-10.....   | Guatemala   |
| <i>championi</i> Borch 17-?               |             |
| <i>v. sanguinolenta</i> Haag 79-260.....  | México      |
| <i>v. sellata</i> Haag 79-260.....        | México      |
| <i>simsi</i> Pic 19-3.....                | Brasil      |
| <i>superba</i> Pic 15-12.....             | Brasil      |
| <i>telephoroides</i> Haag 79-300.....     | Brasil      |
|   | Argentina   |
| <i>thoracica</i> Haag 79-299.....         | Brasil      |
| <i>v. sanguinicollis</i> Haag 79-299..... | Brasil      |
| <i>undulata</i> Haag 79-258.....          | Fr. Guiana  |
| <i>variabilis</i> Haag 79-274.....        | Venezuela   |
|   | Brasil      |
| <i>violaceipennis</i> Lucas 59-146.....   | Brasil      |
| <i>clarki</i> Pasc. 62-57.....            |             |
| <i>zonata</i> Haag 79-264.....            | Brasil      |
| <b>Pionoseus</b> Sol. 51-281              |             |
| <i>gajardoi</i> Denier 37-288.....        | Chile       |
| <i>laevigatus</i> Denier 35-165.....      | Argentina   |
| <i>nitidipennis</i> F. & G. 60-2.....     | Chile       |
| <i>limbatus</i> Lap. 40-277.....          |             |
| <i>v. circumseptus</i> F. & G. 60-1.....  | Chile       |
| <i>limbatus</i> F. & G. 63-263.....       |             |
| <i>rubrofasciatus</i> Denier 34-116.....  | Chile       |
| <i>tricolor</i> Denier 35-165.....        | Chile       |
| <i>xanthopterus</i> Har. 70-123.....      | Chile       |
| <i>flavipennis</i> Sol. 51-282.....       |             |
| <i>v. marginalis</i> Denier 18-?.....     | Chile       |
| <b>Negalius</b> Csy. 91-175               |             |
| <i>marmoratus</i> Csy. 91-175.....        | Baja Calif. |
|   | U. S. A.    |
| <b>Eupompha</b> LeC. 58-21                |             |
| <i>fissiceps</i> LeC. 58-422.....         | México      |
|   | U. S. A.    |
| <b>Pleurospasta</b> Wellm. 09-20          |             |
| <i>mirabilis</i> Horn 70-93.....          | México      |
|   | U. S. A.    |
| <b>Calospasta</b> LeC. 62-273             |             |
| <i>sulcifrons</i> Champ. 91-394.....      | México      |
|   | ?U. S. A.   |
| <b>Poreospasta</b> Horn. 68-139           |             |
| <i>mexicana</i> Dugès 89-37.....          | México      |

MELOINI

|   |           |
|---|-----------|
| <b>Cystodemus</b> LeC. 51-158           |           |
| <i>wislieni</i> LeC. 51-158.....        | México    |
|   | U. S. A.  |
| <b>Megetra</b> LeC. 59-127              |           |
| <i>cancellata</i> B. & E. 31-141.....   | México    |
| <i>hoegi</i> Dugès 89-39.....           | ?U. S. A. |
| <i>v. championi</i> VanDyke 28-456..... | México    |
| <i>vittata</i> LeC. 53-330.....         | México    |
|   | U. S. A.  |

<sup>12</sup> West Indies.

<sup>13</sup> Virgin Islands (W. I.).

|  |                                       |   |                       |
|--|---------------------------------------|---|-----------------------|
| <b>Lyttomeloë</b> Denier 20-332            |                                       | excavata Leach 14-243.....                  | Argentina             |
| <i>saulcyi</i> Guér. 34-pl. 100.....       | Perú                                  | <i>chilensis</i> Sol. 51-284.....           | Chile                 |
| <i>ruficollis</i> Denier 20-332.....       | <sup>18</sup> I. San Lorenzo<br>Chile | <i>v. picipes</i> F. & G. 60-4.....         | T. del Fuego<br>Chile |
| <b>Parameloë</b> Denier 35-241             |                                       | flavomaculata Borch. 30-98.....             | Argentina             |
| alata Denier 35-245.....                   | Perú                                  | <i>gracilior</i> Fairm. 03-465.....         | Argentina             |
| <b>Gynapteryx</b> Fairm. 63-260            |                                       | <i>guttulata</i> Fairm. 03-466.....         | Argentina             |
| <i>flavocincta</i> F. & G. 63-261.....     | Argentina<br>Chile                    | <i>haemoptera</i> Phil. 64-356.....         | Argentina             |
| <b>Meloë</b> Linn. 58-419                  |                                       | <i>homonyma</i> , new name.....             | Chile<br>Perú         |
| <i>Cnestocera</i> Thoms. 59-124            |                                       | <i>andensis</i> Escomel 16-4                |                       |
| <i>Proscrabacus</i> Schrank 81-225 (Subg.) |                                       | (not Guér. 1842)                            |                       |
| <i>Troidous</i> Dugès 70-102 (Subg.)       |                                       | <i>hornioides</i> Denier 21-206.....        | Argentina             |
| <i>dugesi</i> Champ. 91-336.....           | México<br>Guatemala                   | <i>humeralis</i> Guér. 42-338.....          | Perú                  |
| <i>gracilicornis</i> Champ. 91-367.....    | México                                | <i>hunteri</i> Escom. 13-?                  | Perú                  |
| <i>laevis</i> Leach 13-244.....            | México                                | <i>klugi</i> B. & E. 32-133.....            | Brasil<br>?Uruguay    |
| <i>barranci</i> Dugès 70-102               | Guatemala                             | <i>larroussei</i> Denier 21-205.....        | Bolivia               |
| <i>cordillerae</i> Chevr. 29-133           | Nicaragua                             | <i>magellanica</i> Fairm. 83-496.....       | Argentina             |
| <i>opaca</i> Mots. 73-48                   | Costa Rica                            | <i>miniaceomaculata</i> Blanch. 46-200..... | Perú<br>Bolivia       |
| <i>sublaevis</i> LeC. 54-84                | Hispaniola                            | <i>v. sublaevis</i> Fairm. 03-468.....      | Argentina             |
| <i>tridentata</i> Jim. 66-225              | U. S. A.                              | <i>v. unicolor</i> Borch. 30-99.....        | Argentina             |
| <i>tucci</i> P. & B. 66-fig.               |                                       | <i>parva</i> Sol. 51-284.....               | Argentina             |
| <i>tropica</i> Mots. 56-32.....            | Guatemala                             | <i>anthracina</i> F. & G. 60-4              | Chile                 |
| <i>sculpticornis</i> Mots. 73-48           | Costa Rica                            | <i>picta</i> Phil. 64-356.....              | Argentina<br>Chile    |
| <b>Pseudomeloë</b> F. & G. 63-258          |                                       | <i>porteri</i> Denier 34-114.....           | Chile                 |
| <i>andensis</i> Guér. 42-339.....          | Perú<br>Bolivia                       | <i>pustulata</i> Er. 47-123.....            | Perú                  |
| <i>arancipes</i> Borch. 30-100.....        | Argentina                             | <i>maldonadoi</i> Escom. 17-?               | Argentina             |
| <i>baeri</i> Fairm. 03-467.....            | Argentina                             | <i>rotundicollis</i> Denier 34-270.....     | Bolivia<br>Argentina  |
| <i>brevicornis</i> Denier 21-204.....      | Argentina                             | <i>roubaudi</i> Escom. 23-618.....          | Perú                  |
| <i>bruchi</i> Borch. 12-386.....           | Argentina                             | <i>sanguinipennis</i> Borch. 12-387.....    | Argentina             |
| <i>caligata</i> Borch. 30-99.....          | Argentina                             | <i>sanguinolenta</i> Sol. 51-283.....       | Chile                 |
| <i>chiliensis</i> Guér. 30-108.....        | Argentina                             | <i>v. flavipennis</i> Phil. 64-356.....     | Chile                 |
| <i>cancellata</i> Sol. 51-285              | Chile                                 | <i>stenoptera</i> Er. 47-123.....           | Perú                  |
| <i>chilensis</i> Sol. 51-284               |                                       | <i>perrieri</i> Escom. 17-?                 | Bolivia               |
| <i>cockerelli</i> Escom. 26-199.....       | Perú                                  | <i>sulcifrons</i> Fairm. 03-467             | Argentina             |
| <i>collegialis</i> Aud. 35-pl. 169.....    | Ecuador                               | <i>superbus</i> Denier 34-268.....          | Argentina             |
| <i>sexguttata</i> Shp. 91-43               |                                       | <i>venosula</i> Fairm. 83-497.....          | Argentina             |
| <i>costipennis</i> Sol. 51-283.....        | Chile                                 | <b>Meloëtyphlus</b> Waterh. 72-31           |                       |
| <i>denieri</i> Escom. 17-?                 | Perú                                  | <i>attacephalus</i> Borgm. 37-249.....      | Brasil                |
| <i>escomeli</i> Denier 11-231.....         | Perú                                  | <i>fuscatus</i> Waterh. 72-32.....          | Perú                  |
| <i>escomeli</i> Escom. 16-6                |                                       |   |                       |
| <i>espostoi</i> Escom. 17-42.....          | Perú                                  |   |                       |

## STYLOPIDAE

(Strepsiptera, Xenidae)

## MENGEINAE

|                                   |        |
|-----------------------------------|--------|
| <b>Trioxocera</b> Pierce 09-86    |        |
| <i>Trioxocera</i> Pierce 11-490   |        |
| <i>mexicana</i> Pierce 09-86..... | México |

## MYRMECOLACINAE

|                                  |        |
|----------------------------------|--------|
| <b>Caenocholax</b> Pierce 09-88  |        |
| <i>fenyesi</i> Pierce 09-89..... | México |

## XENINAE

## OPHTHALMOCHLINI

(Homilopinae)

|                                   |          |
|-----------------------------------|----------|
| <b>Xenos</b> Rossi 93-49          |          |
| <i>Acroschismus</i> Pierce 08-79  |          |
| <i>Schistosiphon</i> Pierce 08-80 |          |
| <i>Xenops</i> Leach 15-117        |          |
| <i>bohlsi</i> Hoffm. 16-100.....  | Paraguay |

<sup>18</sup> Perú.

**Pseudoxenos** Saund. 72-44

- Homilops* Pierce 08-80
- Leionotoxenus* Pierce 08-137
- Macroxenos* Schultze 25-238
- Ophthalmochlus* Pierce 08-142
- Sceliphronochthrus* Pierce 09-141

- ashmeadi Pierce 09-146.....Hispaniola
- fasciati Pierce 09-142.....Hispaniola
- westwoodi Templeton 38-53.....Brasil

**HALICTOPHAGINAE**

**HALICTOPHAGINI**

**Pentoxocera** Pierce 08-80

- Bruesia* Perkins 05-102  
(not Ashmead, 1903)

- Pentoxocera* Pierce 11-?
- schwarzi Pierce 09-159.....Guatemala

**ANTHERICOMMINI**

**Stenoeranophilus** Pierce 14-126

- quadratus Pierce 14-127.....Puerto Rico

**DIOXOCERINAE**

*(Diozoceridae)*

**Dioxocera** Pierce 08-81

- Diozocera* Pierce 11-504

- argentinae Pierce 41-5.....Argentina
- insularum Pierce 08-81.....?St. Vincent  
Grenada
- v. vincenti Pierce 41-4.....St. Vincent

Superfamily **TENEBRIONOIDEA**

**OEDEMERIDAE**

**CALOPODINAE**

**Sparedrus** Latr. 29-48

- Calopus* Champ. 89-111  
(not Fabr., 1775)

- asperus LeC. 66-163.....Baja Calif.  
U. S. A.
- depressus Champ. 89-112.....México
- nixtus Champ. 89-111.....Guatemala
- obsoletus Champ. 89-7.....Guatemala
- rugicollis Champ. 89-112.....Guatemala

**OEDEMERINAE**

**NACERDINI**

**Xanthochroa** Schm. 46-17

- bogotensis Kirsch 66-209.....Colombia

**Nacerda** Steph. 39-337

- Nacerdes* Sol. 51-256

- brevipennis Fairm. 75-200.....Chile
- cinerea Lap. 40-252.....Brasil
- melanura Linn. 58-403.....Baja Calif.  
México
- acuta Marsh. 02-372.....Costa Rica
- analís Oliv. 11-443.....Argentina
- apicalis Say 35-188.....Bahamas Is.
- erminea Germ. 17-225.....U. S. A.
- lepturoides Thunb. 84-18.....Old World
- nigrripes Fabr. 81-260
- notata Fabr. 92-353
- rufa Brullé 38-70
- testacea Fourc. 85-155
- particularis Pic 24-16.....Colombia

**Dityloidea** F. & G. 63-277

- janthina F. & G. 61-6.....Chile

**ASCLERINI**

**Cycloderus** Sol. 51-252

- binotatus Phil. 64-357.....Chile
- magellanicus Phil. 62-112.....Chile
- planipennis F. & G. 63-280.....Chile
- rubricollis Sol. 51-253.....Chile
- signaticollis F. & G. 61-6.....Chile

**Diplectrus** Kirsch 66-210

- angustatus Pic 23-30.....Bolivia
- annulicornis Champ. 90-123.....México  
Guatemala  
Costa Rica

- apollinairei Pic 24-16.....South America
- armatus Champ. 90-123.....Nicaragua
- brasilensis Pic 24-16.....South America
- bruchii Pic 26-32.....Argentina
- concolor Champ. 90-125.....Panamá
- ferugineus Kirsch 66-210.....Colombia
- giganteus Champ. 90-124.....Costa Rica
- impresus Pic 30-32.....Colombia
- maculatus Pic 23-30.....Bolivia
- major Pic 24-16.....South America
- minor Pic 23-30.....Perú
- nigriceps Pic 23-30.....Bolivia
- nigrripes Champ. 90-122.....Nicaragua
- nitidicollis Champ. 90-125.....Costa Rica
- postnotatus Pic 26-32.....Argentina
- testaceipes Pic 26-20.....Colombia
- vicinus Pic 26-20.....Brasil

**Diplectroides** Champ. 89-110

- flavicollis Champ. 90-127.....México
- longicornis Champ. 90-126.....México  
Guatemala

- nigrolineata Pic 25-12.....Colombia
- pectoralis Pic 25-26.....México

**Mimodiplectrus** Pic 23-27

- cyaneipennis Pic 23-27.....Brasil

**Matusinhosa** Pic 23-27

- atripennis Pic 23-27.....Fr. Guiana
- callosicollis Pic 26-32.....Brasil
- v. atricolor Pic 31-29.....Brasil
- immaculata Pic 23-27.....Fr. Guiana
- maculata Pic 23-27.....Fr. Guiana
- minuta Pic 23-28.....Fr. Guiana
- reitteri Pic 23-27.....Fr. Guiana

**Ditylonia** Seidl. 99-814

- Ditylus* Champ. 89-117  
(not Fisch., 1817)

- basalis Champ. 90-121.....Guatemala
- brachinoides Champ. 90-118.....México

## Ditylonia—Continued.

- cephalotes Champ. 90-115.....Guatemala  
 longicollis Champ. 90-118.....Guatemala  
 mexicana Champ. 90-120.....México  
 tepanensis Champ. 90-119.....Guatemala  
**Copidita** LeC. 66-164  
 albomarginata Pic 34-21.....Hispaniola  
 apicalis Champ. 90-148.....Panamá  
 argentina Pic 23-32.....Argentina  
   v. albovittata Pic 27-20.....Argentina  
 bahiensis Pic 23-32.....Brasil  
 biparticolis Pic 28-75.....Brasil  
 cinctipennis Pic 23-32.....Brasil  
 coloradosa Pic 34-21.....Costa Rica  
 costata Champ. 96-40.....?St. Vincent  
 elegans Waterh. 78-307.....Hispaniola  
 frontalis Champ. 96-42.....St. Vincent  
 fuliginosa LeC. 66-166.....Baja Calif.  
   U. S. A.  
 goyassensis Pic 23-32.....Brasil  
 grenadensis Champ. 96-42.....Grenada  
 hahneli Pic 24-21.....South America  
 laeta Waterh. 78-306.....Hispaniola  
 lateralis Waterh. 78-307.....Jamaica  
   Hispaniola  
   <sup>13</sup> Mustique  
   Grenada  
 laticollis Pic 24-21.....South America  
 lemoulti Pic 23-32.....Fr. Guiana  
 lineata Waterh. 78-308.....Jamaica  
 longipennis Pic 37-19.....Central America  
 lyciformis Pic 24-21.....Brasil  
 maculicollis Champ. 90-146.....México  
   Guatemala  
   Panamá  
   v. guatemala Pic 27-20.....Guatemala  
   v. mexicana Pic 27-20.....México  
   v. panamensis Pic 27-20.....Panamá  
 marmorata Pic 27-19.....Argentina  
 metallica Pic 30-20.....Hispaniola  
 multiguttata Pic 30-22.....Hispaniola  
 multilineata Pic 27-46.....Argentina  
   v. oblitterata Pic 27-46.....Argentina  
   v. obscuricolor Pic 27-46.....Argentina  
   v. paranana Pic 27-46.....Argentina  
   v. tucumana Pic 27-46.....Argentina  
 nigripennis Champ. 90-149.....México  
 nigroapicalis Pic 24-21.....South America  
 ogloblini Pic 30-30.....Argentina  
 pallidovittata Pic 24-21.....South America  
 palpalis Champ. 90-147.....Guatemala  
 panamensis Champ. 90-145.....Panamá  
 parvula Champ. 90-148.....Panamá  
 punctatithorax Pic 27-46.....Argentina  
 quadrilineata Champ. 96-41.....St. Vincent  
 rubricollis Waterh. 78-309.....<sup>13</sup> St. Thomas  
 santiagonensis Pic 27-20.....Argentina  
 scabrosa Champ. 90-145.....Guatemala  
 simplex Waterh. 78-308.....<sup>14</sup> St. Barthélemy  
   <sup>14</sup> Antigua  
   St. Vincent  
   <sup>13</sup> Mustique  
 subfasciata Pic 23-32.....Brasil  
 tenella Waterh. 78-309.....Jamaica  
   Hispaniola  
   <sup>13</sup> St. Thomas  
   St. Vincent  
 thonalmus Darl. 36-102.....Cuba  
 trifoveata Champ. 90-146.....Nicaragua  
 trinatithorax Pic 27-19.....Argentina  
   v. discolineata Pic 27-19.....Argentina  
 univittata Pic 27-20.....Argentina  
 viridivittata Pic 34-21.....Argentina  
   wagneri Pic 24-21.....South America  
**Alloxaxis** Horn 96-385  
 collenettei Blair 28-673.....Is. Galápagos  
 dorsalis Melsh. 46-55.....México  
   vittata Hald. 48-95.....Bahamas Is.  
   Cuba  
   U. S. A.  
 holosericea Champ. 90-152.....<sup>2</sup> Is. Tres Marias  
   México  
 nitidula Horn 96-396.....Baja Calif.  
 pleuralis LeC. 66-166.....México  
   U. S. A.  
 seymourensis Mutch. 25-226.....Is. Galápagos  
**Piras** Champ. 90-110  
 bicolor Champ. 90-165.....México  
 nasalis Champ. 90-165.....Guatemala  
**Sessinia** Pasc. 63-45  
   Ananca F. & G. 63-267  
   Naccerdes Guér. 43-21  
   (not Dej., 1834)  
 alternans Curt. 44-202.....Bolivia  
   Uruguay  
   Argentina  
 alticola Kirsch 86-338.....Colombia  
 bipunctata Kirsch 86-338.....Colombia  
 conspersa Er. 47-124.....Perú  
 consulata Kirsch 86-339.....Ecuador  
 cyanipennis Sol. 51-258.....Chile  
 debilis Shp. 92-44.....Ecuador  
 despaini Pic 34-22.....Hispaniola  
 dimidiatipes Lucas 59-142.....Brasil  
 frontalis Fairm. 83-516.....Argentina  
 grandis Kirsch 86-337.....Colombia  
 humeralis Kirsch 86-337.....Colombia  
 latreillei Sol. 51-259.....Chile  
 linearis Blanch. 43-200.....Bolivia  
 luridimembris Fairm. 92-253.....Argentina  
 marginata Guér. 43-21.....Colombia  
 multistrigata F. & G. 63-268.....Chile  
   lineata Sol. 51-258  
 nigrolineata Fairm. 76-387.....Chile  
 pallens Sol. 51-257.....Chile  
 sellata Fairm. 92-253.....Argentina  
 servillei Sol. 51-259.....Chile  
   saundersi Reed 73-208  
 vittata Fabr. (L. & M. 14-466).....Cuba  
   Jamaica  
   Puerto Rico  
   <sup>13</sup> Vieques  
   Guadeloupe  
**Micronaccerdes** Pic 23-25  
 atricollis Pic 23-25.....Perú  
 atricolor Pic 26-20.....Colombia  
 atripennis Pic 23-25.....Brasil  
 infasciata Pic 23-26.....Brasil  
 latefasciata Pic 23-25.....Perú  
 latithorax Pic 23-26.....Perú  
 nigriceps Pic 35-101.....Guiana  
 suturalis F. & S. 89-434.....Guadeloupe  
   v. dufauai Pic 29-8.....Guadeloupe

<sup>2</sup> México.<sup>13</sup> Virgin Islands (W. I.).<sup>14</sup> Leeward Islands (W. I.).<sup>15</sup> Grenadines (W. I.).



**Oxaxis** LeC. 66-104

*Hypasclera* Kirsch 66-210

- albolineata Pic 26-19.....Costa Rica  
 alternata Pic 27-19.....Argentina  
 angustata Champ. 90-158.....México  
 annulipes Pic 24-20.....South America  
 antillarum Champ. 96-39.....St. Vincent  
 atra Pic 24-20.....South America  
 atricolor Pic 24-20.....South America  
   v. bicoloripes Pic 34-30.....Brasil  
   v. insuturalis Pic 34-30.....Brasil  
 baeri Pic 24-20.....South America  
 basithorax Pic 36-27.....Brasil  
   v. reductolateralis Pic 36-28.....Brasil  
 bilineata Champ. 90-156.....Panamá  
 bilineaticollis Pic 24-19.....South America  
   v. atrithorax Pic 34-25.....Brasil  
 binotaticeps Pic 34-25.....Costa Rica  
 binotaticipennis Pic 34-29.....Brasil  
 bruchi Pic 27-45.....Argentina  
   v. weiseri Pic 27-45.....Argentina  
 caerulea Champ. 90-455.....México  
 cana LeC. 54-225.....México  
   Guatemala  
   U. S. A.  
 coahuilae Champ. 90-161.....México  
 constricticollis Champ. 90-454.....México  
 curtelineata Pic 24-20.....South America  
 discoidalis Pic 34-30.....Brasil  
 donckieri Pic 24-19.....South America  
 dubiosa Horn 96-412.....Baja Calif.  
 dugesi Champ. 90-163.....México  
 durangosa Pic 24-20.....México  
 femoralis Champ. 90-151.....México  
 flavicollis Kirsch. 66-213.....Colombia  
 flavonotaticeps Pic 36-28.....Brasil  
 fruhstorferi Pic 34-25.....Brasil  
 galapagoensis Linell 98-266.....Is. Galápagos  
 geayi Pic 35-102.....Fr. Guiana  
 geniculata Chevr. 77-x.....Puerto Rico  
 gounellei Pic 34-24.....Brasil  
 granulata LeC. 66-165.....Baja Calif.  
 latecincta Pic 27-19.....Fr. Guiana  
 latevittata Pic 24-19.....South America  
 limbata Champ. 90-154.....México  
 lineathorax Pic 27-4.....Argentina  
 lineatula Champ. 90-158.....México  
   Guatemala  
   Nicaragua  
   Panamá  
 litoralis Champ. 90-154.....México  
   Guatemala  
   Nicaragua  
   Panamá  
 lojaensis Pic 24-20.....South America  
 lucana LeC. 66-167.....Baja Calif.  
   <sup>2</sup> Is. Tres Mariás  
 mandibularis Champ. 90-153.....México  
 marginata Kirsch 66-212.....Colombia  
 maublanci Pic 31-30.....Brasil  
 minasensis Pic 34-30.....Brasil  
 minuta Champ. 90-163.....México  
 multimaclulata Pic 34-24.....Brasil  
 nitidicollis Champ. 90-157.....México  
 notaticeps Pic 26-19.....Colombia  
 pauli Pic 24-19.....South America

- pictipennis Champ. 90-156.....Guatemala  
 pilosa Champ. 90-156.....Guatemala  
 plumbea Champ. 90-160.....México  
 plumbeipennis Pic 27-45.....Argentina  
 podagrica Champ. 90-151.....México  
   Guatemala  
   Panamá  
 poirieri Pic 35-102.....Venezuela  
 pygidialis Pic 27-18.....Argentina  
 quinquenotata Pic 24-19.....South America  
   v. subarcuata Pic 34-25.....Brasil  
 rugicollis Champ. 90-161.....México  
 schistacea Kirsch 66-211.....Panamá  
   Colombia  
 semicincta Pic 24-19.....South America  
 septemnotata Pic 34-30.....Brasil  
   *quinquenotata* Pic 33-9 (not 1924)  
 sulcaticollis Pic 27-45.....Argentina  
 teapensis Champ. 90-155.....México  
 trilineaticollis Pic 34-24.....Brasil  
 trimaculata Champ. 90-161.....México  
   Nicaragua  
 tropicalis Champ. 90-157.....Br. Honduras  
   <sup>1</sup> I. Roatan  
 unimaculata Pic 27-4.....Argentina  
   v. trinotata Pic 27-4.....Argentina  
 variegata Champ. 90-164.....México  
**Meloeditylus** Pic 26-31  
 reductus Pic 26-31.....Argentina  
**Asclera** Steph. 39-336  
 brasiliensis Pic 11-12.....Brasil  
 carinaticollis Pic 11-12.....Brasil  
 cyanipennis Pic 23-32.....Bolivia  
 fenestrata Pic 10-94.....Brasil  
 latior Pic 23-32.....Cuba  
 malleri Pic 35-22.....Brasil  
 nigroapicalis Pic 29-8.....Brasil  
 nigronotata Pic 11-124.....Argentina  
 testaceicollis DuVal 57-158.....Cuba  
 thoracica F. & S. 89-434.....Guadeloupe  
**Vasaes** Champ. 89-111  
 aeneipennis Champ. 90-128.....México  
 costata Champ. 90-129.....Guatemala  
 sordida Champ. 90-120.....Guatemala

**OEDEMERINI**

- Mecopselaphus** Sol. 49-430  
 lycoides Kirsch 73-416.....Perú  
 maculicollis Sol. 49-430.....Chile  
   *limbatus* Sol. 49-431  
   v. rubricollis F. & G. 61-6.....Chile  
**Platylytra** F. & G. 63-278  
 vitticollis F. & G. 63-279.....Chile  
**Sisenes** Champ. 89-111  
 adonis Pic 23-29.....Perú  
 apicalis Pic 33-9.....Brasil  
 baeri Pic 24-16.....Perú  
 bivittata Pic 23-30.....Brasil  
 boops Champ. 90-132.....México  
 cyanipennis Champ. 90-131.....Nicaragua  
   Panamá  
 depressicornis Pic 34-24.....South America  
 dilaticornis Champ. 90-140.....Nicaragua  
 eximia Champ. 90-140.....Panamá  
   v. bugabana Pic 27-20.....Panamá

<sup>2</sup> México.

<sup>3</sup> Honduras.

## Siænes—Continued.

|                                     |            |                                       |               |
|-------------------------------------|------------|---------------------------------------|---------------|
| <i>fasciata</i> Pic 23-29           | Perú       | <i>vittaticollis</i> Pic 24-34        | South America |
| <i>foveata</i> Champ. 90-138        | México     | <i>vittatipennis</i> Champ. 90-134    | Nicaragua     |
| <i>guyanensis</i> Pic 23-30         | Fr. Guiana |                                       | Panamá        |
| <i>infasciata</i> Pic 26-20         | Costa Rica | <i>Siænopiras</i> Pic 23-26           |               |
| <i>innotatipes</i> Pic 34-22        | Brasil     | <i>atripennis</i> Pic 31-12           | Brasil        |
| <i>lineatocollis</i> Champ. 90-139  | México     | <i>diversicolor</i> Pic 23-26         | Brasil        |
|                                     | Guatemala  | <i>gounellei</i> Pic 23-26            | Brasil        |
| <i>lyciformis</i> Champ. 90-141     | Guatemala  | <i>latior</i> Pic 23-26               | Brasil        |
| <i>mimetes</i> Champ. 90-142        | México     | <i>reducta</i> Pic 31-12              | Brasil        |
| <i>parasilooides</i> Champ. 90-134  | Guatemala  | <i>scutellaris</i> Pic 31-12          | Brasil        |
| <i>personata</i> Champ. 90-142      | Nicaragua  | <i>Uroplatosiænes</i> Pic 34-23       |               |
| <i>peruviana</i> Pic 34-23          | Perú       | <i>angustatissima</i> Pic 36-27       | Brasil        |
| <i>puncticollis</i> Champ. 90-138   | México     | <i>latefasciata</i> Pic 36-26         | Brasil        |
| <i>rubricollis</i> Champ. 90-135    | México     | <i>Vodomarus</i> Champ. 89-111        |               |
| <i>scutellaris</i> Champ. 90-143    | Brasil     | <i>chilensis</i> Fairm. 63-282        | ?Chile        |
| <i>sinanajæ</i> Champ. 90-136       | Guatemala  | <i>quadrifoveolatus</i> Champ. 90-143 | México        |
| <i>suffusa</i> Champ. 90-133        | México     |                                       | Guatemala     |
|                                     | Guatemala  |                                       | Panamá        |
| <i>v. trinotaticollis</i> Pic 30-33 | Costa Rica | <i>Oedemera</i> Oliv. 94-1            |               |
| <i>suturalis</i> Champ. 90-141      | México     | <i>vittata</i> Kirsch 73-416          | Perú          |
| <i>telephoroides</i> Champ. 90-136  | México     | <i>Rhopalobrachium</i> Boh. 58-109    |               |
| <i>testaceipes</i> Champ. 90-137    | Nicaragua  | <i>clavipes</i> Boh. 58-110           | Argentina     |
|                                     | Panamá     | <i>Loboglossa</i> Sol. 51-254         |               |
| <i>uoracica</i> Champ. 90-138       | Panamá     | <i>biimpressa</i> Pic 20-15           | South America |
| <i>varians</i> Champ. 90-132        | Nicaragua  | <i>depressa</i> Pic 20-16             | South America |
| <i>viridipennis</i> Champ. 90-137   | Guatemala  | <i>inaequalicollis</i> Pic 20-16      | South America |
|                                     |            | <i>variipennis</i> Sol. 51-254        | Chile         |

## PEDILIDAE

## Eurygenius Laf. 48-1

*Pergetus* Csy. 95-627 (Subg.)*Retocomus* Csy. 95-627 (Subg.)

|                                   |               |                                  |               |
|-----------------------------------|---------------|----------------------------------|---------------|
| <i>crinitus</i> Champ. 89-192     | Guatemala     | <i>guatemalena</i> Champ. 90-196 | Guatemala     |
| <i>horridus</i> Champ. 90-193     | México        | <i>hahneli</i> Pic 23-29         | Brasil        |
| <i>lanuginosus</i> Champ. 89-192  | México        | <i>incana</i> Champ. 90-196      | México        |
| <i>mexicanus</i> Champ. 89-191    | México        |                                  | Guatemala     |
| <i>rejchei</i> Laf. 48-2          | Brasil        | <i>insularis</i> Laf. 48-17      | Cuba          |
| <i>uniformis</i> Champ. 90-193    | Guatemala     | <i>maxima</i> Pic 02-21          | Brasil        |
| <i>villosus</i> Champ. 16-198     | Colombia      | <i>nigricornis</i> Champ. 90-196 | México        |
| <b>Cadogenius</b> Heller 18-212   |               |                                  | Guatemala     |
| <i>ohausi</i> Heller 18-213       | Ecuador       | <i>nitidiceps</i> Champ. 90-196  | México        |
| <b>Bactrocera</b> LeC. 66-143     |               | <i>obsoleta</i> Champ. 90-196    | Costa Rica    |
| <i>cribripennis</i> Fairm. 92-97  | Venezuela     | <i>paralela</i> Champ. 90-106    | Panamá        |
| <i>fasciculatus</i> Champ. 90-194 | Guatemala     | <i>princeps</i> Champ. 90-196    | México        |
| <b>Macratia</b> Newm. 38-377      |               |                                  | Guatemala     |
| <i>canaliculata</i> Pic 96-158    | Brasil        | <i>rufifrons</i> Champ. 90-196   | Guatemala     |
| <i>canescens</i> Champ. 90-196    | México        | <i>scabrida</i> Champ. 16-238    | South America |
| <i>comosella</i> Fairm. 92-97     | Venezuela     | <i>sericea</i> Laf. 48-15        | Colombia      |
| <i>complanata</i> Champ. 16-236   | Colombia      | <i>tropicalis</i> Champ. 90-196  | Guatemala     |
| <i>crassicornis</i> Champ. 90-196 | México        | <i>truncata</i> Champ. 16-240    | South America |
| <i>crassimanus</i> Champ. 16-241  | South America | <i>tucumanensis</i> Pic 03-81    | Argentina     |
| <i>egaensis</i> Champ. 16-239     | South America | <b>Mitraelabrus</b> Sol. 51-259  |               |
| <i>formalis</i> Champ. 96-45      | St. Vincent   | <i>obscurus</i> Sol. 51-261      | Chile         |
| <i>filiformis</i> Laf. 48-17      | Colombia      | <i>sericeus</i> Sol. 51-261      | Chile         |
| <i>fissiceps</i> Champ. 16-238    | South America | <b>Copobaenus</b> F. & G. 63-236 |               |
| <i>frontalis</i> Champ. 16-242    | South America | <i>bicolor</i> Pic 96-68         | Brasil        |
| <i>funcki</i> Laf. 48-14          | Colombia      | <i>v. atriceps</i> Pic 02-24     |               |
| <i>goudoti</i> Laf. 48-13         | Colombia      | <i>nobilis</i> F. & G. 63-237    | Chile         |
|                                   |               | <i>tristis</i> F. & G. 63-237    | Chile         |

## PYROCHROIDAE

## PYROCHROINAE

|                                   |            |
|-----------------------------------|------------|
| <i>Pogonocromorphus</i> Pic 21-10 |            |
| <i>gracilis</i> Pic 21-10         | Fr. Guiana |

## ISCHALIINAE

|                                 |       |
|---------------------------------|-------|
| <i>Pilipalpus</i> Fairm. 76-384 |       |
| <i>dasytoides</i> Fairm. 76-384 | Chile |

PYTHIDAE

PYTHINAE

- Lecontia* Champ. 89-104  
*Crymodes* LeC. 50-232  
 (not Guinée, 1841)  
*Cryphaeus* LeC. 50-pl.8  
 (not Green, 1837)  
*disiccollis* LeC. 50-233.....México  
 U. S. A.

SALPINGINAE

LISSODEMINA

- Lanthanus* Champ. 89-108  
*brasiliensis* Pic 14-16.....Brasil  
*caesus* Seidl. 16-424.....Venezuela  
*latissimus* Pic 05-116.....Bolivia  
*luridus* Pic 19-2.....Colombia  
*nigricolor* Pic 05-116.....Bolivia  
*nitidus* Champ. 89-109.....México  
*variegatus* Champ. 89-103.....México  
 Br. Honduras  
 Guatemala  
 Panamá

- Platamops* Rtrr. 78-177  
*Spithobates* Champ. 89-104  
*binotata* Champ. 16-471.....Colombia  
*decorata* Rtrr. 78-177.....Colombia  
*flohri* Seidl. 16-427.....México  
*formicooides* Seidl. 16-426.....Bolivia  
*germaini* Seidl. 16-426.....Bolivia  
*maculata* Champ. 89-105.....México  
 Guatemala  
 Panamá  
*obliqua* Champ. 16-472.....Brasil  
*picta* Seidl. 16-426.....Bolivia  
*pilosella* Seidl. 16-426.....Colombia  
*quadrisingnata* Champ. 16-473.....Brasil  
*setosa* Champ. 89-105.....Panamá  
*telephanoides* Champ. 16-472.....Brasil  
*variabilis* Seidl. 16-426.....Bolivia  
*vittata* Rtrr. 78-178.....Colombia

- Lissodema* Curt. 33-187  
*glaberrima* F. & G. 63-273.....Chile  
*Trichosphæriestea* Blair 19-121  
*fryi* Blair 19-122.....Brasil

SALPINGINA

- Sosthenes* Champ. 89-106  
*dufau* Pic 19-2.....Guadeloupe  
*dyschirioides* Champ. 89-107.....Guatemala  
*parvula* Champ. 96-98.....Grenada  
*Poophilax* Champ. 16-311  
*falklandica* Champ. 16-312.....Falkland Is.  
*Sphaeriestes* Steph. 31-218  
*quichensis* Champ. 89-107.....Guatemala  
*Oncosalpingus* Blair 19-122  
*podagricus* Blair 19-123.....Chile  
*Vincenzellus* Rtrr. 11-418  
*andinus* F. & G. 63-272.....Chile  
*brevirostris* F. & G. 63-274.....Chile  
*frigidus* F. & G. 63-273.....Chile  
*variegatus* F. & G. 61-7.....Chile

- Cariderus* Mols. 59-46  
*anthracinus* F. & G. 61-7.....Chile  
*Rhinosinus* Latr. 02-192  
*valdivianus* Phil. 64-352.....Chile

LACCONOTINAE

BATOBIINA

- Lagrioida* F. & G. 60-3  
*obsurella* F. & G. 60-4.....Chile  
*rufula* F. & G. 60-4.....Chile  
*Batobius* F. & G. 63-268  
*Laccoderus* Champ. 16-106  
*bicolor* F. & G. 63-269.....Chile  
*v. mutabilis* F. & G. 63-270.....  
*curtus* Pic 26-8.....Chile  
*humilis* F. & G. 63-270.....Chile  
*chilensis* Champ. 16-107  
*melanurus* Champ. 16-144.....Brasil  
*pictus* F. & G. 63-270.....Chile  
*ruficollis* F. & G. 63-271.....Chile  
*scaber* Champ. 16-144.....Brasil  
*Batobiomorphus* Pic 20-16  
*laticollis* Pic 20-16.....South America  
*lecticollis* Pic 29-207

THISIINA

- Thisias* Champ. 89-102  
*apicenotata* Pic 06-36.....Brasil  
*discoidalis* Pic 31-31.....Brasil  
*marmorata* Champ. 89-103.....México  
 Guatemala  
 Panamá  
*v. subelongata* Pic 06-36.....Brasil  
*sexfoveata* Champ. 16-154.....Ecuador  
*Thisiomorphus* Pic 31-31  
*latus* Pic 31-31.....Brasil

LACCONOTINA

- Polypria* Chev. 74-330  
*Pelopria* Pic 33-9  
*brevipennis* Pic 02-166.....Brasil  
 Argentina  
*brunnescens* Pic 02-167.....Brasil  
*crux-rufa* Chev. 74-330.....México  
 Br. Honduras  
 Guatemala  
 Nicaragua  
*v. incrucata* Pic 02-166.....  
*v. nigrocincta* Pic 30-23.....Brasil  
*v. reducta* Pic 33-30.....Argentina  
*lagrioides* Pic 20-17.....Brasil  
*v. infasciata* Pic 33-30.....Argentina  
*lateralis* Pic 02-166.....Brasil  
*longipennis* Pic 33-9.....Brasil  
*signata* Pic 30-23.....Costa Rica  
*zigsaga* Pic 09-148.....Brasil  
*Eurypus* Kby. 18-389  
*cyanipennis* Champ. 16-104.....Brasil  
*kirbyi* Champ. 16-104.....Brasil  
*muelleri* Seidl. 17-96.....Brasil  
*rubens* Kby. 18-390.....Brasil

- Physcius** Champ. 89-101  
 argentinus Pic 30-178.....Argentina  
 atricollis Pic 15-11.....Brasil  
 bicolor Pic 31-32.....Brasil  
 brasiliensis Pic 06-56.....Brasil  
 brevicollis Champ. 16-151.....Brasil  
 conicus Champ. 89-102.....México  
     Panamá  
 corumbanus Pic 31-32.....Brasil  
 crassicornis Pic 33-5.....Brasil  
 curticornis Pic 27-22.....Bolivia  
 fasciatus Pic 12-16.....Guadeloupe  
 grandis Pic 30-22.....Bolivia  
 impressipennis Pic 06-55.....Brasil  
 longipennis Pic 10-60.....Bolivia  
 maculatus Pic 06-176.....Hispaniola  
 maximus Pic 10-54.....Chile  
 mrázi Pic 28-75.....Brasil  
 nigronotatus Pic 15-12.....Brasil  
 pallidipes Pic 17-16.....Perú  
 peruvianus Pic 10-54.....Perú  
 prescutellaris Pic 37-33.....Brasil  
 ruficeps Pic 31-32.....Brasil  
 scapularis Champ. 16-151.....Brasil  
 subdepressus Pic 06-56.....Brasil  
 triimpressus Pic 27-22.....Brasil  
 vicinus Pic 27-22.....Bolivia
- Physiomorphus** Pic 17-16  
 atricolor Pic 17-16.....Fr. Guiana  
 rufotinctus Pic 21-10.....Brasil  
 suturalis Pic 20-16.....Brasil
- Cleodaeus** Champ. 89-100  
 rugiceps Champ. 89-101.....Panamá  
     Brasil
- Conomorphus** Champ. 89-98  
 annulipes Pic 20-17.....Brasil  
 apicalis Pic 06-45.....Brasil
- bimaculatus Pic 20-17.....Brasi  
 brevicornis Champ. 89-99.....Guatemala  
     Panamá  
 convexus Champ. 16-148.....Brasil  
 dentiventris Champ. 16-147.....Brasil  
     *diversipes* Pic 20-17  
 flavicornis Champ. 89-100.....Brasil  
 gracilicornis Champ. 89-100.....Guatemala  
 lineatus Pic 20-17.....Brasil  
 longicollis Pic 20-17.....Fr. Guiana  
 paransensis Champ. 16-147.....Brasil  
 pilosus Champ. 89-99.....Guatemala  
     *tenuicornis* Fairm. 89-xxxvi  
     Brasil  
 sp. (L & M. 17-215).....Cuba
- Conomorphius** Champ. 16-149  
 bolivianus Champ. 16-149.....Bolivia
- Hybogaster** Seidl. 17-93  
     *Loboglossa* Champ. 16-153  
     (not Sol., 1851)  
 biimpressus Pic 20-15.....Bolivia  
 depressus Pic 20-16.....Colombia  
 inaequalicollis Pic 20-16.....Brasil  
 muelleri Seidl. 17-98.....Chile  
 scotodoideis Seidl. 17-98.....Chile  
     *variipennis* Champ. 16-153  
 variipennis Sol. 51-255.....Chile

## MYCTERINAE

- Mycterus** Clairv. 98-124  
     *Mycterellus* Seidl. 17-103 (Subg.)  
 depressus Champ. 89-96.....México

## INCERTAE SEDIS

- Pythoplesius** Kolbe 07-113  
 michaelseni Kolbe 07-113.....T. del Fuego

## ELACATIDAE

*(Othniidae)*

- Elacatis** Pasc. 60-52  
     *Othnius* LeC. 61-102  
 antennalis Champ. 88-467.....México  
 brasiliensis Borch. 21-205.....Brasil  
 immaculata Champ. 13-168.....México  
 intricata Champ. 88-468.....Guatemala  
 mexicana Horn 68-133.....Baja Calif.  
     México  
     Guatemala
- multiguttata Champ. 88-468.....Panamá  
 planata Champ. 13-169.....Guatemala  
 ruficornis Pic 20-9.....México  
 senecionis Champ. 88-467.....Brasil  
 sticticoptera Champ. 88-469.....México
- Macroothnius** Pic 20-9  
 aeneicollis Pic 25-12.....México  
     Colombia

## SERROPALPIDAE

*(Melandryidae, Hallomenidae)*

## TETRATOMINAE

## TETRATOMINI

- Ischyomius** Chevr. 78-98  
 bicolor Champ. 16-82.....Ecuador  
 chevolati Champ. 16-82.....Panamá  
     *singularis* Champ. 86-259  
 denticollis Champ. 16-81.....?Colombia  
 singularis Chevr. 78-98.....Panamá  
     Colombia
- Pseudoischyomius** Pic 23-21  
 rufipennis Pic 23-21.....South America

## HALLOMENINI

- Xeuxes** Champ. 89-85  
 brevicollis Champ. 89-86.....México  
 diversicornis Pic 30-23.....Argentina
- Eustrophopsis** Champ. 89-77  
 bilunulata Pic 12-93.....Brasil

**Eustrophopsis**—Continued.

|                               |  |
|-------------------------------|--|
| bipunctata Champ. 89-80       | México<br>Nicaragua                                  |
| decemguttata Champ. 16-2      | Brasil   |
| discoidea Champ. 89-79        | Guatemala  |
| hieroglyphica Champ. 16-2     | Brasil   |
| nigromaculata Champ. 89-78    | Guatemala  |
| ochracea Mots. 72-42          | México<br>Guatemala<br>Nicaragua<br>Panamá<br>Brasil |
| quindecimmaculata Lap. 40-257 | Brasil<br>Perú                                       |
| v. juncta Pic 30-32           | Perú   |
| rotundata Champ. 89-78        | Panamá   |

**Eustrophinus** Seidl. 98-438

|  |   |
|--|---|
| <i>Eustrophus</i> Champ. 89-75<br>(not Ill., 1802) |   |
| arizonensis Horn 88-33                             | Baja Calif.<br>México<br>U. S. A.       |
| bicoloricornis Pic 23-32                           | Brasil                                  |
| biguttatus Champ. 16-5                             | Brasil                                  |
| <i>bimaculatus</i> Pic 12-93                       |   |
| binotatus Pic 37-34                                | Brasil                                  |
| bombinus Seidl. 98-441                             | Brasil                                  |
| bombycinus Champ. 16-6                             | Brasil                                  |
| cuspidatus Champ. 16-5                             | Brasil                                  |
| laticornis Pic 26-154                              | Costa Rica                              |
| lineatopunctatus Pic 17-15                         | America                                 |
| marginatus Champ. 89-76                            | México<br>Guatemala<br>Panamá<br>Brasil |
| mexicanus Pic 17-15                                | México                                  |
| nigromarginatus Pic 37-34                          | Brasil                                  |
| ovatus Champ. 89-76                                | Guatemala<br>Brasil                     |
| peruvianus Champ. 16-7                             | Perú                                    |
| quatuordecimmaculatus Pic 17-15                    | Colombia                                |
| seidlitzii Champ. 16-7                             | ?Brasil                                 |
| <i>marginatus</i> Seidl. 98-440                    | Perú                                    |
| striatus Seidl. 98-441                             | Brasil                                  |
| subtestaceus Pic 26-17                             | Brasil                                  |
| superbus Pic 17-15                                 | Colombia                                |

**Pseudorchesia** Fairm. 83-515

|                            |           |
|----------------------------|-----------|
| nigrosignata Fairm. 83-515 | Argentina |
|----------------------------|-----------|

## ORCHESIINI

**Orchesia** Latr. 07-194

|                                       |                         |
|---------------------------------------|-------------------------|
| <i>Orchestera</i> Guill. 87-5 (Subg.) |                         |
| affinis Sol. 51-265                   | Chile                   |
| angustata F. & G. 63-230              | <sup>10</sup> I. Chiloe |
| brasiliensis Champ. 16-32             | Brasil                  |
| v. pallidior Pic 30-56                | Argentina               |
| fasciolata F. & G. 63-230             | <sup>10</sup> I. Chiloe |
| flicicornis F. & G. 63-229            | <sup>10</sup> I. Chiloe |
| fumosa Sol. 51-265                    | Chile                   |
| fusca Sol. 51-266                     | Chile                   |
| guatemalensis Champ. 89-80            | Guatemala               |
| nigra Sol. 51-266                     | Chile                   |
| parvula Sol. 51-266                   | Chile                   |
| pecta Sol. 51-265                     | Argentina<br>Chile      |

|  |                         |
|--|-------------------------|
| posticalis F. & G. 63-228                            | <sup>10</sup> I. Chiloe |
| sp. (L. & M. 17-215)                                 | Cuba                    |
| <b>Lederia</b> Rtrr. 79-479                          |                         |
| <i>Stauropus</i> F. & G. 63-227<br>(not Germ., 1812) |                         |
| oviformis F. & G. 63-228                             | <sup>10</sup> I. Chiloe |
| <b>Microscapha</b> LeC. 66-147                       |                         |
| bruchi Pic 30-56                                     | Argentina               |
| minuta Champ. 89-81                                  | México<br>Guatemala     |
| publicaria Champ. 16-33                              | Brasil                  |

## SERROPALPINAE

## SERROPALPINI

|  |   |
|--|---|
| <b>Anisoxya</b> Muls. 56-45                  |   |
| vagans Champ. 93-452                         | México  |
| <b>Serropalpolyeus</b> Pic 17-16             |   |
| diversipes Pic 17-16                         | Guiana  |
| <b>Dircaea</b> Fabr. 98-6                    |   |
| liturata LeC. 66-66                          | México  |
| <i>quadrimaculata</i> Say 24-283             | U. S. A.  |
| <i>quadrisingnata</i> Sturm 43-158           |   |
| <b>Eudircaea</b> Champ. 16-75                |   |
| apicalis Pic 37-34                           | Brasil  |
| laticornis Champ. 16-76                      | Brasil  |
| xanthura Champ. 16-76                        | Colombia  |
| <b>Phloeotrypa</b> Steph. 32-32              |   |
| <i>Serropalpinomorpha</i> Pic 17-180 (Subg.) |   |
| alutacea Champ. 16-39                        | Brasil  |
| brasiliensis Pic 17-16                       | Brasil  |
| caracasensis Pic 17-16                       | Venezuela   |
| fasciata Pic 31-18                           | Costa Rica  |
| goudoti Champ. 16-37                         | Nicaragua<br>Colombia   |
| gounellei Champ. 16-52                       | Brasil  |
| guianensis Pic 17-16                         | Guiana  |
| lineata Perty 30-65                          | Brasil  |
| mexicana Champ. 89-83                        | México<br>Guatemala<br>Nicaragua<br>Venezuela<br>Brasil<br>Dominica |
| murina Champ. 16-37                          | Brasil  |
| piliventris Champ. 89-84                     | Panamá  |
| scabricollis Champ. 16-38                    | Brasil  |
| tumidicollis Champ. 16-39                    | Brasil  |
| undulata Pic 17-16                           | Venezuela   |
| <b>Xylita</b> Payk. 98-249                   |   |
| obscuroguttata F. & G. 63-233                | Chile   |
| <i>griseoguttata</i> Seidl. 98-567           |   |
| <b>Cuphosis</b> Champ. 89-81                 |   |
| attenuata Champ. 89-82                       | México<br>Guatemala<br>Nicaragua<br>Panamá<br>Brasil                |
| <b>Mallochira</b> F. & G. 63-232             |   |
| subfasciata F. & G. 63-233                   | Chile   |
| <b>Serropalpus</b> Hell. 86-311              |   |
| longicornis Champ. 89-84                     | México  |
| valdivianus Phil. 59-665                     | Argentina   |
| <i>sericans</i> F. & G. 63-232               | Chile   |

<sup>10</sup> Chile.

|  |        |
|--|--------|
| <i>Amomphopalpus</i> F. & G. 60-5      |        |
| <i>Dentipalpus</i> Phil. 63-135        |        |
| <i>pictus</i> Phil. 63-134             | Chile  |
| <i>quadriplagiatus</i> F. & G. 60-5    | Chile  |
| <i>Megapselaphus</i> Montr. 60-295     |        |
| <i>Callidireca</i> Champ. 16-53        |        |
| <i>Cuphosopalpus</i> Pic 17-15 (Subg.) |        |
| <i>Phloeotrya</i> Fvl. 05-237          |        |
| <i>flavomaculatus</i> Champ. 16-54     | Brasil |
| <i>sexnotatus</i> Champ. 16-54         | Brasil |
| <i>trinotatus</i> Pic 17-15            | Brasil |

## HYPULINI

|                                    |           |
|------------------------------------|-----------|
| <i>Drances</i> Champ. 89-86        |           |
| <i>angustata</i> Champ. 89-86      | México    |
| <i>Symphora</i> LeC. 66-150        |           |
| <i>Trotomma</i> LeC. 62-251        |           |
| <i>apicalis</i> Champ. 89-88       | Panamá    |
| <i>convexa</i> Champ. 89-89        | Guatemala |
| <i>elongata</i> Champ. 89-90       | Guatemala |
| <i>impressicollis</i> Champ. 89-88 | México    |
| <i>infusata</i> Champ. 16-77       | Brasil    |
| <i>lanceolata</i> Champ. 16-78     | México    |
| <i>longicornis</i> Champ. 16-78    | Brasil    |
| <i>maculata</i> Champ. 89-89       | Guatemala |
| <i>ruficeps</i> Champ. 89-88       | Guatemala |
| <i>tropicalis</i> Champ. 89-87     | Guatemala |
| <i>Microtonus</i> LeC. 62-259      |           |
| <i>elongatus</i> Champ. 89-114     | México    |

|                                 |           |
|---------------------------------|-----------|
| <i>figuratus</i> Champ. 89-113  | México    |
| <i>fusiformis</i> Champ. 89-114 | Guatemala |
| <i>gracilis</i> Champ. 89-113   | Guatemala |
| <i>nitidulus</i> Champ. 89-114  | Guatemala |
| <i>pilosus</i> Champ. 89-114    | Guatemala |

## OSPHYINAE

## CONOPALPINI

|                                  |        |
|----------------------------------|--------|
| <i>Conopalpus</i> Gyll. 10-547   |        |
| <i>brevevittatus</i> Pic 31-33   | Brasil |
| <i>Brasilium</i> Pic 17-17       |        |
| <i>atricorne</i> Pic 17-18       | Brasil |
| <i>atrofasciatum</i> Pic 17-17   | Brasil |
| <i>giganteum</i> Pic 26-18       | Brasil |
| <i>gounellei</i> Pic 17-17       | Brasil |
| <i>suturale</i> Pic 26-18        | Brasil |
| <i>Falsoconopalpus</i> Pic 17-16 |        |
| <i>obscurus</i> Pic 17-17        | Brasil |

## OSPHYINI

|                                      |           |
|--------------------------------------|-----------|
| <i>Ospya</i> Ill. 07-370             |           |
| <i>Nothus</i> Oliv. 11-384           |           |
| <i>obscura</i> Pic 37-35             | México    |
| <i>pallida</i> Champ. 89-96          | Guatemala |
| <i>tuberculiventris</i> Champ. 89-95 | Guatemala |
| <i>Jalapanum</i> Pic 26-18           |           |
| <i>maculaticeps</i> Pic 26-19        | México    |

## SCRAPTIDAE

|  |           |
|--|-----------|
| <i>Seraptia</i> Latr. 07-199               |           |
| <i>Allopada</i> LeC. 66-144                |           |
| <i>Calasia</i> Halld. 48-99                |           |
| <i>Canifa</i> LeC. 66-144                  |           |
| <i>Trotomideomorpha</i> Pic 02-335 (Subg.) |           |
| <i>acutipennis</i> Pic 20-10               | Brasil    |
| <i>angustata</i> F. & G. 63-241            | Chile     |
| <i>argentina</i> Pic 20-11                 | Argentina |
| <i>brasiliiana</i> Champ. 16-248           | Brasil    |
| <i>brevicollis</i> Champ. 93-453           | México    |
| <i>breviuscula</i> Champ. 16-248           | Brasil    |
| <i>circumdata</i> Champ. 89-92             | Guatemala |
| <i>cyclops</i> F. & G. 63-243              | Chile     |
| <i>fairmairei</i> Pic 11-5                 | Chile     |
| <i>longicornis</i> F. & G. 63-243          |           |
| <i>fallaciosa</i> F. & G. 63-240           | Chile     |
| <i>fusconotata</i> Champ. 16-242           | Brasil    |
| <i>gounellei</i> Pic 20-11                 | Brasil    |
| <i>humilis</i> F. & G. 63-241              | Chile     |
| <i>inornata</i> Champ. 16-268              | Brasil    |
| <i>munita</i> Champ. 16-247                | México    |
| <i>nigricornis</i> Champ. 16-240           | Brasil    |
| <i>obscura</i> F. & G. 63-240              | Chile     |
| <i>oculata</i> Champ. 89-91                | Guatemala |
|  | Panamá    |
| <i>pallens</i> F. & G. 63-243              | Chile     |

|                                    |              |
|------------------------------------|--------------|
| <i>pallidicolor</i> Pic 20-11      | Venezuela    |
| <i>parallela</i> Champ. 16-247     | México       |
| <i>ruficollis</i> F. & G. 63-239   | Chile        |
| <i>speciosa</i> Champ. 89-91       | México       |
|                                    | Guatemala    |
| <i>triangularis</i> Champ. 16-267  | Brasil       |
| <i>variegata</i> F. & G. 63-242    | Chile        |
| <i>zonitoides</i> Champ. 12-267    | Brasil       |
| <i>sp. (L. &amp; M., 17-215)</i>   | Cuba         |
| <i>Cteniacantha</i> Qued. 86-119   |              |
| <i>marginata</i> Qued. 86-121      | Puerto Rico  |
| <i>Evalces</i> Champ. 89-92        |              |
| <i>dentipes</i> Champ. 89-93       | Guatemala    |
| <i>grisea</i> Champ. 89-93         | Guatemala    |
| <i>longula</i> Champ. 89-94        | México       |
| <i>lutea</i> Champ. 89-94          | México       |
| <i>sinuatipes</i> Champ. 89-94     | Guatemala    |
|                                    | Panamá       |
| <i>Nemacerus</i> Sol. 49-431       |              |
| <i>Nematocerus</i> G. & H. 69-1693 |              |
| <i>incertus</i> Sol. 49-432        | Chile        |
| <i>Tolmetes</i> Champ. 16-156      |              |
| <i>Tolmerus</i> Fairm. 00-111      |              |
| (not Loew, 1849)                   |              |
| <i>longipennis</i> Fairm. 00-112   | Chile        |
|                                    | T. del Fuego |

## LAGRIIDAE

## TRACHELOSTENINAE

- Trachelostenus** Sol. 51-225  
*fasciculiferus* Phil. 66-248.....Chile  
*inaequalis* Sol. 51-256.....Chile  
**Lagriola** Kirsch 73-409  
*denticulata* Kirsch 73-411.....Perú  
*operosa* Kirsch 73-411.....Perú

## LAGRIINAE

- Pseudolagria** Champ. 17-218  
*atra* Pic 17-15.....Brasil  
*atricornis* Pic 29-16.....Brasil  
*colombiana* Borch. 36-174.....Colombia  
*diversa* Champ. 17-220.....Brasil  
*flavifrons* Champ. 17-220.....Brasil  
*flavomarginata* Champ. 17-221.....Brasil  
*foveithorax* Pic 17-15.....Brasil  
*impressifrons* Borch. 36-173.....Colombia  
*laterufa* Pic 36-28.....Brasil  
*latipennis* Pic 17-15.....Brasil  
*lycoides* Champ. 17-222.....Brasil  
*mutabilis* Champ. 17-219.....Brasil  
*subapicalis* Pic 36-29.....Brasil  
**Chilenolagria** Pic 36-28  
*limbata* Pic 36-29.....Chile  
**Minasius** Pic 32-18  
*minor* Pic 36-25.....Brasil  
*opacipennis* Pic 32-18.....Brasil  
**Emydodes** Pasc. 62-56  
*collaris* Pasc. 60-57.....Brasil  
*v. nigriceps* Pic 07-183.....Brasil  
*elongator* Pic 28-19.....Venezuela  
**Mimolagria** Pic 27-44  
*bruchii* Pic 27-44.....Argentina  
**Falsolagria** Pic 27-44  
*marmorata* Pic 27-44.....Argentina

## STATIRINAE

- Statira** Serv. 25-479  
*Fotoostatira* Pic 18-24 (Subg.)  
*Hoplostira* Borch. 21-217  
*Pleurostira* Borch. 21-217 (Subg.)  
*Spinostatira* Pic 18-22 (Subg.)  
*Xenostira* Borch. 21-217 (Subg.)  
*acanthomera* Champ. 17-177.....Colombia  
*v. ruftarsis* Pic 18-23.....Brasil  
*agrotta* Mäkl. 62-149.....Brasil  
*aensipennis* Champ. 89-25.....Guatemala  
*aeneomarginata* Champ. 17-226.....Brasil  
*aenotincta* Champ. 89-26.....México  
Guatemala  
*aequabilis* Borch. 36-278.....Brasil  
*aerata* Champ. 89-26.....México  
Guatemala  
*agraeiformis* Champ. 89-12.....Panamá  
*agroides* Serv. 25-480.....Brasil  
*armata* Mäkl. 74-636  
*alberti* Pic 18-9.....Brasil  
*albofasciata* Champ. 89-44.....México  
Guatemala  
Panamá

- alexandri* Pic 18-10.....Bolivia  
*aliena* Borch. 21-268.....Perú  
*allenbyi* Pic 18-10.....Brasil  
*granigera* Borch. 21-241  
*alternans* Champ. 89-30.....México  
*alternata* Borch. 21-230.....Brasil  
*alutaceicollis* Pic 17-17.....Brasil  
*amazonica* Borch. 21-266.....Brasil  
*amicta* Borch. 36-294.....Costa Rica  
*amicula* Borch. 36-261.....Brasil  
*amoena* Mäkl. 62-152.....Brasil  
*arcuatipes* Pic 12-14  
*analis* Borch. 21-273.....México  
*angustata* Pic 12-15.....Ecuador  
*angusticeps* Pic 35-29.....Brasil  
*angustula* Champ. 89-15.....Guatemala  
*annulata* Mäkl. 75-643.....Brasil  
*annulicornis* Pic 17-20.....Bolivia  
*antennalis* Borch. 36-313.....Costa Rica  
*anthicoides* Kirsch 73-412.....Perú  
*v. staudingeri* Pic 12-76.....  
*anticefenestrata* Pic 17-3.....Brasil  
*apicipennis* Pic 12-76.....Brasil  
*argentina* Pic 35-28.....Argentina  
*asperata* Champ. 89-49.....Panamá  
*antillarum* Champ. 96-36.....Venezuela  
*atrosuturalis* Pic 18-10.....Brasil  
*St. Vincent*  
<sup>16</sup> Mustique  
Grenada  
*aspericollis* Borch. 36-271.....Brasil  
*asymmetrica* Champ. 17-190.....Brasil  
*atra* Borch. 21-263.....Brasil  
*v. distincta* Borch. 21-263.....Brasil  
*atricornis* Pic 18-24.....Brasil  
*atripennis* Pic 12-17.....Brasil  
*atripes* Pic 17-16.....Brasil  
*atroapicalis* Pic 17-2.....Brasil  
*aurosa* Borch. 21-274.....Brasil  
*batesi* Champ. 17-183.....Brasil  
*bella* Borch. 21-269.....Ecuador  
*bernardana* Pic 17-17.....Brasil  
*bicolor* Champ. 89-47.....Panamá  
*bifoveicollis* Pic 18-23.....Brasil  
*bifoveolata* Pic 17-16.....Brasil  
*bifurcata* Champ. 17-253.....Brasil  
*bilineaticollis* Pic 17-17.....Brasil  
*bimaculata* Pic 12-17.....Brasil  
Argentina  
*biseriata* Borch. 21-263.....México  
*bogotensis* Pic 17-4.....Colombia  
*borchmanni* Neverm. 26-113.....Costa Rica  
*brachycephala* Borch. 21-268.....Bolivia  
*brasiliensis* Pic 18-24.....Brasil  
*brevicollis* Mäkl. 79-106.....Colombia  
*brevior* Pic 35-170.....Brasil  
*brevipilis* Champ. 89-39.....México  
*brunneiceps* Pic 12-7.....Fr. Guiana  
*bryanti* Pic 13-100.....<sup>6</sup> Trinidad  
*caelata* Er. 47-122.....Perú  
*caerulea* Pic 17-21.....Brasil  
*caeruleipennis* Champ. 89-14.....México  
*caeruleitincta* Champ. 17-216.....Colombia  
*caliensis* Champ. 17-216.....Colombia

<sup>6</sup> Venezuela.<sup>16</sup> Grenadines (W. I.).

|                                   |               |
|-----------------------------------|---------------|
| Statira—Continued.                |               |
| caligata Borch. 21-237            | Brasil        |
| callangana Borch. 21-246          | Perú          |
| calophaenoides Champ. 17-244      | Perú          |
| campanulata Champ. 17-238         | Brasil        |
| caparona Pic 17-3                 | Trinidad      |
| caracaensis Pic 17-18             | Brasil        |
| casasiensis Borch. 36-317         | Brasil        |
| <i>canaliculata</i> Borch. 21-277 |               |
| casonioides Champ. 17-237         | South America |
| castanea Boh. 58-102              | 16 I. Puna    |
| castaneicolor Borch. 36-272       | Brasil        |
| castelnaui Pic 18-9               | Brasil        |
| catenata Mäkl. 62-148             | Brasil        |
| cavernosa Champ. 17-205           | Colombia      |
| cayennensis Champ. 17-258         | Fr. Guiana    |
| chalcoptera Champ. 17-205         | Colombia      |
| championi, new name               | Brasil        |
| <i>foveicollis</i> Pic 18-24      |               |
| (not Champ, 1889)                 |               |
| chatanayi Pic 18-95               | Brasil        |
| chloroptera Champ. 17-218         | Perú          |
| ciliata Champ. 89-9               | Guatemala     |
| cingulata Borch. 21-265           | Brasil        |
| circumducta Champ. 17-247         | Ecuador       |
| collaris Champ. 89-13             | México        |
| colorata Fall 09-165              | Baja Calif.   |
| concepvipes Pic 17-4              | Brasil        |
| conicicollis Borch. 21-222        | Brasil        |
| connexa Champ. 17-242             | Brasil        |
| consobrina Borch. 21-270          | Perú          |
| conspicillata Mäkl. 63-589        | México        |
|                                   | Br. Honduras  |
|                                   | Guatemala     |
|                                   | Nicaragua     |
|                                   | Panamá        |
| v. lateannulata Borch. 36-291     | Guatemala     |
| convexuscula Champ. 17-228        | Brasil        |
| corrosa Champ. 89-37              | México        |
|                                   | Guatemala     |
|                                   | Colombia      |
| corumbana Borch. 36-273           | Brasil        |
| costaricensis Champ. 89-36        | Costa Rica    |
| coxalis Borch. 21-267             | Perú          |
| cribrata Champ. 89-42             | Guatemala     |
| cribriiceps Champ. 17-259         | Brasil        |
| cribripennis Mäkl. 79-110         | Colombia      |
| cruciata Champ. 17-254            | Nicaragua     |
| cupreotincta Champ. 89-23         | Panamá        |
| cupreoviridis Champ. 17-207       | Perú          |
| cupripennis Mäkl. 79-107          | Colombia      |
| cutricollis Champ. 89-24          | México        |
|                                   | Guatemala     |
| curvipes Pic 17-16                | Brasil        |
| cuspidata Champ. 17-184           | Brasil        |
| cyabella Borch. 21-269            | Colombia      |
| cyanipennis Mäkl. 78-36           | Colombia      |
| <i>colombica</i> Champ. 89-62     | Bolivia       |
| v. nigrithorax Borch. 36-273      | Bolivia       |
| cyanoptera Champ. 17-236          | Brasil        |
| cylindricollis Mäkl. 79-116       | Colombia      |
|                                   | Venezuela     |
| debilis Mäkl. 62-158              | Brasil        |
| decepiens Borch. 21-237           | Brasil        |
| dejeani Champ. 17-214             | Colombia      |
| dentigera Champ. 17-178           | Ecuador       |
| diasi Pic 18-11                   | Guiana        |
| diluta Champ. 17-210              | Ecuador       |
| dimidiata Borch. 21-310           | Brasil        |
| v. centralis Borch. 21-273        | Brasil        |
| discoidea Pic 12-16               | Brasil        |
| distigma Champ. 17-235            | Perú          |
| distinctipennis Borch. 21-263     | Brasil        |
| diversepunctata Pic 17-4          | Venezuela     |
|                                   | Brasil        |
| diversesculpta Pic 17-4           | Brasil        |
| divisa Champ. 17-210              | Venezuela     |
| dosrosignata Borch. 21-256        | Bolivia       |
| dromiodema Borch. 36-289          | Brasil        |
| dromiodes Champ. 17-238           | Brasil        |
| duhaulti Pic 17-17                | Brasil        |
| v. castanescens Pic 18-9          | Brasil        |
| egaensis Champ. 17-234            | Brasil        |
| elegans Mäkl. 62-156              | Brasil        |
| v. festiva Mäkl. 62-156           | Brasil        |
| elegantula Champ. 17-243          | Brasil        |
| eipleuralis Borch. 21-230         | Bolivia       |
| equestris Borch. 21-242           | Brasil        |
| estebana Pic 17-3                 | Venezuela     |
| emera Borch. 21-260               | Colombia      |
| evanescens Champ. 89-34           | México        |
| v. obscuripennis Borch. 21-260    | México        |
| exigua Mäkl. 79-115               | Colombia      |
| femoralis Borch. 21-225           | Colombia      |
| ferruginea Mäkl. 79-111           | Colombia      |
| figurata Mäkl. 62-158             | Brasil        |
| <i>lunulata</i> Pic 12-18         |               |
| filicornis Champ. 17-261          | Perú          |
| fissicollis Borch. 21-275         | Brasil        |
| flavicornis Mäkl. 62-155          | Brasil        |
| flavosignata Champ. 17-175        | Ecuador       |
| flohri Champ. 89-452              | México        |
| fochi Pic 18-9                    | Venezuela     |
| formosa Champ. 17-196             | Ecuador       |
| forticornis Borch. 21-255         | Colombia      |
| foveicollis Champ. 89-18          | Br. Honduras  |
|                                   | Nicaragua     |
|                                   | Panamá        |
| foveolata Borch. 21-276           | Colombia      |
|                                   | Venezuela     |
| francheti Pic 18-10               | Venezuela     |
| fulva F. & S. 89-431              | Guadeloupe    |
|                                   | Dominica      |
|                                   | Colombia      |
| fulvescens Borch. 36-314          | Venezuela     |
| fulvicollis Fabr. 01-290          | South America |
| v. abdominalis Fabr. 01-290       | South America |
| v. atricollis Pic 12-20           |               |
| v. discoidalis Pic 17-18          | Brasil        |
| v. erythrothorax Borch. 21-251    |               |
| v. flavovittata Pic 14-19         |               |
| v. fuscipennis Fabr. 01-290       | Colombia      |
| fusca Mäkl. 79-110                | Colombia      |
| fuscolineata Borch. 21-226        | Brasil        |
| gemmifera Mäkl. 62-147            | Brasil        |
| geniculata Mäkl. 62-150           | Brasil        |
| v. fuscitarsis Mäkl. 75-638       | Brasil        |
| v. obscuripes Borch. 21-245       | Brasil        |
| genualis Borch. 36-301            | Brasil        |
| glabricollis Borch. 36-315        | Costa Rica    |
| goyasensis Pic 12-20              | Brasil        |
| gracilis Mäkl. 75-646             | Brasil        |

\* Venezuela.

16 Ecuador.



## Statira—Continued.

|  |                                   |
|--|-----------------------------------|
| <i>gratiosa</i> Mäkl. 79-108                     | Colombia                          |
| <i>guatemalensis</i> Champ. 89-106               | Guatemala                         |
| <i>guttata</i> Borch. 21-250                     | México                            |
| <i>haemonioides</i> Champ. 17-265                | Brasil                            |
| <i>haitiensis</i> Champ. 17-255                  | Haiti                             |
| <i>heliconiae</i> Borch. 36-292                  | Costa Rica                        |
| <i>heliophila</i> Borch. 36-276                  | Costa Rica                        |
| <i>hilaris</i> Mäkl. 79-106                      | Colombia                          |
| <i>hirsuta</i> Champ. 89-50                      | México<br>Nicaragua<br>Colombia   |
| <i>hira</i> Borch. 21-241                        | Brasil                            |
| <i>hirticornis</i> Borch. 21-237                 | Brasil                            |
| <i>hirtipennis</i> Borch. 21-258                 | Bolivia                           |
| <i>homonymus</i> , new name                      | Brasil                            |
| <i>opacicollis</i> Pic 35-28<br>(not Horn, 1888) | Guatemala                         |
| <i>horrida</i> Champ. 89-38                      | Guatemala                         |
| <i>ignita</i> Champ. 89-23                       | México                            |
| <i>ignorata</i> Borch. 36-258                    | Brasil                            |
| <i>impexa</i> Borch. 21-225                      | Brasil                            |
| <i>impressa</i> Borch. 21-245                    | Colombia                          |
| <i>impressicollis</i> Pic 17-2                   | Bolivia                           |
| <i>impressifrons</i> Borch. 21-251               | Brasil                            |
| <i>impressipennis</i> Mäkl. 79-106               | Colombia                          |
| <i>inaequalis</i> Pic 17-2                       | Venezuela                         |
| <i>inaequicollis</i> Borch. 36-287               | Costa Rica                        |
| <i>inarmipes</i> Pic 18-23                       | Brasil                            |
| v. <i>semiobliterata</i> Pic 18-23               |                                   |
| <i>incisicollis</i> Champ. 17-249                | Brasil                            |
| v. <i>championi</i> Borch. 36-245                | Brasil                            |
| <i>incognita</i> Borch. 21-240                   | Bolivia                           |
| <i>inconstans</i> Champ. 89-16                   | Guatemala<br>Nicaragua            |
| <i>incolta</i> Borch. 21-275                     | South America                     |
| <i>infantina</i> Borch. 36-245                   | Brasil                            |
| <i>ingae</i> Borch. 36-295                       | Costa Rica                        |
| <i>ingens</i> Champ. 89-12                       | Nicaragua<br>Panamá               |
| <i>insularis</i> Champ. 17-229                   | * Trinidad                        |
| <i>interruptocostata</i> Pic 14-19               | Fr. Guiana                        |
| <i>irazuensis</i> Champ. 89-22                   | Costa Rica                        |
| <i>irregularis</i> Champ. 89-45                  | Guatemala                         |
| <i>isthmica</i> Champ. 89-19                     | Panamá                            |
| <i>jacobii</i> Borch. 36-246                     | Paraguay                          |
| <i>jeffreii</i> Pic 18-9                         | Brasil                            |
| <i>laccata</i> Borch. 21-267                     | Perú                              |
| <i>laeta</i> Borch. 21-252                       | Colombia                          |
| <i>laevicollis</i> Champ. 89-46                  | México                            |
| <i>laevigata</i> Mäkl. 79-111                    | Colombia                          |
| <i>lagrioides</i> Mäkl. 62-159                   | Brasil                            |
| <i>latefasciata</i> Pic 17-3                     | Brasil                            |
| <i>lateralis</i> Mäkl. 79-112                    | Colombia                          |
| <i>latevittata</i> Champ. 17-223                 | Brasil                            |
| <i>lemoulti</i> Pic 17-3                         | Brasil                            |
| <i>leonhardi</i> Borch. 36-316                   | Brasil                            |
| <i>leptotracheloides</i> Champ. 89-52            | México                            |
| <i>limbata</i> Champ. 89-14                      | México<br>Br. Honduras            |
| <i>limonis</i> Borch. 36-315                     | Costa Rica                        |
| <i>literata</i> Mäkl. 79-115                     | Colombia                          |
| <i>lloydi</i> Pic 18-8                           | Brasil                            |
| <i>longiceps</i> Champ. 17-180                   | Brasil                            |
| <i>longicollis</i> Mäkl. 62-151                  | Brasil                            |
| <i>longipennis</i> Pic 17-4                      | Brasil                            |
| <i>longiventris</i> Borch. 21-271                | Brasil                            |
| <i>longula</i> Borch. 21-274                     | Brasil                            |
| <i>lugubris</i> Mäkl. 62-157                     | Brasil                            |
| <i>luteicolor</i> Pic 12-16                      | Venezuela                         |
| <i>maculipennis</i> Borch. 36-296                | Perú                              |
| <i>maeklini</i> Kirsch 66-205                    | Colombia                          |
| <i>magnifica</i> Borch. 36-256                   | Brasil                            |
| <i>marmorata</i> Champ. 89-43                    | México<br>Guatemala               |
| <i>medialis</i> Mäkl. 79-113                     | Colombia                          |
| <i>mediosignata</i> Borch. 21-278                | México                            |
| <i>melanocephala</i> Mäkl. 63-593                | México                            |
| <i>melanooptera</i> Champ. 17-260                | Brasil                            |
| <i>meleagris</i> Mäkl. 62-149                    | Brasil                            |
| <i>mendesensis</i> Pic 17-20                     | Brasil                            |
| <i>metallica</i> Champ. 89-16                    | Nicaragua<br>Costa Rica<br>Panamá |
| <i>mexicana</i> Champ. 89-26                     | México                            |
| <i>micans</i> Mäkl. 62-153                       | Brasil                            |
| <i>tibialis</i> Pic 12-14                        |                                   |
| <i>microps</i> Champ. 89-44                      | México<br>Guatemala               |
| <i>micros</i> Borch. 21-241                      | Surinam                           |
| <i>minasensis</i> Pic 17-20                      | Brasil                            |
| <i>minima</i> Champ. 89-19                       | Nicaragua<br>Panamá               |
| v. <i>subatra</i> Borch. 36-276                  | Central America                   |
| <i>missionensis</i> Pic 17-4                     | Argentina                         |
| <i>modesta</i> Borch. 21-272                     | Argentina                         |
| <i>mucronata</i> Champ. 17-182                   | Brasil                            |
| <i>multiformis</i> Champ. 89-19                  | México<br>Guatemala<br>Panamá     |
| <i>multipunctata</i> Champ. 89-49                | México                            |
| <i>multinotata</i> Pic 12-15                     | Brasil                            |
| <i>nevermanni</i> Borch. 36-255                  | Costa Rica                        |
| <i>nigella</i> Mäkl. 79-109                      | Colombia                          |
| <i>nigra</i> Mäkl. 62-153                        | Brasil                            |
| v. <i>rufipennis</i> Pic 17-16                   | Brasil                            |
| <i>nigripennis</i> Mäkl. 74-641                  | México                            |
| v. <i>affinis</i> Mäkl. 74-642                   | México                            |
| v. <i>championi</i> Pic 12-20                    | México                            |
| v. <i>humeralis</i> Mäkl. 74-642                 | México                            |
| <i>nigroaenea</i> Champ. 89-40                   | México                            |
| <i>nigroapicalis</i> Pic 12-17                   | Perú                              |
| <i>nigrocaerulea</i> Champ. 17-183               | Brasil                            |
| <i>nigrofasciata</i> Borch. 21-257               | México                            |
| <i>nigrolineata</i> Pic 12-17                    | Chaco                             |
| <i>nigromaculata</i> Champ. 89-33                | México<br>Guatemala               |
| <i>nigrosparsa</i> Mäkl. 63-590                  | México                            |
| <i>nitens</i> Borch. 21-221                      | Brasil                            |
| <i>nitidicollis</i> Borch. 21-269                | Perú                              |
| <i>nodulosa</i> Champ. 89-131                    | Guatemala                         |
| <i>notatipennis</i> Pic 12-19                    | Brasil                            |
| <i>nubeculosa</i> Mäkl. 79-105                   | Colombia                          |
| <i>octolineata</i> Champ. 17-231                 | Brasil                            |
| <i>lineata</i> Borch. 21-270                     |                                   |
| <i>opaca</i> Borch. 36-283                       | Costa Rica                        |
| <i>opacithorax</i> Borch. 21-271                 | Paraguay                          |
| <i>ordinaria</i> Pic 17-4                        | Brasil                            |
| <i>orichalcea</i> Borch. 21-230                  | Brasil                            |
| <i>pachydera</i> Borch. 21-266                   | Venezuela                         |
| <i>pallida</i> Mäkl. 62-154                      | Brasil                            |

\* Venezuela.

## Statira—Continued.

|                                   |                 |
|-----------------------------------|-----------------|
| pallidicoxis Pic 17-3             | Venezuela       |
| pallidipes Pic 17-3               | Perú            |
| pallipes Borch. 21-274            | Bolivia         |
| paradoxa Borch. 36-306            | Costa Rica      |
| paraensis Champ. 17-246           | Brasil          |
| paranana Pic 17-4                 | Argentina       |
| patricia Borch. 21-269            | Costa Rica      |
| paucula Borch. 21-275             | Colombia        |
| penicillata Champ. 89-30          | México          |
| perforata Champ. 17-262           | México          |
| peruana Champ. 17-198             | Perú            |
| petaini Pic 18-8                  | Argentina       |
| pici, new name                    | Costa Rica      |
| <i>bimaculata</i> Borch. 36-291   |                 |
| (not Pic, 1912)                   |                 |
| picipennis Mäkl. 79-109           | Colombia        |
|                                   | Argentina       |
| picta Champ. 89-36                | Nicaragua       |
|                                   | Panamá          |
|                                   | Brasil          |
| pilicornis Pic 17-18              | México          |
| pilifera Champ. 89-451            | México          |
| pilipes Champ. 89-43              | México          |
| pilosa Pic 18-23                  | Brasil          |
| plaumanni Borch. 36-245           | Brasil          |
| polypunctata Borch. 21-273        | Bolivia         |
| v. ferrugata Borch. 21-273        | Colombia        |
| preapicalis Borch. 36-274         | Brasil          |
| presuturalis Pic 12-76            | Brasil          |
| v. figurata Pic 18-10             | Brasil          |
| propinqua Borch. 21-266           | Ecuador         |
|                                   | Perú            |
| proteus Borch. 21-274             | Brasil          |
| pterygomalis Borch. 21-240        | Bolivia         |
| pueblensis Champ. 89-5            | México          |
| pujoli Pic 17-3                   | Brasil          |
| pulchella Mäkl. 63-589            | México          |
| punctatissima Champ. 89-38        | México          |
| puncticeps Champ. 17-202          | Brasil          |
| puncticollis Champ. 17-217        | Brasil          |
| punctipennis Champ. 89-28         | Guatemala       |
| purpureipennis Pic 14-19          | Brasil          |
| quadriineata Pic 12-16            | Brasil          |
| v. brevineata Pic 12-16           |                 |
| quadrinotata Mäkl. 79-114         | Colombia        |
| quadrinotata Pic 12-18            | Brasil          |
| quadriplagiata Champ. 17-252      | Brasil          |
| quadrisingnata Champ. 17-239      | Brasil          |
| rectipes Pic 17-19                | Brasil          |
| relucens Borch. 21-267            | Perú            |
| reticulaticollis Borch. 36-269    | Costa Rica      |
| riedeli Borch. 36-280             | Brasil          |
| rotundicollis Champ. 17-209       | Colombia        |
| rubricollis Borch. 21-221         | Brasil          |
| rubrithorax Pic 12-14             | Brasil          |
| rufa Mäkl. 62-154                 | Brasil          |
| v. laticollis Mäkl. 75-637        | Brasil          |
| ruficollis Fabr. 01-289           | Central America |
| ruffrons Mäkl. 62-152             | Brasil          |
| rugicollis Champ. 89-48           | México          |
| rugipes Champ. 89-52              | México          |
| sahlbergi Borch. 21-231           | Brasil          |
| sanctaremae Champ. 17-186         | Brasil          |
| scabrosicollis Borch. 36-270      | Venezuela       |
| <i>scabricollis</i> Borch. 21-250 |                 |
| scalpta Borch. 21-275             | Colombia        |
| scapularis Borch. 21-265          | Colombia        |
| schmidti Borch. 36-304            | Costa Rica      |
| scintillans Champ. 17-203         | Brasil          |
| scitula Champ. 89-10              | México          |
|                                   | Guatemala       |
|                                   | Colombia        |
| sculpturata Borch. 36-259         | Colombia        |
| scutellaris Pic 12-76             | Colombia        |
| v. inscutellaris Pic 12-76        | Brasil          |
| segregata Champ. 17-244           | Brasil          |
| sejugata Borch. 21-271            | Brasil          |
| semiata Pic 17-17                 | Brasil          |
| semicatenata Borch. 21-286        | Brasil          |
|                                   | Perú            |
|                                   | Bolivia         |
| semicuprea Champ. 17-208          | Perú            |
| semilineata Pic 17-4              | Fr. Guiana      |
| seminigra Champ. 17-245           | Brasil          |
| seniopaca Pic 17-16               | Brasil          |
| semiviolacea Champ. 17-258        | Brasil          |
| seriata Borch. 21-268             | Brasil          |
| sericea Champ. 17-221             | Brasil          |
| seriepunctata Borch. 21-272       | Colombia        |
| setigera Champ. 89-41             | México          |
| setosella Borch. 21-241           | Perú            |
| sexmaculata Mäkl. 79-114          | Colombia        |
| signata Borch. 21-258             | Brasil          |
| simillima Borch. 21-276           | Brasil          |
| simonis Fairm. 92-95              | Venezuela       |
| simplex Borch. 36-284             | Costa Rica      |
| simplicipes Champ. 17-194         | Brasil          |
| singularithorax Pic 17-24         | Bolivia         |
| sobrina Champ. 89-22              | México          |
| sordida Mäkl. 79-113              | Colombia        |
| sphenodera Champ. 17-200          | Brasil          |
| <i>giraffa</i> Borch. 21-221      |                 |
| sphenoptera Champ. 17-203         | Brasil          |
| spiculifera Champ. 89-45          | México          |
| spinigera Champ. 17-176           | Brasil          |
| spinipes Pic 18-22                | Brasil          |
| splendicans Mäkl. 62-151          | Brasil          |
| steinheli Mäkl. 79-108            | Colombia        |
| stenocephala Champ. 17-200        | Brasil          |
| stenoptera Champ. 17-239          | Brasil          |
| suavis Champ. 89-15               | México          |
| subaenea Mäkl. 75-369             | Brasil          |
| subcatenata Pic 17-17             | Brasil          |
| subcylindrica Pic 17-17           | Brasil          |
| subfenestrata Champ. 17-247       | Brasil          |
| subglabrata Champ. 17-215         | Brasil          |
| sublateralis Pic 12-18            | Chaco           |
| submetallica Borch. 21-273        | Colombia        |
| submucronata Pic 18-23            | Brasil          |
| subnitida LeC. 66-141             | Baja Calif.     |
|                                   | U. S. A.        |
| subobliquata Pic 17-3             | Brasil          |
| subpilipes Pic 17-4               | Brasil          |
| subtuberculata Pic 17-16          | Brasil          |
| suffusa Champ. 17-226             | Brasil          |
| sulcaticollis Pic 17-2            | Brasil          |
| sulcivorus Champ. 89-51           | México          |
| sumtuosa Mäkl. 79-105             | Colombia        |
| superba Pic 18-24                 | Colombia        |
| suturalis Mäkl. 62-157            | Brasil          |
| <i>gounellei</i> Pic 12-20        |                 |
| <i>inapicalis</i> Pic 18-22       |                 |
| <i>insuturalis</i> Pic 18-22      |                 |

## Statira—Continued.

- tenuipes* Champ. 17-254.....Brasil  
*tenuis* Champ. 17-233.....Brasil  
*terminalis* Mäkl. 79-107.....Colombia  
*testacea* Champ. 89-28.....México  
*testaceicolor* Pic 17-16.....Brasil  
*tolensis* Champ. 89-20.....Panamá  
*tortipes* Champ. 17-191.....Brasil  
*trachydera* Champ. 17-227.....Brasil  
*translucida* Champ. 17-214.....Brasil  
*transversevittata* Borch. 21-265.....Brasil  
*triangulifer* Champ. 89-34.....México  
     Br. Honduras  
     Guatemala  
*trifasciata* Mäkl. 79-116.....Colombia  
*trilineata* Mäkl. 79-112.....Colombia  
*trisellata* Champ. 17-245.....Colombia  
     v. *championi* Borch. 36-331.....Colombia  
*tristis* Mäkl. 75-639.....México  
*tropicalis* Champ. 89-10.....México  
     Br. Honduras  
     Guatemala  
     Nicaragua  
*tuberculata* Mäkl. 75-637.....Brasil  
*tuberculatipennis* Pic 17-16.....Brasil  
*tuberculifera* Champ. 89-32.....Guatemala  
*tuberosa* Champ. 89-31.....México  
*umbrosa* Champ. 17-222.....Brasil  
*vageguttata* Pic 12-75.....Brasil  
     *diversejuncta* Pic 18-9  
     *multifenestrata* Pic 18-96  
     *subinnotata* Pic 18-9  
     *vagenotata* Pic 12-76  
*validicornis* Mäkl. 79-117.....Colombia  
     v. *castaneithorax* Pic 17-4.....Fr. Guiana  
*variabilis* Champ. 89-11.....Guatemala  
     Panamá  
     v. *inexpecta* Borch. 36-282.....Panamá  
*variicollis* Fairm. 92-96.....Venezuela  
*venezolosi* Pic 18-10.....Brasil  
*veraecrucis* Champ. 89-35.....México  
*veraepacis* Champ. 89-24.....Guatemala  
*verrucosa* Champ. 17-181.....Brasil  
*versicolor* Champ. 17-220.....Brasil  
*vigintipunctata* Champ. 17-207.....Perú  
*vilis* Mäkl. 63-592.....México  
     Br. Honduras  
     Guatemala  
     Panamá  
*villosa* Champ. 89-39.....México  
*violaceicollis* Borch. 36-274.....Brasil  
*virescens* Mäkl. 79-112.....Colombia  
*viridibilineata* Pic 17-2.....Brasil  
*viridicincta* Champ. 17-241.....Brasil  
*viridicollis* Champ. 89-17.....Panamá  
*viridifasciata* Champ. 17-242.....Brasil  
*viridinities* Champ. 17-201.....Colombia  
*viridinotata* Pic 12-15.....Perú  
*viridipennis* Serv. 25-480.....Colombia  
*viridivittata* Champ. 17-224.....Brasil  
*vittata* Champ. 96-37.....St. Vincent  
     <sup>15</sup> Mustique  
*vitticollis* Borch 36-270.....Brasil  
*vuilleti* Pic 18-96.....Brasil  
*xanthodera* Champ. 17-250.....Brasil  
*zonata* Borch. 21-265.....Colombia
- Nevermanniella* Borch. 36-332.....México  
*albolineata* Champ. 89-36.....Nicaragua  
     Costa Rica  
**Isocera** Borch. 09-713  
     *Isotoma* Blanch. 45-39  
     (not Bourkt. 1839)  
*emarginaticollis* Blanch. 43-199.....Bolivia  
**Rhaihoderia** Borch. 21-217  
*caraboides* Guér. 43-128.....Brasil  
*crassicornis* Champ. 89-18.....México  
*eurydera* Champ. 17-223.....Brasil  
     *pachycera* Borch. 21-219  
     *wilsoni* Pic 18-8  
*latipes* Pic 12-19.....Brasil  
*pershingii* Pic 18-8.....Brasil  
**Meropria** Borch. 21-217  
*chiriquina* Champ. 89-42.....Panamá  
*denticulata* Champ. 89-7.....Costa Rica  
     Panamá  
     Colombia  
*glabrata* Mäkl. 63-587.....México  
     Br. Honduras  
     Guatemala  
     Costa Rica  
*interrupta* Champ. 89-8.....Guatemala  
     Nicaragua  
     Costa Rica  
     Panamá  
*unidentata* Champ. 89-8.....México  
     Br. Honduras  
     Guatemala  
**Epicyles** Champ. 89-60  
     *Cybastira* Borch. 36-428 (Subg.)  
*caligata* Borch. 36-430.....Costa Rica  
*oculata* Champ. 89-61.....México  
     Guatemala  
*vicina* Champ. 89-61.....Guatemala  
     Nicaragua  
**Hypostatira** Fairm. 99-49  
*anastomosis* Borch. 21-325.....Brasil  
*nodosa* Borch. 21-325.....Brasil  
*variicolor* Fairm. 89-xlix.....Brasil  
**Astatira** Borch. 21-218  
*humeralis* Borch. 21-323.....Brasil  
*simulatrix* Borch. 21-323.....Brasil  
**Statiropsis** Borch. 12-389  
*aenea* Borch. 12-389.....Brasil  
     *pilosa* Champ. 17-263.....Argentina  
*angustata* Pic 14-19.....Brasil  
*strongylioides* Champ. 17-264.....Brasil  
**Piciella** Borch. 36-435  
*helopioides* Pic 35-28.....Brasil  
     *helopioides* Borch. 36-256  
**Othryades** Champ. 89-72  
*boliwensis* Borch. 36-437.....Bolivia  
*columbiana* Borch. 36-437.....Colombia  
*fragilicornis* Champ. 89-72.....Costa Rica  
     Panamá  
*fulgens* Borch. 21-267.....Bolivia  
**Colparthrum** Kirsch 66-204  
     *Pseudocolparthrum* Borch. 16-256 (Subg.)  
*aenescens* Borch. 36-444.....Costa Rica  
*apicale* Mäkl. 74-640.....Brasil  
     v. *unicolor* Borch. 21-345.....Brasil  
*bicinctum* Champ. 17-133.....Perú

<sup>15</sup> Grenadines (W. I.).

## Colparthrum—Continued.

|   |                 |
|---|-----------------|
| bisulcatum Pic 17-2.....                | Venezuela       |
| v. piceum Pic 17-2.....                 |                 |
| boliviense Champ. 17-139.....           | Bolivia         |
| calcaratum Champ. 89-71.....            | Nicaragua       |
|   | Costa Rica      |
|   | Panamá          |
| corumbanum Borch. 36-442.....           | Brasil          |
| decoratum Müll. 63-588.....             | México          |
|   | Guatemala       |
|   | Nicaragua       |
|   | Panamá          |
| v. bilunulatum Pic 12-76.....           | Panamá          |
| v. mäklini Borch. 36-447.....           | Central America |
| dimidiatum Borch. 16-230.....           | Brasil          |
| elegantulum Borch. 16-235.....          | Perú            |
| fasciatum Müll. 75-644.....             | Brasil          |
| <i>bifoveifrons</i> Pic 13-100          |                 |
| <i>ruficeps</i> Pic 13-100              |                 |
| v. fenestratum Pic 17-18.....           |                 |
| v. latenigrum Pic 17-18.....            |                 |
| v. subobliteratum Pic 17-1.....         | Brasil          |
| v. subjunctum Pic 17-1.....             |                 |
| flavosellatum Champ. 17-135.....        | Brasil          |
| foveiceps Champ. 89-68.....             | Panamá          |
| gerstäckeri Kirsch 66-205.....          | Colombia        |
| grandis Borch. 36-439.....              | Costa Rica      |
| helleri Borch. 21-347.....              | ?South America  |
| kolbei Borch. 16-234.....               | Perú            |
| laevicauda Champ. 17-138.....           | Brasil          |
| limbatum Borch. 21-231.....             | Colombia        |
| <i>nigricauda</i> Champ. 17-136         |                 |
| livens Borch. 21-348.....               | Colombia        |
| lividipes Borch. 21-348.....            | Colombia        |
|   | Venezuela       |
| luteicollis Borch. 21-344.....          | Brasil          |
| magniceps Pic 19-19.....                | Brasil          |
| major Borch. 21-346.....                | Central America |
| nautense Champ. 17-136.....             | Brasil          |
| nigrum Borch. 16-232.....               | Perú            |
|   | Bolivia         |
| ohausi Borch. 16-230.....               | Brasil          |
| palliditarse Borch. 36-444.....         | Colombia        |
| pulchrum Borch. 16-235.....             | Colombia        |
| reedii Champ. 17-134.....               | Brasil          |
| v. bahiense Pic 17-19.....              | Brasil          |
| rufum Borch. 16-232.....                | Colombia        |
| <i>tuberculicauda</i> Champ. 17-137     |                 |
| semiaesensens Pic 17-19.....            | Brasil          |
| setiventre Champ. 17-139.....           | Ecuador         |
| spinicauda Champ. 17-140.....           | Perú            |
| subsignatum Champ. 17-140.....          | Brasil          |
| sulcicollis Champ. 89-69.....           | Nicaragua       |
|   | Panamá          |
| tijucanum Pic 17-19.....                | Brasil          |
| trifoveatum Champ. 17-138.....          | Colombia        |
| undulatum Pic 13-99.....                | Brasil          |
| venezuelense Pic 17-18.....             | Venezuela       |
| vitticollis Champ. 89-70.....           | Nicaragua       |
| viturati Pic 18-2.....                  | Ecuador         |
| <b>Uroplatopsis</b> Champ. 89-53        |                 |
| annulipes Pic 13-14.....                | Brasil          |
| appendiculata Champ. 89-59.....         | Panamá          |
| atripennis Pic 16-18.....               | Fr. Guiana      |
| curticollis Borch. 21-321.....          | Brasil          |
| dilatatornis Champ. 89-58.....          | Panamá          |
| excavata Champ. 89-59.....              | Panamá          |
| imitator Champ. 89-54.....              | Nicaragua       |
| inimpressa Pic 11-9.....                | Colombia        |
| lemoutii Pic 11-9.....                  | Guiana          |
| mimica Champ. 89-57.....                | Panamá          |
| nodosa Champ. 89-54.....                | Brasil          |
| ochreofasciata Champ. 17-193.....       | Ecuador         |
| pallidipes Pic 13-14.....               | Fr. Guiana      |
|   | Brasil          |
| peruviana Pic 11-9.....                 | Perú            |
| planicollis Champ. 89-56.....           | Panamá          |
| reducta Pic 31-33.....                  | Costa Rica      |
| reticulata Champ. 89-56.....            | Panamá          |
| simulans Champ. 89-58.....              | Panamá          |
| v. nevermanni Borch. 36-482.....        | Costa Rica      |
| vermiculata Champ. 89-55.....           | Nicaragua       |
| vitticollis Borch. 21-321.....          | Perú            |
| <b>Gebienia</b> Borch. 21-219           |                 |
| atricolor Pic 36-26.....                | Perú            |
| fissicollis Borch. 21-354.....          | Perú            |
| impressicollis Borch. 21-353.....       | Perú            |
| rimulosa Borch. 21-354.....             | Perú            |
| v. pici Borch. 21-354.....              | Perú            |
| <b>Sipolisia</b> Fairm. 89-49           |                 |
| elegans Borch. 21-332.....              | Brasil          |
| gounellei Pic 12-75.....                | Brasil          |
| mimica Borch. 21-333.....               | Brasil          |
| sahlbergi Borch. 21-332.....            | Brasil          |
| serricornis Fairm. 89-xlix.....         | Brasil          |
| suturalis Pic 12-75.....                | Brasil          |
| <b>Meniseophorus</b> Champ. 89-64       |                 |
| amazonicus Champ. 89-65.....            | Brasil          |
| costatus Champ. 89-65.....              | Panamá          |
| opacipennis Champ. 17-191.....          | Brasil          |
| signifer Champ. 17-191.....             | Venezuela       |
| <b>Sphragidophorus</b> Champ. 89-61     |                 |
| basipes Pic 11-11.....                  | Brasil          |
| brevicollis Borch. 21-328.....          | Brasil          |
| cyanipennis Müll. 62-591.....           | México          |
|   | Guatemala       |
|   | Panamá          |
| ocularis Borch. 36-507.....             | Costa Rica      |
| subaenescens Pic 17-18.....             | Brasil          |
| violaceus Champ. 89-63.....             | Panamá          |
| <b>Thoracostira</b> Borch. 36-508       |                 |
| sculpta Kirsch 73-411.....              | Perú            |
| <b>Disema</b> Müll. 75-646              |                 |
| apicalis Borch. 21-334.....             | Brasil          |
| inlateralis Pic 11-10.....              | Brasil          |
| v. arcuatus Pic 12-8.....               | Brasil          |
| v. atricollis Pic 12-77.....            | Brasil          |
| v. nigroapicalis Pic 11-10.....         | Brasil          |
| v. testaceipes Pic 12-9.....            | Brasil          |
| macroptera Champ. 17-143.....           | Brasil          |
| monstrosipes Pic 11-10.....             | Fr. Guiana      |
| olivacea Champ. 17-145.....             | Brasil          |
| riedeli Borch. 21-334.....              | Brasil          |
| singularis Champ. 89-64.....            | Panamá          |
| soubironi Pic 12-8.....                 | Fr. Guiana      |
| thoracica Müll. 62-155.....             | Brasil          |
| v. bimaculata Müll. 75-647.....         | Brasil          |
| xanthostigma Champ. 17-144.....         | Brasil          |
| <b>Barsensis</b> Pasc. 87-8             |                 |
| <i>Microdisema</i> Pic 17-3 (Subg.)     |                 |
| <i>Modicodisema</i> Pic 17-3 (Subg.)    |                 |
| <i>Nemostiromorpha</i> Pic 16-2 (Subg.) |                 |
| anea Borch. 21-336.....                 | Brasil          |
| amazonica Pic 17-16.....                | Brasil          |



|                                  |            |                                  |            |
|----------------------------------|------------|----------------------------------|------------|
| Nilio—Continued.                 |            |                                  |            |
| margaritaceum Brèthes 20-39..... | Perù       |                                  |            |
| marginellum Er. 47-120.....      | Colombia   | rubrocastaneum Thoms. 60-11..... | Fr. Guiana |
|                                  | Brasil     |                                  | Brasil     |
|                                  | Ecuador    |                                  | Ecuador    |
|                                  | Perù       | rufescens Pic 18-12.....         | Brasil     |
| minutum Pic 18-12.....           | Colombia   | ruficeps Pic 18-11.....          | Guiana     |
| notatum Pic 18-12.....           | Brasil     | sallei Thoms. 60-10.....         | México     |
| v. iheringi Mader 36-90.....     | Brasil     |                                  | Guatemala  |
| gounellei Pic 18-2               |            | suturale Thoms. 60-10.....       | Bolivia    |
| hounellei Pic 36-197             |            |                                  | Argentina  |
| pantherinum Thoms. 60-12.....    | Brasil     | testaceum Thoms. 60-9.....       | Fr. Guiana |
| peruvianum Thoms. 60-8.....      | Colombia   |                                  | Brasil     |
|                                  | Brasil     |                                  | Argentina  |
|                                  | Ecuador    | thomsoni Champ. 88-471.....      | Guatemala  |
|                                  | Perù       |                                  | Nicaragua  |
|                                  | Bolivia    |                                  | Costa Rica |
| a. baubeliki Mader 36-79.....    | Colombia   | villosum Fabr. 87-379.....       | Colombia   |
| pilosum Lap. 40-227.....         | Colombia   |                                  | Fr. Guiana |
|                                  | Fr. Guiana |                                  | Brasil     |
|                                  | Brasil     | violaceum Mader 33-91.....       | Perù       |
|                                  | Paraguay   | cyanipennis Mader 36-89          |            |
| punctatissimum Pic 18-11.....    | Argentina  | vulpinus Mader 36-86.....        | Brasil     |
| pupillum Iher 14-294.....        | Brasil     |                                  | Perù       |

## MONOMMIDAE

|                                       |             |                                  |               |
|---------------------------------------|-------------|----------------------------------|---------------|
| <b>Monomma</b> Lap. 40-215            |             |                                  |               |
| <i>Obesomonomma</i> Pic 33-14 (Subg.) |             |                                  |               |
| inaequalis Pic 33-14.....             | Brasil      | mathani Oberth. 83-44.....       | Brasil        |
| nitidipennis Pic 33-14.....           | Brasil      | minutus Pic 33-12.....           | Brasil        |
| <b>Micromonomma</b> Pic 33-105        |             | nitidus Champ. 93-470.....       | Nicaragua     |
| convexa Pic 33-106.....               | Uruguay     | obliteratus Champ. 88-473.....   | Panamá        |
| <b>Hyporrhagus</b> Thoms. 60-25       |             | opaculus LeC. 66-142.....        | Baja Calif.   |
| amazonicus Pic 33-108.....            | Brasil      | opacus Thoms. 78-41.....         | Brasil        |
| apicalis Pic 33-12.....               | Fr. Guiana  | opuntiae Horn 73-149.....        | México        |
| v. submarginalis Pic 33-12.....       | Br. Guiana  |                                  | U. S. A.      |
| attenuatus Pic 33-108.....            | Brasil      | pertinax Thoms. 60-28.....       | Fr. Guiana    |
| biolleyi Pic 33-147.....              | Costa Rica  | peruvianus Pic 33-107.....       | Perù          |
| bonvouloiri Thoms. 67-129.....        | ?Argentina  | piceus Thoms. 60-34.....         | Fr. Guiana    |
| caracasensis Pic 33-12.....           | Venezuela   | punctatus Pic 33-108.....        | Brasil        |
| clavicornis Oberth. 83-44.....        | Brasil      | quadrifaculatus Pic 33-107.....  | Brasil        |
| costulatus Thoms. 60-34.....          | México      | ruficollis Pic 33-108.....       | Brasil        |
| disconotatus Pic 33-148.....          | Brasil      | v. notaticollis Pic 33-108.....  | Brasil        |
| durangoensis Champ. 88-472.....       | México      | rufocinctus Pic 16-2.....        | Brasil        |
| elongatus Pic 16-1.....               | Brasil      | rufolineatus Pic 33-107.....     | Brasil        |
| emarginatus Champ. 88-473.....        | Guatemala   |                                  | Argentina     |
|                                       | Panamá      | v. reductus Pic 33-107.....      | Brasil        |
| ferrugineus Champ. 93-571.....        | Panamá      | steinheili Oberth. 83-45.....    | Colombia      |
| fusciceps Thoms. 60-31.....           | Colombia    | subopacus Pic 17-4.....          | Brasil        |
| <i>fuscipes</i> G. & H. 69-1461       |             | suturalis Champ. 93-571.....     | Panamá        |
| gounellei Pic 33-108.....             | Brasil      | valdepunctatus Thoms. 60-28..... | South America |
| grandjeani Pic 33-105.....            | Brasil      | venezuelensis Thoms. 60-33.....  | Venezuela     |
| guyanensis Pic 17-2.....              | Fr. Guiana  | wagneri Pic 33-106.....          | Argentina     |
| <i>guanensis</i> (Zool. Rec. 17-104)  |             | yucatanus Thoms. 60-33.....      | México        |
| laevipunctatus Thoms. 60-30.....      | México      | <b>Aspathines</b> Champ. 88-475  |               |
| lecontei Thoms. 60-31.....            | Guatemala   | aenea Thoms. 60-27.....          | Cuba          |
|                                       | Nicaragua   |                                  | Hispaniola    |
|                                       | Panamá      |                                  | Puerto Rico   |
|                                       | Colombia    | ovata Champ. 88-476.....         | México        |
| laeviusculus Thoms. 78-41.....        | Brasil      |                                  | Guatemala     |
| marginatus Fabr. 92-506.....          | Bahamas Is. |                                  | Panamá        |
|                                       | Cuba        |                                  | U. S. A.      |

<sup>12</sup> I. de Pinos

## ALLECULIDAE

(Cistelidae, Xystropidae)

## ALLECULINAE

- Temnes* Champ. 88-410  
*caerulea* Champ. 88-410.....Panamá  
*Blepusa* Westw. 42-69  
*costata* Westw. 42-69.....Brasil  
*dormei* Fairm. 89-xliii.....Brasil  
*Lobopoda* Sol. 35-233  
*Monoloba* Sol. 35-235  
*acutangula* Champ. 88-390.....México  
     Br. Honduras  
     Guatemala  
     Nicaragua  
     Panamá  
*aenea* Pic 24-2.....South America  
*aeneipennis* Champ. 88-408.....Panamá  
*aenotincta* Champ. 88-405.....Panamá  
*angustata* Pic 30-26.....Argentina  
*angustatissima* Pic 31-23.....Brasil  
*anthracina* Kirsch 66-206.....Colombia  
*apicalis* Champ. 88-393.....Guatemala  
*apicipennis* Pic 26-393.....Brasil  
*approximata* Pic 30-28.....Brasil  
     v. *santosensis* Pic 36-22.....Brasil  
*arcuatipes* Pic 36-22.....Brasil  
*asperula* Champ. 88-390.....México  
*atrata* Champ. 88-394.....Nicaragua  
     Panamá  
*atripilis* Borch. 37-218.....Brasil  
*atrosuturalis* Pic 36-25.....Bolivia  
*attenuata* Champ. 88-397.....Guatemala  
     Nicaragua  
*attenuatipennis* Pic 30-20.....Argentina  
*augustalis* Pic 30-20.....Brasil  
*bicoloripes* Pic 24-4.....South America  
*biolleyi* Pic 27-22.....Costa Rica  
*boehmi* Pic 36-25.....Brasil  
*boliviensis* Pic 27-23.....Bolivia  
     v. *columbiana* Pic 33-2.....Colombia  
*borchmanni* Pic 36-27.....Paraguay  
*brasiliensis* Pic 31-23.....Brasil  
*breyeri* Brèthes 10-206.....Bolivia  
     Argentina  
*calcarata* Champ. 88-563.....México  
*caracaensis* Pic 29-18.....Venezuela  
*cariniventris* Champ. 88-408.....Panamá  
*caroli* Pic 36-24.....Brasil  
*castaneipennis* Pic 24-2.....South America  
*catopina* Perty 30-63.....Brasil  
*cayennensis* Lap. 40-242.....Fr. Guiana  
*chacoensis* Pic 30-27.....Argentina  
     v. *diversa* Pic 30-27.....Argentina  
*chontalensis* Champ. 84-93.....Nicaragua  
*clarki* Pic 28-16.....South America  
*claveri* Pic 24-3.....South America  
*coerulescens* Kirsch 66-207.....Colombia  
*concolor* Pic 28-15.....South America  
*contracta* Germ. 24-163.....Brasil  
*convexicollis* Champ. 88-395.....México  
     Guatemala  
*corumbana* Pic 36-24.....Brasil  
*cribricollis* Pic 31-25.....Ecuador  
*curvipes* Pic 26-393.....Brasil  
     v. *subrectipes* Pic 36-24.....Paraguay  
*dallieri* Pic 27-21.....Brasil  
*dentatipes* Pic 24-3.....South America  
*depressicollis* Pic 31-25.....Brasil  
*dircaeoides* Sol. 35-236.....Brasil  
*diversipennis* Pic 29-19.....Brasil  
     v. *obscurior* 29-19.....Brasil  
*diversipes* Pic 33-1.....Brasil  
*drakei* Pic 24-4.....South America  
     v. *vicina* Pic 29-34.....Argentina  
*ebenina* Champ. 96-34.....Grenada  
*femoralis* Champ. 88-398.....México  
     Guatemala  
     Panamá  
*forticornis* Pic 29-22.....Brasil  
*foveata* Champ. 88-405.....Panamá  
*foveolata* Pic 24-32.....South America  
*galapagoensis* Linell 98-266.....Is. Galápagos  
*gigantea* Champ. 88-388.....México  
*glabrata* Champ. 88-409.....Panamá  
*grandicollis* Pic 29-19.....Fr. Guiana  
*grandis* Champ. 88-389.....Nicaragua  
*guyanensis* Pic 33-1.....Fr. Guiana  
*hansaeis* Pic 33-2.....Brasil  
*helopina* Perty 30-63.....Brasil  
*hirta* Champ. 88-400.....Nicaragua  
*ignaciosa* Pic 29-33.....Argentina  
*impressa* Er. 47-121.....Perú  
*impressipennis* Lap. 40-243.....Brasil  
*inapicalis* Pic 33-36.....Bolivia  
*incolta* Er. 47-122.....Perú  
*infuscata* Pic 36-26.....Paraguay  
*instriata* Pic 24-3.....South America  
*insularis* Champ. 96-33.....<sup>15</sup> Mustique  
*insuturalis* Pic 31-24.....Brasil  
*intermedia* Pic 31-23.....Brasil  
*irazuensis* Champ. 88-406.....Costa Rica  
*jalapensis* Champ. 88-402.....México  
*jamesi* Pic 33-2.....Brasil  
*janeirensis* Pic 27-24.....Brasil  
*laevicollis* Champ. 88-401.....México  
*lateralis* Pic 29-21.....Colombia  
*laterufa* Pic 30-45.....Argentina  
*laticollis* Pic 30-21.....Fr. Guiana  
*latithorax* Pic 24-4.....South America  
*leseleuci* Pic 29-20.....Brasil  
*lineata* Pic 24-4.....South America  
*lojaensis* Pic 31-25.....Ecuador  
*longepunctata* Pic 35-22.....Brasil  
*longipennis* Pic 26-203.....Brasil  
*longipes* Borch. 37-218.....México  
*luteofemoralis* Pic 27-24.....Brasil  
*malleri* Pic 33-293.....Brasil  
*mendesensis* Pic 36-24.....Brasil  
*meridionalis* Pic 28-16.....South America  
*mexicana* Champ. 88-392.....México  
     Br. Honduras  
     Guatemala  
*minasensis* Pic 29-19.....Brasil  
*minor* Pic 29-33.....Argentina  
*minuta* Champ. 88-403.....Panamá

<sup>15</sup> Grenadines (W. I.).

## Lobopoda—Continued.

|  |               |                                      |               |
|--|---------------|--------------------------------------|---------------|
| modesta Pic 33-36.....                 | Brasil        | tristis Champ. 88-391.....           | Panamá        |
| mrazi Pic 24-85.....                   | Brasil        | tropicalis Champ. 88-398.....        | Panamá        |
| mucronata Champ. 88-393.....           | Panamá        | uberabana Pic 33-2.....              | Brasil        |
| multiimpressa Pic 31-23.....           | Brasil        | umbrosa Er. 47-121.....              | Perú          |
| mutata Pic 30-21.....                  | Brasil        | velutina (Pic 33-35).....            | ?             |
| <i>bicoloripes</i> Pic 27-22.....      |               | v. subaenea Pic 33-35.....           | Brasil        |
| nana Borch 30-90.....                  | Argentina     | venezuelensis Pic 29-21.....         | Venezuela     |
| nitens Champ. 88-406.....              | Costa Ricá    | viridipennis Champ. 88-407.....      | Panamá        |
| nitida Champ. 88-407.....              | Panamá        | viuidis Champ. 88-404.....           | México        |
| oblonga Champ. 88-396.....             | México        |                                      | Nicaragua     |
| obscura Pic 31-25.....                 | Brasil        | wagneri Pic 30-26.....               | Argentina     |
| obsoleta Champ. 88-409.....            | México        | yucatanica Champ. 88-397.....        | México        |
|  | Guatemala     | <b>Orchesioloopoda</b> Pic 19-6      |               |
| ocularis Pic 28-16.....                | South America | minutissima Pic 19-6.....            | Brasil        |
| opaca Champ. 88-400.....               | ?Guatemala    | <b>Allecula</b> Fabr. 01-21          |               |
|  | Panamá        | <i>Dietopsis</i> Sol. 35-229 (Subg.) |               |
| opac.collis Champ. 88-400.....         | México        | acuminata Fairm. 92-94.....          | Venezuela     |
|  | Br. Honduras  | amazonica Pic 34-6.....              | South America |
| opacina Pic 28-15.....                 | Brasil        | angularifer Pic 31-21.....           | Brasil        |
| <i>geniculata</i> Pic 27-? (Pic 28-15) |               | angustata Champ. 88-416.....         | México        |
| (not Pic, 1924)                        |               | augustalis Pic 30-21.....            | Brasil        |
| pallicornis Fabr. 01-22.....           | Argentina     | baeri Pic 15-18.....                 | Argentina     |
| panamensis Champ. 88-392.....          | Panamá        | belti Champ. 88-414.....             | Nicaragua     |
| paranana Pic 27-23.....                | Argentina     | bicoloriceps Pic 31-22.....          | Panamá        |
| v. insipiosa Pic 27-23.....            | Brasil        | breveapicalis Pic 31-20.....         | Brasil        |
| parumpunctata Pic 29-22.....           | Brasil        | brevespinoza Pic 31-20.....          | Brasil        |
| parvula Champ. 88-403.....             | México        | bruchi Pic 29-183.....               | Argentina     |
| pauli Pic 30-27.....                   | Brasil        | v. saladosa Pic 29-184.....          | Argentina     |
| perroudi Pic 33-3.....                 | Brasil        | bruchiana Borch. 30-87.....          | Argentina     |
| peruviana Pic 28-15.....               | South America | bucculata Fairm. 05-302.....         | Uruguay       |
| pilosa Champ. 88-405.....              | México        |                                      | Argentina     |
|  | Guatemala     | castaneipennis Champ. 88-412.....    | Panamá        |
| pilosula Fairm. 92-93.....             | Venezuela     |                                      | Colombia      |
| proxima Champ. 88-402.....             | México        |                                      | Brasil        |
| punctaticeps Pic 30-20.....            | Argentina     | collaris Borch. 30-88.....           | Argentina     |
| puncticollis Champ. 88-396.....        | Guatemala     | confusa Borch. 09-714.....           | Paraguay      |
| quadrifoveolata Pic 27-21.....         | Colombia      | <i>tenuis</i> Fairm. 05-302          | Argentina     |
| quinqueimpressa Pic 36-26.....         | Perú          | cribricollis Fairm. 83-514.....      | Uruguay       |
| reductestriata Pic 27-22.....          | Brasil        |                                      | Argentina     |
| ruficolor Pic 30-28.....               | Brasil        | debilis Er. 47-122.....              | Perú          |
| rufimembris Pic 24-3.....              | South America | decorata Kirsch 86-335.....          | Colombia      |
| rufipennis Pic 24-2.....               | South America | depressa Champ. 88-415.....          | México        |
| v. ruficollis Pic 36-23.....           | Brasil        | <i>baeri</i> Pic 24-4.....           | South America |
| rufoapicalis Pic 33-55.....            | Brasil        | elongata Pic 15-18.....              | Brasil        |
| rufomaculata Pic 31-24.....            | Brasil        | exigua Borch. 30-89.....             | Argentina     |
| rugiceps Pic 24-4.....                 | South America | ferox Champ. 88-413.....             | Guatemala     |
| saladoensis Pic 30-25.....             | Argentina     | flavipes Fabr. 01-564.....           | Bahamas Is.   |
| sculpturata Champ. 88-401.....         | Panamá        | <i>flavipes</i> DuVal 57-157         | Cuba          |
| seileri Pic 36-23.....                 | Colombia      |                                      | Puerto Rico   |
| semialutacea Pic 30-21.....            | Brasil        | fortipes Er. 48-565.....             | Guiana        |
| semicerulea Pic 26-393.....            | Brasil        | foveipennis Fairm. 83-514.....       | Uruguay       |
| semiopaca Pic 33-2.....                | Brasil        |                                      | Argentina     |
| seriata Champ. 88-305.....             | México        | fusca Sol. 51-249.....               | Argentina     |
| simplex Champ. 88-399.....             | Br. Honduras  |                                      | Chile         |
| striata Sol. 35-235.....               | Brasil        | gaumeri Champ. 88-414.....           | México        |
| subparalela Champ. 88-394.....         | México        | geniculata Germ. 24-164.....         | Brasil        |
| substacea Brèthes 10-206.....          | Bolivia       | gounellei Pic 24-7.....              | South America |
| sulcaticollis Pic 33-1.....            | Cuba          | helopsioides Pic 24-7.....           | South America |
| sulcatipes Pic 36-23.....              | Brasil        | impressipennis Pic 30-22.....        | Paraguay      |
| sulcatithorax Pic 29-21.....           | Venezuela     | incerta Pic 31-22.....               | Brasil        |
| tarsalis F. & S. 89-431.....           | Guadeloupe    | inconspicua Borch. 37-212.....       | México        |
| teapensis Champ. 88-564.....           | México        | kaestneri Borch. 38-294.....         | Brasil        |
| tenicornis Champ. 88-403.....          | Panamá        | lacordairei, new name.....           | Brasil        |
| testaceofemoralis Pic 29-20.....       | Brasil        | <i>metallica</i> Borch. 38-294       |               |
| tridentata Pic 36-27.....              | Bolivia       | laeta Pic 24-8.....                  | South America |
| triimpressa Pic 24-27.....             | Brasil        |                                      |               |



|   |               |           |
|---|---------------|-----------|
| <b>Allecula</b> —Continued.               |               |           |
| laiceps Champ. 88-416.....                | México        |           |
| lineata Kirsch 86-336.....                | Colombia      |           |
| luteifemur Pic 31-20.....                 | Brasil        |           |
| metallica Lac. 59-503.....                | Brasil        |           |
| metallina Borch. 38-293.....              | Brasil        |           |
| metzi Borch. 37-213.....                  | Brasil        |           |
| minasensis Pic 30-22.....                 | Brasil        |           |
| neglecta Borch. 09-714.....               | Argentina     |           |
| <i>tenuis</i> Fairm. 05-302.....          |               |           |
| opacipennis Champ. 88-415.....            | México        |           |
| pallida Blanch. 43-199.....               | Bolivia       |           |
| paranaica Pic 29-34.....                  | Argentina     |           |
| pardosensis Pic 30-22.....                | Brasil        |           |
| pedestris Borch. 37-213.....              | Brasil        |           |
| pilipes Champ. 88-414.....                | México        |           |
| procera Borch. 30-86.....                 | Argentina     |           |
| pulchella Sol. 51-248.....                | Chile         |           |
| pupillata Borch. 30-85.....               | Argentina     |           |
| reitteri Pic 24-8.....                    | South America |           |
| rubripes Boh. 58-99.....                  | Argentina     |           |
| rufa Sol. 51-249.....                     | ?Chile        |           |
|   | ?Chile        |           |
|   | ?Australia    |           |
| rugicollis Champ. 88-412.....             | México        |           |
| seriatopora Fairm. 92-251.....            | Argentina     |           |
| sericeipes Borch. 30-88.....              | Argentina     |           |
| sertatipennis Berg 89-125.....            | Chaco         |           |
| simplex Pic 24-6.....                     | South America |           |
| simpliciventris Pic 31-19.....            | Brasil        |           |
| solieri Lap. 40-243.....                  | Brasil        |           |
| sordida Horn 94-432.....                  | Baja Calif.   |           |
| spadicea Er. 48-566.....                  | Guiana        |           |
| sparsopunctata Pic 34-7.....              | South America |           |
| spinicauda Borch. 37-214.....             | Bolivia       |           |
| spiniventris Pic 24-5.....                | South America |           |
| spinosa Pic 24-6.....                     | South America |           |
| squamosa Borch. 38-295.....               | Brasil        |           |
| subaenea Pic 15-18.....                   | Bolivia       |           |
| subsinuata Pic 24-6.....                  | South America |           |
| tenuis (Pic 30-23).....                   | ?             |           |
| <i>v. diversiceps</i> Pic 30-23.....      | Argentina     |           |
| <i>v. diversifemur</i> Pic 30-23.....     | Argentina     |           |
| thomsoni Pic 33-3.....                    | Brasil        |           |
| triimpressa Pic 31-21.....                | Brasil        |           |
| undulata Pic 31-21.....                   | Brasil        |           |
| unispinosa Pic 24-6.....                  | South America |           |
| veraepacis Champ. 88-413.....             | Guatemala     |           |
| <b>Charisius</b> Champ. 88-421.....       |               |           |
| <i>fasciatus</i> Champ. 88-421.....       | Guatemala     |           |
| <i>interstitialis</i> Champ. 88-422.....  | México        |           |
| <i>picturatus</i> Champ. 93-565.....      | México        |           |
| <i>salvini</i> Champ. 88-423.....         | Guatemala     |           |
| <i>zunilensis</i> Champ. 88-422.....      | Guatemala     |           |
| <b>Alethia</b> Champ. 88-417.....         |               |           |
| <i>azteca</i> Champ. 88-418.....          | México        |           |
| <i>funerea</i> Champ. 88-419.....         | México        |           |
| <i>hözei</i> Champ. 88-420.....           | México        |           |
| <i>lepturoides</i> Champ. 88-419.....     | México        |           |
| <i>longipennis</i> Champ. 88-418.....     | México        |           |
| <i>nitidipennis</i> Champ. 88-565.....    | México        |           |
| <i>sallaei</i> Champ. 88-417.....         | México        |           |
| <i>subnitida</i> Champ. 88-418.....       | México        |           |
| <b>Narses</b> Champ. 88-423.....          |               |           |
| <i>subalata</i> Champ. 88-424.....        | Guatemala     |           |
| <b>Hymenorus</b> Muls. 51-201.....        |               |           |
| <i>americanus</i> Champ. 88-438.....      | México        |           |
|   |               | Guatemala |
|   |               | Nicaragua |
| <i>angustatus</i> Champ. 88-436.....      | México        |           |
|   |               | Guatemala |
| <i>badius</i> Champ. 88-433.....          | México        |           |
| <i>brevicornis</i> Champ. 88-426.....     | México        |           |
| <i>brevipes</i> Champ. 88-435.....        | México        |           |
| <i>canaliculatus</i> Champ. 88-428.....   | México        |           |
| <i>castaneus</i> Champ. 88-434.....       | México        |           |
| <i>colonoides</i> Champ. 88-435.....      | México        |           |
|   |               | Guatemala |
| <i>confertus</i> LeC. 66-136.....         | Baja Calif.   |           |
| <i>corticarioides</i> Champ. 88-441.....  | Baja Calif.   |           |
|   |               | México    |
| <i>densus</i> LeC. 66-138.....            | México        |           |
|   |               | U. S. A.  |
| <i>deplanatus</i> Champ. 88-440.....      | México        |           |
|   |               | U. S. A.  |
| <i>depressus</i> Champ. 88-435.....       | México        |           |
|   |               | U. S. A.  |
| <i>durangoensis</i> Champ. 88-426.....    | México        |           |
| <i>emmenastoides</i> Champ. 88-436.....   | México        |           |
|   |               | Guatemala |
| <i>flohri</i> Champ. 88-429.....          | México        |           |
| <i>forreri</i> Champ. 88-431.....         | México        |           |
| <i>foveiventris</i> Champ. 88-432.....    | Guatemala     |           |
| <i>grandicollis</i> Champ. 88-429.....    | México        |           |
|   |               | U. S. A.  |
| <i>guatemalensis</i> Champ. 88-439.....   | Guatemala     |           |
| <i>hispidulus</i> Champ. 88-431.....      | México        |           |
| <i>igualensis</i> Champ. 88-434.....      | México        |           |
| <i>inlateralis</i> Pic 31-23.....         | Brasil        |           |
| <i>laticollis</i> Champ. 88-429.....      | México        |           |
| <i>longicollis</i> Champ. 88-434.....     | México        |           |
| <i>maritimus</i> Champ. 88-437.....       | Guatemala     |           |
| <i>nigrolineatus</i> Pic 30-23.....       | Brasil        |           |
| <i>nigronotatus</i> Pic 24-89.....        | Brasil        |           |
| <i>occidentalis</i> Champ. 88-425.....    | México        |           |
|   |               | U. S. A.  |
| <i>oculatus</i> Champ. 88-427.....        | México        |           |
|   |               | Guatemala |
| <i>pallidus</i> Champ. 88-439.....        | México        |           |
| <i>parvicollis</i> Champ. 88-440.....     | México        |           |
| <i>pini</i> Champ. 88-428.....            | Guatemala     |           |
| <i>planulus</i> Horn 94-434.....          | Baja Calif.   |           |
| <i>punctatissimus</i> LeC. 66-138.....    | México        |           |
|   |               | U. S. A.  |
| <i>rufescens</i> Champ. 88-433.....       | México        |           |
| <i>ruficollis</i> Champ. 88-438.....      | Baja Calif.   |           |
|   |               | México    |
|   |               | U. S. A.  |
| <i>segnis</i> Champ. 88-430.....          | México        |           |
| <i>similis</i> Champ. 88-432.....         | México        |           |
| <i>sordidus</i> Champ. 88-427.....        | México        |           |
|   |               | Guatemala |
| <i>tarsalis</i> Champ. 88-426.....        | Guatemala     |           |
| <i>tibialis</i> Champ. 88-430.....        | Guatemala     |           |
| <i>torridus</i> Champ. 88-436.....        | México        |           |
| <i>villosus</i> Champ. 88-440.....        | México        |           |
| <b>Diopoenus</b> Champ. 88-445.....       |               |           |
| <i>compressicornis</i> Champ. 88-445..... | México        |           |
| <b>Theates</b> Champ. 88-420.....         |               |           |
| <i>basicornis</i> Champ. 88-420.....      | México        |           |
| <b>Menoceus</b> Champ. 88-443.....        |               |           |
| <i>aequalis</i> Champ. 88-444.....        | México        |           |
| <i>crassicornis</i> Champ. 88-444.....    | México        |           |
|   |               | Guatemala |

- Polydus* Champ. 88-441  
 meridionalis Champ. 88-442.....México  
 Guatemala
- Menes** Champ. 88-442  
 meridana Champ. 88-442.....México  
 rotundata Chap. 88-443.....México
- Pitholaua** Champ. 88-446  
 helopioides Champ. 88-446.....Guatemala
- Phedius** Champ. 88-447  
 carbonarius Champ. 88-448.....México  
 chevrolati Champ. 88-447.....México  
 cylindricollis Champ. 88-449.....México  
 funestus Champ. 88-450.....México  
 hidalgoensis Champ. 88-448.....México  
 hirtus Champ. 88-568.....México  
 lapidicola Champ. 88-568.....México  
 mexicanus Champ. 88-450.....México  
 obovatus Champ. 88-449.....México  
 opaculus Horn 94-431.....Baja Calif.
- Telesicles** Champ. 88-450  
 cordata Champ. 88-451.....México  
 U. S. A.
- Aeanes** Champ. 88-566  
 angusticollis Champ. 88-567.....México
- Amaropsis** Champ. 88-566  
 annulicornis Champ. 88-567.....México
- Pseudocistela** Crotch 73-108  
 alternans Champ. 88-456.....México  
 calida Champ. 88-453.....Panamá  
 chiriquensis Champ. 88-454.....Panamá  
 cinerascens Champ. 88-453.....México  
 decepta Champ. 88-454.....Panamá  
 delitescens Champ. 88-455.....Guatemala  
 fragilicornis Champ. 88-457.....Guatemala  
 juquialae Champ. 88-456.....México  
 nigricornis Champ. 88-452.....México  
 Nicaragua  
 Costa Rica  
 Panamá
- occulta Champ. 88-455.....Guatemala  
 ovipennis Champ. 88-569.....México  
 zunilensis Champ. 88-452.....Guatemala
- Isomira** Muls. 56-52  
 brevicollis Champ. 88-459.....México  
 evanescens Champ. 88-458.....Guatemala  
 obsoleta Champ. 88-457.....México  
 Guatemala
- sericea Say 23-270.....Bahamas Is.  
 U. S. A.
- subaenea Champ. 88-458.....Guatemala
- Erxias** Champ. 88-460  
 bicolor Champ. 88-460.....Panamá  
 violaceipennis Champ. 88-460.....Nicaragua
- Cistelopsis** Fairm. 96-39  
 instrciata Pic 30-23.....West Indies  
 rufomarginata Pic 30-28.....West Indies  
 v. ruficolor Pic 30-28.....West Indies  
 striata Pic 30-26.....Hispaniola
- Prosternus** Latr. 25-377  
*Mecocerus* Sol. 35-241  
 ampliocollis Fairm. 89-47.....Brasil  
 angustatus Pic 31-26.....Brasil  
 angusticornis Fairm. 89-47.....Brasil  
 brevicornis Fairm. 82-47.....Brasil  
 brevipennis Pic 12-17.....Paraguay  
 clavipes Borch. 37-229.....Brasil  
 v. longicollis Borch. 37-229.....Perú
- cyaneus Fairm. 89-47.....Brasil  
 dejicani Sol. 35-242.....Brasil  
 femoralis Lap. 40-244.....Brasil  
 goyassensis Pic 10-36.....Brasil  
 hirsutus Curt. 45-471.....Brasil  
 iocerus Pasc. 82-36.....Brasil
- laminicornis Fairm. 89-45.....Argentina  
 Fr. Guiana  
 laticornis Saund. 36-154.....Uruguay  
 latissimus Pic 10-36.....Brasil  
 lugubris Pasc. 82-37.....Uruguay  
 Argentina
- lujai Borch. 38-298.....Brasil  
 militaris Pasc. 82-35.....Brasil  
 nitens Pasc. 82-36.....Brasil  
 nodicornis Fairm. 89-46.....Brasil
- panamensis Champ. 88-461.....Panamá  
 parilis Pasc. 82-36.....Brasil  
 periscelis Perty 30-60.....Brasil  
 peruanus Borch. 37-230.....Perú  
 sipolisii Fairm. 89-44.....Brasil  
 sladeni Gahan 03-253.....Brasil  
 splendens Lap. 40-244.....Brasil  
 transversicollis Borch. 37-228.....Brasil  
 violaceipennis Fairm. 89-44.....Brasil  
 viridipennis Pic 12-17.....Brasil  
 sp. (Martorell 39-241).....Venezuela
- Microprosternus** Pic 21-14  
 longicornis Pic 21-14.....Brasil
- Lystroonychus** Latr. 29-41  
*Listroonychus* (in error)  
*Xystroonia* Sol. 35-238
- aeneipennis Borch. 30-106.....Argentina  
 apollinairei Pic 31-27.....Colombia  
 argentinus Pic 21-13.....South America  
 ater Pic 31-26.....Brasil  
 bigibbosus Borch. 30-113.....Colombia  
 camponotophilus Borch. 30-105.....Argentina  
 caracasensis Pic 31-26.....Venezuela  
 coeruleus Sol. 35-239.....Brasil  
 Argentina
- columbinus Germ. 24-157.....Brasil  
 corumbanus Borch 30-116.....Brasil  
 cuprinus Borch 30-118.....Brasil  
 cupripennis Lucas 59-141.....Brasil  
 cyaneus Borch. 30-103.....Brasil  
 delauneyi F. & S. 89-428.....Guadeloupe  
 denticollis Mäkl. 75-675.....Colombia  
 depressipennis Pic 21-13.....South America  
 equestris Fabr. 75-257.....Brasil  
 femoratus Borch. 30-117.....Brasil  
 gibbosus Borch. 30-114.....Bolivia  
 griseolineatus Borch. 30-97.....Argentina  
 guerini Mäkl. 75-670.....Bolivia  
 hirsutus Mäkl. 75-674.....Brasil  
 hirtellus Mäkl. 75-673.....Brasil  
 humeralis Fairm. 05-302.....Argentina  
 ignaciosus Pic 30-18.....Argentina  
 impressipennis Borch. 12-388.....Argentina  
 inaequalis Pic 12-14.....Brasil  
 incertus Pic 31-27.....South America  
 irroratus Borch. 30-108.....Venezuela  
 laticollis Borch 30-103.....Colombia  
 latipennis Mäkl. 75-673.....Brasil
- longiceps Borch. 30-114.....Argentina  
 Brasil

**Lystronychus**—Continued.

|                                     |       |                                 |
|-------------------------------------|-------|---------------------------------|
| longicollis Borch. 30-99            | ..... | Bolivia                         |
| marginatus Borch. 30-101            | ..... | Brasil                          |
| metallescens Borch. 30-100          | ..... | Ecuador                         |
| metallicus Mäkl. 75-672             | ..... | Brasil<br>Argentina             |
| metallipennis Borch. 30-110         | ..... | Brasil                          |
| minasensis Pic 15-15                | ..... | Brasil                          |
| nigronotatus Pic 12-14              | ..... | Brasil                          |
| nitens Borch. 30-110                | ..... | Brasil                          |
| nitidipennis Pic 21-13              | ..... | South America                   |
| opacus Borch. 30-106                | ..... | Argentina                       |
| pallitibialis Borch. 30-96          | ..... | Colombia                        |
| piceonotatus, new name              | ..... | Brasil                          |
| <i>nigronotatus</i> Pic 30-18       | ..... |                                 |
| v. <i>quadrimaculatus</i> Pic 30-18 | ..... | Brasil                          |
| piliferus Champ. 88-462             | ..... | México                          |
| polia Borch. 30-115                 | ..... | Brasil                          |
| pulchellus Saund. 36-153            | ..... | Brasil<br>Argentina             |
| punctovelutinus Pic 12-14           | ..... | Brasil                          |
| purpureipennis Champ. 88-463        | ..... | Guatemala                       |
| rubrofasciatus Pic 31-26            | ..... | Brasil                          |
| rubronotatus Pic 10-115             | ..... | Brasil                          |
| rubropictus Borch. 30-112           | ..... | Brasil                          |
| rufoannulatus Borch. 30-104         | ..... | Brasil                          |
| rufofemoralis Borch. 30-116         | ..... | Paraguay                        |
| rufonotatus Champ. 96-35            | ..... | St. Vincent                     |
| rufulus Borch. 30-98                | ..... | México                          |
| santiagonus Pic 21-13               | ..... | South America                   |
| scalaris Mäkl. 75-670               | ..... | Colombia                        |
| scapularis Champ. 88-463            | ..... | México<br>Guatemala             |
| semicyaneus Pic 24-9                | ..... | Brasil                          |
| semipurpureus Pic 31-26             | ..... | Brasil                          |
| sexsignatus Mäkl. 75-671            | ..... | ?Venezuela                      |
| similis Borch. 30-107               | ..... | Paraguay                        |
| tenuicornis Borch. 30-95            | ..... | Argentina                       |
| testaceipes Pic 21-14               | ..... | South America                   |
| trimaaculatus Pic 10-114            | ..... | Brasil                          |
| tristis Borch. 30-99                | ..... | Argentina                       |
| tuberculifer Champ. 96-34           | ..... | Grenada                         |
| undulatus Pic 21-13                 | ..... | South America                   |
| vittatus Borch. 30-102              | ..... | Colombia                        |
| wagneri Pic 21-14                   | ..... | South America                   |
| xystropoides Borch. 30-109          | ..... | Paraguay                        |
| <b>Scotobiopsis</b> Brêthes 10-207  | ..... |                                 |
| <i>breyeri</i> Brêthes 10-207       | ..... | Bolivia                         |
| <b>Xystropus</b> Sol. 35-241        | ..... |                                 |
| <i>aeneus</i> Lap. 40-244           | ..... | Brasil                          |
| <i>albovittatus</i> Fairm. 92-95    | ..... | Venezuela                       |
| <i>amazonicus</i> Pic 31-28         | ..... | Brasil                          |
| <i>armitagei</i> Pic 21-14          | ..... | Brasil                          |
| <i>augustalisi</i> Pic 24-9         | ..... | Brasil                          |
| <i>bicoloripes</i> Pic 21-15        | ..... | Brasil                          |
| <i>blandus</i> Er. 47-122           | ..... | Perú                            |
| <i>breviusculus</i> Mäkl. 75-678    | ..... | Brasil                          |
| <i>caerulescens</i> Pic 31-28       | ..... | Brasil                          |
| <i>californicus</i> Horn 68-138     | ..... | México                          |
| <i>fulgidus</i> Mäkl. 75-680        | ..... | Nicaragua<br>Panamá             |
| <i>clermonti</i> Pic 31-28          | ..... | Brasil                          |
| <i>cyanipes</i> Lucas 59-141        | ..... | Brasil                          |
| <i>fallax</i> Mäkl. 75-677          | ..... | Panamá<br>Colombia              |
| <i>fascicularis</i> Fairm. 92-94    | ..... | Venezuela                       |
| <i>geniculatus</i> Pic 31-27        | ..... | Colombia                        |
| <i>gossypiatu</i> s Fairm. 92-95    | ..... | Venezuela                       |
| <i>grandis</i> Pic 31-28            | ..... | Brasil                          |
| <i>granulosus</i> Pic 24-9          | ..... | Brasil                          |
| <i>griseolineatus</i> Borch. 37-230 | ..... | Brasil                          |
| <i>griseostriatus</i> Fairm. 89-48  | ..... | Brasil<br>Argentina             |
| <i>griseovittatus</i> Fairm. 89-48  | ..... | Brasil                          |
| <i>inhirsutus</i> Pic 21-14         | ..... | Brasil                          |
| v. <i>diversicolor</i> Pic 30-36    | ..... | Brasil                          |
| <i>laniger</i> Mäkl. 75-680         | ..... | Brasil                          |
| <i>lebasii</i> Mäkl. 75-679         | ..... | Panamá<br>Colombia              |
| <i>lezeleuci</i> Pic 12-17          | ..... | Colombia                        |
| <i>major</i> Pic 21-15              | ..... | Paraguay                        |
| <i>minor</i> Pic 31-29              | ..... | Fr. Guiana                      |
| <i>multiguttatus</i> Pic 12-17      | ..... | Colombia                        |
| <i>nigropictus</i> Kirsch 86-339    | ..... | Colombia                        |
| <i>pilosus</i> Kirsch 73-408        | ..... | Fr. Guiana<br>Perú              |
| <i>rufithorax</i> Pic 30-18         | ..... | Colombia                        |
| <i>solieri</i> Lucas 59-140         | ..... | Brasil                          |
| <i>violaceus</i> Blanch. 43-199     | ..... | Bolivia                         |
| <b>Dasytoxystropus</b> Pic 21-12    | ..... |                                 |
| <i>gounellei</i> Pic 21-12          | ..... | Brasil                          |
| <i>intermedius</i> Pic 21-12        | ..... | Brasil                          |
| <i>lemoulti</i> Pic 31-29           | ..... | Fr. Guiana                      |
| <i>minutus</i> Pic 21-12            | ..... | Brasil                          |
| <i>subparallelus</i> Pic 21-12      | ..... | Brasil                          |
| <b>Eucaliga</b> Fairm. 63-225       | ..... |                                 |
| <i>pallidicollis</i> Fairm. 75-200  | ..... | Chile                           |
| <i>sanguinicollis</i> Fairm. 63-266 | ..... | Chile                           |
| <i>eruentata</i> Phil. 63-132       | ..... |                                 |
| v. <i>flavicollis</i> Pic 29-18     | ..... | Chile                           |
| <b>Cteisa</b> Sol. 35-242           | ..... |                                 |
| <i>diversa</i> Pic 29-18            | ..... | Brasil                          |
| <i>hirta</i> Sol. 35-243            | ..... | Brasil                          |
| <i>inordinata</i> Pic 29-18         | ..... | Venezuela                       |
| <i>pedinoides</i> Mäkl. 75-681      | ..... | México<br>Panamá                |
| <i>punctata</i> Pic 29-18           | ..... | Colombia<br>Venezuela<br>Brasil |

## TENEBRIONIDAE

TENTYRIINAE  
EPITRAGINI

|                                       |                               |
|---------------------------------------|-------------------------------|
| <b>Deroplatus</b> Sol. 51-133         |                               |
| <i>Geoborus</i> Lac. 59-77            |                               |
| <i>costatus</i> Blanch. 43-194        | Chile                         |
| v. <i>rugicollis</i> Sol. 51-133      | Chile                         |
| <i>pilosus</i> Phil. 64-331           | Chile                         |
| <i>rugipennis</i> Sol. 51-134         | Chile                         |
| <b>Nyctopetus</b> Guér. 30-97         |                               |
| <i>carbonarius</i> Phil. 64-329       | Chile                         |
| <i>carinatus</i> Phil. 64-330         | Chile                         |
| <i>laticollis</i> Phil. 64-327        | Chile                         |
| <i>maculipennis</i> Lap. 40-215       | Chile                         |
| v. <i>gaudichaudi</i> Lap. 40-215     |                               |
| v. <i>lividipennis</i> Blanch. 43-194 |                               |
| <i>niger</i> Germain 55-397           | Chile                         |
| <i>nitidus</i> Phil. 64-331           | Chile                         |
| <i>parvus</i> Phil. 64-328            | Chile                         |
| <i>rubripes</i> Phil. 64-329          | Chile                         |
| <i>tenebrioides</i> Guér. 30-98       | Argentina                     |
|                                       | Chile                         |
| v. <i>quadricollis</i> Lap. 40-215    |                               |
| <b>Epitragus</b> Latr. 04-322         |                               |
| <i>angustiformis</i> Fairm. 92-79     | Venezuela                     |
| <i>aurulentus</i> Kirsch 66-189       | México                        |
|                                       | Costa Rica                    |
|                                       | Panamá                        |
|                                       | Colombia                      |
|                                       | Venezuela                     |
|                                       | ?Brasil                       |
|                                       | Jamaica                       |
| <i>brunnicornis</i> Latr. 11-225      | Venezuela                     |
| <i>emarginatus</i> Champ. 84-24       | Panamá                        |
| <i>exaratus</i> Champ. 96-2           | <sup>15</sup> Bequia          |
|                                       | <sup>15</sup> Mustique        |
|                                       | <sup>15</sup> Union           |
| <i>fuscus</i> Latr. 04-322            | South America                 |
|                                       | Chaco                         |
| <i>jamaicensis</i> Champ. 96-3        | Jamaica                       |
| <i>lineatus</i> Chevr. 44-122         | South America                 |
| <i>minutissimus</i> Fairm. 92-249     | Brasil                        |
| <i>nebulosus</i> Fabr. 81-158         | South America                 |
| <i>nigricans</i> Champ. 84-24         | Panamá                        |
|                                       | Colombia                      |
| <i>puberulus</i> Kirsch 86-332        | Colombia                      |
| <i>pullulus</i> Geb. 28-99            | Brasil                        |
| <i>rigens</i> Csy. 07-381             | Honduras                      |
| <i>roscidus</i> Er. 48-565            | Fr. Guiana                    |
|                                       | Brasil                        |
| <i>sallaei</i> Champ. 84-24           | México                        |
|                                       | Guatemala                     |
|                                       | Honduras                      |
|                                       | Nicaragua                     |
|                                       | Perú                          |
| <i>similis</i> Steinh. 72-577         | Paraguay                      |
| <i>mucidus</i> Berg 83-73             | Argentina                     |
| <b>Parepitragus</b> Csy. 07-518       |                               |
| <i>denticeps</i> Geb. 28-100          | Brasil                        |
| <i>difficilis</i> Steinh. 72-577      | Argentina                     |
| <i>fulcipes</i> Latr. 33-64           | Colombia                      |
| <i>pulverulentus</i> Er. 47-117       | Perú                          |
| <i>solieri</i> Csy. 07-520            | Ecuador                       |
| <b>Hypslops</b> Sol. 51-135           |                               |
| <i>oblonga</i> Sol. 51-135            | Chile                         |
| <b>Aspidolobus</b> Redt. 68-118       |                               |
| <i>piliger</i> Redt. 68-119           | Chile                         |
| <b>Phytophyllus</b> Guér. 30-99       |                               |
| <i>helopioides</i> Guér. 30-100       | Perú                          |
| <b>Hemasodes</b> Csy. 07-378          |                               |
| <i>arcicollis</i> Berg 83-74          | Argentina                     |
| <i>batesi</i> Waterh. 90-550          | Brasil                        |
|                                       | <sup>7</sup> I. Fern. Noronja |
| <i>vestita</i> Champ. 84-22           | México                        |
| <b>Ecnomosternum</b> Geb. 28-104      |                               |
| <i>vermiculatum</i> Geb. 28-104       | <sup>6</sup> Curaçao          |
|                                       | <sup>6</sup> Bonaire          |
| <b>Polemiosus</b> Csy. 07-379         |                               |
| <i>grandis</i> Champ. 84-31           | México                        |
| <b>Cyrtomius</b> Csy. 07-379          |                               |
| <i>cavicauda</i> Csy. 07-384          | México                        |
| <i>inaequalis</i> Champ. 84-32        | México                        |
| <i>plicatus</i> Champ. 84-31          | México                        |
| <b>Lobometopon</b> Csy. 07-379        |                               |
| <i>Epitragoma</i> Csy. 07-386 (Subg.) |                               |
| <i>aberrans</i> Csy. 07-387           | México                        |
| <i>acutangulum</i> Champ. 84-31       | México                        |
|                                       | Guatemala                     |
| <i>aeratum</i> Champ. 84-33           | México                        |
| <i>alveolatum</i> Csy. 07-394         | Panamá                        |
| <i>aurichalceum</i> Champ. 84-33      | México                        |
| <i>bicaviceps</i> Csy. 07-394         | Nicaragua                     |
| <i>chevrolati</i> Champ. 84-30        | México                        |
|                                       | Guatemala                     |
|                                       | Nicaragua                     |
| <i>commune</i> Champ. 84-36           | México                        |
|                                       | Br. Honduras                  |
|                                       | Guatemala                     |
| <i>cupreum</i> Champ. 84-34           | México                        |
|                                       | Guatemala                     |
|                                       | Nicaragua                     |
|                                       | Costa Rica                    |
| <i>gracile</i> Csy. 90-366            | México                        |
| <i>guatemalense</i> Champ. 84-32      | Br. Honduras                  |
|                                       | Guatemala                     |
|                                       | Costa Rica                    |
| <i>lucidum</i> Champ. 84-35           | México                        |
| <i>metallicum</i> Champ. 84-29        | México                        |
|                                       | Guatemala                     |
|                                       | Costa Rica                    |
| <i>micans</i> Champ. 84-32            | México                        |
| <i>obovatum</i> Champ. 84-35          | México                        |
| <i>parviceps</i> Champ. 84-34         | México                        |
| <i>pilosum</i> Champ. 84-34           | México                        |
| <i>plumbeum</i> LeC. 66-109           | México                        |
|                                       | U. S. A.                      |
| <i>ruatanense</i> Champ. 92-488       | <sup>3</sup> I. Roatan        |
| <i>rugosus</i> Lap. 40-214            | Brasil                        |
| <i>vulgaris</i> Lap. 40-215           | Brasil                        |
|                                       | Argentina                     |
| <b>Epitragopsis</b> Csy. 07-386       |                               |
| <i>aenea</i> Fairm. 92-247            | Brasil                        |
|                                       | Argentina                     |
| <i>aeneobrunneus</i> Curt. 45-470     | Brasil                        |
|                                       | Argentina                     |
| <i>convexus</i> Er. 47-118            | Perú                          |

<sup>2</sup> Honduras.<sup>6</sup> Venezuela.<sup>7</sup> Brasil.<sup>15</sup> Grenadines (W. I.).

- Epitragopsis**—Continued.  
*diluta* Shp. 91-42.....Ecuador  
*godmani* Champ. 84-36.....Panamá  
*olivaceus* Er. 47-117.....Perú  
*lucens* Er. 47-117  
*parumpunctatus* Fairm. 92-78.....Venezuela  
*semicastaneus* Curt. 45-470.....Uruguay
- Bothrotes** Csy. 07-379  
*acuta* LeC. 66-108.....México  
U. S. A.  
*angusticollis* Champ. 84-26.....México  
*bicarinata* Champ. 84-25.....México  
*canaliculata* Say 24-281.....México  
U. S. A.  
*canus* Champ. 84-34.....México  
*cristata* Champ. 92-485.....México  
*foveata* Champ. 84-29.....México  
*högei* Champ. 84-26.....México  
*incisa* Champ. 84-28.....<sup>2</sup> Is. Tres Mariás  
*littoralis* Champ. 84-27.....México  
*obsolescens* Csy. 07-411.....México  
*ornata* Champ. 84-26.....México  
*rorulenta* Champ. 84-27.....México  
*scutata* Champ. 84-28
- Metopoloba** Csy. 07-379  
*densiventris* Csy. 07-417.....Baja Calif.  
<sup>2</sup> I. Tiburón  
México  
U. S. A.  
*pruinosa* Horn 70-264.....Baja Calif.  
México  
U. S. A.  
*subpilosa* Blais. 43-199.....Baja Calif.
- Euotiodes** Csy. 07-518  
*brevicollis* Csy. 07-520.....Argentina  
*porcellus* Berg 83-71.....Argentina
- Omopheres** Csy. 07-519  
*bacchulus* Berg 83-70.....Argentina  
*costipennis* Berg 83-69.....Argentina  
*crassa* Fairm. 92-248.....Argentina  
*elegans* Steinh. 72-577.....Argentina  
*fartectus* Csy. 07-521.....Argentina  
*gigas* Steinh. 72-576.....Argentina  
*laevicollis* Berg 83-72.....Argentina  
*mariae* Steinh. 72-576.....Argentina  
*minuta* Steinh. 72-578.....Argentina  
*mollis* Steinh. 72-578.....Argentina  
*nana* Fairm. 92-249  
*striolata* Berg 83-72  
*nitidicollis* Fairm. 92-248.....Argentina  
*rufocastanea* Fairm. 92-247.....Argentina  
*scabripennis* Steinh. 72-576.....Argentina
- Pectinepitragus** Pic 27-44  
*pubescens* Pic 27-44.....Argentina
- Phegonus** Csy. 07-380  
*basalis* Champ. 84-21.....México  
*chalybeus* Champ. 84-20.....México  
*difficilis* Champ. 84-20.....México  
*impresus* Champ. 84-20.....Costa Rica  
*niper* Champ. 84-21.....Guatemala  
*rufipes* Champ. 84-19.....México  
Nicaragua  
*salvini* Champ. 84-19.....Guatemala  
Costa Rica  
*subaeneus* Csy. 07-428.....Panamá
- viridis* Champ. 84-19.....México  
Guatemala
- Schoenicus** LeC. 66-109  
*antillarum* Champ. 96-5.....St. Vincent  
Grenada  
*brunneus* Champ. 96-4.....St. Vincent  
*panamensis* Champ. 84-18.....Costa Rica  
Panamá  
<sup>4</sup> I. Taboga  
*pectoralis* Champ. 84-21.....México  
*yucatanensis* Champ. 84-22.....México
- Ortheolus** Csy. 07-380  
*oculatus* Champ. 84-18.....Panamá
- Tapinocomus** Geb. 28-102  
*subnudus* Geb. 28-103.....<sup>6</sup> Bonaire
- Stictoderia** Geb. 37-571  
*Stictoderes* Geb. 28-101  
(not Csy. 1907)  
*subseriata* Geb. 28-101.....<sup>6</sup> Curaçao  
*wernerii* Geb. 28-102.....<sup>6</sup> Bonaire
- Tydeolus** Champ. 84-37  
*atratus* Champ. 84-37.....México  
*singularis* Champ. 84-37.....México  
*tibialis* Champ. 84-37.....México

## EVANIOSOMINI

- Aryenis** Bates 68-309  
*haagi* Bates 72-134.....Perú  
*minor* Fairm. 92-251.....Argentina  
*unicolor* Blanch. 43-199.....Bolivia  
*rufescens* Bates 68-310.....Argentina
- Chorasmius** Bates 68-310  
*procerus* Er. 47-113.....Perú
- Evaniosomus** Guér. 34-14  
*castanescens* Fairm. 02-148.....Perú  
*crassicornis* Er. 47-113.....Perú  
*declivus* Er. 47-113.....Perú  
*orbignyianus* Guér. 34-14.....Perú  
*piceofuscus* Fairm. 78-lxxxvii.....Perú
- Evelina** Thoms. 60-22  
*lacordairei* Thoms. 60-22.....South America
- Achanius** Er. 47-118  
*anthicoides* Er. 47-118.....Perú
- Ambigatus** Fairm. 92-246  
*bembidioides* Fairm. 92-247.....Argentina  
*rufonitens* Fairm. 92-246.....Argentina  
*stricticollis* Fairm. 92-247.....Argentina

## EURYMETOPINI

- Arthroconus** Sol. 51-238  
*Gymnognathus* Sol. 51-137  
*elongatus* Sol. 51-238.....Chile  
*fuscus* Sol. 51-137.....Argentina  
*piceus* Sol. 51-239.....Chile
- Eurymetopon** Esch. 31-8  
*rufipes* Esch. 31-8.....México  
U. S. A.
- Metoponium** Csy. 07-288  
*Metoponiopsis* Csy. 07-290 (Subg.)  
*abnorme* LaC. 51-138.....[U. S. A.]  
*s. laticolle* Csy. 07-291.....Baja Calif.  
<sup>11</sup> I. Carmen  
U. S. A.  
*angelicum* Plais. 23-203.....Baja Calif.

<sup>1</sup> Baja California (México).<sup>2</sup> México.<sup>4</sup> Panamá.<sup>6</sup> Venezuela.

## Metoponium—Continued.

|                                   |  |                                   |   |
|-----------------------------------|--|-----------------------------------|---|
| bicolor Horn 70-268.....          | Baja Calif.<br>U. S. A.  | ambiguus Champ. 84-13.....        | Panamá  |
| candidum Csy. 07-292.....         | México   | guatemalensis Champ. 84-14.....   | Guatemala   |
| convexicollis LeC. 51-139.....    | Baja Calif.<br>U. S. A.  | insularis Blais. 23-218.....      | Baja Calif.<br><sup>1</sup> I. Carmen   |
| erosum Blais. 43-175.....         | Baja Calif.  | longulus LeC. 51-139.....         | Baja Calif.<br>México<br>U. S. A.   |
| pacificum Blais. 23-202.....      | Baja Calif.  | magnus Blais. 23-219.....         | México  |
| transversum Blais. 43-174.....    | Baja Calif.  | marginatus Csy. 90-351.....       | Baja Calif.   |
| <b>Telabis</b> Csy. 90-331        |  | mexicanus Champ. 92-481.....      | México  |
| brevicollis Champ. 84-7.....      | México   | oblongulus Csy. 07-337.....       | Baja Calif.<br><sup>1</sup> I. Angulo   |
| hirtipes Blais. 23-205.....       | Baja Calif.<br><sup>1</sup> Is. Sta. Inez  |                                   | <sup>1</sup> I. Ang. Guardia<br>U. S. A.  |
| latipennis Blais. 23-207.....     | Baja Calif.<br><sup>1</sup> I. Carmen  | parallelus Champ. 84-12.....      | México  |
| lunulata Blais. 23-206.....       | Baja Calif.<br><sup>1</sup> I. Ceralvo   | seriatus Champ. 92-482.....       | México  |
| punctulata LeC. 66-105.....       | Baja Calif.<br><sup>2</sup> I. Tassne  | subapterus Champ. 92-481.....     | México  |
| serrata LeC. 66-106.....          | Baja Calif.<br>U. S. A.  | tenebrosus Champ. 84-12.....      | México  |
| sodalis Horn 70-268.....          | Baja Calif.<br>U. S. A.  | <b>Emmenastrichus</b> Horn 94-413 |   |
|                                   |  | cribratus Horn 94-413.....        | Baja Calif.   |
| <b>Teloponium</b> Blais. 23-209   |  | erosus Horn 94-414.....           | Baja Calif.   |
| castaneum Blais. 23-209.....      | Baja Calif.  | <b>Ditaphronotus</b> Csy. 07-341  |   |
| pingue Blais. 43-179.....         | Baja Calif.  | championi Csy. 07-342.....        | Nicaragua   |
| <b>Cryptadius</b> LeC. 51-140     |  | confusus Champ. 84-15.....        | México  |
| angulatus Blais. 23-210.....      | <sup>1</sup> I. Carmen   |                                   | Guatemala   |
| inflatus LeC. 51-140.....         | <sup>1</sup> I. Natividad<br><sup>1</sup> I. San Roque<br><sup>1</sup> I. Angulo<br><sup>1</sup> I. Asunción<br>U. S. A. | foveicollis Champ. 84-14.....     | Guatemala<br>Nicaragua<br>Costa Rica  |
|                                   |  | laevicollis Champ. 84-15.....     | Panamá  |
| sinuatus Blais. 23-211.....       | Baja Calif.<br><sup>1</sup> I. Carmen  | <b>Posides</b> Champ. 84-6        |   |
| tarsalis Blais. 23-212.....       | Baja Calif.  | dissidens Champ. 84-6.....        | México  |
| <b>Emmenides</b> Csy. 07-239      |  | <b>Steriphanus</b> Csy. 07-342    |   |
| apicalis Blais. 23-215.....       | <sup>1</sup> I. Ceralvo  | alutaceus Csy. 07-348.....        | <sup>1</sup> I. Angulo<br><sup>1</sup> I. Ang. Guardia<br>México<br>U. S. A.          |
| catalinae Blais. 23-216.....      | <sup>1</sup> I. Catalina   |                                   |   |
| igualensis Champ. 92-484.....     | México   | curtus Champ. 84-16.....          | México  |
| obsoluta Blais. 23-216.....       | <sup>1</sup> I. Carmen   | durus Blais. 23-224.....          | Baja Calif.   |
| punctata LeC. 66-106.....         | Baja Calif.<br>U. S. A.  | estebani Blais. 23-225.....       | <sup>2</sup> I. San Esteban<br>México   |
| subdescalceata Blais. 23-213..... | <sup>1</sup> I. Ildefonso<br><sup>1</sup> I. San Diego<br><sup>1</sup> I. Esp. Santo                                     | glabratus Champ. 84-16.....       | México  |
| <b>Armalia</b> Csy. 07-330        |  | lentus Champ. 84-16.....          | México  |
| alata Champ. 84-13.....           | Guatemala  | mancus Champ. 84-15.....          | México  |
| salvini Champ. 84-13.....         | México   | mucronatus Blais. 23-223.....     | <sup>2</sup> I. Tiburón   |
| belti Champ. 84-11.....           | Guatemala  | picipes Champ. 84-17.....         | México  |
| intermedia Champ. 84-12.....      | Nicaragua  | placidus Csy. 07-347.....         | México  |
| rotundicollis Champ. 84-11.....   | México   | pulvinatus Champ. 84-17.....      | México  |
| brevipennis Champ. 84-10.....     | México   | rugicollis Champ. 84-17.....      | <sup>1</sup> I. Salsipuedes<br><sup>1</sup> I. Partida<br><sup>1</sup> I. San Lorenzo |
| canaliculata Champ. 84-10.....    | México   | subopacus Horn 70-269.....        | <sup>2</sup> I. Patos<br><sup>2</sup> I. S. P. Nolesco<br>U. S. A.                    |
| chiriquensis Champ. 84-9.....     | Panamá<br><sup>4</sup> I. Taboga<br>Colombia   | tardus Blais. 23-222.....         | <sup>2</sup> I. San Esteban   |
| longicornis Champ. 84-9.....      | Guatemala  | torpidus Blais. 23-221.....       | <sup>2</sup> I. San Esteban   |
| solitaria Champ. 84-11.....       | México   | <b>Steriphanides</b> Csy. 07-515  |   |
| variabilis Champ. 84-10.....      | México<br>Honduras   | stolida Champ. 92-483.....        | México  |
| <b>Micrarmalia</b> Csy. 07-516    |  | <b>Stictodera</b> Csy. 07-352     |   |
| constricta Champ. 92-482.....     | México   | pinguis LeC. 66-107.....          | Baja Calif.<br>U. S. A.   |
| <b>Hylocrinus</b> Csy. 07-331     |  | <b>Melanastus</b> Csy. 07-353     |   |
| Emmenastus Champ. 84-8            |  | obesus LeC. 51-139.....           | Baja Calif.<br>U. S. A.   |
| Loerodes Csy. 07-332 (Subg.)      |  | obscurus Blais. 23-226.....       | México  |
| Paravius Csy. 07-332 (Subg.)      |  | sonoricus Csy. 07-364.....        | México  |

<sup>1</sup> Baja California (México).<sup>2</sup> México.<sup>4</sup> Panamá.

|                                   |                |
|-----------------------------------|----------------|
| <b>Mesabates</b> Champ. 84-3      |                |
| <i>latitrons</i> Champ. 84-3      | .....México    |
| <i>spissicornis</i> Champ. 92-479 | .....México    |
| <b>Mesabatodes</b> Csy. 07-517    |                |
| <i>inaequalis</i> Champ. 92-480   | .....México    |
| <b>Hyllithus</b> Guér. 34-12      |                |
| <i>distinctus</i> Sol. 35-411     | .....Argentina |
| <i>humilis</i> Fr. 47-113         | .....Perú      |
| <i>tentyrioides</i> Lac. 30-287   | .....Argentina |
| <i>brevicornis</i> Sol. 51-136    | .....Chile     |

## THINOBATINI

|                                     |                |
|-------------------------------------|----------------|
| <b>Thinobatis</b> Esch. 31-8        |                |
| <i>Trinobatis</i> Lap. 40-195       |                |
| <i>ferruginea</i> Esch. 31-9        | .....Chile     |
| <i>intermedia</i> Phil. 64-327      | .....Chile     |
| <i>minuta</i> Sol. 51-126           | .....Chile     |
| <i>rotundicollis</i> Waterh. 45-320 | .....Patagonia |
| <i>rufinasus</i> Kirsch 86-331      | .....Ecuador   |
| <i>rufipes</i> Lap. 40-196          | .....Chile     |

## TRIMYTINI

|                                     |                               |
|-------------------------------------|-------------------------------|
| <b>Stomion</b> Waterh. 45-27        |                               |
| <i>bauri</i> Linell 98-263          | .....Is. Galápagos            |
| <i>galapagoense</i> Waterh. 45-29   | .....Is. Galápagos            |
| <i>carinipenne</i> Linell 98-262    |                               |
| <i>piceum</i> Linell 98-262         |                               |
| <i>helopioides</i> Waterh. 45-30    | .....Is. Galápagos            |
| <i>laevigatum</i> Waterh. 45-30     | .....Is. Galápagos            |
| <i>linelli</i> Blair 33-478         | .....Is. Galápagos            |
| <b>Trimytis</b> LeC. 51-141         |                               |
| <i>Pimalius</i> Csy. 07-367 (Subg.) |                               |
| <i>ceralboensis</i> Blais. 43-196   | ..... <sup>1</sup> I. Ceralvo |
| <i>obovata</i> Champ. 92-478        | .....México                   |
| <i>obtusata</i> Horn 94-412         | .....Baja Calif.              |
|                                     | <sup>1</sup> I. Ceralvo       |
|                                     | <sup>1</sup> I. Carmen        |
|                                     | <sup>1</sup> I. Esp. Santo    |
| <i>subsenilis</i> Blais. 23-227     | .....México                   |
| <b>Tlascalinus</b> Csy. 07-370      |                               |
| <i>flohri</i> Champ. 92-478         | .....México                   |
| <b>Prometopion</b> Csy. 07-370      |                               |
| <i>amplipenne</i> Csy. 07-372       | .....Baja Calif.              |
|                                     | U. S. A.                      |
| <b>Chilometopon</b> Horn 74-31      |                               |
| <i>castaneum</i> Csy. 07-373        | .....Baja Calif.              |
|                                     | U. S. A.                      |
| <i>cribricollis</i> Blais. 23-230   | .....Baja Calif.              |
| <i>rugiceps</i> Blais. 23-229       | .....Baja Calif.              |
| <b>Derosalax</b> Geb. 26-85         |                               |
| <i>bruchi</i> Geb. 26-86            | .....Argentina                |
| <b>Orthonychius</b> Geb. 26-83      |                               |
| <i>digitatus</i> Geb. 26-84         | .....Argentina                |
| <b>Salax</b> Guér. 34-11            |                               |
| <i>salax</i> Lac. 30-288            | .....Argentina                |
| <i>lacordairei</i> Guér. 34-11      |                               |
| <b>Trilobocara</b> Sol. 51-129      |                               |
| <i>Edrotinus</i> Fairm. 03-461      |                               |
| <i>Trilobocara</i> Lac. 59-72       |                               |
| <i>ciliata</i> Sol. 51-130          | .....Chile                    |
| <i>erotyloides</i> Lac. 30-288      | .....Argentina                |
| <i>tucumana</i> Fairm. 03-461       |                               |
| <b>Eremoeocus</b> Lac. 59-69        |                               |
| <i>Hyperops</i> Sol. 51-127         |                               |
| <i>cordicollis</i> Kirsch 73-402    | .....Perú                     |
| <i>eschscholtzi</i> Sol. 51-128     | .....Chile                    |

|                                   |                |
|-----------------------------------|----------------|
| <b>Megalophrys</b> Waterh. 45-321 |                |
| <i>Pellobolus</i> Lac. 59-71      |                |
| <i>desertorum</i> Berg 89-143     | .....Argentina |
| <i>patagonica</i> Waterh. 45-322  | .....Argentina |
| <i>waterhousei</i> Bates 73-47    | .....Chile     |
| <b>Soemias</b> Champ. 84-4        |                |
| <i>minuta</i> Champ. 84-5         | .....México    |
| <b>Mencheres</b> Champ. 84-5      |                |
| <i>elongata</i> Champ. 84-6       | .....Guatemala |
| <i>nicaraguensis</i> Champ. 84-5  | .....Nicaragua |

## TRIENTOMINI

|                                      |                  |
|--------------------------------------|------------------|
| <b>Trientoma</b> Sol. 35-256         |                  |
| <i>convexipennis</i> Allard 83-14    | .....?           |
| <i>guadeloupensis</i> F. & S. 89-421 | .....Guadeloupe  |
| <i>laevis</i> Allard 83-14           | .....?Hispaniola |
| <i>martinicensis</i> Allard 83-14    | .....Martinique  |
| <i>rugifrons</i> Champ. 84-2         | .....?México     |
|                                      | ?Hispaniola      |
| <i>ryticephala</i> Allard 83-14      | .....?Hispaniola |
| <i>sallei</i> Kr. 65-74              | .....?México     |
| <i>mexicana</i> Champ. 84-2          | ?Hispaniola      |
| <i>varvasi</i> Sol. 35-257           | .....Cuba        |
|                                      | Puerto Rico      |
| <i>wickhami</i> Csy. 07-377          | .....Bahamas Is. |
|                                      | ?U. S. A.        |

## PHRYNOCARENINI

|                                  |                |
|----------------------------------|----------------|
| <b>Phrynocarenum</b> Geb. 28-106 |                |
| <i>bruchianum</i> Geb. 28-107    | .....Argentina |

## TRIOROPHINI

|                                     |                                  |
|-------------------------------------|----------------------------------|
| <b>Triorophus</b> LeC. 51-141       |                                  |
| <i>laevis</i> LeC. 51-141           | .....Baja Calif.                 |
|                                     | <sup>2</sup> I. San Jorge        |
|                                     | <sup>2</sup> I. Patos            |
|                                     | México                           |
|                                     | U. S. A.                         |
| <i>lecontei</i> Csy. 90-327         | .....México                      |
|                                     | U. S. A.                         |
| <i>nodiceps</i> LeC. 53-447         | .....México                      |
|                                     | U. S. A.                         |
| <b>Micromes</b> Csy. 07-432         |                                  |
| <i>ovipennis</i> Horn 74-28         | ..... <sup>1</sup> I. San Martín |
|                                     | <sup>1</sup> I. San Geronimo     |
|                                     | Baja Calif.                      |
|                                     | U. S. A.                         |
| <b>Triphalus</b> LeC. 66-104        |                                  |
| <i>cribricollis</i> Horn 95-251     | .....Baja Calif.                 |
| <i>impressifrons</i> Blais. 43-202  | .....Baja Calif.                 |
| <i>perforatus</i> LeC. 66-104       | .....Baja Calif.                 |
| <i>subcylindricus</i> Blais. 23-234 | ..... <sup>1</sup> I. San Diego  |
|                                     | <sup>1</sup> I. Ceralvo          |
| <b>Triphalopsis</b> Blais. 23-232   |                                  |
| <i>impressicollis</i> Blais. 43-203 | .....Baja Calif.                 |
| <i>minor</i> Blais. 23-233          | .....Baja Calif.                 |
|                                     | <sup>1</sup> I. Æng. Guarda      |
|                                     | <sup>1</sup> I. Estanque         |
|                                     | <sup>1</sup> Is. Sta. Tnez       |
| <i>partida</i> Blais. 23-232        | ..... <sup>1</sup> I. Mejía      |
|                                     | <sup>1</sup> I. Partida          |
| <i>partita</i> (Zool. Rec., 1923)   | <sup>1</sup> I. San Lorenzo      |
|                                     | <sup>2</sup> I. Patos            |
|                                     | <sup>2</sup> I. Tiburón          |

<sup>1</sup> Baja California (México).<sup>2</sup> México.

## Stibia Horn 70-260

- Eutriorophus* Csy. 24-296
- blairi* Blais. 36-88..... Baja Calif.  
?U. S. A.
- cribrata* Blais. 23-239..... Baja Calif.
- opaca* Blais. 25-329.....<sup>1</sup> I. Ildefonso
- fallaciosa* Blais. 36-72.....<sup>1</sup> I. San Benito
- puncticollis* Blais. 23-237..... Baja Calif.  
(not Horn, 1870).....<sup>1</sup> I. Monserrat  
<sup>1</sup> I. Ceralvo  
México
- v. interstitialis* Blais. 36-73..... Baja Calif.  
<sup>1</sup> I. Ceralvo
- ferruginea* Blais. 43-208..... Baja Calif.
- granulata* Blais. 23-238.....<sup>1</sup> I. Catalina
- puncticollis* Horn 70-260.....<sup>1</sup> Is. Coronados  
<sup>1</sup> I. Angulo  
<sup>1</sup> I. Asunción  
<sup>1</sup> I. Natividad  
<sup>1</sup> I. San Geronimo  
Baja Calif.  
U. S. A.
- s. martinensis* Blais. 36-84.....<sup>1</sup> I. San Martín  
Baja Calif.
- sparsa* Blais. 23-237..... Baja Calif.  
<sup>1</sup> Is. Sta. Inez  
<sup>1</sup> I. Partida  
<sup>1</sup> I. Salsipuedes  
<sup>1</sup> I. San Lorenzo  
<sup>1</sup> I. Tortuga
- tortugensis* Blais. 36-100.....<sup>1</sup> I. Partida  
<sup>1</sup> I. Tortuga
- williamsi* Blais. 25-328.....<sup>1</sup> I. San Benito
- Pescennius** Champ. 84-3
- villosus* Champ. 84-4..... México
- Orthostibia** Blais. 23-235
- fraterna* Blais. 43-211..... Baja Calif.
- frontalis* Blais. 23-236.....<sup>1</sup> I. Ballena  
<sup>1</sup> I. Esp. Santo
- muricata* Blais. 43-210..... Baja Calif.
- Melaphorus** Guér. 34-13
- Stenholma* Sol. 35-412
- reichei* Guér. 34-13..... Perú
- tenyrioides* Sol. 35-413

## EDROTINI

- Edrotes** LeC. 51-140
- asperata* Blais. 23-241..... Baja Calif.
- desertus* Blais. 43-212..... Baja Calif.
- mexicana* Blais. 23-241.....<sup>1</sup> I. San Marcos  
México
- ventricosa* LeC. 51-141..... Baja Calif.  
U. S. A.
- Pimeliopsis** Champ. 92-477
- granulata* Champ. 92-477..... México

## CRANIOTINI

- Craniotus** LeC. 51-142
- pubescens* LeC. 51-142.....<sup>1</sup> I. Partida  
U. S. A.

ASIDINAE  
ZOPHERINI

- Megazopherus** Csy. 07-461
- chiliensis* Gray 32-796..... México
- bremei* Guér. 44-18..... Guatemala
- chilensis* Champ. 92-488..... Nicaragua
- insignis* Blanch. 44-pl. 7a..... Colombia
- moreleti* Lucas 52-xxiii..... Venezuela
- Zopherus** Lap. 40-205
- angulicollis* Champ. 84-42..... México
- compactus* Champ. 84-43..... México
- costaricensis* Champ. 84-40..... Costa Rica
- elegans* Horn 70-271..... México
- haldemani* Horn 70-271..... [U. S. A.]
- v. verrucosus* Champ. 84-43..... México
- jansoni* Champ. 84-39..... Nicaragua  
Costa Rica
- jourdani* Sallé 49-301..... México
- mexicanus* Sol. 41-44
- marmoratus* Csy. 07-36..... México
- mexicanus* Gray 32-796..... México
- maculatus* Champ. 84-41..... Br. Honduras  
Guatemala  
Nicaragua
- nervosus* Sol. 41-42..... México
- pectoralis* LeC. 51-130
- v. reticulatus* Champ. 84-43..... México
- nodulosus* Sol. 41-43..... México
- variolosus* Sturm 43-349
- v. sallaei* Champ. 84-42..... México
- tuberculatus* Champ. 84-41..... México
- Zopherinus** Csy. 07-36
- laevicollis* Sol. 41-46..... México
- limbatus* Csy. 07-37..... México
- venosus* Champ. 84-40..... México
- Zopherodes** Csy. 07-36
- granicolis* Horn 85-160..... Baja Calif.  
U. S. A.
- tristis* LeC. 51-130..... Baja Calif.  
U. S. A.
- Sesaspis** Csy. 07-469
- denticulata* Sol. 41-33..... México
- Nosoderma** Sol. 41-31
- anceps* Champ. 84-50..... México
- asperata* Champ. 84-45..... México
- brevicollis* Csy. 07-478..... México
- carinata* Champ. 84-48..... México
- championi* Csy. 07-476..... México
- exculpta* Champ. 84-49..... México
- imprensa* Champ. 84-50..... México
- inaequalis* Say 35-182..... México
- morbillosa* Sol. 41-37
- vicina* Sol. 41-38
- insignis* Champ. 84-48..... México
- interrupta* Champ. 84-47..... México
- longipennis* Csy. 07-477..... México
- prominens* Csy. 07-478..... México
- scabrosa* Sol. 41-36..... México
- senex* Csy. 07-479..... México
- subglabra* Csy. 07-478..... México

<sup>1</sup> Baja California (México).



- Meralius** Csy. 07-470  
*echinatus* Guér. 38-280.....Cuba  
*duponcheli* Sol. 41-34.....  
*furcatus* Kirsch 66-189.....Venezuela  
**Noserinus** Csy. 07-470  
*dormeanus* Fairm. 89-xxxii.....Brasil  
*annulatus* Csy. 07-471.....  
**Noserodes** Csy. 07-470  
*guatemalensis* Champ. 84-47.....Br. Honduras  
Guatemala  
*lutosa* Champ. 84-46.....México  
*sparsa* Champ. 84-50.....Guatemala  
*squalida* Csy. 07-481.....Costa Rica  
*venusta* Champ. 84-45.....Guatemala  
*zunilensis* Champ. 84-46.....Guatemala  
**Verodes** Csy. 07-470  
*aequalis* Champ. 84-44.....México  
**Exeniotis** Pasc. 71-353  
*collaris* Pasc. 71-354.....Brasil

## ARAEOSCHIZINI

- Araeoschizus** LeC. 51-138  
*antennatus* Blais. 43-215.....Baja Calif.  
*decipiens* Horn 90-342.....México  
*costipennis* Champ. 84-51.....U. S. A.  
(not LeC., 1851)  
*limbatus* Blais. 43-214.....Baja Calif.  
*mexicanus* Champ. 92-491.....México  
*simplex* Csy. 90-369.....México  
U. S. A.

## STENOSINI

- Enomoderes** Geb. 28-109  
*barbata* Geb. 28-111.....Argentina  
*bruchii* Geb. 28-112.....Argentina  
**Discopleurus** Lac. 59-105  
*Pleurophorus* Sol. 51-162  
(not Muls., 1842)  
*acuminatus* Rtrr. 86-99.....Chile  
*quadrifidus* Sol. 51-163.....Chile  
**Grammies** Waterh. 45-323  
*chilensis* Waterh. 45-324.....Chile  
*rouleti* Sol. 51-162.....  
**Hexagonochilus** Sol. 51-168  
*dilatifidus* Sol. 51-169.....Chile  
*tuberculatus* Germain 55-399.....Chile  
**Rhyasma** Pasc. 62-325  
*Derosimus* Fairm. 04-62  
*nana* Pasc. 71-353.....Brasil  
*pusilla* Pasc. 62-326.....Brasil  
*quadrifidus* Fairm. 04-62.....Argentina  
*querula* Pasc. 71-352.....Brasil

## DACODERINI

- Dacoderus** LeC. 58-74  
*acanthomma* Blair 18-153.....Colombia  
*dominicensis* Horn 74-219.....Cuba  
Hispaniola  
*striaticeps* LeC. 58-75.....Baja Calif.  
<sup>1</sup> I. Áng. Guarda

## BATULIINAE

- Batuliodes** Csy. 07-499  
*rotundicollis* LeC. 51-148.....Baja Calif.  
U. S. A.

## ANEPSIINI

- Anepsius** LeC. 51-147  
*angulatus* Blais. 23-244.....Baja Calif.  
*confluens* Blais. 23-243.....<sup>1</sup> I. Mejia  
<sup>1</sup> I. Áng. Guarda  
<sup>1</sup> I. Partida  
<sup>1</sup> I. Ras a  
*delicatus* LeC. 51-148.....Baja Calif.  
U. S. A.

## NYCTOPORINI

- Ammophorus** Guér. 30-94  
*Selenomma* Sol. 51-169  
*bifoveatus* Waterh. 45-31.....Is. Galápagos  
*cooksoni* Waterh. 77-80.....Is. Galápagos  
*caroli* Linell 98-264.....  
*costatus* Guér. 34-26.....Perú  
*denticollis* Boh. 58-89.....?Panamá  
*galapagoensis* Waterh. 45-30.....Is. Galápagos  
*obscurus* Waterh. 45-32.....?Baja Calif.  
Is. Galápagos  
*peruvianus* Guér. 30-94.....Perú  
Chile  
*rubripes* Sol. 38-42.....Perú  
Chile  
*spinolae* Sol. 38-44.....Perú

## CRYPTOGLOSSINI

- Centrioptera** Mannh. 43-279  
*Aibolus* LeC. 54-64  
*Oochila* LeC. 66-220  
*angularis* Horn 94-414.....Baja Calif.-  
*asperata* Horn 70-279.....Baja Calif.  
<sup>1</sup> I. Carmen  
<sup>1</sup> I. San Diego  
<sup>1</sup> I. Esp. Santo  
<sup>1</sup> I. Ceralvo  
*v. discreta* Blais. 23-249.....<sup>1</sup> I. Coronados  
<sup>1</sup> I. Carmen  
<sup>1</sup> I. San Diego  
<sup>1</sup> I. San José  
<sup>1</sup> I. San Francisco  
<sup>1</sup> I. Esp. Santo  
*v. planata* Blais. 23-250.....<sup>1</sup> I. Ildefonso  
*v. subornata* Blais. 23-249.....Baja Calif.  
<sup>1</sup> Is. Las Galeras  
<sup>1</sup> I. Monserrate  
<sup>1</sup> I. Catalina  
<sup>1</sup> I. Ceralvo  
*caraboides* Mannh. 43-280.....México  
U. S. A.  
*chamberlini* Blais. 23-246.....<sup>1</sup> I. Saltipuedes  
<sup>1</sup> I. San Lorenzo  
*dulzurae* Blais. 21-199.....Baja Calif.  
U. S. A.  
*infausta* LeC. 54-84.....México.  
*spiculosa* Champ. 92-508.....U. S. A.  
*michelbacheri* Blais. 43-222.....Baja Calif.  
*muricata* LeC. 51-142.....Baja Calif.  
U. S. A.  
*pectoralis* Blais. 21-198.....<sup>1</sup> I. San Benito  
I. Cedros  
Baja Calif.  
<sup>1</sup> I. Carmen

<sup>1</sup> Baja California (México).

## Centrioptera—Continued.

|                                   |                                |  |
|-----------------------------------|--------------------------------|--|
| sculptiventris Blais. 23-247..... | <sup>1</sup> I. Partida        |  |
|                                   | <sup>1</sup> I. Tiburón        |  |
|                                   | México                         |  |
|                                   | U. S. A.                       |  |
| seriata LeC. 61-337.....          | Baja Calif.                    |  |
|                                   | <sup>1</sup> I. Ceralvo        |  |
|                                   | U. S. A.                       |  |
| speculifera LeC. 61-337.....      | <sup>1</sup> I. Sta. Margarita |  |
|                                   | Baja Calif.                    |  |
|                                   | <sup>1</sup> I. Monserrate     |  |
|                                   | <sup>1</sup> I. Esp. Santo     |  |
| variolosa Horn 70-280.....        | Baja Calif.                    |  |
|                                   | <sup>2</sup> I. Patos          |  |
|                                   | <sup>2</sup> I. Tiburón        |  |
|                                   | México                         |  |
|                                   | U. S. A.                       |  |
| Cryptoglossa Sol. 36-680          |                                |  |
| angularis Horn 94-414.....        | Baja Calif.                    |  |
| bicostata Sol. 36-681.....        | México                         |  |
| granulifera Champ. 92-508.....    | <sup>1</sup> I. Mejía          |  |
|                                   | <sup>1</sup> I. Partida        |  |
|                                   | México                         |  |
| mexicana Champ. 84-73.....        | México                         |  |
| verrucosa LeC. 51-129.....        | Baja Calif.                    |  |
|                                   | U. S. A.                       |  |

## ELENOPHORINI

## Megelenophorus Geb. 10-121

*Cacicus* Sol. 36-639

(not Lacep., 1799)

|                                 |           |
|---------------------------------|-----------|
| americanus Lac. 30-276.....     | Argentina |
| v. ovipennis Fairm. 03-461..... | Perú      |

## ASIDINI

|  |                           |
|--|---------------------------|
| Astrotus LeC. 58-19                      |                           |
| debilis Champ. 84-66.....                | México                    |
| erosus Champ. 92-504.....                | México                    |
| fasciculatus Champ. 92-495.....          | México                    |
| guanajuatensis Champ. 84-56.....         | México                    |
| limosus Champ. 84-66.....                | México                    |
| nosodermoides Champ. 92-505.....         | México                    |
| regularis Horn 70-290.....               | México                    |
|  | U. S. A.                  |
| seticornis Champ. 84-67.....             | México                    |
| v. humeralis Champ. 84-67.....           | México                    |
| undatus Champ. 92-504.....               | México                    |
| Stenosides Sol. 36-484                   |                           |
| <i>Ologlyptus</i> Lac. 59-158            |                           |
| <i>Pactostoma</i> LeC. 58-19             |                           |
| anastomosis Say 23-256.....              | México                    |
|  | U. S. A.                  |
| bicarinatus Champ. 84-69.....            | México                    |
| breviuscula Csy. 12-87.....              | México                    |
| canus Champ. 84-68.....                  | México                    |
| graciliformis Sol. 36-486.....           | México                    |
| hebes Champ. 92-506.....                 | México                    |
| limosus Champ. 84-66.....                | México                    |
| sinuaticollis Champ. 84-69.....          | México                    |
| Sicharbas Champ. 84-67                   |                           |
| lobata Champ. 84-67.....                 | México                    |
| Ucalegon Champ. 84-65                    |                           |
| pulchellum Champ. 84-65.....             | México                    |
| Pyenonotida Csy. 12-89                   |                           |
| inaequalis LeC. 51-129.....              | Baja Calif.               |
|  | U. S. A.                  |
| Microschatia Sol. 36-474                 |                           |
| <i>Acroschattia</i> Wilke 22-269 (Subg.) |                           |
| championi Horn 93-140.....               | Baja Calif.               |
| <i>punctata</i> Horn 70-282              |                           |
|  | México                    |
|  | U. S. A.                  |
| punctata Sol. 36-475.....                | México                    |
| robusta Horn 93-142.....                 | México                    |
| Glyptasida Csy. 12-95                    |                           |
| interrupta Champ. 84-53.....             | México                    |
| rugosissima Champ. 84-53.....            | México                    |
| Pelecyporus Sol. 36-467                  |                           |
| <i>Philolithus</i> Lac. 59-157           |                           |
| aegrotus LeC. 61-337.....                | Baja Calif.               |
|  | U. S. A.                  |
| s. limbatus Csy. 12-107.....             | Baja Calif.               |
| lugubris Wilke 22-269.....               | México                    |
| mexicanus Sol. 36-469.....               | México                    |
| morbillosus LeC. 58-74.....              | Baja Calif.               |
|  | México                    |
|  | U. S. A.                  |
| quadripennis Csy. 12-113.....            | Baja Calif.               |
| Herthasida Wilke 21-269                  |                           |
| ingens Champ. 92-503.....                | México                    |
| Tisamenes Champ. 84-64                   |                           |
| truquii Champ. 84-64.....                | México                    |
| Bothrasida Csy. 12-122                   |                           |
| baroni Csy. 12-124.....                  | México                    |
| clathrata Champ. 84-54.....              | México                    |
| funesta Champ. 84-53.....                | México                    |
| mucorea Wilke 22-270.....                | México                    |
| sanctae-agnae Wilke 22-270.....          | ?Baja Calif.              |
| Notiasida Csy. 12-124                    |                           |
| abscrusa Csy. 12-125.....                | México                    |
| evertissima Csy. 12-125.....             | México                    |
| geminata Champ. 92-494.....              | México                    |
| intricata Champ. 92-493.....             | México                    |
| lata Champ. 84-60.....                   | México                    |
| suturalis Champ. 84-55.....              | México                    |
| Parasida Csy. 12-126                     |                           |
| asidooides Sol. 36-471.....              | México                    |
|  | ?Chile                    |
| bibasalis Csy. 12-128.....               | México                    |
| dissimilis Champ. 84-59.....             | México                    |
| <i>dispar</i> Champ. 92-496              |                           |
| elata LeC. 53-445.....                   | México                    |
| <i>difformis</i> LeC. 54-223             |                           |
|  | U. S. A.                  |
| esperanzae Wilke 22-271.....             | México                    |
| fallax Champ. 84-57.....                 | México                    |
| v. favosa Champ. 84-58.....              | México                    |
| foveolata Sol. 36-472.....               | México                    |
| induta Champ. 84-56.....                 | México                    |
| laticollis Champ. 84-58.....             | México                    |
| longipennis Champ. 84-56.....            | México                    |
| mixtecae Wilke 22-271.....               | México                    |
| obliviosa Wilke 22-270.....              | México                    |
| planatula Csy. 12-129.....               | México                    |
| purpuri Wilke 22-271.....                | México                    |
| scutellaris Champ. 84-57.....            | México                    |
| sexcostata LeC. 61-337.....              | <sup>1</sup> I. Magdalena |
|  | Baja Calif.               |
| similata Champ. 84-58.....               | México                    |
| spinimana Champ. 92-494.....             | México                    |
| tenebrosa Champ. 92-495.....             | México                    |
| tolucana Csy. 12-130.....                | México                    |
| tristis Champ. 84-55.....                | México                    |
| zacualpanicola Wilke 22-272.....         | México                    |

<sup>1</sup> Baja California (México).<sup>2</sup> México.

- Stenomorpha** Sol. 36-487  
*Euschides* LeC. 51-127  
 blanda Champ. 84-63.....México  
 blapsoides Sol. 36-491.....México  
   *s. alutacea* Wilke 22-272.....México  
 clarissae Wilke 22-273.....México  
 convexa LeC. 59-14.....Baja Calif.  
   México  
   U. S. A.  
 convexicollis LeC. 54-224.....México  
   U. S. A.  
 costata Sol. 36-490.....México  
 marginata LeC. 51-128.....México  
   U. S. A.  
 montezuma Wilke 22-272.....México  
 musiva Wilke 22-273.....México  
 obovata LeC. 51-127.....México  
   U. S. A.  
 orizabae Wilke 22-273.....México  
 sphaericollis Champ. 84-64.....México  
 tumidicollis Blais. 43-226.....Baja Calif.  
 uhdei Wilke 22-273.....México  
 umbrosa Champ. 84-62.....México
- Heterasida** Csy. 12-165  
 bifurca LeC. 61-337.....Baja Calif.  
   *conniens* LeC. 66-110.....<sup>1</sup> I. Ceralvo  
   *tantilla* Csy. 12-167.....U. S. A.  
 exilis Csy. 12-168.....Baja Calif.  
 subvittata Horn 94-416.....Baja Calif.
- Asidina** Csy. 12-169  
 confluens LeC. 51-128.....Baja Calif.  
   U. S. A.  
 furcata Champ. 92-499.....México  
 neglecta Geb. 10-134.....<sup>1</sup> I. Partida  
   *parallela* LeC. 51-123.....U. S. A.  
   (not Sol., 1836)  
   *v. terriicola* Blais. 23-254.....México
- Trichiasida** Csy. 12-173  
 difficilis Champ. 84-61.....México  
 eremica Wilke 22-274.....México  
 gabbi Horn 80-152.....Baja Calif.  
   *gibbicollis* Horn 70-288.....U. S. A.  
 horrida Champ. 92-500.....México  
   U. S. A.  
 palmeri Champ. 84-59.....México  
 pubescens Champ. 84-61.....México  
 subpilosa Sol. 36-490.....México  
 thoracica Champ. 84-62.....México  
 unicastata Champ. 92-501.....México  
 villosa Champ. 94-60.....México
- Platasida** Csy. 12-182  
 embaphionides Horn 94-419.....Baja Calif.  
 flaccida Horn 96-379.....Baja Calif.  
   U. S. A.  
 planata Champ. 84-69.....México
- Litasida** Csy. 12-184  
 townsendi Csy. 12-185.....México
- Asidopsis** Csy. 12-185  
 divaricata Blais. 23-255.....Baja Calif.  
 durangoensis Csy. 12-201.....México  
 forreri Champ. 84-55.....México  
 mancipata Horn 78-56.....México  
   U. S. A.  
 marginicollis Champ. 84-60.....México  
   *collaris* Champ. 92-499  
 planata Horn 94-415.....Baja Calif.
- Megasida** Csy. 12-202  
 foeda Champ. 92-498.....México  
 latissima Champ. 92-500.....México  
 moricoides Champ. 92-497.....México  
 obliterata Champ. 92-497.....México  
   U. S. A.  
 rufoipes Champ. 84-62.....México  
 segregata Champ. 92-497.....México  
 tarda Champ. 92-498.....México
- Stethasida** Csy. 12-203  
 catalinae Blais. 23-256.....<sup>1</sup> I. Catalina  
 flohri Champ. 92-496.....México  
 granicollis Blais. 23-256.....México
- Zaleucus** Champ. 92-491  
*Zamolxis* Champ. 84-70  
 dilatatus Champ. 84-70.....México
- Poliorectes** Champ. 84-70  
 platesthoides Champ. 84-71.....México
- Scotinix** Kby. 18-415  
 biplicatus Fairm. 89-xxxii.....Brasil  
 crenicollis Kby. 18-415.....Brasil  
 crucifer Esch. 31-14.....?  
 gebieni Wilke 22-275.....Brasil  
 ohausi Wilke 22-276.....Brasil  
 parvicollis Fairm. 89-xxxiii.....Brasil  
 pictus Perty 30-56.....Brasil  
 quadricollis Esch. 31-14.....Brasil  
   *grammicus* Perty 30-57  
 reticulatus Wilke 22-276.....Brasil  
 teres Wilke 22-275.....Brasil  
 tuberculatus Esch. 31-14.....Brasil  
   *brasiliensis* Sol. 36-500
- Cardigenius** Sol. 36-492  
*Cardiogenius* Burm. 75-468  
*Ellidonium* Wilke 21-277 (Subg.)  
 cicatricosus Sol. 36-494.....?Uruguay  
   Chile  
 crinifer Fairm. 73-532.....Uruguay  
   *hirsutus* Burm. 75-469  
 densegranatus Fairm. 92-245.....Argentina  
 granulatus Fairm. 73-532.....Uruguay  
   *cicatricosus* Burm. 75-469.....Argentina  
   *variolosus* Burm. 77-68  
 laticollis Sol. 36-496.....Argentina  
 porculus Berg 89-133.....Argentina  
 subcostatus Burm. 75-469.....Uruguay

## NYCTELIINI

- Gyrosomus** Guér. 34-6  
 angustus Phil. 64-347.....Chile  
 atacamensis Fairm. 76-146.....Chile  
 batesi Fairm. 76-148.....Chile  
   *whitei* Sol. 51-224  
 bridgesi Waterh. 43-258.....Chile  
   *carinatus* Sol. 48-365  
 coriaceus Fairm. 86-clxx.....Chile  
 elongatus Waterh. 43-260.....Chile  
 foveopunctatus Fairm. 76-153.....Chile  
 granocostatus Fairm. 86-clxx.....Chile  
 hopei Gray 32-50.....Chile  
   *semipunctatus* Sol. 48-364  
 impressus Guér. 34-6.....Perú  
   *curtisi* Fairm. 76-153.....Chile  
   *fossulatus* Sol. 48-359

<sup>1</sup> Baja California (México).

- Gyrosomus**—Continued.
- kingi Reed 73-207.....Chile  
*affinis* Reed 73-208.....Chile  
 laevigatus Guér. 34-6.....Chile  
 lineatus Guér. 34-7.....Perú  
 luczoti Lap. 40-189.....Chile  
*crispaticollis* Fairm. 86-clxx.....Chile  
*curvilineatus* Guér. 31-103.....Chile  
 marmoratus Waterh. 43-259.....Chile  
 parvus Sol. 51-222.....Chile  
*incertus* Sol. 51-218.....Chile  
 paulseni Fairm. 86-clxx.....Chile  
 planatus Sol. 51-219.....Chile  
 subrugatus Fairm. 76-147.....Chile  
 waterhousei Fairm. 76-151.....Chile  
 whitei Waterh. 44-50.....Chile
- Nyctelia** Latr. 25-75
- Nyctelioma* Csy. 08-163
- alutacea Fairm. 76-158.....Argentina  
 angustata Waterh. 41-116.....Patagonia  
*quadricollis* Fairm. 05-296.....Argentina  
 bifoveata Fairm. 05-294.....Argentina  
 blapoides Fairm. 05-293.....Argentina  
 bremeri Waterh. 44-48.....Argentina  
 brunneipes Latr. 04-575.....Argentina  
*aequicostata* Sol. 51-140.....Chile  
*nigripes* Sol. 36-310.....Chile  
*nodosa* Sol. 36-310.....Chile  
*varipes* Fairm. 76-169.....Chile  
 caudata Curt. 45-462.....Patagonia  
 cicatricula Berg 89-130.....Argentina  
 circumdata Lesne 06-15.....Patagonia  
 corrugata Curt. 45-465.....Argentina  
*longeplicata* Fairm. 00-111.....T. del Fuego  
 crassecostata Fairm. 05-295.....Argentina  
 darwini Waterh. 41-108.....Argentina  
 discoidalis Fairm. 05-292.....Argentina  
 dorsata Fairm. 05-295.....Argentina  
 exasperata Fairm. 05-292.....Argentina  
 explanata Csy. 08-163.....Argentina  
 fitzroyi Waterh. 41-109.....Argentina  
 garciae Berg 89-132.....Argentina  
 geometrica Fairm. 05-292.....Argentina  
 grandis Fairm. 04-62.....Argentina  
 granulata Waterh. 41-109.....Argentina  
 granulosa Gemm. 70-122.....Patagonia  
*granulata* Curt. 45-464.....Argentina  
 guerini Waterh. 41-114.....Argentina  
*timarchoides* Fairm. 05-291.....Argentina  
 laevis Waterh. 41-105.....Patagonia  
 v. *rufipes* Waterh. 41-106.....Patagonia  
 laticauda Burm. 77-69.....Argentina  
*rotundipennis* Fairm. 04-63.....Argentina  
 multicristata Blanch. 51-141.....Chile  
 T. del Fuego  
 newporti Waterh. 41-113.....Argentina  
 nodosa Germ. 24-133.....Argentina  
 obliqua Fairm. 76-160.....Argentina  
 parcpunctata Fairm. 76-166.....Argentina  
 pinguis Fairm. 05-293.....Argentina  
 planicauda Fairm. 05-294.....Argentina  
 plicata Waterh. 41-107.....Argentina  
 plicatipennis Lac. 30-279.....Argentina  
*transversosulcata* Waterh. 41-106.....Argentina  
 porcata Burm. 77-69.....Argentina  
 producta Fairm. 05-295.....Argentina
- puncticollis Waterh. 41-110.....Argentina  
*latissima* Blanch. 43-196.....Argentina  
 quadricarinata Fairm. 05-293.....Argentina  
 quadriplicata Fairm. 04-93.....Argentina  
 rectestriata Fairm. 76-162.....Argentina  
 rugosa Waterh. 41-111.....Argentina  
*plicata* Blanch. 43-196.....Argentina  
*plicipennis* Gemm. 70-123.....Argentina  
*rustica* Waterh. 44-43.....Argentina  
 sallaei Fairm. 76-163.....Argentina  
 saundersi Waterh. 41-111.....Argentina  
 solieri Waterh. 41-108.....Argentina  
 stephensi Waterhouse 41-113.....Argentina  
 subulcata Waterh. 41-110.....Argentina  
 suturacava Fairm. 05-291.....Argentina  
 undatipennis Curt. 45-463.....Argentina  
 unicostata Fairm. 05-294.....Argentina  
 vageimpresa Fairm. 04-62.....Argentina  
 vulcanica Fairm. 76-170.....Argentina  
 westwoodi Waterh. 41-112.....T. del Fuego  
*confluens* Fairm. 05-292.....Argentina
- Epipedonota** Sol. 36-342
- Callyntra* Sol. 36-335
- alticola Kirsch 86-332.....Bolivia  
 andina Germain 54-329.....Chile  
 carbonaria Phil. 64-334.....Chile  
 ebenina Lac. 30-278.....Argentina  
 s. *affinis* Waterh. 41-118.....Chile  
 s. *biramosa* Berg 01-271.....Argentina  
 s. *bonariensis* Waterh. 41-119.....Argentina  
 s. *crystallisata* Lac. 30-278.....Argentina  
 s. *erythropus* Lac. 30-278.....Argentina  
 s. *marginiplicata* Curt. 45-467.....Argentina  
 s. *nitida* Phil. 64-335.....Chile  
 s. *senex* Lac. 30-278.....Argentina  
 expansicollis Fairm. 76-344.....Chile  
 laevisulcata Fairm. 76-354.....Argentina  
 Chile  
 lata Waterh. 41-119.....Argentina  
 laticollis Phil. 64-335.....Chile  
 macrocosta Guér. 34-4.....Chile  
*major* Germain 54-329.....Chile  
 microdera Burm. 75-479.....Argentina  
 monilis Lac. 30-278.....Argentina  
 s. *angusta* Burm. 75-479.....Argentina  
 s. *intercostata* Berg 01-269.....Argentina  
 multicostata Guér. 34-5.....Chile  
*rufipes* Sol. 36-340.....Chile  
*vicina* Sol. 36-339.....Chile  
 opaca Kirsch 86-333.....Bolivia  
 paulseni Fairm. 85-clvi.....Chile  
 planiuscula Fairm. 76-348.....Chile  
 reticulata Blanch. 43-196.....Argentina  
 rugosa Waterh. 41-117.....Chile  
*anthracina* Germain 54-331.....Chile  
 rugulosa Gemm. 70-122.....Chile  
*rugosa* Sol. 51-155.....Chile  
 servillei Sol. 36-341.....Perú  
 sublineata Berg 01-270.....Argentina  
 subplana Geb. 10-145.....Argentina  
*planiuscula* Fairm. 05-297.....Argentina  
 tricostrata Burm. 75-479.....Argentina  
 unicostata Sol. 51-156.....Chile
- Psectrascelis** Sol. 36-311
- Cerostena* Sol. 36-325 (Subg.)  
*Plectrascelis* Blair 35-104.....Chile

- Pæctrascelis**—Continued.  
*abnormis* Burm. 75-476.....Patagonia  
*aequalis* Fairm. 76-363.....Bolivia  
*ambigena* Fairm. 03-463.....Argentina  
*arenaria* Germain 55-399.....Chile  
*cariosicollis* Fairm. 04-64.....Argentina  
*cinerea* Sol. 36-147.....Chile  
*conjungens* Fairm. 76-359.....Bolivia  
*convexipennis* Fairm. 76-370.....Patagonia  
*coriaria* Fairm. 05-297.....Argentina  
*costipennis* Fairm. 76-366.....Argentina  
*crassicosta* Fairm. 78-269.....Chile  
*cribrata* Blanch. 43-195.....?Bolivia  
Argentina  
*deplanata* Lac. 30-280.....Argentina  
*discicollis* Lac. 30-280.....Argentina  
*elongata* Sol. 51-144.....Chile  
*impresicollis* Germain 55-398.....Chile  
*infravestita* Fairm. 05-297.....Argentina  
*intraticollis* Fairm. 76-356.....Bolivia  
*laevigata* Er. 34-245.....Perú  
*glabrata* Sol. 36-322.....Bolivia  
*klugi* Waterh. 44-44  
*lateripunctata* Fairm. 76-362.....Bolivia  
Argentina  
*lobata* Burm. 75-486.....Argentina  
*mamillonea* Lac. 30-280.....Argentina  
*pilipes* Guér. 34-4.....Chile  
*brevi* Sol. 36-316  
*guerini* Sol. 36-317  
*sulcicollis* Sol. 36-314  
*pilosa* Sol. 51-147.....Chile  
*plicicollis* Sol. 51-145.....Chile  
*politicollis* Fairm. 76-365.....Bolivia  
*punctulata* Waterh. 41-120.....Bolivia  
Argentina  
*rugicollis* Phil. 64-332.....Chile  
*semistrigosa* Fairm. 03-464.....Argentina  
*strigosicollis* Fairm. 04-63.....Argentina  
*strigosula* Geb. 10-147.....Argentina  
*semistrigosa* Fairm. 05-298  
*subcostata* Germain 55-398.....Chile  
*parallela* Germain 55-398  
*subdepressa* Sol. 36-318.....?México  
*subimpressa* Fairm. 76-361.....Bolivia  
*sublaevicollis* Sol. 51-146.....Chile  
*sulcicollis* Waterh. 41-115.....Argentina  
*ursina* Burm. 75-475.....Argentina  
*vestita* Lac. 30-280.....Argentina  
Chile
- Auladera** Sol. 36-331  
*Aulacodera* G. & H. 70-1884  
*andicola* Lac. 30-278.....Argentina  
Chile  
*crenicosta* Guér. 34-5.....Chile  
*jugeleti* Waterh. 44-43
- Mitragenus** Sol. 36-328  
*coarcticollis* Fairm. 76-374.....Argentina  
*dejeani* Sol. 36-330.....Argentina  
*desertorum* Burm. 75-482  
*monticola* Berg 89-128  
*pictus* Lac. 30-279  
*servus* Waterh. 44-43  
*gibbosus* Blanch. 43-195.....Argentina  
*araneiformis* Curt. 45-466
- nudus* Berg 89-129.....Argentina  
*quadrucollis* Fairm. 76-374.....Argentina
- Pilobalia** Burm. 75-487  
*alboscrypta* Fairm. 03-464.....Perú  
*baeri* Fairm. 02-149.....Perú  
*baerii* Fairm. 02-149  
*bufo* Fairm. 76-382.....Bolivia  
*decora* Blanch. 43-14.....Bolivia  
*alticola* Kirsch 86-332  
*immaculata* Blanch. 43-197  
*nebulosa* Waterh. 44-44  
*oblonga* Blanch. 43-197  
*opaca* Kirsch 86-333  
*decorata* Er. 34-244.....Perú  
Bolivia  
Argentina
- dorsoplicata* Fairm. 76-382.....Perú  
*elegans* Blanch. 43-197.....Bolivia  
*haagi* Fairm. 78-269.....Perú  
*platynotus* Perty 30-56.....Brasil  
*variegata* Er. 47-114.....Perú
- Entomoderes** Sol. 36-346  
*cellulosa* Waterh. 44-46.....Argentina  
*draco* Waterh. 44-45.....Argentina  
*erebi* Sol. 36-348.....Argentina  
*infernalis* Burm. 75-483.....Argentina  
*pustulosa* Fairm. 05-298.....Argentina  
*satanica* Waterh. 44-46.....Argentina  
*subaurata* Burm. 75-486.....Argentina

## FALSOMYCTERINAE

- Falsomycterus** Pic 07-127  
*brevepubens* Pic 35-35.....Brasil  
*diversipes* Pic 07-127.....Brasil  
*germaini* (Pic 36-36).....?  
v. *suturalis* Pic 36-36.....Bolivia  
*hirsutulus* Pic 25-12.....Colombia  
*notaticollis* Pic 33-5.....Brasil  
v. *separatus* Pic 33-5.....Brasil  
*obscuricolor* Pic 11-124.....Brasil  
*rufipennis* Pic 07-166.....Brasil

## TENEBRIONINAE

## SCAURINI

- Argoporis** Horn 70-325  
*aequalis* Blais. 23-259.....<sup>2</sup> I. San P. Nolesco  
*alutacea* Csy. 90-406.....México  
*bicolor* Horn 70-325.....U. S. A.  
*apicalis* Blais. 43-234.....Baja Calif.  
*atripes* Champ. 85-95.....México  
U. S. A.  
*brevicollis* Champ. 85-94.....México  
*cavifrons* Champ. 85-95.....México  
*costipennis* LeC. 51-143.....México  
*sulcipennis* Horn 70-325.....U. S. A.  
*crassicornis* Champ. 85-94.....México  
*ebenina* Horn 94-424.....<sup>1</sup> I. San Benito  
Baja Calif.  
*impressa* Blais. 25-330.....<sup>1</sup> I. Natividad  
<sup>1</sup> I. San Roque  
<sup>1</sup> I. Angulo

<sup>1</sup> Baja California (México).<sup>2</sup> México.

- Argoporis—Continued.  
*inconstans* Horn 94-425.....Baja Calif.  
 1 I. Partida  
 1 I. Rasa  
 1 I. Salsipuedes  
 1 ? I. Carmen  
 2 I. Patos  
 U. S. A.  
*labialis* Blais. 23-258.....México  
*laevicollis* Champ. 92-520.....México  
*longipes* Blais. 23-260.....Baja Calif.  
*rufipes* Champ. 85-94.....México  
*nitida* Csy. 90-406.....U. S. A.  
*tridentata* Champ. 92-519.....México  
*unicularata* Champ. 92-519.....México  
 sp. (Blais. 23-284).....I. San P. Martir
- Cerenopus** LeC. 51-143  
*angustatus* Horn 94-426.....Baja Calif.  
*aterimus* Horn 94-425.....Baja Calif.  
*concolor* LeC. 61-337.....1 I. Cedros  
 Baja Calif.  
 1 I. Carmen  
 1 I. Monserrate  
 1 I. San Francisco  
 1 I. Esp. Santo  
 U. S. A.  
*costulatus* Horn 70-326.....Baja Calif.  
*cribratus* LeC. 61-337.....Baja Calif.  
 1 I. Ballena  
 1 I. Esp. Santo
- Apseña** LeC. 62-228  
*insularis* Blais. 32-58.....1 I. San Martín  
 Baja Calif.  
*pubescens* LeC. 51-144.....? Baja Calif.  
 U. S. A.  
 s. *rufescens* Blais. 32-56.....Baja Calif.
- Epantius** LeC. 51-144  
*obscurus* LeC. 51-144.....Baja Calif.  
 U. S. A.

## SCOTOBIINI

- Psammetichus** Latr. 04-578  
*costatus* Guér. 30-95.....Perú  
*carinatus* Sol. 38-37  
*crassicornis* Waterh. 44-54.....Chile  
*gracilis* Er. 34-245.....Perú  
*pilipes* Guér. 34-19.....Chile
- Leptynodes** Sol. 38-44  
*laticollis* Berg 89-135.....Argentina  
*strangulata* Fairm. 03-462.....Argentina  
*tuberculata* Curt. 45-460.....Patagonia  
*varicosa* Germ. 24-137.....Uruguay  
 Argentina
- Diastoleus** Sol. 38-67  
*bicarinatus* Sol. 51-181.....Chile  
*collaris* Guér. 34-17.....Chile
- Scotobius** Germ. 24-135  
*akidioides* Waterh. 45-319.....Argentina  
*armentarius* Lac. 30-283.....Argentina  
*asperatus* Er. 34-247.....Chile  
*rugosulus* Sol. 38-63  
*atacamentis* Germain 55-399.....Chile  
*brevipes* Germain 55-399.....Chile  
*brevis* Phil. 64-336.....Chile  
*bullatus* Curt. 45-459.....T. del Fuego  
*cacicus* Lac. 30-282.....Argentina
- caraboides* Fairm. 05-289.....Argentina  
*costatus* Guér. 30-97.....Perú  
*crenicollis* Phil. 64-337.....Chile  
*cribricollis* Fairm. 05-289.....Argentina  
*crispatus* Germ. 24-136.....Brasil  
*elongatus* Sol. 38-59.....Paraguay  
*muricatus* Guér. 34-15.....Uruguay  
 Argentina  
 v. *clathratus* Guér. 34-15.....Argentina  
*depressicollis* Fairm. 03-462.....Argentina  
*elegans* Fairm. 03-462.....Argentina  
*exaratus* Er. 47-115.....Perú  
*gayi* Sol. 38-62.....Chile  
*granosus* Lac. 30-283.....Argentina  
 Chile  
*hystricosus* Berg 89-134.....Argentina  
*kirbyi* Sol. 38-61.....Perú  
*laeviusculus* Phil. 64-336.....Chile  
*miliaris* Billb. 15-279.....Brasil  
*pilularius* Germ. 24-135.....Uruguay  
 Argentina  
*ovalis* Guér. 34-18.....Argentina  
*perlatus* Burm. 75-464.....Argentina  
*planatus* Er. 34-246.....Perú  
*planicosta* Guér. 34-17.....Perú  
*porcatus* Lac. 30-283.....Uruguay  
*punctatellus* Blanch. 43-195.....Argentina  
*punctatus* Esch. 31-11.....Chile  
*quadricostatus* Fairm. 05-289.....Argentina  
*rugicollis* Sol. 51-178.....Chile  
*rugosulus* Guér. 34-17.....Chile  
*strangulatus* Fairm. 05-290.....Chile  
*substriatus* Guér. 34-16.....Perú  
*tristis* Guér. 34-18.....Argentina  
*vulgaris* Guér. 34-16.....Perú  
 Chile
- Emmallodera** Sol. 51-181  
*crenatocostata* Blanch. 43-195.....Argentina  
*granocostata* Fairm. 05-290.....Patagonia  
 Chile  
*obesa* Guér. 41-215.....Argentina  
*multipunctata* Curt. 45-461.....T. del Fuego  
 Falkland Is.  
*perifera* Burm. 75-467.....Argentina

## ELEODINI

- Eleodes** Esch. 29-8  
*Blapyllis* Horn 70-301 (Subg.)  
*Discogenia* LeC. 66-117 (Subg.)  
*Elaodes* G. & H. 69-1868  
*Heteropromus* Blais. 09-33 (Subg.)  
*Lithleodes* Blais. 09-34 (Subg.)  
*Melaneleodes* Blais. 09-33 (Subg.)  
*Metablapyllis* Blais. 09-34 (Subg.)  
*Promus* LeC. 62-226 (Subg.)  
*Pseudeleodes* Blais. 09-34 (Subg.)  
*Steneleodes* Blais. 09-33 (Subg.)  
*Tricheleodes* Blais. 09-34 (Subg.)  
*Xysta* Esch. 29-8  
*acuticauda* LeC. 51-138.....Baja Calif.  
 U. S. A.  
*adumbrata* Blais. 25-332.....1 I. San Benito  
 1 I. Asunción  
*aequalis* Say 35-185.....México  
*alutacea* Sol. 48-237  
*maillei* Sol. 48-237

1 Baja California (México).

2 México.

## Eleodes—Continued.

|                                      |       |   |
|--------------------------------------|-------|---|
| amaura Champ. 92-514                 | ----- | México  |
| <i>maura</i> Champ. 84-81            |       |   |
| angulata Esch. 29-9                  | ----- | México  |
| angusta Esch. 29-13                  | ----- | México  |
| armata LeC. 51-134                   | ----- | Baja Calif.<br>U. S. A.   |
| blaisdelli, new name                 | ----- | Baja Calif.   |
| <i>mexicana</i> Blais. 43-246        |       |   |
| blaptoides Esch. 29-12               | ----- | México  |
| brevicollis G. & H. 70-1868          | ----- | México  |
| <i>obsoleta</i> Sol. 48-237          |       |   |
| (not Say, 1823)                      |       |   |
| calcarata Champ. 84-86               | ----- | México  |
| carbonaria Say 23-260                | ----- | México  |
| <i>immunis</i> LeC. 58-186           |       | U. S. A.  |
| chihuahuensis Champ. 84-86           | ----- | México  |
| coarctata Champ. 85-91               | ----- | México  |
| compressitarsis Blais. 35-158        | ----- | México  |
| connata Sol. 48-237                  | ----- | México  |
| consobrina LeC. 51-135               | ----- | ?Baja Calif.  |
| <i>veseyi</i> Lec. 58-187            |       | U. S. A.  |
| curta Champ. 84-82                   | ----- | México  |
| dilaticollis Champ. 84-83            | ----- | México  |
| disincta Blais. 25-333               | ----- | <sup>1</sup> I. Cedros<br><sup>1</sup> I. Natividad<br><sup>1</sup> I. Angulo<br><sup>1</sup> I. Asunción<br><sup>1</sup> I. Sta. Margarita |
| Baja Calif.                          |       |   |
| U. S. A.                             |       |   |
| distincta Sol. 48-237                | ----- | México  |
| elongatula Esch. 29-13               | ----- | México  |
| erratica Champ. 84-87                | ----- | México  |
| <sup>2</sup> Is. Tres Marias         |       |   |
| eschscholtzi Sol. 48-238             | ----- | México  |
| <i>wickhami</i> Horn 91-41           |       | U. S. A.  |
| v. <i>lucae</i> LeC. 66-114          |       | Baja Calif.   |
| f. <i>ecaudata</i> Blais. 09-291     |       | Baja Calif.   |
| f. <i>grandis</i> Blais. 09-291      |       | Baja Calif.   |
| exarata Champ. 84-78                 | ----- | México  |
| extricata Say 23-261                 | ----- | México  |
| <i>cognata</i> Hald. 52-376          |       | U. S. A.  |
| femorata LeC. 51-134                 | ----- | Baja Calif.<br>U. S. A.   |
| forreri Champ. 84-88                 | ----- | México  |
| gigantea Mannh. 43-267               | ----- | Baja Calif.<br>U. S. A.   |
| s. <i>gentilis</i> LeC. 58-187       |       | ?Baja Calif.  |
| U. S. A.                             |       |   |
| s. <i>meridionalis</i> Blais. 18-387 |       | Baja Calif.<br>U. S. A.   |
| glabricollis Champ. 84-85            | ----- | México  |
| goryi Sol. 48-237                    | ----- | México  |
| <i>seriata</i> LeC. 58-185           |       | U. S. A.  |
| gracilis LeC. 58-184                 | ----- | ?Baja Calif.<br>México  |
| U. S. A.                             |       |   |
| grandicollis Mannh. 43-266           | ----- | [U. S. A.]  |
| s. <i>valida</i> Boh. 58-90          |       | Baja Calif.<br>U. S. A.   |
| gravidia Esch. 29-9                  | ----- | México  |
| hepburni Champ. 84-88                | ----- | México  |
| hispidabris Say 23-259               | ----- | México  |
| <i>composita</i> Csy. 91-58          |       | U. S. A.  |
| <i>connexa</i> LeC. 57-49            |       |   |
| <i>lecontei</i> Gemm. 70-122         |       |   |
| <i>nupta</i> LeC. 58-183             |       |   |
| <i>sulcata</i> LeC. 52-67            |       |   |
| högeri Champ. 85-91                  | ----- | México  |
| humeralis LeC. 57-50                 | ----- | ?Baja Calif.<br>U. S. A.  |
| impolita Say 35-183                  | ----- | México  |
| <i>aubei</i> Sol. 48-237             |       |   |
| inepta Blais. 25-334                 | ----- | <sup>1</sup> I. Angulo  |
| innocens LeC. 66-114                 | ----- | Baja Calif.   |
| insularis Linell 01-181              | ----- | <sup>1</sup> I. Cedros<br><sup>1</sup> I. Sta. Margarita  |
| Baja Calif.                          |       |   |
| <sup>1</sup> I. Carmen               |       |   |
| <sup>1</sup> I. Monserrate           |       |   |
| v. <i>terricola</i> Blais. 23-265    |       | Baja Calif.<br><sup>1</sup> I. Carmen   |
| laevigata Sol. 48-237                | ----- | México<br>Guatemala   |
| lineata Blais. 39-55                 | ----- | México  |
| longicollis LeC. 51-134              | ----- | México  |
| <i>haydeni</i> LeC. 58-186           |       | U. S. A.  |
| longicornis Champ. 84-87             | ----- | México  |
| loretensis Blais. 23-262             | ----- | Baja Calif.   |
| lucae LeC. 66-114                    | ----- | Baja Calif.   |
| f. <i>ecaudata</i> Blais. 09-291     |       | Baja Calif.   |
| f. <i>grandis</i> Blais. 09-291      |       | Baja Calif.   |
| s. <i>inflata</i> Blais. 23-261      |       | Baja Calif.<br><sup>1</sup> I. Monserrate   |
| México                               |       |   |
| macrura Champ. 92-511                | ----- | México  |
| marthae Blais. 43-243                | ----- | <sup>1</sup> I. Cedros<br><sup>1</sup> I. Sta. Margarita  |
| Baja Calif.                          |       |   |
| maura Say 35-184                     | ----- | México  |
| <i>eloneatula</i> Sol. 48-237        |       |   |
| melanaria Esch. 29-13                | ----- | México  |
| mexicana Blais. 35-160               | ----- | México  |
| militaris Horn 70-303                | ----- | <sup>1</sup> I. Cedros<br><sup>1</sup> I. Sta. Margarita  |
| Baja Calif.                          |       |   |
| U. S. A.                             |       |   |
| moesta Blais. 21-221                 | ----- | <sup>1</sup> I. San Martín<br>Baja Calif.   |
| montana Champ. 84-86                 | ----- | México  |
| morbosea Blais. 25-335               | ----- | <sup>1</sup> I. San Roque<br><sup>1</sup> I. Angulo   |
| Baja Calif.                          |       |   |
| mutilata Blais. 21-222               | ----- | Baja Calif.   |
| obliterata Say 35-184                | ----- | México  |
| obscura Say 23-259                   | ----- | México  |
| <i>conjuncta</i> Walk. 66-329        |       | U. S. A.  |
| <i>contexcicollis</i> Walk. 66-328   |       |   |
| olida Champ. 92-516                  | ----- | México  |
| omissa LeC. 58-186                   | ----- | [U. S. A.]  |
| v. <i>peninsularis</i> Blais. 09-41  |       | Baja Calif.   |
| v. <i>pygmaea</i> Blais. 09-77       |       | Baja Calif.<br>U. S. A.   |
| U. S. A.                             |       |   |
| omissoides Blais. 35-157             | ----- | México  |
| peropaca Champ. 92-517               | ----- | México  |
| polita Champ. 92-513                 | ----- | México  |
| ponderosa Champ. 84-84               | ----- | México  |
| punctipera Blais. 35-157             | ----- | México  |
| rossi Blais. 43-241                  | ----- | Baja Calif.   |
| rotundicollis Esch. 29-9             | ----- | México  |
| <i>parea</i> Say 35-186              |       |   |

<sup>1</sup> Baja California (México).<sup>2</sup> México.

- Eleodes**—Continued.  
*rugosa* Perb. 39-263.....México  
*caudata* Sol. 48-238.....  
*ruida* Say 35-183.....México  
*coriacea* Sol. 48-237.....  
*sallaei* Champ. 85-89.....México  
*sanmartinensis* Blais 21-220.....<sup>1</sup> I. San Martín  
*scapularis* Champ. 84-81.....  
*segregata* Champ. 92-513.....México  
*simonds* Blais. 43-247.....Baja Calif.  
*solieri* Champ. 85-89.....México  
*celsa* Say 35-185.....  
*spinipes* Sol 48-238.....México  
*spinolae* Sol. 48-238.....México  
*stolidi* Champ. 85-92.....México  
*striata* Guér. 34-30.....México  
*striolata* LeC. 58-185.....México  
*subnitens* LeC. 51-134.....México  
U. S. A.  
*sulcata* Esch. 29-9.....México  
*sulcatula* Champ. 84-83.....México  
*tenebricosa* Gemm. 70-122.....México  
*obscura* Sol. 48-237.....  
*tessellata* Champ. 92-517.....México  
*tibialis* Blais. 09-311.....Baja Calif.  
*f. oblonga* Blais. 09-315.....Baja Calif.  
*tricostata* Say 23-262.....México  
*alternata* Kby. 37-232.....U. S. A.  
*planata* Sol. 48-366.....  
*vanduzeei* Blais. 23-264.....Baja Calif.  
*ventricosa* LeC. 58-186.....México  
U. S. A.  
*vicina* LeC. 51-133.....México  
*quadricollis* Champ. 84-80.....U. S. A.  
(not Esch., 1829)  
*sonorae* Champ. 84-85.....
- Embaphion** Say 24-254  
*muricatum* Say 24-251.....México  
*concauum* LeC. 53-446.....U. S. A.
- Nycterinus** Esch. 29-9  
*abdominalis* Esch. 29-14.....Chile  
*abbreviatus* Phil. 64-347.....  
*rufipes* Sol. 48-272.....  
*spinolae* Sol. 48-272.....  
*angusticollis* Phil. 64-346.....Chile  
*costulatus* Phil. 64-344.....Chile  
*ebenus* Sol. 48-269.....Chile  
*elongatus* Sol. 48-269.....Chile  
*genesi* Sol. 48-269.....Chile  
*gracilipes* Phil. 64-345.....Chile  
<sup>10</sup> Is. J. Fernández  
*laevigatus* Phil. 64-345.....Chile  
*mannerheimi* Sol. 48-269.....Chile  
*quadricollis* Germain 03-14.....Chile  
*rugiceps* Curt. 45-468.....Chile  
*substriatus* Sol. 48-269.....  
*thoracicus* Esch. 29-13.....Chile
- Myrmecosoma** Germain 55-403  
*nycterinoides* Germain 55-404.....Chile
- Philorea** Fr. 34-242  
*Polpocara* Sol. 44-258  
*arequipana* Lesne 35-131.....Perú  
*picipes* Er. 34-243.....Perú
- Physogaster** Guér. 34-2  
*globulus* F. & G. 61-4.....Chile  
*mendozinus* Lac. 30-276.....Argentina  
*oblongulus* F. & G. 61-4.....Chile  
*peruanus* Er. 47-116.....Perú
- Entomochilus** Sol. 44-260  
*laevipennis* Sol. 51-207.....Chile.  
*parvus* Sol. 51-207.....Chile  
*tomentosus* Guér. 34-3.....Chile  
*pilosus* Sol. 44-261.....

## PRAOCINI

- Asidelia** Fairm. 05-296  
*contracta* Fairm. 05-296.....Argentina
- Eurygona** Lap. 40-187  
*Aulacus* Gray 32-783  
(not Jurine, 1807)  
*chilensis* Gray 32-783.....Chile
- Eutelocera** Sol. 40-237  
*viatica* Sol. 40-238.....Argentina
- Platsthes** Waterh. 45-317  
*burmeisteri* Haag 77-156.....Argentina  
*depressa* Guér. 41-215.....Argentina  
*silphoides* Waterh. 45-319.....Argentina
- Calymmophorus** Sol. 40-245  
*cucullatus* Lac. 30-286.....Argentina  
*dasyoides* Lac. 30-286.....Argentina  
*ruspinus* Lac. 30-286.....Argentina  
*uspallatensis* Berg 83-77.....Argentina
- Praocis** Esch. 29-6  
*Anthraxomus* Guér. 34-32  
*Pilotarsus* Sol. 40-239  
*Orthogonoderes* Sol. 51-198  
*aeena* Sol. 40-227.....Chile  
*angulifera* Phil. 64-344.....Chile  
*angustata* Phil. 64-341.....Chile  
*audouini* Sol. 40-222.....Chile  
*bicarinata* Burm. 75-495.....Argentina  
*silphomorpha* Fairm. 83-495.....  
*bicostata* Phil. 64-341.....Chile  
*castanea* Germain 55-400.....Chile  
*chevrolati* Guér. 34-32.....Chile  
*silphoides* Lac. 30-284.....  
*ciliata* Germain 55-400.....Chile  
*compacta* Fairm. 83-509.....Argentina  
*concinna* Burm. 75-496.....Argentina  
*consobrina* Phil. 64-339.....Chile  
*convexa* Germain 55-402.....Chile  
*costata* Sol. 40-222.....Chile  
*costatula* Sol. 40-228.....Chile  
*costipennis* Sol. 51-202.....Chile  
*cribrata* Sol. 40-236.....Chile  
*curta* Sol. 40-226.....Chile  
*curtisi* Sol. 51-192.....Chile  
*denseciliata* Fairm. 83-508.....Argentina  
*dentipes* Germain 55-401.....Chile  
*depressicollis* Germain 55-402.....Chile  
*ebenina* Germain 55-401.....Chile  
*elliptica* Phil. 64-342.....Chile

## PHYSOGASTERINI

- Edrotoporus** Haag 77-129  
*strigicollis* Haag 77-130.....Argentina
- Pimelosomus** Burm. 75-489  
*sphaericus* Burm. 75-489.....Argentina

<sup>1</sup> Baja California (Mexico).<sup>10</sup> Chile.



## Praocis—Continued.

|                                      |           |
|--------------------------------------|-----------|
| <i>fimbriata</i> Burm. 75-496        | Argentina |
| <i>gayi</i> Sol. 40-231              | Chile     |
| <i>gravidula</i> Lac. 30-285         | Argentina |
| <i>hirticollis</i> Lap. 40-187       | Perú      |
| <i>hirtuosa</i> Sol. 40-232          | Chile     |
| <i>hispidula</i> Phil. 64-343        | Chile     |
| <i>inermis</i> Burm. 75-497          | Patagonia |
| <i>interrupta</i> Sol. 51-187        | Chile     |
| <i>laevicollis</i> Phil. 64-338      | Chile     |
| <i>laevicosta</i> Curt. 45-457       | Chile     |
| <i>laticollis</i> Phil. 64-343       | Chile     |
| <i>marginata</i> Germain 55-401      | Chile     |
| <i>nigroaenea</i> Sol. 40-226        | Chile     |
| <i>nitidicollis</i> Phil. 64-337     | Chile     |
| <i>oblonga</i> Sol. 51-196           | Chile     |
| <i>parva</i> Sol. 40-232             | Chile     |
| <i>peltata</i> Er. 47-115            | Perú      |
|                                      | Argentina |
| <i>pentachorda</i> Burm. 75-496      | Argentina |
| <i>pentagona</i> Lac. 30-285         | Andes     |
| <i>peruana</i> Fairm. 02-149         | Perú      |
| <i>picipes</i> Germain 55-403        | Chile     |
| <i>pilula</i> Lap. 40-187            | Chile     |
| <i>hirticollis</i> Sol. 40-212       | Chile     |
| <i>pleuroptera</i> Sol. 40-234       | Chile     |
| <i>plicicollis</i> Germain 55-403    | Chile     |
| <i>pubens</i> Phil. 64-339           | Chile     |
| <i>pubescens</i> Phil. 64-342        | Chile     |
| <i>punctata</i> Sol. 40-236          | Chile     |
| <i>quadrifurcata</i> Germain 55-399  | Chile     |
| <i>reflexicollis</i> Sol. 51-203     | Patagonia |
| <i>ricardae</i> Sol. 51-212          | Chile     |
| <i>rotundata</i> Lap. 40-187         | Chile     |
| <i>rotundicollis</i> Phil. 64-340    | Andes     |
| <i>rufilabris</i> Sol. 40-233        | Chile     |
| <i>rufipes</i> Esch. 29-6            | Chile     |
| <i>mannerheimi</i> Fisch. 44-125 (♂) | Chile     |
| <i>rufitarsis</i> Sol. 40-227        | Chile     |
| <i>rugata</i> Sol. 40-234            | Chile     |
| <i>rugipennis</i> Germain 55-400     | Chile     |
| <i>sanguinolenta</i> Sol. 40-223     | Chile     |
| <i>sellata</i> Berg 89-126           | Argentina |
| <i>spinipes</i> Lap. 40-187          | Chile     |
| <i>spinolae</i> Sol. 40-223          | Chile     |
| <i>squalida</i> Lac. 30-285          | Andes     |
| <i>striolicollis</i> Fairm. 83-494   | Argentina |
| <i>subaenea</i> Er. 34-248           | Chile     |
| <i>subcostata</i> Sol. 40-231        | Chile     |
| <i>sublaevigata</i> Germain 55-401   | Chile     |
| <i>submetallica</i> Guér. 34-9       | Chile     |
| <i>subreticulata</i> Sol. 40-234     | Chile     |
| <i>subsulcata</i> Sol. 40-224        | Chile     |
| <i>v. confusa</i> Sol. 40-224        | Chile     |
| <i>sulcata</i> Esch. 29-7            | Chile     |
| <i>mannerheimi</i> Fisch. 44-125 (♀) | Chile     |
| <i>rotundata</i> Lac. 30-284         | Chile     |
| <i>tenuicornis</i> Sol. 40-241       | Chile     |
| <i>tibialis</i> Sol. 40-225          | Chile     |
| <i>vagecostata</i> Fairm. 02-149     | Perú      |
| <i>variolosa</i> Er. 34-249          | Perú      |
| <b>Praocidia</b> Fairm. 03-463       |           |
| <i>nervosa</i> Fairm. 02-149         | Perú      |
| <b>Platyholmus</b> Sol. 40-241       |           |
| <i>dilaticollis</i> Lac. 30-285      | Argentina |
| <i>v. nigrinus</i> Sol. 40-244       |           |

<sup>1</sup> Baja California (México).

|                                    |           |
|------------------------------------|-----------|
| <i>murinus</i> Burm. 75-493        | Argentina |
| <i>seminulum</i> Burm. 75-493      | Argentina |
| <i>spiniicollis</i> Fairm. 83-508  | Argentina |
| <i>uspallatensis</i> Fairm. 83-507 | Argentina |
| <b>Thylacoderes</b> Sol. 44-256    |           |
| <i>eumolpoides</i> Sol. 44-257     | Argentina |

## BRANCHINI

|                                 |             |
|---------------------------------|-------------|
| <b>Branchus</b> LeC. 63-222     |             |
| <i>obscurus</i> Horn 66-398     | México      |
|                                 | Guatemala   |
|                                 | Nicaragua   |
| <i>opatroides</i> Champ. 92-507 | México      |
| <i>woodi</i> LeC. 66-111        | Bahamas Is. |
| <b>Anectus</b> Horn 66-399      |             |
| <i>vestitus</i> Horn 66-399     | Honduras    |
| <b>Oxinthas</b> Champ. 84-72    |             |
| <i>praocioides</i> Champ. 84-72 | México      |

## CONIONTINI

|                                   |                                |
|-----------------------------------|--------------------------------|
| <b>Megasattus</b> Csy. 08-56      |                                |
| <i>araneosus</i> Blais. 23-266    | <sup>1</sup> Is. Sta. Inez     |
| <i>costatus</i> Horn 70-293       | <sup>1</sup> I. Cedros         |
|                                   | <sup>1</sup> I. Magdalena      |
|                                   | <sup>1</sup> I. Sta. Margarita |
|                                   | Baja Calif.                    |
|                                   | <sup>1</sup> Is. Tres Marias   |
| <i>erosus</i> Horn 70-294         | <sup>1</sup> I. Cedros         |
|                                   | Baja Calif.                    |
|                                   | <sup>1</sup> I. Cerralvo       |
|                                   | México                         |
| <i>v. manuelis</i> Blais. 23-266  | Baja Calif.                    |
|                                   | <sup>1</sup> I. Esp. Santo     |
|                                   | Baja Calif.                    |
| <i>laeviventris</i> Blais. 23-267 | <sup>1</sup> I. Sta. Cruz      |
|                                   | Baja Calif.                    |
| <i>sternalis</i> Blais. 23-268    | Baja Calif.                    |
| <b>Eusattodes</b> Csy. 08-56      |                                |
| <i>laevis</i> LeC. 66-113         | Baha Calif                     |
|                                   | ?U. S. A.                      |
| <b>Eusattus</b> LeC. 51-131       |                                |
| <i>Conipinus</i> LeC. 63-223      |                                |
| <i>brevis</i> Champ. 84-75        | México                         |
| <i>depressus</i> Champ. 84-75     | México                         |
| <i>difficilis</i> LeC. 51-132     | <sup>1</sup> I. San Martín     |
|                                   | Baja Calif.                    |
|                                   | U. S. A.                       |
| <i>dubius</i> LeC. 51-132         | Baja Calif.                    |
|                                   | U. S. A.                       |
| <i>mexicanus</i> Champ. 92-510    | México                         |
| <i>nitidipennis</i> LeC. 51-133   | México                         |
| <i>productus</i> LeC. 58-20       | Baja Calif.                    |
|                                   | U. S. A.                       |
| <i>puncticeps</i> Blais. 23-269   | México                         |
| <i>reticulatus</i> Say 24-250     | México                         |
|                                   | U. S. A.                       |
| <i>sculptus</i> Champ. 92-510     | Baja Calif.                    |
| <i>obliteratus</i> Champ. 92-510  | México                         |
|                                   | U. S. A.                       |
| <i>secutus</i> Horn 94-421        | Baja Calif.                    |
| <i>venosus</i> Champ. 92-509      | México                         |
| <b>Sphaerionitis</b> Csy. 08-56   |                                |
| <i>ciliata</i> Horn 94-422        | Baja Calif                     |
| <b>Coniontides</b> Csy. 08-57     |                                |
| <i>keiferi</i> Blais. 43-189      | <sup>1</sup> I. San Martín     |

<sup>1</sup> México.

|                                  |                                 |                                     |                               |
|----------------------------------|---------------------------------|-------------------------------------|-------------------------------|
| <i>Coniontis</i> Esch. 29-7      |                                 | <i>Cenophorus</i> M. & R. 59-177    |                               |
| <i>pallidicornis</i> Csy. 90-385 | .....? Baja Calif.              | <i>viduus</i> Muls. 59-177          | ..... Hispaniola              |
|                                  | U. S. A.                        | <i>Ulus</i> Horn 70-358             |                               |
| <i>parviceps</i> Csy. 90-387     | .....Baja Calif.                | <i>comatus</i> Champ. 92-530        | .....México                   |
|                                  | U. S. A.                        | <i>crassus</i> LeC. 51-146          | .....Baja Calif.              |
| <i>Coelotaxis</i> Horn 76-200    |                                 | U. S. A.                            |                               |
| <i>angustula</i> Csy. 90-177     | ..... <sup>1</sup> I. Guadalupe | <i>hirsutus</i> Champ. 85-133       | .....México                   |
| <i>densa</i> Csy. 08-149         | ..... <sup>1</sup> I. Guadalupe |                                     | Guatemala                     |
| <i>frontalis</i> Csy. 08-149     | ..... <sup>1</sup> I. Guadalupe | <i>lineatulus</i> Champ. 85-134     | .....Panamá                   |
| <i>muricata</i> Horn 76-201      | ..... <sup>1</sup> I. Guadalupe | <i>obliquus</i> LeC. 66-117         | .....Baja Calif.              |
| <i>punctulata</i> Horn 76-201    | ..... <sup>1</sup> I. Guadalupe | <i>Ctesiclea</i> Champ. 96-7        |                               |
|                                  |                                 | <i>insularis</i> Champ. 96-7        | .....St. Vincent              |
|                                  |                                 | <i>maritima</i> Champ. 96-8         | ..... <sup>15</sup> Mustique  |
|                                  |                                 |                                     | Grenada                       |
|                                  |                                 | <i>Blapstinus</i> Latr. 29-21       |                               |
|                                  |                                 | <i>Aspidus</i> M. & R. 59-187       |                               |
|                                  |                                 | <i>Heteropus</i> Lap. 40-221        |                               |
|                                  |                                 | <i>Lodinus</i> M. & R. 59-195       |                               |
|                                  |                                 | <i>amnosus</i> Blais. 23-272        | .....Baja Calif.              |
|                                  |                                 | <i>angustatus</i> Champ. 93-528     | .....México                   |
|                                  |                                 | <i>aridus</i> Blais. 23-270         | .....México                   |
|                                  |                                 | <i>atratus</i> Champ. 85-131        | .....México                   |
|                                  |                                 |                                     | Guatemala                     |
|                                  |                                 |                                     | Nicaragua                     |
|                                  |                                 |                                     | <sup>4</sup> I. Taboga        |
|                                  |                                 | <i>brevicollis</i> LeC. 51-147      | .....?Baja Calif.             |
|                                  |                                 |                                     | U. S. A.                      |
|                                  |                                 | <i>buqueti</i> Champ. 85-128        | ..... <sup>4</sup> Is. Perlas |
|                                  |                                 |                                     | Colombia                      |
|                                  |                                 |                                     | Fr. Guiana                    |
|                                  |                                 | <i>cisteloides</i> Er. 47-116       | .....Perú                     |
|                                  |                                 | <i>coronadensis</i> Blais. 92-242   | .....?Baja Calif.             |
|                                  |                                 |                                     | U. S. A.                      |
|                                  |                                 | <i>densipunctatus</i> Blais. 43-256 | .....Baja Calif.              |
|                                  |                                 | <i>dilatatus</i> LeC. 51-146        | .....México                   |
|                                  |                                 | <i>pullus</i> Say 23-264            | U. S. A.                      |
|                                  |                                 | <i>discolor</i> Horn 70-354         | .....?Baja Calif.             |
|                                  |                                 | <i>elongatus</i> Csy. 91-441        | U. S. A.                      |
|                                  |                                 | <i>egenus</i> Champ. 85-129         | .....Guatemala                |
|                                  |                                 |                                     | Nicaragua                     |
|                                  |                                 |                                     | Panamá                        |
|                                  |                                 |                                     | Colombia                      |
|                                  |                                 | <i>emmenastoides</i> Champ. 85-131  | .....México                   |
|                                  |                                 |                                     | Guatemala                     |
|                                  |                                 | <i>errabundus</i> Champ. 85-127     | .....México                   |
|                                  |                                 |                                     | Nicaragua                     |
|                                  |                                 |                                     | Panamá                        |
|                                  |                                 | <i>exiguus</i> Champ. 93-529        | .....México                   |
|                                  |                                 | <i>fortis</i> LeC. 78-420           | .....México                   |
|                                  |                                 | <i>interstitialis</i> Champ. 95-125 | .....Guatemala                |
|                                  |                                 | <i>punctulatus</i> DuVal 57-141     | .....Nicaragua                |
|                                  |                                 |                                     | Costa Rica                    |
|                                  |                                 |                                     | Panamá                        |
|                                  |                                 |                                     | Cuba                          |
|                                  |                                 |                                     | U. S. A.                      |
|                                  |                                 | <i>fuscus</i> Csy. 90-427           | .....México                   |
|                                  |                                 |                                     | U. S. A.                      |
|                                  |                                 | <i>grandis</i> Champ. 85-125        | .....Nicaragua                |
|                                  |                                 | <i>helopoides</i> Er. 47-117        | .....Perú                     |
|                                  |                                 | <i>holosericeus</i> Lap. 40-221     | .....Perú                     |
|                                  |                                 | <i>inifimus</i> Fairm. 92-82        | .....Venezuela                |
|                                  |                                 | <i>insularis</i> Champ. 85-127      | ..... <sup>4</sup> I. Taboga  |
|                                  |                                 | <i>intermedius</i> Champ. 85-129    | .....México                   |
|                                  |                                 |                                     | Guatemala                     |
|                                  |                                 |                                     | Nicaragua                     |

## COELINI

|                                |                                    |
|--------------------------------|------------------------------------|
| <i>Coelus</i> Esch. 29-5       |                                    |
| <i>globosus</i> LeC. 51-133    | .....Baja Calif.                   |
|                                | U. S. A.                           |
| <i>Coelomorpha</i> Csy. 90-182 |                                    |
| <i>maritima</i> Csy. 90-183    | .....Baja Calif.                   |
| <i>pellens</i> Csy. 08-160     | ..... <sup>1</sup> I. San Geronimo |
|                                | Baja Calif.                        |

## PEDININI

|                                    |                                    |
|------------------------------------|------------------------------------|
| <i>Platylus</i> M. & R. 59-134     |                                    |
| <i>dilatatus</i> Fabr. 98-47       | ..... <sup>13</sup> St. Thomas     |
| <i>Diastralinus</i> M. & R. 59-138 |                                    |
| <i>acuticollis</i> Fairm. 05-299   | .....Argentina                     |
| <i>brevicollis</i> Fairm. 92-80    | .....Venezuela                     |
| <i>clathratus</i> Fabr. 92-109     | .....Fr. Guiana                    |
| <i>clavatus</i> Muls. 59-155       | ..... <sup>13</sup> St. Thomas     |
| <i>costipennis</i> Muls. 59-149    | .....Hispaniola                    |
| <i>curtus</i> Muls. 59-157         | ..... <sup>6</sup> Curaçao         |
| <i>fortipes</i> Fairm. 05-299      | .....Argentina                     |
| <i>fuscicornis</i> Chev. 77-viii   | .....Puerto Rico                   |
| <i>impressicollis</i> Fairm. 92-81 | .....Venezuela                     |
| <i>perforatus</i> Sahlb. 23-15     | ..... <sup>14</sup> St. Barthélemy |
|                                    | Guadeloupe                         |
|                                    | Martinique                         |
| <i>puncticollis</i> Muls. 59-147   | .....Hispaniola                    |
| <i>quadracollis</i> Fairm. 05-299  | .....Argentina                     |
| <i>sallei</i> Muls. 59-144         | .....Hispaniola                    |
| <i>waterhousei</i> Muls. 59-152    | .....Cuba                          |
| <i>Opatrinus</i> Latr. 29-19       |                                    |
| <i>Hopatrinus</i> G. & H. 69-1915  |                                    |
| <i>angustus</i> Burm. 75-499       | .....Argentina                     |
| <i>gemellatus</i> Oliv. 95-9       | ..... <sup>14</sup> Antigua        |
| <i>aethiops</i> Fabr. 01-162       | Guadeloupe                         |
| <i>clathratus</i> Oliv. 91-499     | St. Vincent                        |
| <i>geminatus</i> Er. 48-565        | <sup>15</sup> Bequia               |
|                                    | <sup>15</sup> Mustique             |
|                                    | <sup>15</sup> Union                |
|                                    | Grenada                            |
|                                    | Fr. Guiana                         |
| <i>gibbicollis</i> Muls. 52-303    | .....Colombia                      |
| <i>laticollis</i> Latr. 33-66      | .....Colombia                      |
| <i>lüderwaldti</i> Geb. 28-112     | .....Brasil                        |
| <i>moestus</i> Muls. 52-307        | .....México                        |
|                                    | Br. Honduras                       |
|                                    | ?South America                     |
| <i>pullus</i> Sahlb. 23-16         | .....México                        |
| <i>anthracinus</i> Muls. 52-304    | Guatemala                          |
|                                    | ?Colombia                          |
|                                    | Cuba                               |
|                                    | Jamaica                            |
|                                    | Puerto Rico                        |
| <i>striatus</i> Guér. 30-99        | .....Chile                         |
| <i>validus</i> Burm. 75-499        | .....Argentina                     |

<sup>1</sup> Baja California (México).<sup>4</sup> Panamá.<sup>6</sup> Venezuela<sup>13</sup> Virgin Islands (W. I.).<sup>14</sup> Leeward Islands (W. I.).<sup>15</sup> Grenadines (W. I.).

**Blapstinus**—Continued.

|                                   |       |  |
|-----------------------------------|-------|--|
| lecontei M. & R. 59-192           | ..... | ?Baja Cal.                               |
| <i>pubescens</i> LeC. 51-147      | ..... | U. S. A.                                 |
| longicollis Champ. 85-126         | ..... | Guatemala<br>Nicaragua                   |
| longipennis Champ. 85-130         | ..... | México                                   |
| metallescens Fairm. 85-511        | ..... | Argentina                                |
| mexicanus Champ. 85-124           | ..... | México                                   |
| nitidus Champ. 85-130             | ..... | México                                   |
| obliteratus Champ. 85-132         | ..... | Panamá                                   |
| opacus M. & R. 59-186             | ..... | Guadeloupe                               |
| opatrinoideus Fairm. 92-81        | ..... | Venezuela                                |
| palmeri Champ. 85-128             | ..... | México                                   |
| paradoxus Blais. 23-271           | ..... | México                                   |
| piliferus Fairm. 92-82            | ..... | Venezuela                                |
| pimalis Csy. 85-185               | ..... | México                                   |
| <i>umbrosus</i> Champ. 85-127     | ..... | U. S. A.                                 |
| pratensis LeC. 59-15              | ..... | México                                   |
|                                   | ..... | U. S. A.                                 |
| pseudoaeneus Fairm. 92-81         | ..... | Venezuela                                |
| punctatus Fabr. 92-109            | ..... | <sup>12</sup> I. de Pinos<br>Puerto Rico |
|                                   | ..... |  |
| <i>v. anxius</i> M. & R. 59-190   | ..... |  |
| puncticeps M. & R. 59-118         | ..... | Cuba                                     |
| puncticollis Champ. 93-529        | ..... | México                                   |
| punctulatus Sol. 51-233           | ..... | Argentina                                |
| <i>nigroaeneus</i> M. & R. 59-195 | ..... | <sup>10</sup> Is. J. Fernández           |
| ridleyi Waterh. 90-551            | ..... | <sup>7</sup> I. Fern. Noronja            |
| ruficornis Er. 48-565             | ..... | Guiana                                   |
| rufipes Csy. 91-439               | ..... | Baja Calif.<br>U. S. A.                  |
| sonorae Csy. 91-431               | ..... | México                                   |
| striatulus M. & R. 59-183         | ..... | Puerto Rico                              |
| substriatus Champ. 85-128         | ..... | México                                   |
|                                   | ..... | U. S. A.                                 |
| sulcatus LeC. 51-147              | ..... | Baja Calif.<br>U. S. A.                  |
| sulcipennis Champ. 85-129         | ..... | Guatemala                                |
| tibialis Champ. 85-125            | ..... | México                                   |
|                                   | ..... | Guatemala<br>Nicaragua                   |
| yucatanus Champ. 93-526           | ..... | México                                   |

**Pedonoees** Waterh. 45-32

*Lachnodere* M. & R. 59-166  
*Tessaromma* Boh. 58-91

|                             |       |               |
|-----------------------------|-------|---------------|
| batesoni Blair 33-479       | ..... | Is. Galápagos |
| bauri Linell 98-265         | ..... | Is. Galápagos |
| costata Waterh. 45-35       | ..... | Is. Galápagos |
| galapagoensis Waterh. 45-35 | ..... | Is. Galápagos |
| lugubris Boh. 58-91         | ..... | Panamá        |
| morio Boh. 58-92            | ..... | Is. Galápagos |
| pubescens Waterh. 45-36     | ..... | Is. Galápagos |

**Penichrus** Champ. 85-134

blapstinoides Champ. 85-135.....Panamá

**Conibius** LeC. 51-145

|                                   |       |  |
|-----------------------------------|-------|--|
| brunnipes Champ. 85-183           | ..... | México   |
|                                   | ..... | Guatemala  |
| gagates Horn 70-357               | ..... | México   |
|                                   | ..... | U. S. A.   |
| guadalupensis Csy. 90-470         | ..... | <sup>1</sup> I. Guadalupe  |
| <i>guadeloupensis</i> Geb. 10-302 | ..... |  |
| oblongus Blais. 43-257            | ..... | Baja Calif.  |
| opacus LeC. 66-118                | ..... | Baja Calif.<br><sup>1</sup> I. Tortuga<br><sup>1</sup> I. Sta Cruz<br><sup>1</sup> I. Catalina |

|                                |       |                                |
|--------------------------------|-------|--------------------------------|
|                                | ..... | <sup>1</sup> I. Carmen         |
|                                | ..... | <sup>1</sup> I. San Diego      |
|                                | ..... | <sup>1</sup> I. Ceralvo        |
|                                | ..... | <sup>2</sup> I. San P. Nolesco |
|                                | ..... | México                         |
|                                | ..... | U. S. A.                       |
| reflexus Horn 94-429           | ..... | Baja Calif.                    |
|                                | ..... | <sup>1</sup> I. Ceralvo        |
| trogodytes Champ. 93-530       | ..... | México                         |
| ventralis Blais. 23-274        | ..... | <sup>1</sup> I. Esp. Santo     |
| <b>Notibius</b> LeC. 51-144    | ..... |                                |
| affinis Champ. 85-132          | ..... | México                         |
| puberulus LeC. 51-145          | ..... | Baja Calif.<br>U. S. A.        |
|                                | ..... | México                         |
| rugipes Champ. 85-132          | ..... | México                         |
| <b>Noeibiotes</b> Csy. 95-617  | ..... |                                |
| granulata LeC. 51-145          | ..... | Baja Calif.                    |
|                                | ..... | <sup>1</sup> I. Carmen         |
|                                | ..... | México                         |
|                                | ..... | U. S. A.                       |
| <b>Tonibius</b> Csy. 95-617    | ..... |                                |
| rossi Blais. 43-260            | ..... | Baja Calif.                    |
|                                | ..... | <sup>1</sup> I. Carmen         |
| sulcatus LeC. 51-145           | ..... | Baja Calif.                    |
| <i>alternatus</i> Csy. 90-473  | ..... | <sup>1</sup> I. Estanque       |
|                                | ..... | <sup>1</sup> I. Partida        |
|                                | ..... | U. S. A.                       |
| <b>Tonibiastes</b> Csy. 95-617 | ..... |                                |
| costipennis Horn 94-430        | ..... | <sup>1</sup> I. Magdalen a     |
|                                | ..... | <sup>1</sup> I. Sta. Margarita |
|                                | ..... | Baja Calif.                    |
| <b>Sellio</b> M. & R. 59-105   | ..... |                                |
| coarctatum Muls. 59-170        | ..... | Hispaniola                     |
| tibidens Quens. 06-147         | ..... | West Indies                    |
|                                | ..... | ?Puerto Rico                   |

## OPATRINI

|                                    |       |                                   |
|------------------------------------|-------|-----------------------------------|
| <b>Ectatoenemis</b> Horn 66-400    | ..... |                                   |
| <i>multilineata</i> Horn 66-400    | ..... | Chile                             |
| <b>Cnemeplatia</b> Costa 47-146    | ..... |                                   |
| <i>laticollis</i> Champ. 84-136    | ..... | Panamá                            |
| <b>Trichoton</b> Hope 40-111       | ..... |                                   |
| <i>cayennense</i> Geb. 10-320      | ..... | Fr. Guiana                        |
| <i>rotundatum</i> Muls. 59-117     | ..... |                                   |
| (not Curt., 1845)                  | ..... |                                   |
| <i>curvipes</i> Champ. 85-136      | ..... | Panamá                            |
| <i>garbei</i> Geb. 28-114          | ..... | Brasil                            |
| <i>lapidicola</i> Champ. 85-136    | ..... | Nicaragua                         |
|                                    | ..... | Venezuela                         |
|                                    | ..... | ?Argentina                        |
| <i>occidentale</i> Berg 83-296     | ..... | Argentina                         |
| <i>posthumum</i> Geb. 28-114       | ..... | Venezuela                         |
| <i>lapidicola</i> Fairm. 89-xxxiii | ..... | Argentina                         |
| <i>rotundatum</i> Curt. 45-469     | ..... | Argentina                         |
| <i>sordidum</i> LeC. 51-146        | ..... | Baja Calif.<br>México<br>U. S. A. |
| <b>Gonocephalum</b> Chevr. 49-274  | ..... |                                   |
| <i>brevicolle</i> Phil. 60-172     | ..... | Chile                             |
| <b>Hyocis</b> Pasc. 66-457         | ..... |                                   |
| <i>championi</i> Fvl. 04-166       | ..... | Baja Calif.                       |
| <b>Ammodonus</b> M. & R. 59-143    | ..... |                                   |
| <i>Pseudononus</i> Fairm. 83-510   | ..... |                                   |
| <i>Scaptes</i> Champ. 86-222       | ..... |                                   |
| <i>cayennensis</i> Champ. 86-222   | ..... | Fr. Guiana                        |
| <i>ciliatus</i> Champ. 96-9        | ..... | St. Vincent                       |

<sup>1</sup> Baja California (Mexico).<sup>2</sup> México.<sup>7</sup> Brasil.<sup>10</sup> Chile.<sup>13</sup> West Indies.





|   |               |
|---|---------------|
| Platyedema—Continued.                         |               |
| <i>bisignata</i> Chevr. 77-181.....           | México        |
|   | Guatemala     |
|   | Colombia      |
| <i>brevis</i> Champ. 86-200.....              | México        |
|   | Guatemala     |
|   | Panamá        |
| <i>capitosa</i> Chevr. 77-181.....            | Colombia      |
| <i>carbonaria</i> L. & B. 31-389.....         | Brasil        |
| <i>chevrolati</i> L. & B. 31-371.....         | Brasil        |
| <i>concolor</i> Champ. 92-539.....            | Nicaragua     |
| <i>unicolor</i> Champ. 86-203.....            |               |
| <i>contracta</i> Fairm. 92-84.....            | Venezuela     |
| <i>cordovens</i> Champ. 86-203.....           | México        |
|   | Guatemala     |
| <i>cruentata</i> L. & B. 31-379.....          | Fr. Guiana    |
| <i>cruenta</i> Perty 30-60.....               | Brasil        |
| <i>diimidata</i> Chevr. 78-194.....           | México        |
|   | Guatemala     |
| <i>diphthalma</i> L. & B. 31-383.....         | México        |
| <i>luna</i> Chevr. 77-186.....                | Br. Honduras  |
|   | Guatemala     |
|   | I. Roatan     |
|   | Nicaragua     |
|   | Panamá        |
|   | Cuba          |
| <i>duponti</i> L. & B. 31-368.....            | Brasil        |
| <i>elegans</i> Chevr. 78-195.....             | México        |
| <i>erotyloides</i> Chevr. 78-243.....         | Brasil        |
| <i>ornata</i> Chevr. 78-209.....              |               |
| <i>erythrocer</i> L. & B. 31-355.....         | South America |
|   | U. S. A.      |
| <i>erythrope</i> Chevr. 78-xcviii.....        | Brasil        |
| <i>erythroptera</i> Chevr. 77-181.....        | Colombia      |
| <i>excavata</i> Say 23-267.....               | México        |
| <i>fraterna</i> Chevr. 78-210.....            | Br. Honduras  |
| <i>parvula</i> Csy. 84-50.....                | Guatemala     |
| <i>tuberculata</i> L. & B. 31-352.....        | I. Roatan     |
|   | Nicaragua     |
|   | Panamá        |
|   | Colombia      |
|   | Cuba          |
|   | Hispaniola    |
|   | Puerto Rico   |
|   | U. S. A.      |
| <i>fasciatocollis</i> Chevr. 78-194.....      | México        |
| <i>fasciata</i> Fabr. 01-567.....             | México        |
|   | Br. Honduras  |
|   | Guatemala     |
|   | Colombia      |
|   | Fr. Guiana    |
|   | Brasil        |
| <i>ferruginea</i> Chevr. 77-186.....          | México        |
| <i>biimpressa</i> Chevr. 78-214.....          | Guatemala     |
|   | Panamá        |
| <i>filicornis</i> Chevr. 78-222.....          | Jamaica       |
| <i>flavipalpis</i> Chevr. 78-xcviii.....      | Brasil        |
| <i>flexuosa</i> Chevr. 77-178.....            | Cuba          |
| <i>fuliginosa</i> L. & B. 31-374.....         | México        |
| <i>fuscipes</i> L. & B. 31-373.....           | Colombia      |
| <i>globata</i> L. & B. 31-366.....            | Brasil        |
| <i>guatemalensis</i> Champ. 86-197.....       | Guatemala     |
|   | Venezuela     |
| <i>hamatifera</i> Chevr. 78-c.....            | Brasil        |
| <i>hieroglyphica</i> L. & B. 31-390.....      | Brasil        |
| <i>histrionica</i> Gemm. 70-122.....          | Perú          |
| <i>histrionica</i> Er. 47-119.....            |               |
| <i>högei</i> Champ. 86-195.....               | México        |
| <i>hondurensis</i> Champ. 86-186.....         | Br. Honduras  |
| <i>hydroporoides</i> Chevr. 78-cxlix.....     | Brasil        |
| <i>illegitima</i> Chevr. 78-209.....          | ?             |
| <i>immaculata</i> Champ. 86-192.....          | Panamá        |
| <i>impressifrons</i> Fairm. 83-512.....       | Uruguay       |
|   | Argentina     |
| <i>infusca</i> L. & B. 31-373.....            | South America |
| <i>janus</i> L. & B. 31-372.....              | Perú          |
| <i>lucens</i> Champ. 86-202.....              | México        |
| <i>maculata</i> Perty 30-60.....              | Brasil        |
| <i>maculipennis</i> Champ. 86-201.....        | México        |
|   | Guatemala     |
| <i>marginalis</i> Chevr. 78-209.....          | Brasil        |
| <i>melancholica</i> Champ. 86-190.....        | Guatemala     |
| <i>mexicana</i> Champ. 86-187.....            | México        |
| <i>minarum</i> Chevr. 78-cxlvii.....          | Brasil        |
| <i>monilicornis</i> Chevr. 77-186.....        | México        |
| <i>multimaculata</i> Chevr. 78-cxlviii.....   | Brasil        |
| <i>nicaraguensis</i> Champ. 86-192.....       | Nicaragua     |
| <i>nigricornis</i> L. & B. 31-360.....        | Brasil        |
| <i>nigrifrons</i> Chevr. 78-cxlviii.....      | Brasil        |
| <i>nigromaculata</i> Champ. 86-199.....       | Nicaragua     |
|   | Panamá        |
| <i>nitida</i> Chevr. 77-170.....              | México        |
| <i>notata</i> L. & B. 31-385.....             | Fr. Guiana    |
| <i>obliquemacula</i> Chevr. 78-xxix.....      | Brasil        |
| <i>obscurata</i> Fairm. 83-512.....           | Argentina     |
| <i>octopunctata</i> Chevr. 78-cxlviii.....    | Brasil        |
| <i>oculata</i> Champ. 86-191.....             | México        |
| <i>opaca</i> Chevr. 77-181.....               | Colombia      |
| <i>ornata</i> Chevr. 77-186.....              | México        |
| <i>pallidicornis</i> Chevr. 78-xxix.....      | Brasil        |
| <i>panamensis</i> Champ. 86-198.....          | Panamá        |
| <i>phalacroides</i> Chevr. 77-170.....        | Venezuela     |
| <i>pivicornis</i> Fabr. 92-498.....           | Cuba          |
|   | Hispaniola    |
|   | Puerto Rico   |
|   | Brasil        |
| <i>pivicentris</i> Chevr. 78-214.....         | Colombia      |
| <i>pilifera</i> Champ. 96-12.....             | St. Vincent   |
| <i>pretiosa</i> Champ. 86-197.....            | Br. Honduras  |
| <i>pugionata</i> Chevr. 78-xcviii.....        | Brasil        |
| <i>punctatostriata</i> Chevr. 77-178.....     | Cuba          |
| <i>quindecimmaculata</i> Chevr. 78-cxlix..... | Guatemala     |
|   | Nicaragua     |
|   | Panamá        |
|   | Brasil        |
| <i>ramulosa</i> Chevr. 78-c.....              | Brasil        |
| <i>rodriguezi</i> Champ. 86-185.....          | Guatemala     |
| <i>rotundata</i> Chevr. 77-186.....           | México        |
|   | Guatemala     |
| <i>rubida</i> Chevr. 77-178.....              | Chile         |
| <i>rubropicta</i> Chevr. 78-209.....          | Fr. Guiana    |
| <i>rufipennis</i> L. & B. 31-376.....         | Brasil        |
| <i>rufipes</i> Chevr. 78-xxix.....            | Brasil        |
| <i>rugiceps</i> Champ. 86-191.....            | México        |
|   | Guatemala     |
|   | Nicaragua     |
| <i>scriptipennis</i> Fairm. 75-xxxiii.....    | ?Grenada      |
|   | Old World     |
| <i>sedecimmaculata</i> Chevr. 78-cxlix.....   | Brasil        |
| <i>serripes</i> Chevr. 77-181.....            | Colombia      |
| <i>sexmaculata</i> Chevr. 78-194.....         | México        |

<sup>3</sup> Honduras.

|                                    |       |                          |                                     |
|------------------------------------|-------|--------------------------|-------------------------------------|
| <b>Platydema</b> —Continued.       |       |                          |                                     |
| <i>sexnotata</i> Chevr. 78-194     | ..... | México                   | unicolor Blanch. 43-198             |
|                                    |       | Nicaragua                | <i>corallipes</i> Chevr. 78-xcvii   |
|                                    |       | Colombia                 | <i>purpurea</i> Geb. 28-128         |
| <i>sexpunctata</i> Chevr. 77-181   | ..... |                          | <b>Stenoscapa</b> Bates 73-237      |
| <i>silphoides</i> L. & B. 31-369   | ..... | México                   | <i>jalapensis</i> Champ. 86-208     |
| <i>agilis</i> Chevr. 77-178        | ..... | Br. Honduras             | <i>tibialis</i> Bates 73-237        |
|                                    |       | Guatemala                | <b>Liodyema</b> Horn 70-385         |
|                                    |       | Nicaragua                | <i>connexa</i> Bates 73-236         |
|                                    |       | Colombia                 | <i>cruciata</i> Chevr. 77-182       |
|                                    |       | Venezuela                | <i>nigrofasciata</i> Chevr. 78-215  |
|                                    |       | Fr. Guiana               |                                     |
| <i>sobrina</i> Chevr. 77-186       | ..... | México                   | <i>flavovariegata</i> Champ. 86-208 |
| <i>discolor</i> Mots. 73-477       | ..... | Br. Honduras             |                                     |
| <i>texana</i> Mots. 73-478         | ..... | Guatemala                | <i>fulva</i> Bates 73-236           |
|                                    |       | Nicaragua                | <i>horni</i> Bates 73-236           |
|                                    |       | Panamá                   | <i>irradians</i> Chevr. 77-178      |
|                                    |       | Venezuela                | <i>laevis</i> Hald. 48-101          |
|                                    |       | Brasil                   |                                     |
|                                    |       | U. S. A.                 | <i>maculata</i> Fabr. 01-556        |
| <i>submaculata</i> Chevr. 78-xcix  | ..... | México                   | <i>inscripta</i> Chevr. 78-222      |
|                                    |       | Br. Honduras             | <i>kirschi</i> Bates 73-235         |
|                                    |       | Brasil                   | <i>tergocincta</i> Chevr. 78-178    |
| <i>subquadrata</i> Mots. 73-477    | ..... | Baja Calif.              |                                     |
| <i>janus</i> Horn 70-382           | ..... | <sup>1</sup> I. San José |                                     |
| <i>pernigra</i> Csy. 84-49         | ..... | México                   |                                     |
| <i>ventralis</i> Chevr. 77-186     | ..... | Br. Honduras             | <i>obydensis</i> Bates 73-235       |
|                                    |       | Guatemala                | <i>proxima</i> Chevr. 77-178        |
|                                    |       | <sup>2</sup> I. Roatan   |                                     |
|                                    |       | Nicaragua                |                                     |
|                                    |       | U. S. A.                 | <i>quadrinotata</i> L. & B. 31-380  |
| <i>tibialis</i> Chevr. 78-cxlviii  | ..... | Nicaragua                | <i>serricornis</i> Bates 73-236     |
|                                    |       | Panamá                   |                                     |
|                                    |       | Brasil                   |                                     |
| <i>transversa</i> L. & B. 31-381   | ..... | Panamá                   |                                     |
|                                    |       | Colombia                 |                                     |
|                                    |       | Brasil                   |                                     |
| <i>tricolor</i> Champ. 86-200      | ..... | Guatemala                | <i>tenuicornis</i> Chevr. 77-182    |
| <i>undata</i> Chevr. 78-194        | ..... | México                   | <i>zimmermani</i> Champ. 86-206     |
| <i>picta</i> Mots. 73-480          | ..... | Br. Honduras             | <b>Exapinaeus</b> Pasc. 82-34       |
|                                    |       | Guatemala                | <i>politus</i> Pasc. 82-34          |
|                                    |       | Nicaragua                | <b>Paniasis</b> Champ. 86-208       |
|                                    |       | Panamá                   | <i>dilatipes</i> Champ. 86-209      |
| <i>varians</i> L. & B. 31-387      | ..... | Fr. Guiana               |                                     |
| <i>variegata</i> L. & B. 31-391    | ..... | Colombia                 | <b>Lelegeis</b> Champ. 86-209       |
| <i>venusta</i> Champ. 86-204       | ..... | Nicaragua                | <i>aeneipennis</i> Champ. 86-210    |
|                                    |       | Panamá                   |                                     |
| <i>versicolor</i> Chevr. 78-194    | ..... | México                   | <b>Apsida</b> Lac. 59-309           |
| <i>virens</i> L. & B. 31-391       | ..... | Cuba                     | <i>Ilapsida</i> G. & H. 69-1955     |
| <i>flavicornis</i> Chevr. 77-170   | ..... | Puerto Rico              | <i>aeneomicans</i> Bates 73-16      |
| <i>viridincta</i> Champ. 86-186    | ..... | México                   | <i>belti</i> Bates 73-16            |
| <i>zona</i> Chevr. 78-cxlviii      | ..... | Brasil                   |                                     |
| <b>Cosmonota</b> Blanch. 45-30     |       |                          | <i>boucardi</i> Bates 73-17         |
| <i>angustata</i> Blanch. 43-198    | ..... | Bolivia                  | <i>geminata</i> Chevr. 77-173       |
| <i>melanocera</i> Chevr. 78-xcviii | ..... | Brasil                   | <i>grammica</i> Chevr. 77-173       |
| <i>nigripes</i> Chevr. 77-173      | ..... | México                   |                                     |
|                                    |       | Br. Honduras             | <i>chrysomelina</i> Lac. 59-309     |
|                                    |       | Guatemala                |                                     |
|                                    |       | Nicaragua                |                                     |
| <i>picta</i> Geb. 28-127           | ..... | Perú                     |                                     |
| <i>v. erythropus</i> Geb. 28-127   | ..... | Perú                     |                                     |
| <i>plagiata</i> Geb. 28-126        | ..... | Brasil                   | <i>gibbosa</i> Champ. 86-212        |
| <i>pubescens</i> Champ. 86-210     | ..... | Nicaragua                |                                     |
| <i>rubripennis</i> Chevr. 77-173   | ..... | Brasil                   |                                     |
| <i>sexvittata</i> Chevr. 77-178    | ..... | Brasil                   | <i>punctipennis</i> Champ. 86-213   |

<sup>1</sup> Baja California (Mexico).<sup>2</sup> Honduras.

- Apsida**—Continued.  
*purpureomicans* Bates 73-16..... México  
 Br. Honduras  
 Guatemala  
 Costa Rica  
 Panamá  
 Colombia  
 U. S. A.  
*seriatopunctata* Champ. 86-212..... México  
*terebrans* Champ. 86-214..... México  
 Br. Honduras  
 Guatemala  
 Nicaragua  
 Panamá
- Gonospa** Champ. 86-216  
*amazonica* Champ. 86-216..... Brasil  
*brasiliensis* Champ. 86-216..... Brasil  
*phaedonoides* Champ. 86-217..... Panamá
- Menimopsis** Champ. 96-16  
*excaesa* Champ. 96-17..... St. Vincent
- Enneboeus** Waterh. 78-228  
*bäckströmi* Pic 24-380.....<sup>10</sup> Is. J. Fernández  
*marmoratus* Champ. 92-540..... México  
*ruficolor* Pic 24-85..... Brasil  
*seriatus* Champ. 92-540..... Colombia  
*uniformis* Champ. 92-540..... Panamá
- Pentaphyllus** Latr. 29-30  
*gowdeyi* Pic 30-33..... Jamaica
- ### PHRENAPATINI
- Phrenapates** Kby. 37-188  
*bennetti* Kby. 37-188..... Guatemala  
 Nicaragua  
 Costa Rica  
 Panamá  
 Colombia  
*dux* Geb. 10-504..... Ecuador  
 Perú  
 Bolivia  
*educator* Gep. 10-504..... Ecuador  
*latreillei* Geb. 10-504..... Colombia  
*mandibularis* Geb. 10-504..... South America  
*ohausi* Geb. 10-503..... Ecuador
- Delognatha** Lac. 59-315  
*auriculata* Lac. 59-316..... Brasil  
*brevicornis* Bates 73-48..... Brasil  
*buckleyi* Bates 73-40..... Ecuador  
*ceruchoides* Geb. 28-140..... Colombia  
*lacordairei* Lac. 59-316..... Brasil  
*mandibularis* Geb. 28-139..... Colombia  
*paulensis* Geb. 28-140..... Brasil  
*persimilis* Geb. 28-142..... Costa Rica  
*puncticoellis* Bates 73-49..... Brasil
- Daochus** Champ. 86-139  
*mandibularis* Champ. 86-140..... Br. Honduras  
 Guatemala
- Dioedus** LeC. 66-238  
 sp. (Wolc. 36-236)..... Puerto Rico
- Arrhabaeus** Champ. 86-144  
*convexus* Champ. 86-145..... Costa Rica  
 Panamá  
*debilis* Champ. 96-20..... St. Vincent  
 Grenada  
*guadeloupensis* F. & S. 89-424..... Guadeloupe
- Phthora** Muls. 54-228  
*armata* Champ. 93-532..... Guatemala  
*punctata* Champ. 86-144  
 (not LeC. 1866)  
*biconigera* Geb. 28-143..... Brasil  
*elongata* Champ. 93-532..... México  
**Zypoetes** Champ. 93-532  
*epieroides* Champ. 93-533..... México  
 Guatemala  
 Nicaragua
- Peneta** Lac. 59-319  
*bicornis* Geb. 28-146..... Brasil  
*costaricensis* Geb. 28-147..... Costa Rica  
*diversicornis* Pic 21-19..... Colombia  
*glabrifrons* Geb. 28-145..... Colombia  
*haagi* Kirsch 86-334..... Ecuador  
*lebasi* Lac. 59-319..... Colombia  
*mülleri* Kirsch 86-334..... Colombia  
*nevermanni* Geb. 28-148..... Costa Rica  
*nuchicornis* Geb. 28-146..... Costa Rica  
*obtusicornis* Kirsch 66-191..... Panamá  
*panamensis* Champ. 86-142..... Colombia  
*rufa* Pic 31-35..... Venezuela  
*sinuaticollis* Pic 21-19..... Bolivia  
*ulomoides* Pic 21-19..... Venezuela
- Molion** Champ. 86-142  
*ater* Pic 21-19..... Brasil  
*cervus* Bates 73-50..... Perú  
*goudoti* Lac. 59-320..... Colombia  
*taurus* Lac. 59-320..... Colombia
- Cleolus** Champ. 86-142  
*sommeri* Lac. 59-320..... México
- Telehis** Champ. 86-142  
*clavicornis* Champ. 86-143..... Panamá
- ### ULOMINI
- Gnathocerus** Thunb. 14-47  
*Cerandria* Lucas 49-344  
*Echocerus* Horn 70-366 (Subg.)  
*analisis* Champ. 86-146..... Guatemala  
*angelicus* Blais. 23-277.....<sup>1</sup> I. Cedros  
 Baja Calif.  
<sup>2</sup> Is. Tres Marias  
*breviceps* Blais. 43-266..... Baja Calif.  
*cornutus* Fabr. 98-51..... México  
*cucullatus* Montr. 60-294..... Guatemala  
*laeviusculus* Steph. 32-10..... Brasil  
*maxillaris* Beauv. 05-125..... Argentina  
*ruber* Thunb. 14-47..... Puerto Rico  
 U. S. A.  
 Old World  
*curvicornis* Champ. 93-533..... México  
 Brasil  
 U. S. A.  
*maxillosus* Fabr. 01-155..... Baja Calif.  
 México  
 Guatemala  
 Nicaragua  
 Colombia  
 Cuba  
 Grenada  
 U. S. A.  
 Old World

<sup>2</sup> México.<sup>10</sup> Chile.



- Sicinus** Champ. 86-146  
*brevipes* Champ. 86-147.....Guatemala  
*guatemalensis* Champ. 86-147.....Guatemala
- Iccius** Champ. 86-147  
*cephalotes* Champ. 86-148.....México  
Guatemala  
*cylindricus* Champ. 86-148.....México  
Guatemala  
*grenadensis* Champ. 96-18.....Grenada  
*rufotestaceus* Champ. 96-19.....St. Vincent
- Phanerops** Sol. 51-233  
*elongata* Sol. 51-234.....Chile  
*unicolor* Germain 55-405.....Chile
- Cynaenus** LeC. 66-233  
*angustus* LeC. 51-146.....Baja Calif.  
*opacus* Champ. 86-156.....México  
U. S. A.  
*depressus* Horn 70-369.....?Baja Calif.  
U. S. A.
- Latheticus** Waterh. 80-147  
*oryzae* Waterh. 80-148.....México  
*striolatus* Fairm. 92-111.....Cuba  
Argentina  
Old World  
*prosopis* Chitt. 04-167.....<sup>1</sup> I. Carmen  
U. S. A.
- Tribolium** M'Leay 25-47  
*castaneum* Hbst. 97-7.....Baja Calif.  
*ferrugineum* Dej. 21-68.....México  
Guatemala  
Panamá  
Colombia  
Venezuela  
Brasil  
Perú  
Bolivia  
Uruguay  
Argentina  
Chile  
Cuba  
Jamaica  
Hispaniola  
Puerto Rico  
Guadeloupe  
St. Vincent  
Grenada  
U. S. A.  
Old World
- confusum* DuVal '68-181.....Baja Calif.  
México  
Brasil  
Argentina  
Chile  
Cuba  
Jamaica  
Hispaniola  
Puerto Rico  
U. S. A.  
Old World
- gebieni* Uyttenb. 34-21.....Brasil  
Paraguay
- Palorus** Muls. 54-250  
*subdepressus* Woll. 64-499.....México  
*bifoveolatus* Baudi 76-235.....U. S. A.  
*melinus* Champ. 86-174.....Old World
- Alegoria** Lap. 40-221  
*bidens* Fabr. 92-116.....South America  
*castelnaui* F. & S. 89-425.....Guadeloupe  
*caviceps* Geb. 28-130.....Perú  
*dentimana* Geb. 28-131.....Brasil  
*dilatata* Lap. 40-221.....México  
Guatemala  
<sup>2</sup> I. Roatan  
Nicaragua  
Panamá  
<sup>1</sup> I. Taboga  
Colombia  
Fr. Guiana  
Brasil  
Perú  
St. Vincent  
Grenada
- ohausi* Geb. 28-131.....Brasil  
*paralela* Bates 73-183.....Brasil  
*parallogramma* Geb. 28-133.....Perú  
*quadraticollis* Bates 73-182.....Venezuela  
*sallei* Bates 73-181.....México
- Myeotrogus** Horn 70-367  
*mentalis* Blais. 23-279.....Baja Calif.
- Oligocara** Sol. 48-153  
*nitida* Sol. 48-227.....Chile
- Apteruleda** Geb. 28-134  
*acutangula* Geb. 28-136.....Perú  
*uncipes* Geb. 28-135.....Perú
- Antimaehus** Gistel 29-1054  
*Ceratupis* Perty 30-57  
*coriaceus* Lac. 59-331.....Nicaragua  
Colombia  
Fr. Guiana  
Brasil
- dalmanni* Geb. 28-137.....Brasil  
*furcifer* Daln. 21-381.....Brasil  
*v. differens* Pic 30-36.....Brasil  
*v. reductus* Pic 21-16.....Brasil  
*incisus* Pic 30-36.....Brasil  
*nigerrimus* Perty 30-58.....Brasil  
*v. leseleuci* Pic 21-17.....Brasil  
*nitidus* Pic 21-16.....Fr. Guiana  
*punctatus* Pic 21-16.....Fr. Guiana  
*riedeli* Geb. 28-138.....Brasil  
*roudeni* F. & S. 89-426.....Guadeloupe  
*semicarinatus* Geb. 28-137.....Colombia  
*simplex* Pic 30-36.....Brasil  
*substriatus* Pic 21-16.....Fr. Guiana  
*triangulifer* Kirsch 66-192.....Colombia
- Metabolocerus** Bates 73-259  
*clypeatus* Bates 73-260.....Venezuela  
*v. brevicornis* Bates 73-260.....Venezuela  
*fryi* Bates 73-260.....Colombia  
*pilosus* Bates 73-259.....Colombia
- Uleda** Lap. 40-220  
*diaperoides* Lap. 40-220.....Brasil  
Argentina  
*grossa* Champ. 86-151.....México  
Colombia  
Venezuela  
Fr. Guiana  
Brasil
- Uloma** Lap. 40-219  
*antillarum* Champ. 96-22.....Grenada

<sup>1</sup> Baja California (Mexico).<sup>2</sup> Honduras.



- Doliopines** Horn 94-427  
*cucujina* Horn 94-428 ..... Baja Calif.
- Ulosonia** Lap. 40-220  
*biimpressa* Latr. 33-17 ..... <sup>1</sup> Is. Tres Mariás  
 México  
 Br. Honduras  
 Guatemala  
 Nicaragua  
 Panamá  
 Colombia  
 Guiana  
 Brasil  
 Cuba
- canaliculata* Champ. 86-164 ..... Nicaragua  
 Costa Rica  
 Panamá
- ceratodera* Fairm. 92-85 ..... Venezuela  
*dejeani* Champ. 86-165 ..... Guatemala  
 Colombia
- depressa* Champ. 86-164 ..... México  
*marginata* LeC. 51-149 ..... Baja Calif.  
<sup>1</sup> I. Tassne  
<sup>1</sup> I. Carmen  
<sup>1</sup> I. San José  
 U. S. A.
- parvicornis* Fairm. 92-250 ..... Argentina  
*tricornis* Lap. 40-220 ..... Baja Calif.  
<sup>1</sup> Is. Tres Mariás  
<sup>2</sup> Is. Revillagigedo  
 México  
 Br. Honduras  
 Guatemala  
 Cuba  
 Argentina
- vaeca* Fabr. 01-153 ..... Brasil
- Phayllus** Champ. 86-167  
*minutus* Champ. 86-167 ..... México  
 Br. Honduras  
 Guatemala  
 Nicaragua  
 Panamá  
 Colombia  
 Brasil
- Aesymnus** Champ. 86-168  
*nitidus* Champ. 86-168 ..... México
- Mophis** Champ. 86-168  
*affinis* Champ. 86-169 ..... México  
*aterrima* Champ. 86-169  
*cynaeoides* Champ. 86-162 ..... México  
*marginicollis* Champ. 86-169 ..... Guatemala
- Metuloseonia** Bates 73-261  
*cayennensis* Lap. 32-402 ..... Fr. Guiana  
*egaensis* Bates 73-262 ..... Brasil  
*elongata* Chev. 78-237 ..... Venezuela  
*gyrinooides* Chev. 78-237 ..... Brasil  
*horni* Bates 73-262 ..... Panamá  
*reflexa* Chev. 78-237 ..... México  
 Br. Honduras  
 Guatemala  
 Nicaragua
- Corticeus** P. & M. 83-87  
*Hypophloeus* Fabr. 91-24  
*argentinus* Pic 15-223 ..... Argentina  
*crassicornis* Champ. 86-173 ..... Guatemala  
*erratus* Rtr. 94-16 ..... Colombia  
*cylindricus* Rtr. 77-192
- longicornis* Champ. 86-172 ..... México  
*meridanus* Pic 15-15 ..... Venezuela  
*mexicanus* Rtr. 77-191 ..... México  
 Guatemala  
 Nicaragua  
 Panamá  
 Colombia
- pallidipennis* Champ. 86-173 ..... México  
 Guatemala
- puncticollis* Champ. 86-172 ..... Guatemala  
*rufipes* Fabr. 01-558 ..... México  
 Br. Honduras  
 Guatemala  
 Nicaragua  
 Venezuela  
 Brasil
- sordidus* Champ. 13-162 ..... Guatemala  
 Puerto Rico  
 Guadeloupe

## EUTELINI

- Diceroderes** Sol. 41-46  
*mexicana* Sol. 41-46 ..... México  
 Guatemala
- Pteroderes** Germain 94-446  
*tuberosa* Germain 94-448 ..... Chile

## COELOMETOPINI

- Tentyriopsis** Geb. 28-168  
*pertyi* Geb. 40-1091 ..... Brasil  
*striipuncta* Geb. 28-175  
*striipuncta* Perty 34-pl. 12 ..... Brasil
- Rhinandrus** LeC. 66-119  
*Exerestes* Bates 70-268  
*Proderops* Fairm. 73-393  
*elegans* Kr. 80-134 ..... ? South America  
*elongatus* Horn 66-400 ..... México  
*foraminosus* Fairm. 73-394 ..... Nicaragua  
*jansoni* Bates 70-269 ..... ? South America  
*foveolatus* Kr. 80-133 ..... México  
*gracilis* LeC. 66-130 ..... Baja Calif.  
*helopioides* Kr. 80-135 ..... México  
*obsoletus* Champ. 85-102 ..... México  
*peruanus* Kr. 80-134 ..... Perú  
*sublaevis* Horn 85-160 ..... <sup>2</sup> I. Tiburón  
 México  
 U. S. A.
- Centronopus** Sol. 48-154  
*Scotobaenus* LeC. 59-87  
*bimaculatus* Champ. 92-521 ..... México  
*grandicollis* Champ. 85-100 ..... México  
*parallelus* LeC. 59-88 ..... ? Baja Calif.  
 U. S. A.  
*suppressus* Say 35-187 ..... México  
*extensicollis* Sol. 48-260
- Coelocnemis** Mannh. 43-280  
*californica* Mannh. 43-282 ..... ? Baja Calif.  
 U. S. A.  
*slevini* Blais. 25-337 ..... <sup>1</sup> I. Cedros
- Astathuetus** Bates 73-472  
*alienus* Bates 74-24 ..... Colombia
- Sophrobates** Fairm. 89-xxxvi  
*arcadii* Fairm. 89-xxxvi ..... Brasil
- Hipalmus** Bates 70-269  
*Lobetas* Mots. 72-26

<sup>1</sup> Baja California (México).<sup>2</sup> México.

## Himalmus—Continued.

|                              |       |         |
|------------------------------|-------|---------|
| aequatorius Kolbe 01-479     | ..... | Ecuador |
| costatus Guér 30-97          | ..... | Perú    |
| <b>Oenopion</b> Champ. 85-98 |       |         |
| gibbosum Champ. 85-99        | ..... | México  |

## TENEBRIONINI

## Zophobas Blanch. 45-15

*Macrozophobas* Pic 13-6 (Subg.)

|                               |       |                          |
|-------------------------------|-------|--------------------------|
| alternans Kr. 80-131          | ..... | México                   |
| ambigua Kr. 80-124            | ..... | Brasil                   |
| arcuatipes Pic 21-8           | ..... | Brasil                   |
| atricolor Pic 21-9            | ..... | Ecuador                  |
| bifasciata Er. 47-118         | ..... | Perú                     |
| confusa Geb. 06-222           | ..... | Brasil                   |
| <i>spectabilis</i> Kr. 80-124 |       |                          |
| costata Pic 21-10             | ..... | R. Dominicana            |
| diversipes Pic 21-8           | ..... | Guatemala                |
| elongatior Pic 21-9           | ..... | Venezuela                |
| erosicollis Kr. 80-127        | ..... | Brasil                   |
| gracilicornis Pic 13-6        | ..... | Panamá                   |
| haagi Kr. 80-123              | ..... | Colombia                 |
| kirschi Kr. 80-127            | ..... | Venezuela                |
| klingelhöferi Kr. 80-126      | ..... | México                   |
| v. signata Champ. 85-104      | ..... | Br. Honduras             |
|                               |       | Nicaragua                |
|                               |       | Nicaragua                |
|                               |       | Guatemala                |
|                               |       | Panamá                   |
| kraatzii Champ. 85-105        | ..... | Guatemala                |
| laticollis Mots. 72-35        | ..... | México                   |
|                               |       | Br. Honduras             |
|                               |       | Nicaragua                |
|                               |       | Panamá                   |
|                               |       | Brasil                   |
|                               |       | Peru                     |
|                               |       | Grenada                  |
| lugubris Boh. 58-97           | ..... | Perú                     |
| macreta Kr. 80-130            | ..... | México                   |
|                               |       | Guatemala                |
|                               |       | Costa Rica               |
| maculicollis Kirsch 66-196    | ..... | Panamá                   |
|                               |       | Colombia                 |
| minuta Pic 21-8               | ..... | Brasil                   |
| merio Fabr. 76-241            | ..... | México                   |
| <i>concolor</i> Woll. 70-33   |       | Guatemala                |
| <i>elongata</i> Beauv. 05-164 |       | Nicaragua                |
| <i>nigrita</i> Oliv. 95-5     |       | Costa Rica               |
|                               |       | Colombia                 |
|                               |       | Venezuela                |
|                               |       | <sup>6</sup> Trinidad    |
|                               |       | Brasil                   |
|                               |       | Argentina                |
|                               |       | Cuba                     |
|                               |       | Jamaica                  |
|                               |       | Puerto Rico              |
|                               |       | <sup>13</sup> Culebra    |
|                               |       | <sup>12</sup> St. Thomas |
|                               |       | Guadeloupe               |
|                               |       | Dominica                 |
|                               |       | St. Vincent              |
|                               |       | Old World                |
| opaca Sahlb. 23-17            | ..... | Brasil                   |
| pedestris Champ 85-103        | ..... | Argentina                |
|                               |       | Nicaragua                |

|                              |       |             |
|------------------------------|-------|-------------|
| quadrifasciata Kr. 80-125    | ..... | ?Brasil     |
| quadrimaculata Oliv. 95-8    | ..... | Brasil      |
|                              |       | Argentina   |
| quadrinotata Kr. 80-125      | ..... | Brasil      |
| quadripustulata Fabr. 01-157 | ..... | Fr. Guiana  |
| rufescens Pic 13-12          | ..... | Brasil      |
| rufipes Pic 13-12            | ..... | Brasil      |
| rufotincta Pic 21-9          | ..... | Perú        |
| v. boliviensis Pic 21-9      | ..... | Venezuela   |
| rugipes Kirsch 66-197        | ..... | México      |
|                              |       | Nicaragua   |
|                              |       | Costa Rica  |
|                              |       | Panamá      |
|                              |       | Colombia    |
|                              |       | Brasil      |
|                              |       | Ecuador     |
|                              |       | Puerto Rico |
|                              |       | Guadeloupe  |
| spectabilis Kr. 80-123       | ..... | Brasil      |
| subnitida Mots. 72-35        | ..... | America     |
| tibialis Kr. 80-126          | ..... | Brasil      |
| tridentata Kr. 80-124        | ..... | Panamá      |
|                              |       | Colombia    |
|                              |       | Guiana      |
|                              |       | Brasil      |

## Acanthobas Geb. 28-175

|                                |       |            |
|--------------------------------|-------|------------|
| angusticollis Geb. 28-177      | ..... | Brasil     |
| <b>Pyres</b> Champ. 85-100     |       |            |
| batesi Champ. 85-101           | ..... | Colombia   |
| nigrofasciata Geb. 28-183      | ..... | Costa Rica |
| nigrosignata Pic 35-21         | ..... | Brasil     |
| speciosa Pasc. 83-439          | ..... | Nicaragua  |
| <i>metallica</i> Champ. 85-101 |       |            |

## Hesiodus Champ. 85-115

|                            |       |            |
|----------------------------|-------|------------|
| brasiliensis Champ. 85-116 | ..... | Brasil     |
| carabius F. & S. 89-424    | ..... | Guadeloupe |
| conspurcatus Champ. 85-116 | ..... | Panamá     |
| debilis Champ. 85-117      | ..... | Guatemala  |
| egaensis Champ. 93-525     | ..... | Brasil     |
| ellipticus Champ. 93-525   | ..... | Nicaragua  |
| jansonii Champ. 85-116     | ..... | México     |
|                            |       | Nicaragua  |
| longiarsis Champ. 85-115   | ..... | México     |
|                            |       | Nicaragua  |
| sordidus Champ. 85-116     | ..... | México     |

## Ilus Champ. 85-117

|                                |       |              |
|--------------------------------|-------|--------------|
| apicicornis Champ. 85-118      | ..... | Costa Rica   |
| <b>Choastes</b> Champ. 93-526  |       |              |
| <i>Choaspes</i> Champ. 85-118  |       |              |
| (not Moore, 1881)              |       |              |
| angulicollis Champ. 85-119     | ..... | Nicaragua    |
| bisulcata Pic 32-138           | ..... | Guiana       |
| elongata Pic 21-32             | ..... | Brasil       |
| multiimpresa Pic 21-33         | ..... | Brasil       |
| purpurea Champ. 85-119         | ..... | Br. Honduras |
|                                |       | Guatemala    |
|                                |       | Nicaragua    |
|                                |       | Panamá       |
| rufitarsis Pic 35-26           | ..... | Colombia     |
| rufonotata Pic 21-33           | ..... | Fr. Guiana   |
| seileri Pic 35-27              | ..... | Colombia     |
| simonis Fairm. 92-80           | ..... | Venezuela    |
| <b>Isicertes</b> Champ. 85-113 |       |              |
| alutaceicollis Pic 35-27       | ..... | Argentina    |
| argentina Pic 23-32            | ..... | Argentina    |

<sup>6</sup> Venezuela.<sup>12</sup> Virgin Islands (W. I.).



|                                |        |
|--------------------------------|--------|
| <i>Gaurobates</i> Geb. 28-184  | Brasil |
| <i>nigrosinuata</i> Pic 35-21  | Brasil |
| <i>picta</i> Geb. 28-184       | Brasil |
| <i>Xanthobates</i> Geb. 28-185 | Brasil |
| <i>flava</i> Geb. 28-186       | Brasil |

## BELOPINAE

|                                   |                |
|-----------------------------------|----------------|
| <i>Rhacius</i> Champ. 85-120      | South America  |
| <i>baeri</i> Pic 25-8             | South America  |
| <i>costipennis</i> Blair 33-480   | Is. Galápagos  |
| <i>deplanatus</i> Pic 23-22       | South America  |
| <i>diversipes</i> Pic 25-8        | South America  |
| <i>nitidus</i> Geb. 28-188        | Brasil         |
| <i>quadricollis</i> Champ. 85-121 | Br. Honduras   |
|                                   | Guatemala      |
|                                   | Colombia       |
| <i>rufus</i> Pic 25-8             | South America  |
| <i>sulcatus</i> Champ. 85-121     | México         |
| <i>sulcatus</i> L. & M. 14-464    | Guatemala      |
|                                   | Nicaragua      |
|                                   | Colombia       |
|                                   | Cuba           |
| <i>Toxicum</i> Latr. 04-297       |                |
| <i>cribarium</i> Blanch. 51-441   | Chile          |
| <i>Eupsophus</i> Ckll. 06-252     |                |
| <i>Eupsophus</i> Horn 70-347      | Baja Calif.    |
| <i>castaneus</i> Horn 70-347      | I. San Esteban |
|                                   | México         |
|                                   | U. S. A.       |
| <i>horni</i> Champ. 85-122        | Baja Calif.    |
|                                   | México         |

## GONIADERINAE

|                                      |               |
|--------------------------------------|---------------|
| <i>Xanthicles</i> Champ. 86-231      |               |
| <i>caraboides</i> Champ. 86-232      | Costa Rica    |
| <i>hirsuta</i> Champ. 86-232         | Costa Rica    |
| <i>Goniadera</i> Perty 30-62         |               |
| <i>alternata</i> Champ. 86-231       | México        |
|                                      | Br. Honduras  |
|                                      | Guatemala     |
|                                      | Panamá        |
| <i>ampliata</i> Geb. 12-238          | Brasil        |
| <i>claveri</i> Pic 13-133            | Colombia      |
| <i>coracina</i> Geb. 12-239          | Paraguay      |
| <i>crenata</i> Perty 30-63           | Brasil        |
|                                      | Argentina     |
| <i>dissipata</i> Kirsch 66-197       | Panamá        |
|                                      | Colombia      |
|                                      | Brasil        |
| <i>distinctipennis</i> Pic 13-133    | Ecuador       |
| <i>impressa</i> Er. 47-119           | Perú          |
| <i>interrupta</i> Bates 68-312       | Perú          |
| <i>nicaraguensis</i> Champ. 86-230   | Nicaragua     |
| <i>novemcostata</i> Fairm. 89-xxxvii | South America |
| v. <i>diversicollis</i> Pic 13-134   | Brasil        |
| <i>obscuriceps</i> Pic 13-125        | Brasil        |
| <i>oculata</i> Champ. 86-230         | Nicaragua     |
| <i>aculata</i> Champ. 86-230         |               |
| v. <i>boliwiensis</i> Pic 13-134     | Bolivia       |
| v. <i>cordicollis</i> Pic 13-125     | Brasil        |
| <i>pilosa</i> Champ. 86-230          | Nicaragua     |
|                                      | Panamá        |
| <i>repanda</i> Fabr. 01-165          | México        |
|                                      | Br. Honduras  |

Guatemala  
Nicaragua  
Panamá  
Colombia  
Fr. Guiana  
Brasil  
Argentina

|  |            |
|--|------------|
| <i>rufescens</i> Pic 13-133            | Brasil     |
| <i>simplex</i> Fairm. 89-xxxviii       | Brasil     |
|  | Argentina  |
| <i>tuberculifera</i> Fairm. 89-xxxviii | Brasil     |
| <i>Microgoniadera</i> Pic 17-9         |            |
| <i>hirsuta</i> Pic 17-9                | Brasil     |
| <i>Phymatestes</i> Pasc. 68-142        |            |
| <i>Phymatodes</i> Blanch. 45-39        |            |
| <i>brevicornis</i> Lac. 59-395         | Fr. Guiana |
| <i>clavicornis</i> Fairm. 92-87        | Argentina  |
| <i>denticollis</i> Fairm. 92-86        | Venezuela  |
| <i>exculpta</i> Perty 30-68            | Brasil     |
| <i>monstrosa</i> Geb. 12-241           | Perú       |
| <i>oedipus</i> Geb. 28-189             | Perú       |
| <i>opaca</i> Geb. 12-242               | Perú       |
| <i>sipolisi</i> Fairm. 89-xxxix        | Brasil     |
| <i>spathifer</i> Geb. 28-191           | Brasil     |
| <i>tuberculata</i> Fabr. 92-48         | Fr. Guiana |
| <i>Opatresthes</i> Geb. 28-192         |            |
| <i>binodosa</i> Geb. 28-192            | Colombia   |
| <i>quadrinodosa</i> Geb. 28-193        | Costa Rica |
|  | Ecuador    |

|                                      |           |
|--------------------------------------|-----------|
| <i>Gamaxus</i> Bates 68-314          |           |
| <i>hauxwelli</i> Bates 68-315        | Perú      |
| <i>Rhienodus</i> Fairm. 92-87        |           |
| <i>asper</i> Fairm. 92-87            | Venezuela |
| <i>parcegranatus</i> Fairm. 92-88    | Venezuela |
| <i>simonis</i> Fairm. 92-88          | Venezuela |
| <i>striatopunctatus</i> Fairm. 92-88 | Venezuela |

## HETEROTARSINAE

|                                    |           |
|------------------------------------|-----------|
| <i>Phobelius</i> Blanch. 45-39     |           |
| <i>crenatus</i> Blanch. 43-198     | Brasil    |
| <i>lucifugus</i> Fairm. 89-xxxix   | Brasil    |
| <i>metallicus</i> Kirsch 73-404    | Perú      |
| <i>nodipennis</i> Fairm. 89-xl     | Colombia  |
| <i>regularis</i> Fairm. 89-xl      | Brasil    |
| <i>semibrunneus</i> Pic 15-12      | Brasil    |
| <i>semigranosus</i> Fairm. 05-300  | Argentina |
| <i>tuberculatus</i> Pic 15-11      | Brasil    |
| <i>vianai</i> Pic 39-251           | Argentina |
| <i>Aemymone</i> Bates 68-314       |           |
| <i>cariosa</i> Fairm. 73-533       | Uruguay   |
|                                    | Argentina |
| <i>crenata</i> Champ. 92-542       | México    |
| <i>semirufa</i> Pic 17-11          | Colombia  |
| <i>Chaetyllus</i> Pasc. 60-122     |           |
| <i>anticoides</i> Pasc. 60-122     | Brasil    |
| <i>Anaedus</i> Blanch. 45-35       |           |
| <i>aeneotinctus</i> Champ. 92-543  | México    |
| <i>angusticollis</i> Kirsch 73-405 | Perú      |
| <i>apicicornis</i> Champ. 86-236   | Panamá    |
| <i>brevicollis</i> Champ. 86-236   | Guatemala |
| <i>clavicornis</i> Fairm. 89-xli   | Brasil    |
| <i>corvinus</i> Boh. 58-97         | Brasil    |
| <i>fulvipennis</i> Fairm. 89-xl    | Brasil    |
| <i>geniculatus</i> Pic 17-21       | Colombia  |
| <i>impressicollis</i> Pic 17-19    | México    |



## CYPHALEINAE

- Cyphaleus* Westw. 41-43  
*valdivianus* Phil. 64-350.....Chile

## ONODALONINAE

- Cyrtosoma* Perty 30-59  
*argentina* Pic 35-26.....Argentina  
*ater* Serv. 25-97.....Fr. Guiana  
*augustalis* Pic 25-12.....Brasil  
*bogotana* Chevr. 78-273.....Colombia  
*columbina* Chevr. 78-273.....Fr. Guiana  
*convexa* Pic 35-25.....Colombia  
*coracina* Geb. 28-194.....Perú  
*cruentata* Chevr. 78-273.....Fr. Guiana  
*cupripennis* Chevr. 78-273.....Colombia  
*decemlineata* Champ. 86-244.....México  
 Br. Honduras  
 Nicaragua  
 Panamá  
*denticollis* Chevr. 78-273.....México  
 Br. Honduras  
 Guatemala  
 Nicaragua  
 Costa Rica  
 Panamá  
 Colombia  
*excisicollis* Geb. 28-198.....Surinam  
 Brasil  
*foveolata* Pic 21-16.....Brasil  
*lherminieri* Chevr. 44-123.....<sup>12</sup> Montserrat  
 Guadeloupe  
 Dominica  
 St. Vincent  
 Grenada  
*lineata* Lap. 40-230.....Fr. Guiana  
 v. *interrupta* Pic 35-26.....Brasil  
 v. *reductevitata* Pic 35-26.....South America  
*macrета* Geb. 28-197.....Colombia  
*maculipennis* Geb. 28-195.....Brasil  
*melanaria* Chevr. 78-273.....Colombia  
*minuta* Pic 21-16.....Brasil  
*montana* Waterh. 00-76.....Br. Guiana  
*oblongula* Fairm. 92-89.....Venezuela  
*pastica* Geb. 28-196.....Colombia  
*picea* L. & B. 31-362.....Guadeloupe  
*picipennis* Chevr. 78-281.....Brasil  
 v. *cupripennis* Chevr. 78-274  
*rubrovittis* Geb. 28-196.....Paraguay  
*rufipes* Chevr. 78-274.....Fr. Guiana  
*subnitida* Pic 21-16.....Brasil  
*testaceicornis* Pic 31-447.....America  
*unicolor* Perty 30-60.....Brasil  
*Xenius* Champ. 86-224  
*corallifer* Geb. 28-200.....Brasil  
*impressipennis* Fairm. 92-89.....Venezuela  
*occallescens* Geb. 28-202.....Venezuela  
*perifer* Geb. 28-201.....Colombia  
*scabripennis* Champ. 86-224.....Nicaragua  
*Onodalon* Latr. 96-23  
*viride* Latr. 04-321.....Hispaniola  
*Deplanchesia* Fvl. 61-310  
*metallescens* Fvl. 61-312.....Fr. Guiana  
*Aesthetus* Waterh. 90-552  
*tuberculatus* Waterh. 90-552.....<sup>7</sup> I. Fern. Noronja

- Sycophantes* Kirsch 66-198  
*dentipes* Kirsch 66-199.....Colombia  
*instriata* Pic 21-31.....Colombia  
*lata* Pic 24-13.....Brasil  
*peruana* Geb. 28-203.....Perú  
*ruficoxis* Kirsch 66-199.....Colombia  
*subregularis* Pic 24-13.....Brasil  
*substriata* Pic 21-31.....?Colombia  
*Caracasa* Pic 21-21  
 v. *aeneipennis* Pic 21-21.....Venezuela  
*Sycophantomorphus* Pic 24-13  
 v. *ater* Pic 24-13.....South America  
*Thecaerus* Lac. 59-420  
*cupreus* Pic 15-20.....Brasil  
*curtipennis* Pic 15-20.....Brasil  
*nodosus* Gray 32-21.....Brasil  
*sycophanta* Pasc. 83-440.....Brasil  
*Othryoneus* Champ. 86-245  
*erolyoides* Champ. 86-246.....Nicaragua  
*maculipennis* Champ. 86-245.....Colombia  
*Calydonis* Pasc. 82-31  
*cuprea* Pasc. 82-31.....Brasil  
*maroniensis* Pic 22-25.....Fr. Guiana  
*refulgens* Pasc. 82-31.....Brasil  
*Camaria* Serv. 25-454  
 v. *Eurypus* Kby. 18-389  
*aeraria* Dej. MS.....South America  
*alternans* Kirsch 66-200.....Colombia  
*angustus* Pic 22-135.....Brasil  
 v. *micronata* Geb. 19-59  
*aurivittis* Germ. 24-158.....Brasil  
*bahiensis* Geb. 19-110.....Brasil  
*bicoloripennis* Pic 22-26.....Brasil  
 v. *viridialternata* Pic 22-26.....Brasil  
*bicoloripes* Pic 22-26.....Brasil  
*biimpressa* Pic 24-10.....Brasil  
*blapidoides* Geb. 15-59.....Brasil  
 Argentina  
*bogotensis* Pic 22-27.....Colombia  
*boliviensis* Pic 18-15.....Bolivia  
*borchmanni* Geb. 19-111.....Brasil  
*brasiliensis* Pic 17-21.....Brasil  
*brevespinosa* Pic 30-32.....Fr. Guiana  
*buprestoides* Geb. 19-75.....Brasil  
*calligramma* Lucas 59-137.....Brasil  
*chlorizans* Pasc. 82-30.....Brasil  
*clandestina* Pasc. 82-30.....Colombia  
 Fr. Guiana  
 Surinam  
 Brasil  
*clermonti* Pic 32-21.....Brasil  
*crassipes* Geb. 19-58.....Brasil  
*cuprea* Pic 32-21.....Brasil  
*cupripennis* Boh. 58-96.....Brasil  
*cupripes* Geb. 19-72.....Brasil  
*cyanea* Geb. 19-101.....Brasil  
*cyanescens* Pic 24-10.....Brasil  
 v. *incyanea* Pic 24-10.....Brasil  
 v. *viridipes* Pic 24-10.....Brasil  
*cyanitarsis* Geb. 19-96.....Brasil  
*cylindricollis* Geb. 19-115.....Brasil  
*decipiens* Pasc. 82-30.....Brasil  
*despecta* Geb. 19-105.....Brasil  
*divaricata* Geb. 19-138.....Brasil  
*diversiceps* Pic 24-10.....Brasil  
*ecuadora* Geb. 19-84.....Ecuador

<sup>7</sup> Brasil.<sup>12</sup> West Indies.



- Camaria**—Continued.
- egena* Geb. 19-82.....Brasil  
*encausta* Geb. 19-116.....Brasil  
*fallaciosa* Geb. 19-68.....Ecuador  
*fasciculata* Pic 17-20.....Brasil  
*filicornis* Geb. 19-61.....Brasil  
*fortestriata* Geb. 19-108.....Brasil  
*foveata* Geb. 19-69.....Colombia  
*gibbosa* Pall. 81-38.....Brasil  
*striata* Oliv. 95-57.....Paraguay  
*guttipennis* Geb. 19-76.....Perú  
*immaculata* Pic 22-27.....Brasil  
*impressa* Pic 38-15.....Brasil  
*multiimpressa* Pic 22-26.....  
*impressifrons* Fairm. 05-301.....Argentina  
*impressipennis* Pic 17-22.....Brasil  
*impressipennis* Geb. 19-83.....  
*incerta* Pic 30-33.....Perú  
*janeirensis* Pic 34-32.....Brasil  
*kolbei* Geb. 19-107.....Brasil  
*laevipennis* Pic 17-20.....Bolivia  
*laevis* Geb. 19-52.....Central America  
Colombia  
Venezuela  
*leseleuci* Pic 22-27.....Brasil  
*lineatopunctata* Pic 22-26.....Brasil  
*longipennis* Pic 19-117.....Brasil  
*macrops* Geb. 19-87.....Bolivia  
*malleri* Pic 33-292.....Brasil  
*manca* Geb. 19-81.....Brasil  
*marginicollis* Geb. 19-54.....Colombia  
Venezuela  
*melanura* Geb. 19-105.....Brasil  
*v. flavipennis* Geb. 19-106.....Brasil  
*v. minasensis* Pic 32-21.....Brasil  
*v. semirufa* Geb. 19-106.....Brasil  
*mirabilis* Pic 34-31.....Brasil  
*mutica* Geb. 19-112.....Brasil  
*nitens* Oliv. 95-7.....Brasil  
*aenea* Fabr. 98-48.....Paraguay  
*nitida* Serv. 25-455.....  
*nitidissima* Pic 34-31.....Brasil  
*obtusa* Fairm. 05-301.....Chaco  
*occidentalis* Berg 89-138.....Argentina  
*occipitalis* Geb. 19-64.....Brasil  
*paralela* Champ. 86-246.....Panamá  
*v. multiimpressa* Pic 18-15.....Fr. Guiana  
*paranana* Pic 17-22.....Brasil  
*v. minuta* Pic 17-22.....Brasil  
*pastica* Geb. 19-98.....Brasil  
*paulana* Geb. 19-114.....Brasil  
*perroudi* Pic 33-3.....Argentina  
*plicifrons* Geb. 19-67.....Colombia  
Venezuela  
Brasil  
*podagra* Geb. 19-86.....South America  
*psittacina* Geb. 19-97.....Brasil  
*pulcherrima* Berg 83-75.....Brasil  
Paraguay  
Argentina  
*punctulata* Pic 19-118.....Brasil  
*purpureomaculata* Pic 17-22.....Bolivia  
*purpureomicans* Geb. 19-55.....South America  
*rivalis* Geb. 19-78.....Brasil  
*rubens* Kby. (Costa Lima 36-294).....Brasil  
*ruficolor* Pic 22-27.....Brasil  
*rufipennis* Pic 18-16.....Brasil  
*salessei* Pic 33-3.....Colombia  
*semirufescens* Pic 17-22.....Brasil  
*semistriata* Geb. 19-91.....Brasil  
*v. mafraensis* Pic 34-32.....Brasil  
*separanda* Geb. 19-106.....Brasil  
*singularicollis* Pic 30-32.....Ecuador  
*singularis* Pic 19-8.....Perú  
*sinuatitollis* Pic 17-21.....Brasil  
*falcifera* Geb. 19-51.....  
*sinuatithorax* Pic 25-6.....Guiana  
*speciosa* Pall. 81-39.....Brasil  
*spinipennis* Lap. 40-231.....Brasil  
*spinipes* Pic 17-20.....Brasil  
*spinosa* Pic 30-136.....Brasil  
*spinipes* Geb. 19-138.....  
*striata* Fabr. 01-161.....Brasil  
*marginata* Fabr. 98-400.....  
*striatipennis* Pic 22-27.....Brasil  
*strongylioides* Geb. 19-90.....Brasil  
*subangulicollis* Pic 22-26.....Colombia  
*subconvexa* Pic 34-32.....Colombia  
*subcostata* Geb. 19-70.....Colombia  
Venezuela  
*subopacipennis* Pic 17-21.....Brasil  
*subrufescens* Pic 17-21.....Brasil  
*subspinosa* Geb. 19-57.....Venezuela  
*sulcatocollis* Pic 30-33.....Brasil  
*superba* Pic 17-21.....Colombia  
*trapezicollis* Geb. 19-89.....Brasil  
*tucumana* Berg 89-140.....Argentina  
*undulicollis* Geb. 19-60.....Ecuador  
*viduata* Geb. 19-94.....Brasil  
*viridilineata* Pic 22-26.....Brasil  
**Calydoniomorpha** Pic 17-19  
*brevicornis* Pic 17-20.....Brasil  
**Maracia** Geb. 19-34  
*femoralis* Kirsch 66-200.....Colombia  
*haagi* Geb. 19-35.....South America  
**Priocamaria** Geb. 19-143  
*macilentata* Geb. 19-144.....Argentina  
*sericicornis* Geb. 19-145.....Paraguay  
**Aeanthocamaria** Geb. 18-31  
*brunneoopaca* Geb. 18-32.....Brasil  
*notata* Pic 25-6.....South America  
*v. multijuncta* Pic 25-6.....South America  
**Tenebriocamaria** Pic 19-3  
*atra* Pic 19-4.....Perú  
*nigra* Pic 21-12.....Brasil  
**Campsia** Serv. 25-455  
*Blapidocampsia* Pic 19-3 (Subg.)  
*coracina* Geb. 19-30.....Brasil  
*irrorata* Dalm. 23-62.....Brasil  
*v. obscurior* Pic 12-13.....Brasil  
*v. tibialis* Geb. 19-30.....Brasil  
*pallidipes* Pic 18-16.....Brasil  
*testacea* Serv. 25-455.....Brasil  
*flava* Perty 30-61.....  
*v. testaceicornis* Pic 12-13.....Brasil  
**Blapida** Perty 30-58  
*alternata* Geb. 19-137.....Costa Rica  
*analogica* Geb. 19-134.....Venezuela  
*angusticollis* Pic 12-18.....Argentina  
*austera* Berg 83-76.....Argentina  
*biaculeata* Fairm. 05-301.....Argentina

- Blapida**—Continued.
- bicolor Geb. 19-137.....Colombia  
Brasil  
Perú
- castaneipennis Champ. 96-28.....Grenada  
Trinidad
- neotropicalis Champ. 86-247.....Guatemala  
Nicaragua
- okeni Perty 30-59.....Brasil  
*polita* Gray 32—pl. 50
- pertyi Lap. 40-232.....Brasil  
*lineata* Pic 12-17
- peruensis Geb. 19-135.....Perú
- ruficruris Geb. 19-127.....Ecuador
- satanas Geb. 19-129.....Colombia
- spixi Lap. 40-232.....Brasil
- striatipennis Geb. 19-127.....Brasil
- subcaerulea Pic 12-18.....Brasil  
Bolivia
- testaceipes Pic 12-13.....Brasil
- tibialis Geb. 19-134.....Brasil
- viridescens Pic 19-8.....Brasil
- Pseudoblapida** Pic 17-18  
*Blapidocamaria* Pic 19-7 (Subg.)
- angustior Pic 19-3.....Brasil
- atritarsis Pic 24-10.....Colombia
- boliviensis Pic 12-12.....Bolivia
- incostata Pic 19-7.....Brasil
- Ectomopsis** Fairm. 05-299
- augustalisí Pic 21-29.....Brasil
- bruchi Fairm. 05-299.....Argentina
- minor Pic 25-11.....Brasil
- striata Pic 25-11.....Brasil
- Elomosedata** Bates 70-273  
belti Bates 70-275.....Guatemala  
Nicaragua
- Moeon** Champ. 86-251  
isthmicum Champ. 86-251.....Panamá
- panamense Champ. 86-251.....Panamá
- Moplon** Champ. 86-247  
tincupenne Champ. 86-248.....Nicaragua  
Panamá
- Epicalla** Champ. 86-249
- aenescens Pic 21-29.....Brasil
- agnata Geb. 28-217.....Costa Rica
- alumna Geb. 28-214.....Brasil
- amica Geb. 28-214.....Brasil
- ancilla Geb. 28-212.....Brasil
- avia Geb. 28-209.....Br. Honduras
- cupreinitens Champ. 86-250.....Panamá
- famula Geb. 28-216.....Costa Rica
- gounellei Pic 21-28.....Brasil
- hera Geb. 28-207.....Costa Rica
- inaequalis Pic 21-29.....Venezuela
- instriata Pic 21-28.....Panamá
- juvenca Geb. 28-218.....Costa Rica
- lata Champ. 86-250.....México
- leseleuci Pic 21-29.....Central America
- lineata Pic 21-29.....Brasil
- matertera Geb. 28-213.....Perú
- matrix Geb. 28-206.....Brasil
- minuta Pic 25-11.....Brasil
- neptis* Geb. 28-208
- multiimpressa Pic 27-18.....Brasil
- nevermanni Geb. 28-215.....Costa Rica
- nitidula Fabr. 01-71.....Br. Guiana
- nupta Geb. 28-210.....Brasil
- puella Geb. 28-211.....Brasil
- purpureipes Pic 31-194.....Colombia
- sponsa Geb. 28-210.....Brasil
- superba Pic 21-28.....Brasil
- testaceicornis Pic 21-28.....Brasil
- varipes Champ. 86-249.....Nicaragua
- virgo Geb. 28-205.....Colombia
- Spinepicalla** Pic 21-21  
armata Pic 21-21.....Central America
- Acropteron** Perty 30-64  
*Arthroplatus* Sol. 51-246
- abbreviatum Mäkl. 62-126.....Colombia
- acuminatum Mäkl. 62-110.....Brasil
- aeneum Perty 30-65.....Brasil
- agriloides Mäkl. 62-121.....México  
Guatemala
- angulicollis Champ. 86-255.....Nicaragua
- apicorne Pic 15-9.....Brasil
- belti Champ. 86-253.....Nicaragua
- brunneum Mäkl. 62-119.....?Costa Rica  
?Brasil
- calcaratum Champ. 86-255.....Guatemala
- castaneum Mäkl. 62-114.....Brasil  
v. affine Mäkl. 62-114.....Brasil
- chabrieri F. & S. 89-429.....Guadeloupe
- crenaticollis Mäkl. 62-127.....Fr. Guiana
- crenatum Pic 14-80.....South America
- cupriventre Mäkl. 62-115.....Brasil
- fastigiatum Mäkl. 62-120.....Colombia
- geniculatum Germ. 21-140.....Brasil  
*nigricorne* Mäkl. 62-118
- humile Mäkl. 62-124.....Fr. Guiana
- laevipes Champ. 86-257.....Nicaragua
- langurioides Champ. 86-254.....Panamá
- lineare Mäkl. 62-117.....Brasil
- longipenne Champ. 86-256.....Guatemala
- máklini Champ. 86-254.....Panamá
- magnicollis Fairm. 92-90.....Venezuela
- mexicanum Champ. 86-256.....México
- modestum Mäkl. 62-113.....Brasil
- nigripes Germ. 24-147.....Brasil
- pallicrus Fairm. 02-150.....Perú
- pallipes Sol. 51-247.....Chile
- picipes Mäkl. 62-121.....Colombia
- puncticollis Champ. 86-256.....Panamá
- quadraticollis Champ. 96-29.....St. Vincent  
Grenada
- ruficornis Mäkl. 62-112.....Brasil
- rufipes Perty 30-65.....Brasil
- rugipes Champ. 86-257.....Nicaragua
- stimuleum Mäkl. 62-116.....Brasil
- teres Mäkl. 62-123.....Brasil
- transversicollis Mäkl. 62-125.....Colombia
- venezuelense Pic 14-80.....?Venezuela
- viride Mäkl. 62-115.....Brasil
- Camaroacropteron** Pic 20-16  
laticeps Pic 20-16.....Guiana

## APOCRYPHINAE

- Apocrypha** Esch. 31-13  
*Compsomorphus* Sol. 51-208
- elegans Sol. 51-210.....Chile
- Pseudapocrypha** Champ. 86-260  
lacordairei Champ. 86-260.....México  
Guatemala

\* Venezuela

- Polytropus** Kirsch 66-201  
*laenoides* Kirsch 66-202.....Colombia  
*tuberculatus* Kirsch 70-370.....Colombia  
**Plastica** Waterh. 03-563  
*polita* Waterh. 03-564.....Bolivia

## ADELIINAE

- Cratidus** LeC. 62-239  
*rotundicollis* Horn 70-328.....<sup>1</sup> I. Cedros  
 I. Angulo  
 Baja Calif.  
**Amphidora** Esch. 29-9  
*nigripilosa* LeC. 51-136.....Baja Calif.  
 U. S. A.  
*subdeplanata* Blais. 43-252.....Baja Calif.  
*tenebrosa* Horn 70-329.....<sup>1</sup> I. San Martín  
 I. Is. Todos Santos  
 Baja Calif.  
**Anamphidora** Csy. 24-330  
*parvula* Csy. 24-330.....México  
**Trichoderulus** Blais. 23-281  
*longipilosus* Blais. 23-282.....México  
**Adelium** Kby. 18-420  
*Tropidopterus* Blanch. 45-37  
*sulcatulum* F. & G. 60-2.....Chile  
**Asiopus** Shp. 91-43  
*opatroides* Shp. 91-43.....Ecuador

## MISOLAMPINAE

- Telethrus** Pasc. 82-29  
*ebeninus* Pasc. 82-29.....Brasil  
**Heliofugus** Guér. 30-96  
*Euschatia* Sol. 51-227  
*Heliophygus* G. & H. 70-2008  
*arenosus* Guér. 30-96.....Chile  
*parvus* Sol. 51-229  
*brevipennis* Fairm. 75-197.....Chile  
*collaris* Germain 55-404.....Chile  
*cribriceps* Fairm. 75-196.....Chile  
*cryptocephalus* Phil. 64-348.....Chile  
*impresus* Guér. 34-27.....Argentina  
*punctatus* Sol. 51-228.....Chile  
*laeticollis* Sol. 51-230.....Chile  
*proximus* Sol. 51-229.....Chile  
*punctatostriatus* Fairm. 61-5.....Chile  
*tenuipunctatus* Phil. 64-349  
*punctatosulcatus* Fairm. 75-197.....Chile  
*sulcatulus* Gemm. 70-123.....Chile  
*sulcatus* Sol. 51-230  
*sulcatus* Guér. 34-27.....Argentina  
*sulcipennis* Germain 55-404.....Chile  
**Dinomus** Brême 42-113  
*perforatus* Brême 42-114.....México  
**Saziches** Champ. 86-261  
*subcaudata* Champ. 86-262.....Guatemala  
**Isamina** Champ. 86-266  
*brevicollis* Champ. 86-267.....Guatemala  
*gibbipennis* Champ. 86-267.....Nicaragua  
 Costa Rica

- Sphaerotus** Kby. 18-416  
*brasilensis* Pic 12-94.....Brasil  
*bremei* Geb. 28-221.....Brasil  
*brevimargo* Geb. 28-220.....Brasil  
*costatus* Brême 42-109.....Brasil

- cribratus* Brême 42-108.....Paraguay  
*curvipes* Kby. 18-417.....Brasil  
 Argentina  
*diversus* Pic 24-11.....Brasil  
*griseofoveatus* Pic 12-94.....?Brasil  
*laevigatus* Brême 42-109.....Brasil  
*lemoulti* Pic 12-94.....?Brasil  
*rufimembris* Pic 24-11.....Brasil  
**Pteroglymmius** Geb. 28-223  
*erolyoides* Geb. 28-224.....Honduras  
**Cophosoma** Geb. 28-222  
*humerdens* Geb. 28-223.....Brasil  
**Mityx** Champ. 85-97  
*inflata* Champ. 85-97.....México  
*opaca* Champ. 85-98.....México  
*polita* Brême 42-109.....México  
*laevis* Champ. 85-98  
**Oxidates** Champ. 86-263  
*aurichalcea* Champ. 86-265.....México  
*elongata* Champ. 93-548.....México  
*gibbus* Champ. 93-548.....México  
*gravidia* Brême 42-109.....México  
*mexicana* Brême 42-110.....México  
*planicollis* Champ. 93-264.....México  
*princeps* Champ. 93-265.....México  
*puncticeps* Champ. 93-266.....México  
*ruficornis* Geb. 28-225.....Colombia  
*thoracica* Brême 42-110.....México  
**Diopethes** Pasc. 82-32  
*arachnoides* Pasc. 82-33.....Brasil  
*pleuralis* Geb. 28-230.....Brasil  
**Mrazius** Pic 24-86  
*nodulosus* Pic 24-86.....Brasil  
**Falsodiopethes** Pic 24-12  
*gounellei* Pic 24-12.....Brasil  
*tuberculata* Pic 32-28.....Brasil  
**Immedia** Pasc. 82-33  
*auratopunctata* Pic 24-12.....Brasil  
*diversa* Pic 24-12.....Brasil  
*erosa* Pasc. 87-15.....Brasil  
*integra* Pasc. 87-15.....Brasil  
*lineata* Pic 24-11.....Brasil  
*occulta* Pasc. 82-33.....Brasil  
*undulata* Pic 24-12.....Brasil  
**Hemimmedia** Geb. 28-229  
*corpulenta* Geb. 28-229.....Brasil  
**Parimmedia** Geb. 28-226  
*epipleuralis* Geb. 28-227.....Brasil  
*interruptilineata* Geb. 28-228.....Brasil  
*semipolita* Geb. 28-228.....Brasil

## HELOPINAE

- Darwinella** Enderl. 12-14  
*amaroides* Enderl. 12-14.....Falkland Is.  
**Hegemona** Lap. 40-230  
*allardi* Allard 77-251.....Colombia  
*alternata* Pic 36-15.....Guatemala  
*angustata* Champ. 87-272.....Guatemala  
*bicaudata* Champ. 87-270.....Guatemala  
*chiriquensis* Champ. 87-273.....Costa Rica  
 Panamá  
*compressa* Allard 77-254.....México  
 Guatemala  
*costaricensis* Champ. 87-275.....Costa Rica  
*elongata* Allard 77-253.....México

<sup>1</sup> Baja California (México).



- Helops**—Continued.
- pueblensis* Champ. 87-317.....México
- punctatostriata* Champ. 87-316.....México
- punctiventris* Champ. 87-320.....México
- rastrata* Champ. 93-557.....México
- rugiceps* Champ. 87-315.....Guatemala
- seriatopora* Champ. 93-558.....México
- sparsus* Blais. 43-274.....Baja Calif.
- spissicornis* Champ. 93-558.....México
- suavis* Champ. 87-318.....México
- sumptuosa* Allard 76-57.....México
- sp. (Wolc., 36-237).....Puerto Rico
- Mentes** Champ. 93-559
- aeneopicea* Champ. 96-30.....Mustique
- fusiformis* Champ. 93-560.....Guatemala
- ruficollis* Champ. 93-559.....Panamá
- setipennis* Champ. 93-560.....Guatemala
- Parahelops** Waterh. 75-333
- angulicollis* Fairm. 85-56.....T. del Fuego
- darwinii* Waterh. 75-334.....T. del Fuego
- haversi* Waterh. 75-336.....Falkland Is.
- pubescens* Waterh. 75-334.....T. del Fuego
- quadricollis* Waterh. 75-335.....Falkland Is.
- seriata* Kolbe 07-114.....T. del Fuego
- Dolphus** Blanch. 53-171
- globipennis* Blanch. 53-171.....Chile
- T. del Fuego
- Chitonisus** Waterh. 75-331
- brevipennis* Waterh. 75-332.....T. del Fuego
- brevisimus* Fairm. 91-39
- Perimylops** Müll. 84-419
- antarctica* Müll. 84-419.....T. del Fuego
- S. Georgia I.
- Hydromedion** Waterh. 75-333
- Mylops* Fairm. 83-499
- anomocerus* Fairm. 85-54.....T. del Fuego
- distinguentum* Fairm. 85-53.....T. del Fuego
- elongatum* Waterh. 75-333.....T. del Fuego
- magellanicum* Fairm. 83-500.....Chile
- T. del Fuego
- nitidum* Mjög. 06-9.....T. del Fuego
- S. Georgia I.
- oblongiusculum* Blanch. 53-171.....Chile
- T. del Fuego
- sparsulum* Müll. 84-418.....Chile
- T. del Fuego
- variegatum* Waterh. 75-336.....Chile
- T. del Fuego
- Brachyhelops** Fairm. 85-57
- hahni* Fairm. 85-57.....T. del Fuego
- Chanopteris** Boh. 58-98
- paradoxus* Boh. 58-98.....Chile
- T. del Fuego
- TALANINAE**
- Talanus** Mäkl. 78-96
- Dienamptus* LeC. 77-421
- aeneipennis* Champ. 87-327.....México
- Br. Honduras
- angustatus* Pic 33-32.....Brasil
- apterus* Champ. 87-328.....Guatemala
- Panamá
- ater* Champ. 87-327.....Panamá
- brasilensis* Mäkl. 78-100.....Brasil
- columbianus Mäkl. 78-99.....Panamá
- Colombia
- crenulatus* Fairm. 92-93.....Venezuela
- cribrarius* Mäkl. 78-97.....Cuba
- Grenada
- ferrugineus* Champ. 96-31.....St. Vincent
- Grenada
- gounellei* Pic 15-12.....Brasil
- guadeloupensis* F. & S. 89-430.....Guadeloupe
- guatemalensis* Champ. 87-326.....Guatemala
- guyanensis* Pic 15-12.....Fr. Guiana
- humilis* Mäkl. 78-101.....Colombia
- insularis* Mäkl. 78-98.....?Puerto Rico
- Grenada
- interstitialis* Champ. 87-324.....México
- Guatemala
- laevicollis* Champ. 96-32.....St. Vincent
- Grenada
- laevipennis* Champ. 87-322.....Guatemala
- laticeps* Champ. 87-325.....Panamá
- lecontei* Champ. 87-323.....México
- Br. Honduras
- longicornis* Champ. 87-328.....Br. Honduras
- Guatemala
- Nicaragua
- Panamá
- minasensis* Pic 33-32.....Brasil
- neotropialis* Champ. 87-322.....México
- Costa Rica
- Brasil
- obscuriceps* Pic 15-12.....Colombia
- parallelus* Fairm. 92-92.....Venezuela
- parananus* Pic 30-19.....Argentina
- rufipennis* Pic 14-13.....South America
- subacuminatus* Pic 15-12.....Brasil
- subexaratus* Mäkl. 78-102.....México
- Br. Honduras
- Guatemala
- Nicaragua
- Costa Rica
- Panamá
- Colombia
- Venezuela
- Brasil
- subopacus* Champ. 87-323.....México
- Br. Honduras
- AMARYGMINAE**
- Pyanisia** Lap. 40-235
- Cymathotes* Blanch. 45-33
- Cymathotes* Sol. 48-151
- fumosa* Champ. 87-331.....Guatemala
- hieroglyphica* Perty 30-61.....Brasil
- laevis* Champ. 93-561.....México
- longicollis* Champ. 87-331.....Guatemala
- opaca* Sol. 48-180.....México
- coarctata* Sol. 48-180
- tristis* Lap. 40-236.....México
- unicolor* Sol. 48-180.....Br. Honduras
- Guatemala
- Nicaragua
- Panamá
- Cuba
- <sup>12</sup> I. de Pinos
- Puerto Rico

<sup>12</sup> West Indies.

- Pyania*—Continued.  
*undata* Fabr. 92-122.....México  
 Br. Honduras  
 Guatemala  
 Nicaragua  
 Panamá  
 Colombia  
 Venezuela  
 Fr. Guiana  
 Brasil  
 Perú  
 Argentina  
 Cuba  
 Hispaniola  
 Guadeloupe  
 v. *bilineata* Pic 15-23.....Colombia  
*uniformis* Waterh. 78-306.....Jamaica  
*vestita* Lap. 40-236.....Brasil  
 v. *multimaculata* Pic 15-23.....Brasil
- STRONGYLINAE**
- Cyphonotus* Guér. 30-102  
*bonni* Germain 97-283.....Chile  
*dives* Germain 55-405.....Argentina  
 Chile  
*dromedarius* Guér. 30-103.....Argentina  
 Chile
- Agiasopterus* Fairm. 83-513  
*semipunctatus* Fairm. 83-513.....Argentina
- Cuphotes* Champ. 87-332  
*Phygoscotus* Schulz 02-134  
*Spheniscus* Kby. 18-421  
*adelphus* Thoms. 59-106.....Fr. Guiana  
*apicalis* Pic 18-20.....Brasil  
*augusti* Thoms. 59-112.....Fr. Guiana  
*bifasciata* Pic 18-7.....Bolivia  
*bruchii* Pic 30-179.....Argentina  
*camelus* Thoms. 59-105.....Brasil  
*castelnau* Thoms. 59-105.....Brasil  
*chevrolati* Rojas 55-160.....Venezuela  
*cineta* Oliv. 95-13.....Nicaragua  
*quadrimaculata* Er. 47-120 Panamá  
*quadrifasciata* Kirsch 66-202 Colombia  
*unifasciata* Fabr. 98-101 Fr. Guiana  
 Brasil  
 Perú  
 Bolivia  
 v. *bimaculata* Pic 18-6.....Perú  
 v. *disjuncta* Pic 18-7.....Brasil  
 v. *obliterata* Pic 18-7.....Bolivia  
*coerulea* Pic 18-20.....Brasil  
*corallifer* Thoms. 59-108.....Panamá  
 Colombia  
*cyanea* Pasc. 66-486.....Brasil  
*elongata* Thoms. 59-112.....Nicaragua  
 Brasil  
 Argentina  
*erichsoni* Thoms. 59-104.....Perú  
*erolyoides* Kby. 18-422.....Brasil  
*faunus* Thoms. 67-131.....Brasil  
*formosa* Thoms. 59-107.....Surinam  
*foveolata* Pic 18-7.....Brasil  
*immaculipes* Thoms. 59-107.....Brasil  
 v. *boliviensis* Pic 18-7.....Bolivia  
*jansoni* Champ. 87-333.....Nicaragua
- lagrioides* Thoms. 59-113.....Fr. Guiana  
*maculicollis* Thoms. 59-108.....Fr. Guiana  
*maculosa* Thoms. 59-112.....Colombia  
*marmorata* Thoms. 59-109.....Brasil  
*mercuria* Thoms. 67-132.....Chile  
*multimaculata* Pic 18-7.....Costa Rica  
*nirogmaculata* Thoms. 59-110.....México  
 Nicaragua  
 Panamá  
 v. *marginicollis* Thoms. 59-110.....México  
 Guatemala  
*satyrus* Thoms. 67-131.....Guiana  
*sphaecelata* Fabr. 01-4.....South America  
 Argentina  
*thomsoni* Kirsch 66-203.....Colombia  
*unicolor* Champ. 87-334.....Nicaragua
- Platyesthus* Mäkl. 78-92  
*pallidipennis* Mäkl. 78-92.....Brasil
- Dicyrtus* Lac. 59-482  
*binodosus* Lac. 59-483.....Brasil  
*gibbosus* Lac. 59-483.....Brasil
- Strongylacanthus* Brèthes 25-13  
*peruvianus* Brèthes 25-13.....Perú
- Poecilanthus* Blanch. 45-33  
*Diestia* Pasc. 68-12  
 ?*Spheniscus* Lap. 40-232  
*alborarginatus* Mäkl. 78-68.....Brasil  
*angulicollis* Mäkl. 78-70.....Brasil  
*angustefasciatus* Pic 35-27.....Venezuela  
*annulipes* Pic 35-26.....Fr. Guiana  
*basalis* Mäkl. 78-76.....Brasil  
*biimpressithorax* Pic 35-27.....Brasil  
*biundulatus* Pic 18-10.....Brasil  
 v. *diversipes* Pic 18-10.....Brasil  
*brevicornis* Mäkl. 78-78.....Brasil  
*circumcinctus* Mäkl. 78-88.....Brasil  
*cupripennis* Champ. 93-562.....Panamá  
*curvipes* Mäkl. 78-73.....Perú  
*cyaneipennis* Pic 18-123.....Brasil  
*decemsignatus* Mäkl. 78-83.....Brasil  
*decoratus* Mäkl. 78-65.....Brasil  
*elongatus* Pic 18-9.....Brasil  
 v. *seminiger* Pic 18-9.....Brasil  
*eximius* Mäkl. 78-89.....Perú  
*fasciatus* Fabr. 81-158.....Brasil  
 Argentina  
 v. *alternans* Fabr. 92-39.....Brasil  
*gronovi* Hbst. 84-52  
 v. *bifasciatus* Hbst. 99-370.....Brasil  
*indicus* Hbst. 84-52  
 v. *funebri* Panz. 98-38.....Brasil  
*ferrum-equinum* v.d.Hoev. 39-pl. 4.....Surinam  
*flavomaculatus* Mäkl. 78-66.....Guiana  
*fragilicornis* Champ. 87-338.....Costa Rica  
 Panamá  
*geniculatus* Germ. 24-157.....Brasil  
 v. *reductus* Pic 18-9.....Brasil  
*geometricus* Perty 30-61.....Brasil  
 v. *argentinus* Pic 18-9.....Argentina  
*gibbosus* Mäkl. 78-71.....Brasil  
 v. *femoralis* Pic 18-9.....Brasil  
 v. *notaticeps* Pic 18-9.....Paraguay  
*guatemalensis* Champ. 87-339.....Guatemala  
*humeralis* Pic 18-8.....Fr. Guiana  
*immaculatus* Champ. 87-340.....Panamá  
*infimus* Mäkl. 78-75.....Brasil



## Strongylium—Continued.

|   |               |
|---|---------------|
| breviusculum Mäkl. 64-160.....          | Brasil        |
| buqueti Mäkl. 64-220.....               | Brasil        |
| camaroides Pic 35-30.....               | Brasil        |
| canaliculatum Champ. 87-346.....        | México        |
|   | Guatemala     |
| cancellatum Mäkl. 64-212.....           | México        |
|   | Br. Honduras  |
| carinipenne Champ. 88-374.....          | Panamá        |
| carinulatum Mäkl. 64-200.....           | Guiana        |
| cariosum Mäkl. 64-150.....              | Surinam       |
| chayennense Mäkl. 64-264.....           | Fr. Guiana    |
| chalcum Mäkl. 64-133.....               | Brasil        |
| chalcoles Er. 47-120.....               | Perú          |
| chalconotum Kby. 18-418.....            | Brasil        |
| <i>laceratum</i> Germ. 24-150           |               |
| chalcopertum Mäkl. 64-323.....          | Martinique    |
| chiriquense Champ. 87-351.....          | Panamá        |
| chontalense Champ. 87-344.....          | Nicaragua     |
| cinctum Mäkl. 64-229.....               | México        |
| claveri Pic 18-23.....                  | Colombia      |
| clavicorne Champ. 93-562.....           | México        |
| cognatum Mäkl. 64-193.....              | Brasil        |
| colombianum Champ. 87-354.....          | Panamá        |
|   | Colombia      |
| commutatum Mäkl. 64-139.....            | South America |
| comptum Er. 48-565.....                 | Venezuela     |
|   | Guiana        |
|   | Brasil        |
| <i>v. vittigerum</i> Mäkl. 64-259.....  |               |
| concinnum Mäkl. 64-219.....             | Brasil        |
| confine Mäkl. 64-203.....               | Brasil        |
| conicicolle Mäkl. 64-339.....           | Nicaragua     |
|   | Costa Rica    |
|   | Panamá        |
| conradi Champ. 93-563.....              | Guatemala     |
| consimile Mäkl. 64-195.....             | Surinam       |
| correntinum Berg 89-141.....            | Argentina     |
| costaricense Champ. 87-353.....         | Costa Rica    |
| cosulatum Mäkl. 64-209.....             | Brasil        |
| crassicornis Champ. 87-347.....         | Nicaragua     |
| cribratum Lucas 59-139.....             | Brasil        |
| cribripes Mäkl. 64-167.....             | México        |
|   | Nicaragua     |
|   | Panamá        |
| cruentatum Mäkl. 64-227.....            | México        |
| cupreocinctum Fairm. 03-465.....        | Argentina     |
| cupreum Mäkl. 64-158.....               | Brasil        |
| cupricolle Mäkl. 64-142.....            | Fr. Guiana    |
| curticorne Champ. 88-369.....           | México        |
| curtulum Mäkl. 64-159.....              | Brasil        |
| cyaneitarse Pic 18-14.....              | Brasil        |
| cyaneomaculatum Pic 18-21.....          | Brasil        |
| cyanicornis Er. 47-121.....             | Perú          |
| cyaniventris Mäkl. 64-132.....          | Brasil        |
| cylindricum Mäkl. 37-594.....           | Brasil        |
| dama Fabr. 01-159.....                  | Guiana        |
| decoloratum Mäkl. 64-172.....           | Brasil        |
| decoratum Mäkl. 64-257.....             | Costa Rica    |
|   | Panamá        |
|   | Bolivia       |
| delauneyi F. & S. 89-429.....           | Guadeloupe    |
| densefoveolatum Pic 35-33.....          | Brasil        |
| dentatum Champ. 87-348.....             | Nicaragua     |
| denticolle Shp. 91-42.....              | Ecuador       |
| denticulatum Mäkl. 64-198.....          | Brasil        |
| difformipes Pic 18-15.....              | Brasil        |
| discoideale Mäkl. 64-231.....           | México        |
| discolor Mäkl. 64-263.....              | Brasil        |
| diverseplicatum Pic 21-16.....          | Colombia      |
| diversicolle Pic 18-23.....             | Brasil        |
| diversipenne Pic 18-21.....             | Brasil        |
| dormei Pic 32-19.....                   | Brasil        |
| eminens Mäkl. 64-266.....               | México        |
| enterianum Berg 89-142.....             | Argentina     |
| episcopale Klug 29-5.....               | Brasil        |
|   | Uruguay       |
| equestre Mäkl. 64-251.....              | Brasil        |
| erraticum Champ. 88-373.....            | Nicaragua     |
| erythropterum Mäkl. 64-151.....         | Fr. Guiana    |
| espiriense Pic 35-33.....               | Brasil        |
| exaratum Champ. 87-350.....             | Guatemala     |
| excavatiipenne Pic 18-13.....           | Guiana        |
| excavatum Mäkl. 64-166.....             | México        |
|   | Guatemala     |
|   | Nicaragua     |
| exiguum Mäkl. 64-140.....               | Brasil        |
| exile Mäkl. 64-211.....                 | Colombia      |
|   | Venezuela     |
| eximium Mäkl. 62-161.....               | Cuba          |
| fasciolatum Mäkl. 64-280.....           | Fr. Guiana    |
| femorale Mäkl. 64-207.....              | Brasil        |
| ferruginosum Mäkl. 64-271.....          | Brasil        |
| festivum Mäkl. 64-299.....              | Brasil        |
| figuratum Mäkl. 64-280.....             | Brasil        |
| filicorne Mäkl. 64-347.....             | Brasil        |
| filum Fairm. 89-xliii.....              | Brasil        |
| flavicorne Perty 30-62.....             | Brasil        |
| flavivorus Germ. 24-154.....            | Brasil        |
| <i>nigricorne</i> Lucas 59-138          |               |
| flavofasciatum Lap. 40-240.....         | Brasil        |
| <i>v. flavozonatum</i> Luc. 59-137..... |               |
| fossicolle Mäkl. 64-180.....            | Venezuela     |
| fossifrons Mäkl. 64-177.....            | Panamá        |
|   | Colombia      |
| fragile Champ. 88-pl. 16.....           | Panamá        |
| frontale Champ. 87-357.....             | Panamá        |
| fulgidum Mäkl. 64-155.....              | Brasil        |
| fulminans Mäkl. 64-148.....             | Brasil        |
| fulvitarse Pic 21-15.....               | Colombia      |
| funestum Mäkl. 64-187.....              | México        |
| fuscicornis Mäkl. 64-181.....           | Brasil        |
| fuscum Mäkl. 64-273.....                | Brasil        |
| generosum Mäkl. 64-286.....             | Brasil        |
| germari Mäkl. 64-136.....               | Brasil        |
| gerstaeckeri Mäkl. 64-169.....          | México        |
|   | Guatemala     |
|   | Nicaragua     |
|   | Costa Rica    |
|   | Panamá        |
| gibbum Mäkl. 64-144.....                | México        |
|   | Guatemala     |
| goyasense Pic 18-17.....                | Brasil        |
| grande Pic 35-29.....                   | Fr. Guiana    |
| gratiosum Mäkl. 64-235.....             | Brasil        |
| gregarium Champ. 88-373.....            | Panamá        |
| guadeloupense Geb. 11-596.....          | Guadeloupe    |
| <i>inaequale</i> F. & S. 89-430         |               |
| haemorrhoidale Fabr. 92-119.....        | South America |
| <i>viride</i> Lap. 40-240.....          | Argentina     |
| <i>v. auricolle</i> Germ. 21-152.....   |               |
| haemorrhoum Mäkl. 64-173.....           | Brasil        |



## Strongylium—Continued.

|                                     |               |                                       |              |
|-------------------------------------|---------------|---------------------------------------|--------------|
| hansaense Pic 32-19.....            | Brasil        | misantlae Champ. 88-367.....          | México       |
| hoepfneri Mäkl. 64-124.....         | México        |                                       | Guatemala    |
|                                     | Guatemala     | moerens Mäkl. 64-185.....             | Brasil       |
| v. chevrolati Mäkl. 64-127.....     | México        | morbillosum Fabr. 01-158.....         | Guiana       |
| v. immundum Mäkl. 64-124.....       | México        | mrazi Pic 24-86.....                  | Brasil       |
| v. pectorale Mäkl. 64-125.....      | México        | mucronatum Mäkl. 64-269.....          | Fr. Guiana   |
| v. scutellare Mäkl. 64-125.....     | México        | mundum Mäkl. 64-221.....              | Brasil       |
| humerale Perty 30-62.....           | Brasil        | nigritaise Mäkl. 64-298.....          | Bolivia      |
| ignaciosum Pic 35-32.....           | Argentina     | nitidiceps Champ. 88-364.....         | México       |
| ignitum Champ. 87-348.....          | Nicaragua     | nobile Mäkl. 64-256.....              | Brasil       |
| impressicolle Mäkl. 64-193.....     | México        | <i>cyanipes</i> Kby. 18-424.....      | Bolivia      |
|                                     | Guatemala     | nubeculosum Mäkl. 64-228.....         | México       |
|                                     | Nicaragua     |                                       | Nicaragua    |
| impressithorax Pic 35-29.....       | South America | obscurum Mäkl. 64-276.....            | Bolivia      |
| impressum Mäkl. 64-137.....         | Brasil        | oculatum Champ. 88-371.....           | Guatemala    |
| infemorale Pic 18-21.....           | Colombia      |                                       | Nicaragua    |
| infossifrons Pic 21-15.....         | Colombia      | opacipenne Champ. 88-361.....         | México       |
| ingens Kirsch 86-335.....           | Ecuador       | ornatum Mäkl. 64-119.....             | Brasil       |
| interneseperatum Pic 32-20.....     | Brasil        | v. subelongatum Pic 34-90.....        | Brasil       |
| interpunctatum Germ. 24-151.....    | Brasil        | pallidicorne Pic 18-17.....           | Brasil       |
| interstitiale Germ. 24-153.....     | Brasil        | panamense Champ. 88-363.....          | Panamá       |
| iodopterum Fairm. 89-xliii.....     | Brasil        | parviceps Mäkl. 64-183.....           | Brasil       |
| javeti Mäkl. 64-295.....            | Brasil        | parvulum Mäkl. 64-201.....            | Brasil       |
| lacunosum Mäkl. 64-145.....         | Colombia      | pavoni Er. 47-120.....                | Perú         |
| laevigatum Mäkl. 64-267.....        | Bolivia       | permodicum Mäkl. 64-212.....          | Guatemala    |
| laevipenne Mäkl. 64-194.....        | Brasil        |                                       | Nicaragua    |
| languidum Mäkl. 64-204.....         | México        |                                       | Panamá       |
|                                     | Guatemala     |                                       | Colombia     |
| langurioides Champ. 87-355.....     | Nicaragua     | peruvianum Pic 18-22.....             | Perú         |
| laterale Mäkl. 64-226.....          | México        | picioerne Fairm. 92-92.....           | Venezuela    |
| laticorne Mäkl. 64-140.....         | Brasil        | pilosipes Pic 21-15.....              | Colombia     |
| lemoulti Pic 18-16.....             | Brasil        | pilosotriatum Pic 35-32.....          | Brasil       |
| leprosum Germ. 21-151.....          | Brasil        | platense Fairm. 92-251.....           | Argentina    |
| leseleuci Pic 18-14.....            | Brasil        | plebajum Mäkl. 64-198.....            | Colombia     |
| limbatum Germ. 24-155.....          | Brasil        | posticejunctum Pic 21-16.....         | Colombia     |
| limitatum Mäkl. 64-234.....         | México        | procerum Er. 47-120.....              | Perú         |
| lineare Mäkl. 64-176.....           | Brasil        | propinquum Mäkl. 64-172.....          | Brasil       |
| lineolatum Mäkl. 64-345.....        | Brasil        | pulchripenne Pic 18-13.....           | Brasil       |
| longelineatum Pic 18-16.....        | Brasil        | pulvinatum Mäkl. 64-157.....          | Puerto Rico  |
| longioripenne Pic 35-30.....        | Brasil        | pumilum Mäkl. 64-217.....             | Fr. Guiana   |
| v. concoloricorne Pic 35-30.....    | Brasil        | punctatissimum Mäkl. 64-205.....      | Brasil       |
| lucidicolle Pic 18-23.....          | Brasil        | punctatolineatum Pic 18-14.....       | Brasil       |
| lucidum Mäkl. 64-175.....           | Costa Rica    | punctatostriatum Mäkl. 64-185.....    | Brasil       |
| luctuosum Mäkl. 64-188.....         | Brasil        | punctifrons Mäkl. 64-188.....         | México       |
| lugubre Mäkl. 64-184.....           | Brasil        |                                       | Br. Honduras |
| luteicorne Germ. 24-155.....        | Brasil        | punctipes Champ. 88-375.....          | Guatemala    |
| v. pictum Lap. 40-239.....          | Brasil        | purpuratum Mäkl. 64-297.....          | Brasil       |
| luteomaculatum Pic 18-17.....       | Brasil        |                                       | Argentina    |
| maculicolle Champ. 87-342.....      | Nicaragua     | purpureipes Pic 24-11.....            | Colombia     |
|                                     | Costa Rica    | purpureohumerale Pic 18-16.....       | Brasil       |
|                                     | Panamá        | purpureopunctum Pic 18-19.....        | Guiana       |
| maeklini Gemm. 70-123.....          | Brasil        | purpureum Mäkl. 64-191.....           | Brasil       |
| <i>longipenne</i> Mäkl. 64-300..... | Brasil        | v. viridipenne Pic 31-36.....         | Brasil       |
| mafraense Pic 35-28.....            | Brasil        | quadridentatum Mäkl. 64-180.....      | Bolivia      |
| malleri Pic 35-31.....              | Brasil        | quadrilineatum Mäkl. 64-241.....      | Brasil       |
| v. quinquenotatum Pic 35-31.....    | Brasil        | quadriraculatum Mäkl. 64-247.....     | Brasil       |
| v. subobliteratum Pic 35-31.....    | Brasil        | quadrinotatum Mäkl. 64-290.....       | Brasil       |
| mannerheimi Mäkl. 64-285.....       | Brasil        | quattuordecimmaculatum Pic 18-15..... | Bolivia      |
| marginale Mäkl. 64-230.....         | México        | ramosum Mäkl. 64-232.....             | México       |
| maronum Pic 18-20.....              | Guiana        | redtenbacheri Mäkl. 64-189.....       | Brasil       |
| mediocre Mäkl. 64-196.....          | Brasil        |                                       | Argentina    |
| meridanum Pic 18-19.....            | Venezuela     | reductissimum Pic 32-20.....          | Brasil       |
| militare Mäkl. 64-239.....          | Brasil        | rubripenne Mäkl. 64-120.....          | Brasil       |
| v. augustalsi Pic 18-16.....        | Brasil        | rubrithorax Brèthes 20-38.....        | Perú         |
| mirum Pic 18-18.....                | Bolivia       | rubrofasciata Pic 35-28.....          | Brasil       |
|                                     |               | ruficorne Kirsch 73-406.....          | Perú         |
|                                     |               | rufipes Kby. 18-423.....              | Brasil       |

- Strongylium*—Continued.
- rufiventre Mäkl. 64-121.....Brasil  
 rufolineatum Mäkl. 64-225.....Brasil  
 rufovittatum Pic 32-20.....Fr. Guiana  
 rugosum Lap. 40-239.....Brasil  
 rugulicollis Mäkl. 64-134.....Brasil  
 rusticum Mäkl. 64-272.....Brasil  
 rutilans Fr. 47-121.....Perú  
 sahlbergi Mäkl. 64-164.....Brasil  
 sallei Mäkl. 64-149.....México  
 Guatemala  
 Nicaragua  
 santiagonum Pic 35-32.....Argentina  
 semicupreum Mäkl. 64-156.....Brasil  
 semifoveolatum Pic 35-33.....Brasil  
 semioopacum Pic 18-12.....Fr. Guiana  
 semipunctatum Mäkl. 64-152.....Brasil  
 semistriatum Mäkl. 64-143.....México  
 sexdentatum Mäkl. 64-197.....Surinam  
 sexmaculatum Mäkl. 64-236.....Brasil  
 v. bisbimaculatum Pic 18-18.....Brasil  
 signatum Mäkl. 64-253.....Brasil  
 simplicipes Pic 18-15.....Panamá  
 singulare Pic 18-19.....Brasil  
 sipolisi Pic 32-19.....Brasil  
 sordidum Mäkl. 64-274.....Brasil  
 sparsefoveolatum Pic 35-33.....Brasil  
 spinicollis Mäkl. 64-148.....Brasil  
 striolatum Mäkl. 64-238.....Brasil  
 subalternatum Pic 18-20.....Guiana  
 subcostatum Mäkl. 64-208.....México  
 Guatemala  
 subimpressipenne Pic 35-30.....Perú  
 subiridescens Pic 18-14.....Brasil  
 submucronatum Pic 18-18.....Brasil  
 subopacipenne Pic 18-24.....Brasil  
 subtilepunctatum Pic 18-23.....Belivia  
 sulcatum Mäkl. 64-237.....Brasil  
 supraopacum Pic 35-32.....Brasil  
 suturale Mäkl. 64-229.....México  
 Guatemala  
 testaceotibiale Pic 30-19.....Argentina  
 testaceum Mäkl. 64-122.....Brasil  
 texatum Mäkl. 64-291.....Brasil  
 theresae Pic 35-29.....Brasil  
 tinctipes Champ. 87-349.....Nicaragua  
 Panamá  
 trinudulatum Pic 18-13.....Perú  
 triplagiatum Mäkl. 64-224.....Brasil  
 triste Mäkl. 64-186.....Brasil  
 triviale Mäkl. 64-275.....Brasil  
 tucumanum Pic 18-16.....Argentina  
 uberabanum Pic 31-30.....Brasil  
 usulatum Mäkl. 64-248.....Brasil  
 v. subustulatum Pic 18-17.....Brasil  
 varians Champ. 88-365.....México  
 Br. Honduras  
 Guatemala  
 variegatum Mäkl. 64-129.....Brasil  
 variicorne Champ. 87-353.....Panamá  
 ventrale Champ. 87-356.....Panamá  
 venustum Mäkl. 64-244.....Brasil  
 vile Mäkl. 64-123.....Brasil  
 violaceum Pall. 81-40.....Brasil  
 splendidum Germ. 24-151.....Argentina  
 viride Fabr. 01-159.....Fr. Guiana  
 viridifasciatum Pic 18-15.....Colombia  
 viridipes Mäkl. 64-166.....México  
 viridipunctatum Pic 18-22.....Brasil  
 viridilinctum Champ. 87-359.....Guatemala  
 wagneri Pic 18-19.....Argentina  
 X-notatum Pic 18-18.....Brasil
- Flabellostrongylium* Pic 38-18  
 auronitidum Pic 38-18.....Brasil
- Otoecerus* Mäkl. 64-376  
*Hoploptera* G. & H. 70-2037  
*Oploptera* Chev. 46-125  
*Plicatocerus* Pic 18-11 (Subg.)
- blanchardi Mäkl. 64-383.....Brasil  
 cyanescens Pic 18-11.....Guiana  
 dilaticornis Champ. 88-378.....Panamá  
 flavipennis Mäkl. 64-378.....Brasil  
 flavolineatus Mäkl. 64-380.....Brasil  
 lamatus Champ. 88-381.....Nicaragua  
 impressipennis Champ. 88-382.....Panamá  
 interruptus Champ. 88-380.....Panamá  
 lucasi Mäkl. 64-384.....Brasil  
 maroniensis Pic 35-34.....Fr. Guiana  
 microps Champ. 88-381.....Nicaragua  
 multinotatus Pic 18-11.....Fr. Guiana  
 nicaraguensis Champ. 88-379.....Nicaragua  
 nigrivertris Mäkl. 64-381.....Brasil  
 pallidipennis Mäkl. 64-121.....Brasil  
 v. lineatus Pic 18-11.....Brasil  
 quadrimpressus Mäkl. 64-386.....Brasil  
 quinquelineatus Mäkl. 64-379.....Brasil  
 robustus Pic 18-11.....South America  
 rufescens Mäkl. 64-382.....Brasil  
 scapularis Mäkl. 64-385.....Brasil  
 semiviridis Mäkl. 64-380.....Brasil  
 serraticornis Chev. 46-125.....Brasil  
 squalidus Mäkl. 64-383.....Brasil  
 superbus Mäkl. 64-387.....Fr. Guiana  
 torolae Champ. 88-378.....Guatemala  
 validicornis Mäkl. 64-387.....Fr. Guiana  
 versicolor Mäkl. 64-388.....Brasil
- Falsostrongylium* Pic 15-11  
 semirufum Pic 15-11.....Bolivia  
 subcostulatum Pic 15-12.....Perú
- Otoecromorphus* Pic 15-11  
 gounellei Pic 15-11.....Brasil  
 Argentina  
 v. costulatus Pic 15-11.....Brasil  
 Argentina  
 v. lineatus Pic 15-11.....Brasil  
 Argentina
- Microtoecerus* Pic 18-11  
 grandicornis Pic 18-12.....Brasil
- Pseudotoecerus* Champ. 88-383  
 attenuatus Champ. 88-383.....Nicaragua  
 gracilimembris Pic 18-12.....Brasil  
 longipes Lucas 59-138.....Brasil
- Epiplecta* Mäkl. 64-390  
 maculata Mäkl. 64-391.....Fr. Guiana
- Oenomia* Pasc. 83-441  
 femorata Pasc. 83-441.....Brasil
- Elasmocera* Mäkl. 64-396  
 dentipes Mäkl. 64-397.....Brasil
- Pseudostongylium* Kr. 80-114  
 brasiliense Kr. 80-115.....Brasil
- Tucumana* Geb. 11-604  
*Eustenia* Fairm. 05-303  
 (not Snell, 1899)  
 tenuimembris Fairm. 05-303.....Argentina

## CISIDAE

(Cioidae, Ciidae, Cicoidae)

## CISINAE

**Xylographus** Mellié 47-109

- contractus Mellié 48-227.....Brasil  
corpulentus Mellié 48-225.....Perú  
gibbus Mellié 48-228.....Colombia  
latirostris Gorch. 86-355.....Guatemala  
lemoulti Pic 16-4.....Fr. Guiana  
porcus Gorch. 86-355.....Guatemala  
punctatus Mellié 48-230.....Colombia  
richardi Mellié 48-226.....Fr. Guiana  
rufipes Pic 30-175.....Argentina  
suillus Gorch. 86-355.....Guatemala
- Cis** Latr. 96-50
- apicipennis Pic 16-5.....Brasil  
atromaculata Pic 16-5.....Guadeloupe  
aureopubens Pic 22-2.....Guadeloupe  
bilimeki Rtrr. 78-33.....México  
bimaculatus Germain (Lesne 24-374).<sup>10</sup> Is. J. Fernández  
bipartita DuVal 57-241.....Cuba  
biramosa Steinh. 74-575.....Argentina  
bisidens Gorch. 83-221.....México  
bituberculata Gorch. 86-357.....México  
bonariensis Steinh. 74-575.....Argentina  
boxi Pic 30-175.....Argentina  
brunnea Mellié 48-327.....Venezuela  
bubalus Rtrr. 78-32.....México  
Guatemala  
Colombia
- campi Brèthes 23-29.....Chile  
convexa Mellié 48-359.....Venezuela  
corticina Gorch. 83-220.....Guatemala  
creberrima Mellié 48-357.....México  
Guatemala  
U. S. A.
- cylindra Gorch. 86-358.....Panamá  
diademata Mellié 48-331.....Brasil  
dufaui Pic 22-2.....Guadeloupe  
emarginata Mellié 48-267.....Colombia  
espinosai Brèthes 23-460.....Chile  
fasciata Gorch. 85-220.....México  
Guatemala
- fernandeziana Lesne 24-373.....<sup>10</sup> Is. J. Fernández  
fulvipes Mellié 48-316.....Brasil  
gounellei Pic 16-5.....Brasil  
grossa Mellié 48-321.....Br. Guiana  
hirtella DuVal 56-241.....Cuba  
infasciata Pic 22-2.....Guadeloupe  
lemoulti Pic 23-12.....Fr. Guiana  
longispilis Pic 30-176.....Argentina  
melleii Coqu. 49-441.....Martinique  
M-nigrum Champ. 13-161.....México  
murina Mellié 48-252.....Cuba  
nasicornis Rtrr. 78-34.....Colombia  
nigrofasciata Pic 22-1.....Guadeloupe  
nubila Gorch. 98-331.....St. Vincent  
obscuripennis Pic 22-2.....Guadeloupe  
olivieri Mellié 48-259.....Fr. Guiana  
pallida Mellié 48-246.....Brasil  
picea Mellié 48-332.....Perú  
pilosa Gorch. 83-222.....Guatemala

- puberula Mellié 48-358.....México  
<sup>11</sup> St. Thomas  
Guadeloupe
- punctata Mellié 48-337.....Guatemala  
U. S. A.
- pusilla Gorch. 98-330.....<sup>13</sup> Grenadines  
robusta Pic 16-5.....Brasil  
rufus Germain (Lesne 24-374).<sup>10</sup> Is. J. Fernández
- sempallida Pic 16-5.....Argentina  
steinheili Rtrr. 78-33.....Colombia  
striatopunctata Steinh. 74-574.....Argentina  
subfusca Gorch. 86-357.....México  
superba Kraus 08-75.....Cuba  
testaceofasciata Pic 22-2.....Guadeloupe  
tetracentrum Gorch. 86-357.....México  
validithorax Pic 16-4.....Brasil  
sp. (Wolcott 36-244).....Puerto Rico
- Macrocis** Rtrr. 78-34
- bison Rtrr. 78-36.....Colombia  
diabolica Rtrr. 78-35.....Colombia  
grandicornis Pic 17-4.....Fr. Guiana  
rufescens Pic 22-3.....Guadeloupe  
setifer Gorch. 83-220.....Guatemala  
taurus Rtrr. 78-35.....México  
Guatemala  
Panamá
- testacea Pic 16-5.....Brasil  
testaceimembris Pic 16-6.....Brasil
- Falcois** Pic 16-4
- opaca Pic 16-4.....Fr. Guiana  
v. flava Pic 22-8.....Guiana
- Malacois** Gorch. 86-356
- bahiensis Pic 16-6.....Brasil  
championi Gorch. 86-356.....Guatemala
- Orthocis** Csy. 98-84
- platenis Brèthes 22-302.....Argentina
- Xestocis** Csy. 98-85
- platenis Brèthes 22-301.....Argentina
- Ennearthron** Mellié 47-110  
Entypus Redt. 47-350
- annulatum Kraus 08-80.....Cuba  
argentineum Pic 16-19.....Argentina  
bicornis Mellié 48-374.....Perú  
corniferum Mellié 48-371.....Brasil  
cucullatum Mellié 48-372.....South America  
Old World
- curtum Mellié 48-367.....Cuba  
cylindricum Brèthes 22-303.....Argentina  
delicatum DuVal 56-244.....Cuba  
Puerto Rico
- hastiferum Mellié 48-370.....Colombia  
lanellatum Pic 39-8.....Brasil  
multipunctatum Mellié 48-368.....México  
Cuba
- simplicicorne Pic 16-19.....Argentina  
simplicicollis (Zool. Rec. 16-118)
- taurus DuVal 56-245.....Cuba
- Ceracis** Mellié 48-375  
Ceratois G. & H. 69-1800
- ater Pic 22-2.....Guadeloupe  
bifureus Gorch. 98-332.....St. Vincent

<sup>10</sup> Chile.<sup>11</sup> Virgin Islands (W. I.).<sup>13</sup> Grenadines (W. I.).

## Ceracis—Continued.

|                                    |             |                               |             |
|------------------------------------|-------------|-------------------------------|-------------|
| bison Rtrtr. 78-37.....            | Cuba        | quadridentata Pic 22-3.....   | Guadeloupe  |
| castaneipennis Mellié 48-376.....  | Cuba        | ruficornis Pic 16-20.....     | Brasil      |
| <i>nitidula</i> Mellié 48-334..... |             | rufipes Pic 22-2.....         | Guadeloupe  |
| furcifer Mellié 48-379.....        | Guatemala   | semipallida Pic 22-3.....     | Guadeloupe  |
|                                    | Surinam     | tricornis Gorb. 83-224.....   | México      |
|                                    | Fr. Guiana  |                               | Guatemala   |
|                                    | Perú        | unicornis Gorb. 98-332.....   | St. Vincent |
|                                    | St. Vincent | variabilis Mellié 48-380..... | Cuba        |
| laticornis Pic 22-3.....           | Guadeloupe  |                               |             |
| militaris Mellié 48-378.....       | México      |                               |             |
|                                    | Guatemala   |                               |             |
|                                    | St. Vincent |                               |             |
| particularis Pic 22-3.....         | Guadeloupe  |                               |             |
| quadricornis Gorb. 30-25.....      | México      |                               |             |

## OROPHIINAE

|                                |        |
|--------------------------------|--------|
| <i>Trichapus</i> Fried. 81-328 |        |
| glaber Fried. 81-329.....      | Brasil |
| pubescens Fried. 81-329.....   | Brasil |